

UUID: C115F113-1A42-4DB6-A6AA-7717C6DE227C
TCGA-ZF-AA5N-01A-PR

Redacted



ICD O-3

Carcinoma, urothelial NOS
8/20/13

Sites: Bladder NOS
C67.9

9/24/14

Specimen Comments

SPECIMEN

- A. Bladder tumour
- B. Left ureteric orifice biopsy

CLINICAL DETAILS

New bladder tumour occluding left ureteric orifice. Clinically HG + invasive while mass on EUA. Resection revealed ureter - resection border biopsied separately. ? T3 disease.

MACROSCOPY

- A. 3 g of firm tissue chippings.
- B. A single piece of tissue measuring 6 mm.

MICROSCOPY

A/B.

Site of tumour

Bladder

Growth pattern:

Infiltrating

Type:

Pw Tss,
5% signet ring.

High grade urothelial carcinoma with a signet ring differentiation. There is extensive necrosis.

Muscle present:

Yes

Stromal invasion:

Extensive muscle invasion is present (at least pT2).

Vascular Channel Invasion:

No definite lymphovascular invasion is identified.

Background Urothelium:

Cystitis cystica is identified within the background urothelium. A small area of carcinoma in-situ is identified within the main specimen.

The left ureteric orifice biopsy identified separately (specimen B) shows no definite evidence of carcinoma in-situ and no invasive disease.

SUMMARY:

Bladder; High Grade Urothelial Carcinoma, G3, pT2 (at least) with CIS.

Ref:

Pathologists -

Criteria	Yes	No
Diagnosis Discrepancy		
Primary Tumor Site Discrepancy		
HIPAA Discrepancy		
Prior Malignancy History		
Dual/Synchronous Primary Noted		
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewer Initials	SC	LB