

ICD-0-3

Carcinoma, urothelial, 8120/3
nos

Case Number :

Site: bladder, nos C 679

Collection Date :

2/18/11
ju

Surgical Pathology Report

Diagnosis:

FSA: Urethra, margin, biopsy.

- Scant urothelium, without urothelial dysplasia or invasive carcinoma.
- Small acinar proliferation, without prostatic invasive adenocarcinoma (see Light Microscopy)

B: Bladder and prostate, radical cystoprostatectomy.

- Bladder:

- Invasive urothelial carcinoma, high grade (WHO/ISUP classification), at least 3.5 cm diameter, involving anterior wall, dome, and posterior wall, with extension through muscularis propria into posterior perivesical fat, inked surgical margins not involved.

- Ureter, right - no dysplasia or carcinoma identified

- Ureter, left - not identified

- Prostate:

- Adenocarcinoma, Gleason score 3+3, involving left apex and right mid, involving 10% of gland, without angiolymphatic or extracapsular invasion, inked surgical margins not involved.

- Seminal vesicles, bilateral - No carcinoma identified.

- Vas deferens, bilateral - No carcinoma identified.

C: Lymph nodes, right pelvic, excision.

- No metastatic carcinoma identified (0/3).

D: Lymph nodes, left pelvic, excision.

- No metastatic carcinoma identified (0/8).

E: Foreign object, abdominal cavity, removal.

- Fat necrosis and peripheral fibrosis.

Intraoperative Consult Diagnosis:

An intraoperative frozen section was requested

UUID: B3A36579-3E87-408D-AC04-19A8136E1E7A
TCGA-CU-A0YN-01A-PR

Redacted



FSA1: Urethra margin, biopsy

- Benign urothelium, no tumor seen

Clinical History:

bladder cancer with a clinical diagnosis of bladder cancer undergoes cystoprostatectomy with ileal conduit and bilateral pelvic lymph node dissection.

Gross Description:

Received are five appropriately labeled containers.

Container A is received fresh for frozen section diagnosis, additionally labeled "urethral margin" rule out cancer and holds a 1.5 x 1.0 x 0.4 cm aggregate of tan/red irregular soft tissue fragments with cautery artifact. The specimen is totally submitted as FSA1.

Container B is additionally labeled "bladder and prostate". The specimen was received in the fresh state for acquisition by tumor procurement services, who obtained portions of tumor and uninvolved urinary bladder.

Specimen fixation. Formalin

Type of specimen(s) received: Cystoprostatectomy

Size of urinary bladder: Approximately 8 x 9 x 4.2 cm; size of specimen 10.8 x 9.1 x 4.2 cm

Criteria	Yes	No
Diagnosis Discrepancy		X
Primary Tumor Site Discrepancy		X
HIPAA Discrepancy		X
Prior Malignancy History		X
Dual/Synchronous Primary Noted	X	
Case is (circle): QUALIFIED / DISQUALIFIED		
Reviewed (Print) Date Reviewed	4/27/11	

Tumor size: 3.5 x 3 x 2.5 cm

Tumor location: Anterior wall, posterior wall, and dome. The deepest extent of tumor invasion is in the posterior wall and these areas are preferentially sampled and represented in blocks involved by tumor. The tumor mass appears unifocal with a papillary appearance and has a yellow/tan appearance with possible areas of hemorrhage and necrosis.

Other mucosal lesions: The uninvolved portions of bladder wall, predominantly the posterior wall show edema. Otherwise, the mucosa is tan and coarsely folded. The trigone has some focal hyperemia.

Gross description of other organs or structures: There is an attached prostate (4.7 x 3 x 2.5 cm). The seminal vesicles are not identified. The urethral margin has been previously sampled and submitted for frozen section. The specimen is inked such that the apex of the prostate is inked yellow. The posterior wall of the bladder is inked black and the anterior wall is inked blue.

Digital photograph taken:

Block Summary:

- B1 - Right ureter at stapled margin
- B2 - Right lateral wall including right ureter orifice
- B3 - Possible left ureter margin (? ejaculatory duct margin) both have staples
- B4 - Not dictated
- B5 - Representative section of uninvolved posterior wall
- B6 - Uninvolved representative section of anterior bladder wall
- B7 - Representative section of trigone
- B8 - Additional tumor, anterior, left lateral wall
- B9 - Representative full thickness section of the posterior wall including bladder lumen and area of possible neuro hemorrhage and necrosis/tumor involvement
- B10 - Not dictated
- B11 - Portion of neuro necrosis with tumor involvement
- B12-B13 - Additional representative sections of tumor
- B14 - Left prostate apical margin, radial sections
- B15 - Right prostate apex margin, radial sections
- B16 - Left lobe of prostate, mid prostate
- B17 - Right lobe of prostate, mid prostate
- B18-B27 - Additional unoriented blocks from prostate
- B31 - Right ureter candidate
- B32 - Left ureter candidate

Container C is additionally labeled "right pelvic lymph node" and holds a 3.5 x 1.5 x 1 cm portion of fibrofatty tissue within which at least 1 lymph node is palpated. The specimen is bivalved and submitted as blocks C1 and C2, NTR.

Container D is additionally labeled "left pelvic lymph node" and holds a 3.5 x 2 x 0.7 cm portion of fibrofatty tissue within which lymph nodes are palpated. The specimen is divided into two pieces. Piece one is bivalved and submitted as block D1 and piece two is bivalved and submitted as block D2, NTR.

Container E is additionally labeled "foreign object abdominal cavity" and holds a firm white ovoid portion of tissue (2.3 x 2 x 2.5 cm). The cut surface is firm and smooth with a central sphere of encapsulated hard yellow/brown material. A portion is submitted for decalcification and submitted as block E1.

The frozen section diagnosis is confirmed. Permanent sections of FSA (urethral margin) show focal small caliber prostatic glands. High molecular weight cytokeratin shows no basal cell loss, lending no support for prostatic adenocarcinoma.

Specimen B:

Bladder primary:

Tumor histologic type: urothelial

Tumor histology grade (WHO classification): high

Microscopic tumor size (greatest dimension): 3.5 cm diameter grossly

Microscopic extent of invasion: through muscularis propria into perivesical fat (block B9)

Focality of tumor: unifocal

Angiolymphatic space invasion: not identified

Presence/absence of intraepithelial abnormality: high grade papillary carcinoma present

Ureters: R negative L not identified on repeated attempts

Histologic assessment of surgical margins:

Negative (Scant ink in block B9 is interpreted as contamination rather than surface inking.)

Ureter, left: not identified on repeated attempts

Ureter, right: negative

Urethra: negative (including negative HMW CK immunostain to exclude prostate adenocarcinoma)

Paravesicular soft tissue: negative

Other significant findings: none

Lymph nodes: 0/11

Diagnoses of other organs or structures: Prostate adenocarcinoma, Gleason 3+3 (see below)

AJCC Staging (Bladder):

pT3a

pN0

pMx

This staging information is based on this pathologic specimen and may be incomplete. A comprehensive review of all available information is recommended to determine final staging.

Prostate primary:

Tumor histologic type: adenocarcinoma

Tumor grade (Gleason system): 3+3

Approximate percentage of prostate involved by tumor: 10%

Extent of tumor:

Location of tumor involvement in prostate: L apex (B14) and R mid (B19-21)

Confinement/non-confinement of tumor within the prostatic capsule: confined

Location of extracapsular tumor involvement:

Type of extracapsular tissue involved within tumor:

Angiolymphatic space invasion: not identified

Seminal vesicles: not involved

Vas deferens: not involved

Histologic assessment of surgical margins: negative

Other significant findings: bladder carcinoma (see above)

Lymph nodes: (0/11 pelvic nodes total)

AJCC Staging:

pT2c

pN0

pMx

This staging information is based on this pathologic specimen and may be incomplete. A comprehensive review of all available information is recommended to determine final staging.

Signature

I have personally conducted the evaluation of the above specimens and have rendered the above diagnosis(es).