


UUID: 5D5A2A97-F2B3-4EBE-BD57-C035D1710874
TCGA-4Z-AA89-01A-PR

Redacted



Collect date:
(MM/DD/YYYY)

ICD-O-3
Carcinoma, urothelial papillary
cctf 8130/3
Site: Bladder trigone C67.0
path
Bladder NOS C67.9
9/23/18/14

PATHOLOGY REPORT:

PRIMARY SITE: Bladder

1 - "Cistoprostatectomy":

. High grade papillary urothelial carcinoma infiltrating all the wall until the prostate.

Left ureteral margin with focal urothelial carcinoma in situ

Right ureteral margin uninvolved by neoplasia

Right and left seminal vesicles uninvolved by neoplasia.

Right and left vas deferens uninvolved by neoplasia.

2- Left obturator lymph nodes

Absence of neoplasia (0/3)

3- Left iliac lymph nodes

Absence of neoplasia (0/2)

4- Right obturator lymph nodes

Absence of neoplasia (0/2)

5- Right iliac lymph nodes

Absence of neoplasia (0/3)

Criteria	Yes	No
Diagnosis Discrepancy		✓
Primary Tumor Site Discrepancy		✓
HIPAA Discrepancy		✓
Prior Malignancy History		✓
Dual/Synchronous Primary Noted		✓
Case is (circle): QUALIFIED / QUALIFIED		
Reviewer Initials	hw	12/20/13
Date Reviewed		