

ICD-0-3

Carcinoma, urothelial, NOS 8/20/3

Site: bladder, NOS C67.9

1/28/11 *lw*

Diagnosis

1. Cystoprostatectomy preparation with a moderately differentiated, solid urothelial carcinoma of squamous epithelial differentiation mainly in the right trigone, with penetration of all parietal layers and macroscopic infiltration of the perivesical fatty tissue. Three tumor-free lymph nodes. Deep resection margins, including urethra, ureters and vas deferens, are tumor-free (compare frozen section, admission no. ---). Foci of moderate dysplasia of the remaining bladder urothelium.

Comment:

Tumor classification of the bladder carcinoma: pT3b, pN0 (0/9), L0, V0, R0, G2; maximum tumor size 2.5 cm.

UUID: 8410F811-09E4-40B9-83CF-5A6F3DE6288D
TCGA-C4-A0F1-01A-PR

Redacted



Criteria	Yes	No
Diagnosis Discrepancy		☒
Primary Tumor Site Discrepancy		☒
HIPAA Discrepancy		☒
Prior Malignancy History		
Dual/Synchronous Primary Noted		
Case is (circle):	QUALIFIED	DISQUALIFIED
Reviewed by:	<i>KM</i>	<i>W</i>
Date Reviewed:		5/2/10