

Surgical Pathology Report

Final

ICD-O-3
Carcinoma, urothelial NOS
8120/3
Site Bladder NOS
Q67.9
JSD 2/24/14

Surgical Pathology Report

UUID:901D2500-3E1D-4FDB-B2BC-3B215FB7F9C6
TCGA-SY-A9G5-01A-PR

Redacted



DIAGNOSIS:

- A. Ureter, right, biopsy:
Complete cross section of benign ureter.
- B. Right pelvic nodes, excision:
Ten lymph nodes negative for carcinoma (0/10).
- C. Ureter, left, biopsy:
Complete cross section of benign ureter.
- D. Left pelvic nodes, excision:
Four lymph nodes negative for carcinoma (0/4).

E. Bladder and prostate, cystectomy and prostatectomy:
Bladder: Urothelial carcinoma, high-grade (grade 3/3), status post biopsy, at least 2.9 cm in greatest dimension, with invasion into the superficial half of the muscularis propria and invasion of the prostatic glands and stroma, negative for lymphovascular invasion. Surgical margins free of involvement. Focal adjacent carcinoma in situ. This tumor corresponds to an AJCC pathologic stage grouping pT4a, N0. Biorepository sample positive for invasive carcinoma.

Prostate: Focal high-grade prostatic intraepithelial neoplasia. Seminal vesicles negative for malignancy.

CLINICAL INFORMATION:

Bladder cancer.

SPECIMEN(S):

- A:Right ureter
- B:Right pelvic nodes
- C:Left ureter
- D:Left pelvic

E:Bladder & prostate

PRELIMINARY INTRAOPERATIVE DIAGNOSIS:

Intraoperative Pathologist(s):

A. Right ureter, frozen section diagnosis: Negative for carcinoma.

B. Right pelvic nodes, frozen section diagnosis:

B1-B5, ten apparent lymph nodes, cannot identify metastases.

C. Left distal ureter, frozen section diagnosis: Negative for carcinoma.

D. Left pelvic nodes, frozen section diagnosis:

D1-D3, eight lymph nodes, negative for carcinoma.

E. Bladder and prostate, frozen section diagnosis: Distal urethral margin negative for carcinoma.

GROSS DESCRIPTION:

A. Received fresh labeled and "right ureter" is a single cylindrical, pink-tan portion of tissue 0.5 x 0.4 cm. Entirely submitted following frozen section in one cassette labeled A1.

B. Received fresh labeled and "right pelvic nodes" is a portion of fibrofatty tissue containing ten lymph nodes that are from 0.4 cm to 1.8 cm in maximum dimension. Entirely submitted following frozen section in five cassettes labeled

B1-B5. B1) Three nodes; B2) one node serially sectioned; B3) one node serially sectioned; B4) two nodes, one bisected after inking; B5) three nodes.

C. Received fresh labeled and "left distal ureter" is a cylindrical portion of tissue 0.5 x 0.4 cm partially surrounded by fat. Submitted following frozen section in one cassette labeled C1.

D. Received fresh labeled and "left pelvic nodes" is a portion of fat containing eleven possible lymph nodes from 0.2 cm to 1.5 cm. Submitted in six cassettes labeled D1-D6. D1) Frozen section of serially sectioned node; D2) frozen section of two nodes; D3) frozen section of a single bisected node; D4) three additional nodes; D5) two additional nodes; D6) two additional nodes.

E. Received fresh labeled and "bladder and prostate" is a radical cystoprostatectomy specimen, 12 x 8.5 x 6 cm. The bladder has a prominent ulceration involving the right lateral and anterior aspect, including the right trigone. This ulceration is up to 2.5 x 2 cm with underlying indurated gray-white tumor tissue. There is apparent tumor extending into the wall but not grossly definitively into the perivesicular fat. A second area of prominent ulceration is present on the right side of the prostatic urothelial surface. The remaining bladder mucosa is edematous with no additional mass or ulcer. The prostate is grossly involved by granular, indurated, gray-white tumor encircling the prostatic urethra, predominantly on the right side. The left side of the prostate is inked black, the right side blue. No nodules are identified within the attached perivesicular fat. Sampled in

twenty-two cassettes labeled E1-E22. Summary of sections:
 E1) Frozen section distal urethral margin; E2-E5) tumor right bladder wall; E6) right ureteral orifice; E7) left ureteral orifice; E8) left lateral bladder; E9) bladder dome; E10) posterior bladder; E11) mirror image of biorespiratory samples, IRB # E12) left prostate apical margin; E13) right prostate apical margin; E14) left apical prostate; E15) right apical prostate; E16) left midprostate; E17) right midprostate; E18) left base; E19) right base; E20) left seminal vesicle; E21) right seminal vesicle; E22) tumor underlying right side of proximal prostatic urethra.

Support for the diagnosis in this case may have included the use of immunohistochemistry tests that were developed and whose performance characteristics were determined by

They have not been cleared or approved by the U.S. Food and Drug Administration (FDA). The FDA has determined that such clearance or approval is not necessary. These tests should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 ('CLIA') as qualified to perform high complexity clinical laboratory testing.

Criteria:	12/11/13	
Diagnosis Discrepancy	Yes	No
Primary Tumor Site Discrepancy		✓
HIPAA Discrepancy		✓
Prior Malignancy History		✓
Dual/Synchronous Primary Noted		✓
Case is (circle):	QUALIFIED / DISQUALIFIED	
Reviewer Initials	BTK	Date Reviewed: 12/11/2013