


UUID: C14C42D1-6359-4625-90E1-B3E43646DB64
TCGA-4Z-AA7M-01A-PR

Redacted



Collect date: _____

(MM/DD/YYYY)

ICD-O-3
Carcinoma, transitional cell NOS
Site: Bladder, lateral wall
path
Bladder NOS
812013
C67.2
C67.9
7/23/14

PATHOLOGY REPORT:

PRIMARY SITE: Bladder

1 - "Bladder + prostate":

High-grade urothelial carcinoma of the bladder characterized as follows:

- . Measure of neoplasia in its major axis: 6.2 cm
- . Ulcerated and infiltrative neoplasia affecting all layers of the bladder and perivisceral fat.
- . Prostate, seminal vesicles, vas deferens, ureters and urethra free of neoplastic involvement.
- . Neural infiltration not observed.
- . Lymphatic vascular invasion not detected.
- . Sanguineous vascular invasion not detected.
- . Surgical margins free of neoplastic involvement.
- Ulcerated granulomatous cystitis.

Acinar adenocarcinoma of the prostate associated, characterized as follows:

Measure of neoplasia in its major axis: 0.5 cm

- . Located between the base and left mid-zone.
- . Gleason score 6 (3+3).
- . Neural infiltration not observed.
- . Lymphatic vascular invasion not detected.
- . Sanguineous vascular invasion not detected.
- . Surgical margins free of neoplastic involvement.
- Lymph nodes free of neoplastic involvement (0/3)

2 - "Right pelvic lymphadenectomy":

Free of neoplastic involvement (0/6).

3 - "Left pelvic lymphadenectomy":

Lymph nodes free of neoplastic involvement (0/19)

PATHOLOGICAL STAGING

Topography	Morphology	Stage
Bladder, NOS	Transitional cell carcinoma, NOS	pT3 pN0

Criteria	Yes	No
Diagnosis Discrepancy		☒
Primary Tumor Site Discrepancy		☒
HIPAA Discrepancy		☒
Prior Malignancy History		☒
Dual/Synchronous Primary Noted		☒
Case is (circle):	☒ QUALIFIED	☐ DISQUALIFIED
Reviewer Initials	YNA	Date Reviewed: 1/2/14