



Published using Google Docs

[Report abuse](#)

[Learn more](#)

API Documentation

Updated automatically every 5 minutes



Steadfast Courier Limited

API Documentation

V1



Published using Google Docs

[Report abuse](#)[Learn more](#)

API Documentation

Updated automatically every 5 minutes

-
5. Checking Current Balance
 6. Single Return Request View
 7. Get Return Requests
 8. Get Payments (Recently Added)
 9. Get Single Payment with Consignments (Recently Added)
 10. Get Policestations (Recently Added)

1. API Authentication Parameter



API Documentation

Updated automatically every 5 minutes

Secret-Key	String	Secret Key provided by Steadfast Courier Ltd.	*****
Content-Type	String	Request Content Type	application/json

Authentication parameters are required to be added at the header part of each request.

Base Url: <https://portal.packzy.com/api/v1>

2. Placing an order

Path: `/create_order`
Method: **Post**

Input Parameters:

Name	Type	MOC	Description	Example
invoice	string	required	Must be Unique and can be alpha-numeric including hyphens and underscores.	12366 abc123 12abchd Aa12-das4 a_sdfd-wq
recipient_name	string	required	Within 100 characters.	John Smith
recipient_phone	string	required	Must be 11 Digits Phone number	01234567890
alternative_phone	string	optional	Must be 11 Digits Phone number	
recipient_email	string	optional		



Published using Google Docs

[Report abuse](#)[Learn more](#)

API Documentation

Updated automatically every 5 minutes

			including all charges. Can't be less than 0.	
note	string	optional	Delivery instructions or other notes.	Deliver within 3 PM
item_description	string	optional	Items name and other information	
total_lot	numeric	optional	Total Lot of items	
delivery_type	numeric	optional	0 = for home delivery, 1 = for Point Delivery/Steadfast Hub Pick Up	0/1

Yellow colour marked parameters are added newly.**Response:**

```
{
  "status": 200,
  "message": "Consignment has been created successfully.",
  "consignment": {
    "consignment_id": 1424107,
    "invoice": "Aa12-das4",
    "tracking_code": "15BAEB8A",
    "recipient_name": "John Smith",
    "recipient_phone": "01234567890",
    "recipient_address": "Fla# A1,House# 17/1, Road# 3/A, Dhanmondi,Dhaka-1209",
```



Published using Google Docs

[Report abuse](#)[Learn more](#)

API Documentation

Updated automatically every 5 minutes

```
,  
}
```

3. Bulk Order Create

Path: `/create_order/bulk-order`Method: **Post****Input Parameters:**

Name	Type	MOC	Description	Example
data	Json	require	Maximum 500 items are allowed. Json encoded array	Given below

Array Keys:

```
$item = [  
    'Invoice' => 'adbd123'  
]
```

Example:

```
public function bulkCreate() {  
    $orders = Order::with('address')->where('status',1)-  
>take(500)->get();  
  
    $data = array();  
  
    foreach($orders as $order) {
```



Published using Google Docs

[Report abuse](#)[Learn more](#)

API Documentation

Updated automatically every 5 minutes

```
>address->address : 'N/A',
'recipient_phone' => $order->address ? $order->address-
>phone : '',
'cod_amount' => $order->due_amount,
'note' => $order->note,
];
}

$steadfast = new Steadfast();
$result = $steadfast->bulkCreate(json_encode($data));
return $result;
}

// Example code

public function bulkCreate($data) {
    $api_key = '1m9mwrwsjbrg0w';
    $secret_key = 'y196ftazvk9s3';

    $response = Http::withHeaders([
        'Api-Key' => $api_key,
        'Secret-Key' => $secret_key,
        'Content-Type' => 'application/json'
    ])->post($this->
>base_url.'/create_order/bulk-order', [
        'data' => $data,
    ]);

    return json_decode($response->getBody() -
>getContents());
}
```



Published using Google Docs

[Report abuse](#)[Learn more](#)

API Documentation

Updated automatically every 5 minutes

```
"invoice": "230822-1",
"recipient_name": "John Doe",
"recipient_address": "House 44, Road 2/A,
Dhanmondi, Dhaka 1209",
"recipient_phone": "0171111111",
"cod_amount": "0.00",
"note": null,
"consignment_id": 11543968,
"tracking_code": "B025A038",
"status": "success"
},
{
"invoice": "230822-1",
"recipient_name": "John Doe",
"recipient_address": "House 44, Road 2/A,
Dhanmondi, Dhaka 1209",
"recipient_phone": "0171111111",
"cod_amount": "0.00",
"note": null,
"consignment_id": 11543969,
"tracking_code": "B025A1DC",
"status": "success"
},
{
"invoice": "230822-1",
"recipient_name": "John Doe",
"recipient_address": "House 44, Road 2/A,
Dhanmondi, Dhaka 1209",
"recipient_phone": "0171111111",
"cod_amount": "0.00",
"note": null,
"consignment_id": 11543970,
"tracking_code": "B025A23A",
"status": "success"
},
{
```



API Documentation

Updated automatically every 5 minutes

```
"consignment_id": 11543971,  
"tracking_code": "B025A3FA",  
"status": "success"  
},  
]
```

If there is any error in data your will get response like

```
"data": [  
  {  
    "invoice": "230822-1",  
    "recipient_name": "John Doe",  
    "recipient_address": "House 44, Road 2/A,  
    Dhanmondi, Dhaka 1209",  
    "recipient_phone": "0171111111",  
    "cod_amount": "0.00",  
    "note": null,  
    "consignment_id": null,  
    "tracking_code": null,  
    "status": "error"  
  },  
]
```

4. Checking Delivery Status

i) By Consignment ID

Path: `/status_by_cid/{id}`
Method: **GET**

ii) By Your invoice ID

Path: `/status_by_invoice/{invoice}`
Method: **GET**

iii) By Tracking Code



API Documentation

Updated automatically every 5 minutes

```
{  
  "status": 200,  
  "delivery_status": "in_review"  
}
```

Delivery Statuses:

Name	Description
pending	Consignment is not delivered or cancelled yet.
delivered_approval_pending	Consignment is delivered but waiting for admin approval.
partial_delivered_approval_pending	Consignment is delivered partially and waiting for admin approval.
cancelled_approval_pending	Consignment is cancelled and waiting for admin approval.
unknown_approval_pending	Unknown Pending status. Need contact with the support team.
delivered	Consignment is delivered and balance added.



Published using Google Docs

[Report abuse](#)[Learn more](#)

API Documentation

Updated automatically every 5 minutes

hold	Consignment is held.
in_review	Order is placed and waiting to be reviewed.
unknown	Unknown status. Need contact with the support team.

5. Checking Current Balance

Path: `/get_balance`
Method: **GET**

Response:

```
{  
  "status": 200,  
  "current_balance": 0  
}
```

5. Creating Return Requests

Path: `/create_return_request`
Method: **POST**

Name	Type	Description
------	------	-------------

API Documentation

Updated automatically every 5 minutes

reason	Optional. string	
--------	---------------------	--

Status: 'pending', 'approved', 'processing', 'completed', 'cancelled'

Response :

id	1
user_id	1
consignment_id	10000042
reason	null
status	pending
created_at	2025-07-30T23:11:45.000000Z
updated_at	2025-07-30T23:11:45.000000Z

6. Single Return Request View

Path: /get_return_request/{id}
Method: GET

7. Get Return Requests

Path: /get_return_requests
Method: GET

8. Get Payments

Path: /payments
Method: GET



Published using Google Docs

[Report abuse](#)

[Learn more](#)

API Documentation

Updated automatically every 5 minutes