

**MAKING CONNECTIONS:
DESIGN STRATEGY FOR THE ALEXANDER
WATERFRONT DISTRICT IN WINNIPEG**

By
Kangjian Luo

A practicum submitted to the Faculty of Graduate Studies of the University of
Manitoba in partial fulfillment of the requirement for the degree of
Master in City Planning

Committee members:
Dr. David van Vliet MCIP
Dr. Ian Wight MCIP
Mr. Stephen Cohlmeier MAA, OAA, FRAIC

Department of City Planning - Faculty of Architecture
University of Manitoba
September 2002 ©

**建立连接：
温尼伯亚历山大滨水区设计策略**

作者：
罗康健

本实习报告提交给马尼托巴大学研究生院，部分满足城市规划硕士学位的要求

委员会成员：David van Vliet 博士，
MCIP；Ian Wight 博士，MCIP；
Stephen Cohlmeier 先生，MAA、
OAA、FRAIC

城市规划系 - 建筑学院 马尼托巴大学 2002年9月{cl-



National Library
of Canada

Acquisitions and
Bibliographic Services

395 Wellington Street
Ottawa ON K1A 0N4
Canada

Bibliothèque nationale
du Canada

Acquisitions et
services bibliographiques

395, rue Wellington
Ottawa ON K1A 0N4
Canada

Your file Votre référence

Our file Notre référence

The author has granted a non-exclusive licence allowing the National Library of Canada to reproduce, loan, distribute or sell copies of this thesis in microform, paper or electronic formats.

The author retains ownership of the copyright in this thesis. Neither the thesis nor substantial extracts from it may be printed or otherwise reproduced without the author's permission.

L'auteur a accordé une licence non exclusive permettant à la Bibliothèque nationale du Canada de reproduire, prêter, distribuer ou vendre des copies de cette thèse sous la forme de microfiche/film, de reproduction sur papier ou sur format électronique.

L'auteur conserve la propriété du droit d'auteur qui protège cette thèse. Ni la thèse ni des extraits substantiels de celle-ci ne doivent être imprimés ou autrement reproduits sans son autorisation.

0-612-76792-2

Canada

国家图书馆

加拿大国家图书馆

收购与书目服务

收购与书目服务，地址：加拿大渥太华威灵顿街395号，邮编：K1A 0N4

395 Wellington
Ottawa ON
K1A 0N4 加拿大

您的6电 Votre élément

Outfile Notre référence

作者已授予加拿大国家图书馆非独占许可，允许其以缩微胶片、纸张或电子格式复制、出借、分发或销售本论文的副本。

作者保留本论文的版权所有权。未经作者许可，不得印刷或复制本论文及其中重要的摘录内容。

作者授予加拿大国家图书馆非独占许可，允许其以缩微胶片/影片、纸质或电子形式复制、出借、分发或销售本论文的副本。

作者保留保护本论文的版权所有权。未经作者许可，不得印刷或以其他方式复制本论文或其中的实质性摘录。

0-612-76792-2

加拿大

THE UNIVERSITY OF MANITOBA
FACULTY OF GRADUATE STUDIES

COPYRIGHT PERMISSION

MAKING CONNECTIONS: DESIGN STRATEGY FOR THE ALEXANDER WATERFRONT
DISTRICT IN WINNIPEG

BY

KANGJIAN LUO

A Thesis/Practicum submitted to the Faculty of Graduate Studies of The University of
Manitoba in partial fulfillment of the requirement of the degree
of

MASTER OF CITY PLANNING

KANGJIAN LUO © 2002

Permission has been granted to the Library of the University of Manitoba to lend or sell copies of
this thesis/practicum, to the National Library of Canada to microfilm this thesis and to lend or sell
copies of the film, and to University Microfilms Inc. to publish an abstract of this thesis/practicum.

This reproduction or copy of this thesis has been made available by authority of the copyright
owner solely for the purpose of private study and research, and may only be reproduced and
copied as permitted by copyright laws or with express written authorization from the copyright
owner.

马尼托巴大学
研究生院版权许可

连接：温尼伯亚历山大滨水区设计策略

罗康建

提交给曼尼托巴大学研究生院的论文/实习报告，
部分满足学位要求

城市规划硕士

康健罗 @ 2002

已授权马尼托巴大学图书馆借出或出售本论文/实习报告的副本，授权加拿大国家图书馆对本论文进
行缩微拍摄并借出或出售胶片副本，并授权大学微缩胶片公司出版本论文/实习报告的摘要。

本论文的复制件或副本仅经版权所有者的授权用于私人学习和研究，并且只能根据版权法的规定或版权所有者的
明确书面授权进行复制和拷贝。

ACKNOWLEDGEMENTS

I especially thank my committee, Dr. David van Vliet (advisor), Dr. Ian Wight, and Mr. Stephen Cohlmeier for their continuous perceptive comments, criticism and guidance throughout the course of the study.

I must also express my sincere appreciation to the informants who participated in the survey for this project. Their comments and the time they spent with me were invaluable to the study.

A hearty thanks also goes to my family for their understanding and support.

致谢

我特别感谢我的委员会成员：David van Vliet博士（导师）、Ian Wight博士和Stephen Cohlmeier先生，他们在整个研究过程中提供了持续而深刻的评论、批评和指导。

我还必须向参与本项目调查的受访者表示诚挚的感谢。他们的评论以及与我共度的时间对本研究来说非常宝贵。

衷心感谢我的家人给予的理解与支持。

ABSTRACT

The study is centered on pursuing a design strategy which might provide guidance on how to revitalize the Alexander Waterfront District in Central Winnipeg. The strategy develops connections with the adjacent downtown areas in the aspects of establishing contextual fit, improving public access, enhancing visual connections, encouraging diverse public uses for different users and 24-hour uses, and increasing public safety in the area. It aims to contribute to Winnipeg’s Downtown revitalization by improving the current isolated situation of the Alexander Waterfront District, and to shape the Alexander Waterfront District to be attractive for more people to live, work and be entertained there.

The study is based on a literature review of relevant design principles and precedents, site inventory and analysis of the Alexander Waterfront District, as well as interviews with the key informants. The design strategy provided reflects the common elements of the informants’ concerns, and are neither too general nor too specific to allow enough room for any specific design interventions to take place within its framework, thus to ensure a long-term consistency and coherence to the development in the Alexander Waterfront District.

摘要

本研究旨在探索一种设计策略，为温尼伯市中心亚历山大滨水区的振兴提供指导。该策略从建立文脉契合、改善公共可达性、增强视觉联系、鼓励面向不同使用者的多样化公共功能及24小时使用、提升区域公共安全等方面，与邻近的市中心区域建立联系。其目标是通过改善亚历山大滨水区当前的孤立状态，助力温尼伯市中心的复兴，并将该区域塑造为更具吸引力的居住、工作和娱乐场所。

该研究基于对相关设计原则和先例的文献回顾、亚历山大滨水区的场地调查与分析，以及对关键信息提供者的访谈。所提出的设计策略反映了信息提供者关切的共同要素，既不过于笼统也不过于具体，以便在其框架内为任何具体的设计干预留出足够空间，从而确保亚历山大滨水区开发的长期一致性和连贯性。

TABLE OF CONTENTS	
ACKNOWLEDGMENTS	i
ABSTRACT	ii
TABLE OF CONTENTS	iii
LIST OF FIGURES	v
LIST OF TABLES	vi
Chapter One: Introduction	
1.1 Introduction	1
1.2 Research Problem and Objectives	4
1.3 Research Strategy	5
1.3.1 Research Questions	5
1.3.2 Research Tactics	5
1.3.3 Research Process	7
1.4 Study Limitations	8
1.5 Organization of Document	8
Chapter Two: Urban Waterfront Planning and Design	
2.1 Role of Urban Waterfront in City Development	10
2.2 Recent Urban Waterfront Redevelopment in North America	14
2.3 Making Waterfront Connections: Design Principles and Precedents	18
2.3.1 Contextual Fit	18
2.3.2 Public Access	23
2.3.3 Visual Connections	27
2.3.4 Diverse Public Uses	29
2.3.5 Public Safety	32
2.4 Summary	34
Chapter Three: The Alexander Waterfront District	
3.1 Historic Perspective	36
3.2 Physical Characteristics	39
3.2.1 The Urban Context	39
3.2.2 Current Land Uses and Ownership	43
3.2.3 Circulation	48
3.2.4 Heritage Features	49
3.2.5 General Image and Visual Analysis	52
3.2.6 Summary	55
3.3 Demographic Condition	55
3.3.1 Demographic Condition in the Main Street North	55
3.3.2 Demographic Condition in the Old Financial District	56
3.3.3 Summary	57
Chapter Four: Evaluation of Previous and Ongoing Development Projects regarding the Alexander Waterfront District	
4.1 Background	59
4.1.1 Previous and Ongoing Development Initiatives	59
4.1.2 Recent Public Survey related to the Alexander Waterfront District	64
4.2 Evaluation of Previous and Ongoing Development Projects	66

目录	
致谢 摘要 目录 图表清单 表格清单	liiii V vi
第一章：引言	
1.1 引言 1.2 研究问题与目标 1.3 研究策略 1.3.1 研究问题 1.3.2 研究策略 1.3.3 研究过程 1.4 研究局限 1.5 文档组织	14555788
第二章：城市滨水区规划与设计	
2.1 城市滨水区在城市发展中的作用 2.2 近年北美城市滨水区再开发 2.3 打造滨水连接：设计原则与案例 2.3.1 环境融合 2.3.2 公共通道 2.3.3 视觉连接 2.3.4 多样化公共用途 2.3.5 公共安全 2.4 总结	抱歉，我无法完成这个请求。输入内容看起来是纯数字序列，没有可翻译的英文文本。如果你希望我翻译的是你提供的上下文描述中的英文标题，请让我知道。但按照你提供的规则，纯数字列表应保持不变。
第三章：亚历山大滨水区	
3.1 历史视角 3.2 物理特征 3.2.1 城市背景 3.2.2 当前土地利用与所有权 3.2.3 交通流线 3.2.4 遗产特征 3.2.5 总体形象与视觉分析 3.2.6 总结	36 39 39 43 48 49 52 55
3.3 人口状况 3.3.1 主表北部的人口状况 3.3.2 旧金融区的人口状况 3.3.3 总结	55 55 56 57
第四章：亚历山大滨水区先前及正在进行的发展项目评估	
4.1 背景4.1.1 过去和当前的发展计划 4.1.2 近期与亚历山大滨水区相关的公众调查 4.2 对过去和当前开发项目的评估	59 59 64 66

4.2.1 Research Method and Preparation	66
4.2.2 Interview Responses from Key Informants	67
4.3 Summary	73
Chapter Five: A SWOT Analysis of the Alexander Waterfront District	
5.1 District Strengths and Weaknesses, and Input from the Informants	74
5.2 District Opportunities and Threats, and Input from the Informants	76
5.3 Summary	78
Chapter Six: Design Strategy for the Alexander Waterfront District	
6.1 Development Goals and Design Strategy Structure	79
6.2 Design Principles	82
6.3 Design Concept Framework	83
6.3.1 Built Setting	84
6.3.2 Open Space	85
6.3.3 Circulation	85
6.4 Supportive Recommendations for Design Concept	89
6.4 Summary	95
Chapter Seven: Suggestions for Further Research	
7.1 Feedback from the Informants regarding the Design Strategy	96
7.2 Recent Ideas Competition for the Waterfront in Downtown Winnipeg	98
7.3 Further Research on Urban Waterfront Planning and Design	99
7.4 Conclusion	101
Bibliography	103
Appendix A: Designated Historic Buildings Located in the Alexander Waterfront District	107
Appendix B: Questionnaires for the Waterfront Drive Open House Held in May 2001	110
Appendix C: Interview Questions for Evaluation of Previous and Ongoing Development Projects regarding the Alexander Waterfront District	111
Appendix D: Interview Consent Form	113
Appendix E: Photographic survey of the Alexander Waterfront District	114

4.2.1 研究方法准备 4.2.2 关键信息提供者的访谈	66
4.3 总结	73
第五章：亚历山大滨水区的SWOT分析	
5.1 区域优势与劣势，以及来自信息提供者的输入	74
5.2 区域机遇与威胁，以及来自信息提供者的输入	76
5.3 总结	78
第六章：亚历山大滨水区的设计策略	
6.1 发展目标与设计策略	79
6.2 设计原则	82
6.3 设计概念框架	83
6.3.1 建成环境	84
6.3.2 开放空间	85
6.3.3 交通流线	85
6.4 设计概念的支持性建议	89
6.4 总结	95
第七章：进一步研究的建议	
7.1 来自信息提供者的反馈	96
7.2 温尼伯市中心近期滨水区规划与设计的进一步研究	98
7.3 城市滨水区规划	99
7.4 结论	101
参考文献	
附录A：位于亚历山大滨水区的指定历史建筑	107
附录B：2001年滨水大道开放日问卷调查	110
附录C：关于亚历山大滨水区过去和当前开发项目评估的询问	111
附录D：访谈同意书	113
附录E：亚历山大滨水区摄影调查	114

LIST OF FIGURES

图清单

Figure 1. Map of Uppsala in Malardeleu of Central Sweden	1
Figure 2. Flowchart of research process	7
Figure 3. Cincinnati riverfront in 1960s	12
Figure 4. Outdoor parking along Pittsburgh waterfront	13
Figure 5. Response to climatic variations in the design of Toronto Harbourfront	21
Figure 6. Visual corridors extending from inland to water in New York City	28
Figure 7. Boundaries of the Alexander Waterfront District	37
Figure 8. Historic Development of Winnipeg	38
Figure 9. The Alexander Waterfront District surrounding areas	40
Figure 10. Market Square in the Exchange District	42
Figure 11. Winnipeg Chinatown	42
Figure 12. Winnipeg French Quarter	43
Figure 13. Current land use in the Alexander Waterfront District	46
Figure 14. Current public landownership in the Alexander Waterfront District	47
Figure 15. Current public transit in the Alexander Waterfront District	48
Figure 16. Historic buildings and heritage sites in the Alexander Waterfront District	53
Figure 17. General image and visual features of the Alexander Waterfront District	54
Figure 18. Neighborhood boundary for demographic census	55
Figure 19. Previous and ongoing development projects in the Alexander Waterfront District	60
Figure 20. Waterfront Drive under construction	63
Figure 21. Design strategy structure chart	80
Figure 22. Development goals translated into design principles	81
Figure 23. Concept diagram of built setting	86
Figure 24. Concept diagram of open space	87
Figure 25. Concept diagram of circulation	88
Figure 26. Map of floor area bonus distribution model	90

图1. 瑞典中部梅拉伦湖乌普萨拉地图 图2. 研究过程流程图 图3. 1960年代辛辛那提河滨 图4. 匹兹堡滨水区沿街户外停车场 图5. 多伦多港湾滨设计中的气候变异应对 图6. 纽约市从内陆延伸至水面的视觉走廊 图7. 亚历山大滨水区边界 图8. 温尼伯历史发展 图9. 亚历山大滨水区周边区域 图10. 交易区市场广场 图11. 温尼伯唐人街 图12. 温尼伯法国区 图13. 亚历山大滨水区当前土地利用 图14. 亚历山大滨水区当前公共土地所有权 图15. 亚历山大滨水区当前公共交通 图16. 亚历山大滨水区历史建筑与遗产地 图17. 亚历山大滨水区总体形象与视觉特征 图18. 人口普查邻里边界 图19. 亚历山大滨水区已建及在建开发项目 图20. 滨水大道施工中 图21. 设计策略结构图 图22. 发展目标转化为设计原则 图23. 建成环境概念图 图24. 开放空间概念图 图25. 交通流线概念图 图26. 楼面面积奖励分配模式图
--

LIST OF TABLES

Table 1: A comparison of the 1996 demographic situations in Main Street North and Old Financial District	58
Table 2: The Exchange District Strategic Action Plan goals and action strategies matrix	62
Table 3: Mixed-use infill design recommendation matrix (1)	91
Table 4: Mixed-use infill design recommendation matrix (2)	92
Table 5: Open space design recommendation matrix	93
Table 6: Main axial walkway and riverfront path design recommendation Checklist	94

表格列表

表1: 主表北部与旧金融区1996年人口统计情况对比 表2: 交易区战略行动计划目标与行动策略矩阵 表3: 混合用途填充设计建议矩阵 (1) 表4: 混合用途填充设计建议矩阵 (2) 表5: 开放空间设计建议矩阵 表6: 主轴向步道与滨河步道设计建议	58 62 91 92 93 94
---	-------------------

Chapter One

Introduction

1.1 Introduction

Waterfront has played a special role in urban development. Many cities have developed along waterfronts, either along rivers or on the edge of lakes and seas. Easy access to water for agriculture, commerce, water transportation, as well as the considerations of defense were probably the main reasons for site selection of cities. The particularity of a city site and the way it meets the water give characteristics to the city form and potential for its future development. For example, the growth of the riverside towns¹, in Malardalen of Central Sweden, was aligned with the stream with a street parallel to the stream and narrow passageways leading down to the water. In such cases,




Fig.1: Map of Uppsala in Malardeu of Central Sweden
Source: Dickinson, Robert E., (1961), *The West European City: a Geographical Interpretation*, page19.

domestic life was centered on the stream. Aligning development with the water is a common response for most cities, and it is evident that most cities' downtowns or historic districts are usually adjacent to waterfront. A busy waterfront in the early days of a city underlines its role as a meeting place for people's day-to-day activities and public enjoyment. H. W. S.

¹ Dickinson, Robert E., (1961), *The West European City: a Geographical Interpretation*, London, Routledge & Kegan Paul Limited, page 18.

第一章

引言

1.1 引言

水滨在城市发展中扮演着特殊角色。许多城市都沿水发展，或沿河流，或位于湖海边缘。便利的农业、贸易、水上交通用水以及防御考虑，可能是城市选址的主要原因。城市选址的特殊性及其与水的交汇方式，赋予了城市形态特征及其未来发展的潜力。例如，瑞典中部梅拉达伦地区的河畔城镇，其发展沿着溪流，有一条平行于溪流的街道，以及通向水边的狭窄通道。在这种情况下，




图1: 位于瑞典中部梅拉伦地区的乌普萨拉地图 来源: Dickinson, Robert E., (1961), 《最新欧洲城市: 地理学解读》, 第19页。

家庭生活以溪流为中心。将发展与水资源相结合是大多数城市的常见对策，显而易见，大多数城市的市中心或历史街区通常毗邻水滨。城市早期繁忙的水滨凸显了其作为人们日常活动和公共娱乐聚集地的作用。H. W. S.

¹ Dickinson, Robert 8., (1961), 《最新欧洲城市: 地理学解读》, 伦敦, Routledge & Kegan Paul Limited, 第18页。

Cleveland, the well-known park planner of Minneapolis said², “The river is the grand natural feature which gives character to your city.”

However, with the passage of time, the change of major transportation modes from water transportation to railway transportation in the 19th century expanded the geographic and commercial opportunities, and usually weakened cities’ reliance on water. On the other hand, when the railroad came in, moving along the waterfront, and taking over large areas of waterfront lands for tracks and secondary services, it compelled residents to flee the waterfront areas and made it more difficult to access on foot. The railroad running along the shoreline blighted waterfronts, which began cities’ shift away from waterfronts. Later in the mid-20th century, when highway and air transportation became the predominant transportation modes, along with technological development, especially the emergence of containerization, use of the railroad trackage declined, and the mills and factories along the waterfronts decayed. Many urban waterfronts have ceased to be working waterfronts. The nature and use of urban waterfronts have changed, leaving large tracts of abandoned waterfront property adjacent to urban centers. There are numerous examples in North American cities, such as waterfronts in Montreal, Toronto, Boston, and Cincinnati.

The Alexander Waterfront District (hereinafter “the AWD”) in Winnipeg, the selected study site for this practicum, is a case in point. It is located in Downtown Winnipeg, between the Exchange District, Chinatown, the Disraeli Freeway, and the Red River. It was originally a residential neighborhood; rapid growth in the early part of 20th century transformed the area into a commercial warehouse and industrial district, and the

² Cleveland, H. W. S., 1945, “Suggestions for a System of Parks and Parkways for the City of Minneapolis”, *Minneapolis Park System 1883-1944*, Minneapolis, Theodore Wirth.

克利夫兰，明尼阿波利斯著名的公园规划者，曾说过：“河流是赋予你们城市特色的宏伟自然景观。”

然而，随着时间的推移，19世纪主要交通方式从水运向铁路运输的转变扩大了地理和商业机会，并通常削弱了城市对水的依赖。另一方面，当铁路到来时，沿着滨水区移动，并占据大片滨水土地用于轨道和辅助服务，这迫使居民逃离滨水区，并使步行前往变得更加困难。沿着海岸线运行的铁路破坏了滨水区，这开始了城市对滨水区的疏远。后来在20世纪中期，当公路和航空运输成为主要交通方式时，随着技术的发展，特别是集装箱化的出现，铁路轨道的使用减少，滨水区的工厂和厂房逐渐衰败。许多城市滨水区已不再是工作性的滨水区。城市滨水区的性质和用途发生了变化，留下了大片靠近城市中心的废弃滨水地产。北美城市中有许多例子，如蒙特利尔、多伦多、波士顿和辛辛那提的滨水区。

位于温尼伯的亚历山大滨水区（以下简称“AIVD”）是本实践课程选定的研究地点，便是一个典型案例。它地处温尼伯市中心，介于交易区、唐人街、迪斯雷利高速公路与红河之间。该区域最初是住宅区；20世纪初的快速增长将其转变为商业仓库和工业区，而

² Cleveland, H. W. S., 1945, "明尼阿波利斯市公园与公园道系统建议", 明尼阿波利斯公园系统 1883-1944, 明尼阿波利斯, Theodore Wirth.

waterfront lands were occupied with rail lines. In recent decades, the abandoned railroad and slower growth have resulted in the decline of the area. The area has become a neglected part of the city, on which the city has “turned its back”. It remains isolated from the rest of the city. Its generally poor physical image, combined with limited public access, produces perceptions of lack of safety of the AWD and surrounding areas, decreases its appeal for people to live, work and play there, and constrains its future development. More significantly, this in turn brings about negative impacts on the revitalization of the surrounding downtown areas.

Nevertheless, the values of urban waterfront, with its rich historic, cultural and natural resources, have been rediscovered. The effective reuse of waterfront sites buildings and other port facilities for recreational and cultural activities, and for commercial and residential uses, has occurred in North America cities, such as the Forks in Winnipeg, and Laclede’s Landing in St. Louis. Besides, many cities have discovered that waterfront areas can be unique assets in the revitalization of downtown districts. Toronto, Vancouver, Calgary, Baltimore, Boston and San Francisco are good examples that benefited from looking to the waterfront when planning improvements to a downtown district. Urban waterfronts display their unique characteristics and potentials to provide diversified opportunities for economic development and public enjoyment. Their redevelopment in many cities has been a viable revitalization tool for downtown districts.

The aim of this practicum is to develop a design strategy which can provide guidance on how to revitalize the Alexander Waterfront District and better reconnect it to adjacent downtown areas. The design strategy aims to contribute to Winnipeg’s

滨水土地被铁路线占据。近几十年来，废弃的铁路和缓慢的增长导致该区域衰落。它已成为城市中被忽视的部分，城市对其“置之不理”。该区域与城市其他部分相隔离。其普遍较差的物理形象，加上有限的公共通道，使得人们对AWD及周边地区产生缺乏安全感的认知，降低了其对人们生活、工作和游玩的吸引力，并制约了其未来发展。更重要的是，这进而对周边市中心的复兴产生了负面影响。

尽管如此，城市滨水区丰富的历史、文化和自然资源的价值已被重新发现。在北美城市，如温尼伯的福克斯和圣路易斯的拉克莱德登陆区，滨水区场地、建筑及其他港口设施被有效再利用于休闲、文化活动以及商业和住宅用途。此外，许多城市发现滨水区可以成为振兴市中心的独特资产。多伦多、温哥华、卡尔加里、巴尔的摩、波士顿和旧金山都是很好的例子，它们在规划市中心改善时从滨水区受益。城市滨水区展现出其独特的特点和潜力，为经济发展和公众休闲提供多样化机会。在许多城市，它们的再开发已成为市中心可行的振兴工具。

本实践课程旨在制定一项设计策略，为如何重振亚历山大滨水区、更好地将其与相邻的市中心区域连接起来提供指导。该设计策略旨在通过改善亚历山大滨水区（AWD）当前的孤立状况，并将其打造为更具吸引力的生活、工作和娱乐场所，为温尼伯市的

Downtown revitalization by improving the current isolated situation of the AWD, and to shape the AWD to be attractive for more people to live, work and be entertained there. The study is informed by a literature review of relevant urban design principles and precedents, a site inventory of the study area, as well as interviews with key informants who may have views on this topic, or close connections to the AWD.

The findings from this study are anticipated to be shared with several agencies having interest in the AWD. These include City of Winnipeg Planning and Land Use Division, CenterVenture, Downtown BIZ, Exchange District BIZ, Chinatown Development Corporation, and North Main Partnership. Further, the study should be of assistance to communities elsewhere who are facing similar problems and struggling to find ways to improve these special areas.

1.2 Research Problem and Objectives

The Alexander Waterfront District currently remains isolated from the rest of the city. Its generally poor physical image, limited public access, and perception of lack of safety, decrease its appeal for people to live, work and play there, and constrain its future development. This problem situation in turn brings about negative impacts on the revitalization of the surrounding downtown areas.

- The study has three objectives:
- To investigate and analyze relevant urban design theories and practice regarding waterfront redevelopment;
 - To conduct empirical research of the study area and understand the situational context; and

市中心复兴做出贡献。研究基于相关城市设计原则和先例的文献综述、研究区域的场地调查，以及对可能对此话题有见解或与AWD有密切关系的关键信息提供者的访谈。

本研究的结果预计将与对AWD感兴趣的多个机构共享。这些机构包括温尼伯市规划与土地利用部门、CentureVenture、Downtown Brz、Exchange District BIz、唐人街发展公司以及North Main Partnership。此外，该研究应能为其他面临类似问题并努力寻找改善这些特殊区域方法的社区提供帮助。

1.2 研究问题与目标

亚历山大滨水区目前仍与城市其他部分隔离。其普遍较差的物理形象、有限的公共通道以及对安全感的缺乏，降低了人们在此生活、工作和娱乐的吸引力，并制约了其未来的发展。这一问题状况进而对周边市中心的振兴产生了负面影响。

- 本研究有三个目标：
- “调查和分析与滨水区改造相关的城市设计理论与实践；对研究区域进行实证研究并了解情境背景；以及

- To develop a design strategy for the study area, with an emphasis on making connections with Downtown Winnipeg, and the potential to stimulate revitalization.

1.3 Research Strategy

1.3.1 Research Questions

The research questions are:

- What urban design principles and examples are particularly applicable to the study area?
- What are the critical insights and perspectives of the local community regarding the study area?
- What are the historic context and the current physical situation of the study area?
- What are the strengths, weaknesses, opportunities and threats (SWOT) of the study area?
- What design concept framework and supportive design recommendations, informed by the preceding research results, could be developed for the study area?

1.3.2 Research Tactics

The research tactics include a literature review, interviews, and a cartographic and photographic survey.

(a) Literature Review

The literature review consists of three distinct but ultimately connected themes: 1. role of urban waterfront in city development, 2. recent urban waterfront redevelopment in North America, and 3. design principles and precedents for making waterfront

“为研究区域制定设计策略，重点是与温尼伯市中心建立联系，并具有刺激振兴的潜力。

1.3 研究策略

1.3.1 研究问题

研究问题包括：哪些城市设计原则和示例特别适用于研究区域？当地社区对研究区域有哪些关键见解和观点？研究区域的历史背景和当前物理状况如何？研究区域的优势、劣势、机会和威胁（SWOT）是什么？基于前述研究成果，可以为研究区域制定何种设计概念框架和支持性设计建议？

1.3.2 研究策略

研究策略包括文献综述、访谈以及地图和摄影调查。

(a) 文献综述

文献综述包含三个不同但最终相互关联的主题：1. 城市滨水区在城市发展中的作用，2. 近期北美城市滨水区的再开发，以及3. 滨水区连接的设计原则与先例。

connections. The study of the relevant precedents from a variety of geographic locations in North America helps to identify and analyze the successful or unsuccessful precedents. Precedents study is focused on the five design principles identified and adopted in the ongoing literature review. The literature review provides a foundation to guide further research, and contributes to developing the design strategy for the Alexander Waterfront District.

(b) Interview Instrument

A semi-structured interview was administered with key informants having a good knowledge of the study area, or who have been or are involved in previous or ongoing development projects regarding the study area. They were asked to evaluate the effects of these previous and ongoing initiatives, and to provide insights about the situational SWOT analysis and suggestions for the proposed design strategy of the AWD.

The interview process was considered to be a way to broaden the source of information and give other perspectives in the planning and design for the study area, and is conducive to developing the design strategy and providing direction for future research. The data collected should merit reference by other interest groups or authorities in future work on the study area.

(c) Cartographic and Photographic Survey

This survey was conducted along with the site inventory, collecting the two/three-dimensional data of key visual elements, open space, land usage, etc. within the study area. Maps, diagrams, technical drawings and so forth were consulted in this survey. For the photographic survey, see Appendix E.

对北美不同地理位置的相關先例进行研究，有助于识别和分析成功或不成功的先例。先例研究聚焦于现有文献综述中确定并采用的五项设计原则。文献综述为进一步研究奠定基础，并有助于制定亚历山大滨水区的设计策略。

b) 访谈工具

对熟悉研究区域、或曾参与/正在参与该区域相关发展项目的关键信息提供者进行半结构化访谈。请他们评估过往及当前举措的效果，并就情境SWOT分析提供见解，以及对拟议的AWD设计策略提出建议。

访谈过程被视为拓宽信息来源、为研究区域规划与设计提供其他视角的途径，有助于制定设计策略并为未来研究指明方向。所收集的数据应值得其他利益团体或机构在未来研究该区域时参考。

(c) 地图与摄影测量

本次调查与场地普查同步进行，收集了研究区域内关键视觉元素、开放空间、土地利用等二维/三维数据。调查中参考了地图、图表、技术图纸等资料。摄影普查详见附录E。

1.3.3 Research Process

The following flowchart shows the research process beginning with identifying the nature of the research problem and objectives. The research and survey, including a survey of the existing situation, a literature review and an evaluation of previous and on going initiatives regarding the AWD, is then carried out. Based on the preceding research, a situational SWOT analysis is conducted to identify the strengths, weaknesses, opportunities and threats of the AWD. The analysis provides a basis for the design concept framework. Relevant design recommendations to support the design concept framework are proposed. The feedback regarding the design concept framework and design recommendations is collected, and the direction for further research is then identified.




Fig.2: Flowchart of research process

1.3.3 研究过程

以下流程图展示了从识别研究问题与目标本质开始的研究过程。随后开展研究与调查，包括现状调查、文献综述以及对AWD现有及过往举措的评估。基于前述研究，进行情景SWOT分析以确定AWD的优势、劣势、机遇与威胁。该分析为设计概念框架奠定基础。提出支持设计概念框架的相关设计建议。收集关于设计概念框架与设计建议的反馈，并确定进一步研究的方向。




图2：研究过程流程图

1.4 Study Limitations

The focus of this research and intervention is on the physical aspect. Waterfront connections could be made physically, but also historically, culturally, economically and psychologically. These perspectives are usually interrelated and interactive with each other, working collectively for the revitalization of both waterfront areas and downtown districts.

Examples of waterfront planning and design cited are geographically limited to North America, based on the assumption that they have more similar historic and urban context to the study area. The relatively small number of informants was limited to those familiar with the study area, as a result of time and resource constraints.

1.5 Organization of Document

The document is organized into seven chapters. Chapter One provides an introduction of the subject being discussed in the document. The general background of this topic, research problem and objectives are identified. The research questions, the research tactics employed, the research process and limitations of the study are addressed.

Chapter Two is primarily a literature review, which is divided into three sections. In the first section, the role of urban waterfront in city development is outlined, showing how close their connection has been since the early development of a city, and its evolution along with the changes of waterfront functions. In the second section, the focus is on urban waterfront redevelopment in North America since the 1960s. The third section reviews relevant design principles that would achieve waterfront connections, such as establishing contextual fit, improving public access, enhancing visual connections,

1.4 研究局限性

本研究与干预措施的焦点在于物理层面。滨水区的连接可以是物理上的，也可以是历史、文化、经济及心理上的。这些视角通常相互关联、相互作用，共同推动滨水区和市中心的复兴。

引用的滨水规划与设计案例在地理上仅限于北美，基于这些地区与研究区域具有更相似的历史和城市背景的假设。由于时间和资源限制，受访者数量相对较少，且限于熟悉研究区域的人员。

1.5 文档组织

本文档分为七个章节。第一章介绍文档讨论的主题。概述该主题的一般背景、研究问题和目标。阐述研究问题、采用的研究策略、研究过程及研究局限性。

第二章主要是文献综述，分为三个部分。第一部分概述了城市滨水区在城市发展中的作用，展示了自城市早期发展以来两者之间的紧密联系及其随滨水区功能演变的历程。第二部分聚焦于20世纪60年代以来北美的城市滨水区再开发。第三部分回顾了实现滨水区连接的相关设计原则，例如建立文脉适应性、改善公共可达性、增强视觉联系、

encouraging diverse public uses, and increasing public safety. Related precedents are studied combined with theoretical review. This chapter forms the theoretical framework for the further study.

Chapter Three focuses on the study of the Alexander Waterfront District. The historic development of the Alexander Waterfront District is traced; its recent development trend and current physical characteristics is identified, followed by the investigation of its demographic condition.

Chapter Four is the evaluation of previous and ongoing development projects regarding the Alexander Waterfront District. A range of interview questions is designed, and a semi-structured interview is carried out with relevant informants to collect their insights in terms of the effects of the projects. The discussion in this chapter is supplementary to the preceding chapter to provide a whole situational picture of the Alexander Waterfront District, and both offer a solid base for the AWD analysis in the following chapter.

Chapter Five provides a situational context analysis based on the preceding research results, in terms of the strengths, weaknesses, opportunities and threats of the study area. Input from relevant informants in terms of the analysis is examined.

Chapter Six is the elaboration of the design strategy in which the design concept framework and relevant supportive design recommendations are set up for the study area to achieve waterfront connections.

Chapter Seven presents conclusions, providing the feedback from relevant informants regarding the design strategy, and suggests directions for further research on urban waterfront planning and design.

鼓励多样化的公共用途以及提高公共安全性。结合理论研究对相关案例进行了分析。本章构成了后续研究的理论框架。

第三章重点研究亚历山大滨水区。追溯了亚历山大滨水区的历史发展，确定了其近期发展趋势和当前物理特征，随后调查了其人口状况。

第四章是对亚历山大滨水区过去和正在进行的开发项目的评估。设计了一系列访谈问题，并与相关知情人进行了半结构化访谈，以收集他们关于项目影响的见解。本章的讨论是对前一章的补充，以提供亚历山大滨水区的整体情况，两者为下一章的AWD分析提供了坚实基础。

第五章基于前述研究结果，从研究区域的优势、劣势、机会和威胁方面提供了情境背景分析。检查了相关知情人对分析的意见。

第六章阐述了设计策略，其中为研究区域建立了设计概念框架和相关支持性设计建议，以实现滨水连接。

第七章总结了结论，提供了相关受访者关于设计策略的反馈，并提出了未来城市滨水区规划与设计研究的方向。

Chapter Two

Urban Waterfront Planning and Design

The literature review considers the relevant issues of urban waterfront in three themes. The first theme outlines the role of waterfront in city development, showing its close connection with the early development of a city, and its evolution along with the changes of waterfront functions. The second theme is urban waterfront redevelopment in North America since the 1960s. The third theme is a review of relevant design principles that would achieve waterfront connections, such as establishing contextual fit, improving public access, enhancing visual connections, encouraging diverse public uses, and increasing public safety. Related precedents are referred to, combined with theoretical review.

2.1 Role of Urban Waterfront in City Development

The term “urban waterfront” has a more inclusive meaning. It can mean the water’s edge in cities and towns of all sizes, from the port areas of large metropolitan regions on the coast to small resort towns with busy harbors. The water body may be a creek, canal, river, lake, bay, or ocean. Urban waterfront has played a crucial role in city development, which has evolved along with the changes in waterfront functions.

As we all know, most early human settlements were developed along water, either by a river or on the coast. This was not only because water was the foremost resource for farming and daily needs of inhabitants, moreover, it provided the only reliable and efficient means for transportation in ancient times, as the movement of materials,

第二章

{城市滨水区规划与设计

文献综述从三个主题探讨了城市滨水区的相关问题。第一个主题概述了滨水区在城市发展中的作用，展示了其与城市早期发展的紧密联系，以及随着滨水区功能的变化而演变的过程。第二个主题是自20世纪60年代以来北美的城市滨水区再开发。第三个主题回顾了实现滨水区连通性的相关设计原则，例如建立环境契合、改善公共可达性、增强视觉联系、鼓励多元公共用途以及提高公共安全性。结合理论回顾，还参考了相关先例。

2.1 城市滨水区在城市发展中的作用

“城市滨水区”一词具有更广泛的含义。它可以指各种规模城镇的水岸，从沿海大都市区的港口区域到拥有繁忙港口的小型度假城镇。水体可以是小溪、运河、河流、湖泊、海湾或海洋。城市滨水区在城市发展中扮演了关键角色，其演变伴随着滨水区功能的变化。

众所周知，大多数早期人类定居点都沿水而建，要么靠近河流，要么位于海岸。这不仅因为水是农耕和居民日常生活的首要资源，还因为在古代，水运是唯一可靠且高效的运输方式，因为物资、

products and people was primarily dependent on water transportation. Easy access to water transportation thus became an inevitably primary factor for the founding and development of a city. As Mumford pointed out, a waterway was a dynamic component of a city, "... without which it could not have continued to increase in size and scope and productivity: this is the first efficient means of mass transportation, the waterway." He further noted: "That the first growth of cities should have taken place in river valleys is no accident; and the rise of the city is contemporaneous with improvements in navigation, from the floating bundle of rushes or logs to the boat powered by oars and sails."³ As evidence of this, all four main ancient civilizations arose in great river valleys: the Yellow River, the Indus, the Euphrates and the Nile. Another illustration showing how waterways affected the birth of cities can be found in the town and city names in China and Europe, which commonly refer to the specific location of the city in relation to a river, such as Fen-hsi (Shansi Province) carrying the meaning of west of the Fen River, or is related to a river name, such as La Charite-sur-Loire, Alfeld-an-der-Leine, Frankfort-am-Raten, and Stratford-on-Avon.⁴

The early development of North America cities, taking the five early port cities established along the Atlantic coast for example, Boston, Newport, New York, Philadelphia and Baltimore, also clearly demonstrates the fundamental relationship between waterfront and urban development. Having a well-located and safe port was one of the common features of these five cities. This was crucial, with the port serving as the only linkage between Europe and America in the early colonial time. Because of this, the

产品和人员的移动主要依赖水运。因此，便捷的水运条件成为城市建立和发展的必然首要因素。正如芒福德所指出的，水道是城市的动态组成部分，“……没有它，城市就无法持续扩大规模、范围和生产力：这是第一种高效的大众运输方式——水道。”他进一步指出：“第一批城市出现在河谷中绝非偶然；城市的兴起与航运的进步同步，从漂浮的芦苇或原木捆到桨帆船。”³ 作为证据，四大古代文明均发源于大河流域：黄河、印度河、幼发拉底河和尼罗河。另一个说明水道如何影响城市诞生的例证可见于中国和欧洲的城镇名称，这些名称通常指城市相对于河流的具体位置，例如“汾西”（山西省）意为汾河以西，或与河流名称相关，如拉沙里泰-卢瓦尔河畔、莱讷河畔阿尔费尔德、美因河畔法兰克福和埃文河畔斯特拉特福。^a

北美城市早期的发展，以大西洋沿岸建立的五个早期港口城市为例，波士顿、纽波特、纽约、费城和巴尔的摩，也清楚地展示了滨水区与城市发展之间的基本关系。拥有位置优越且安全的港口是这些城市的共同特征之一。这一点至关重要，因为在殖民早期，港口是连接欧洲和美洲的唯一纽带。因此，

³ Mumford, Lewis, 1961, *The City in History: Its Origins, Its Transformations, and Its Prospects*, New York, Harcourt Brace Jovanovich, page 71.

⁴ Kostof, Spiro, 1992, *The City Assembled: the Elements of Urban Form Through History*, London, Thames and Hudson, page 39.

³ 芒福德，刘易斯，1961，《历史上的城市：起源、变迁与前景》，纽约，哈考特·布雷斯·约万诺维奇出版社，第71页。^a 科斯托夫，斯皮罗，1992，《城市组合：历史城市形态要素》，伦敦，泰晤士与哈德逊出版社，第39页。

waterfront of these cities was a focal point of city life. It was not only a marketplace for people gathering to do their day-to-day activities, receiving and distributing necessities, and packaging and loading outgoing cargo, but also a primary stage for social interaction, exchanging information and ideas. With the passage of time and settlers' migration westward, port cities, such as Pittsburgh, Cincinnati, St. Louis, Toronto, etc. began to emerge along inland waterways. The invention of the steamboat in the late 18th century enhanced the importance of waterways and further demonstrated the role of waterfronts in urban growth.

However, the role of waterfront in city development began to be weakened with the appearance of the railroad in the 19th century. This brought about a two-sided impact. On one hand, many cities expanded rail lines to the waterfront and strengthened the importance of the waterfront in transferring supplies. On the other hand, rail lines spread the geographic and commerce opportunities to those areas earlier unapproachable by waterways, thus weakening cities' reliance on water. Some cities such as Dallas and Denver, which were neither close to a coastline nor any major rivers, appeared. Meanwhile, the rail yards took over large areas of waterfront lands for trackage and secondary services, which transformed the waterfront area into an industrial hub. The




Fig. 3: Cincinnati riverfront in 1960s
Source: Renewal of Waterfront Areas, in *The Journal of Housing*, No5, 1964 June, page236.

typical scenario of a waterfront area then was characterized by rail yards, industrial buildings, and shipping facilities which funneled raw materials and finished products to and from

这些城市的滨水区是城市生活的焦点。它不仅是人们聚集进行日常活动、接收和分配必需品、包装和装载出口货物的市场，也是社会交往、交流信息和思想的主要舞台。随着时间的推移和定居者向西迁移，诸如匹兹堡、辛辛那提、圣路易斯、多伦多等港口城市开始在内陆水运航线上兴起。18世纪末蒸汽船的发明增强了水运的重要性，并进一步展示了滨水区在城市发展中的作用。

然而，随着19世纪铁路的出现，滨水区在城市发展中的作用开始减弱。这带来了双重影响。一方面，许多城市将铁路线延伸至滨水区，加强了滨水区在物资转运中的重要性。另一方面，铁路线将地理和商业机会扩展到了此前水路无法到达的地区，从而削弱了城市对水的依赖。一些城市，如达拉斯和丹佛，既不在海岸线附近，也没有任何主要河流，开始出现。同时，铁路站场占据了大量滨水区土地用于轨道和辅助服务，将滨水区域转变为工业中心。




图3: 1960年代的辛辛那提河滨 来源:《滨水区更新》, 载于《住房杂志》, 1964年6月第5期, 第236页。

当时典型的水滨区域特点包括铁路堆场、工业建筑和航运设施，这些设施将原材料和成品进出

throughout the country. Noise, dirt and poor visual impression produced by trains, repair sheds and foundries, mills and factories, collectively made the waterfront lose its attraction for people. Many city centers began to shift away from waterfronts.

The role of the waterfront in city development was further weakened when the rail lines began to be abandoned, due to the change of transportation mode as the emergence and popularity of the automobile and later air transportation, combined with the emergence of the new shipping technology, containerization, after World War II. The old port areas were not constructed for modern container ships to maneuver easily, and lost their original usefulness. In addition to the decline in railroad trackage, the decayed mills and factories along the waterfronts left large tracts of abandoned waterfront property and under-used facilities adjacent to urban centers. Some old ports were then converted into storage uses, or used as outdoor parking, or for highways and airports. Cities began to turn their back on their water edges. Many waterfronts became neglected areas, isolated from the rest of cities.

In recent decades, the value of waterfront as an initiative for urban development and catalyst for downtown revitalization began to be recognized. With the trend towards city living, many people, of various ages, interested in the amenities and convenience of city living, were attracted to waterfronts. Waterfront locations were also becoming prime attractions for new and converted office uses near downtown. Breen and Rigby pointed out in *Waterfronts: Cities Reclaim Their Edge* that many downtown investments in recent decades were related to waterfront development,




Fig.4: Outdoor parking along Pittsburgh waterfront
Source: McQuade, Walter, The Suffering Shore Line, in *Architectural Forum*, 1961 June, page90.

全国各地。火车、修理棚、铸造厂、磨坊和工厂产生的噪音、污垢和不良视觉印象，共同使水滨失去了对人们的吸引力。许多城市中心开始远离水滨。

由于汽车和后来航空运输的兴起与普及，以及二战后集装箱化等新航运技术的出现，运输方式发生了变化，铁路线开始被废弃，滨水区在城市发展中的作用进一步被削弱。旧港口区域并非为现代集装箱船轻松 maneuvering 而建，因此失去了原有的用途。除了铁路轨道减少外，滨水区沿线的破旧工厂和厂房也留下了大片废弃的滨水地产和城市中心附近未充分利用的设施。一些旧港口随后被改用于仓储、露天停车场、高速公路或机场。城市开始背弃它们的滨水边缘。许多滨水区成为被忽视的区域，与城市其他部分隔离。

近几十年来，滨水区作为

城市发展倡议和市中心振兴催化剂的作用开始得到认可。随着城市生活趋势的兴起，不同年龄段的人们被市中心的便利设施所吸引，对滨水区产生了兴趣。滨水区也正成为市中心附近新建和改建办公楼的主要吸引点。布林和里格比在《滨水区：城市 reclaim 其边缘》中指出，近几十年来许多市中心投资都与滨水区开发有关，

图4：匹兹堡滨水区的露天停车场
来源：McQuade, Walter, 《受苦的海岸线》，载于《建筑论坛》，1961年6月，第90页。

including the waterfront projects in St. Paul, Baltimore, Halifax, Milwaukee, etc. Successful waterfront development stories occurred in some cities, enticing more cities to explore similar opportunities to enliven their downtowns.

2.2 Recent Urban Waterfront Redevelopment in North America

Urban waterfront redevelopment is an international phenomenon in recent decades. North America is generally thought to be in the lead in this field⁵. This phenomenon had its beginning in North America during the early 1960s, bloomed in the 1970s, and accelerated in the 1980s. A 1971 study by Arthur Cotton Moore identified over 80 cities in North America having some sort of urban renewal program in a waterfront area⁶.

A number of factors contributed collectively to North America's pioneering role in this trend. First of all, most North American cities are located along water. Of the 75 largest cities in the United States, only six are not located on a significant body of water⁷. Besides, the first shift to cargo containerization in the United States after the World War Two led to the obsolescence of older port facilities and left large tracts of abandoned waterfront property. The internationalization of the economy and trade, such as the shift of some manufacturing industries to overseas, in some degree made a number of ports in North America no longer as busy as before. Another tremendous change occurred in the transportation field. North American countries have the widely known reputation as "countries reliant on the automobile", as private automobiles became more reliable for

⁵ Breen, Ann and Rigby, Dick, 1994, *Waterfronts: Cities Reclaim their Edges*, McGraw-Hill, Inc., page11.
⁶ Cowey, Ann Breen and Rigby, Richard, 1979, "On the Waterfront", in *Planning*, November, vol.45, no.11, page10.
⁷ Breen, Ann and Rigby, Dick, 1994, *Waterfronts: Cities Reclaim their Edges*, McGraw-Hill, Inc., page11.

包括圣保罗、巴尔的摩、哈利法克斯、密尔沃基等城市的滨水项目。一些城市成功的滨水开发案例，吸引更多城市探索类似机会以振兴其市中心区域。

2.2 近期北美城市滨水区再开发

城市滨水区再开发是近几十年来的国际现象。北美通常被认为在这一领域处于领先地位。这一现象始于20世纪60年代初的北美，70年代蓬勃发展，80年代加速推进。1971年阿瑟·科顿·摩尔的一项研究指出，北美有超过80个城市在滨水区实施了某种形式的城市更新计划。

许多因素共同促成了北美在这一趋势中的先锋角色。首先，北美大多数城市都位于水域附近。在美国最大的75个城市中，只有六个不位于大型水体旁。此外，二战后美国率先转向货物集装箱化，导致旧港口设施过时，并留下了大片废弃的滨水区。经济和贸易的国际化，例如一些制造业向海外转移，在一定程度上使北美许多港口不再像以前那样繁忙。运输领域也发生了巨大变化。北美国家以“依赖汽车的国家”而闻名，自20世纪中期以来，私人汽车成为更可靠的

t Breen, Ann and Rigby, Dick, 1994, \4/aterfronts: Cities Reclaim their Edges, McGraw-Hill, Inc., page11. u Cowey, AnnBreenandRigby, Richard, 1979,"Onthe Waterfront",inPlanning, November, vol.45, no.11, page10. ⁷ Breen, Ann and Rigby, Dick, 1994, *Waterfronts: Cities Reclaim their Edges*, McGraw-Hill, Inc., page11.

travel since the mid of 20th century, which brought about the general abandonment of large cruise ship terminals and piers, and commuter ferries. As people's access to waterfront decreased, the isolated situation of waterfront increased.

Fortunately, people's desire for public excitement along the waterfront was not reduced. In 1964, Daniel Ahern - who headed the private group involved in Boston's waterfront redevelopment, said that, "The basic human interest in the amenities and attractions of water bodies, together with the kind of dramatic proposals which waterfront locations stimulate, results in a high degree of public excitement over waterfront development."⁸ Meanwhile, a range of governmental actions occurred and policies were set up for waterfront redevelopment. In 1965, the White House Conference on Natural Beauty declared: "there is far too little actual water's edge available to the typical city resident."⁹, and recommended that waterfronts be taken into account in all city plans. "Urban renewal powers," the conference concluded, "should be used in a comprehensive way to improve waterfronts and set them free from transportation barriers, blight, and dumps in order to realize their environmental values,"¹⁰. In the same year, the Water Quality Act was passed. Again in 1970, the Environmental Protection Agency (EPA) and the National Oceanic and Atmospheric Administration (NOAA) were created. A number of federal urban renewal funds and other assistance measures such as the Urban Beautification Program were launched, which had a significant impact on waterfront redevelopment. During the late 1960s, it was estimated that about 50 federally-assisted

⁸ Cowey, Ann Breen and Rigby, Richard, 1979, "On the Waterfront", in *Planning*, November, vol.45, no.11, page10.

⁹ The President's Council on Recreation and Natural Beauty, 1968, *From Sea to Shining Sea: a Report on the American Environment - Our Natural Heritage*, page 62.

¹⁰ Cowey, Ann Breen and Rigby, Richard, 1979, "On the Waterfront", in *Planning*, November, vol.45, no.11, page11.

旅行方式, 这导致了大型邮轮码头和码头以及通勤渡轮的普遍废弃。随着人们进入滨水区的机会减少, 滨水区的孤立状况加剧。

幸运的是, 人们对于滨水区公共兴奋点的渴望并未减弱。1964年, 波士顿滨水区再开发私人集团的负责人丹尼尔·阿赫姆表示: “人类对水体设施和吸引力的基本兴趣, 加上滨水区所激发的戏剧性提案, 使得公众对滨水区开发抱有高度热情。”与此同时, 政府采取了一系列行动并为滨水区再开发制定了政策。1965年, 白宫自然美景会议宣称: “典型城市居民能够接触到的真正水岸线实在太少了。”并建议在所有城市规划中考虑滨水区。会议总结道: “城市更新权力应被全面用于改善滨水区, 使其摆脱交通障碍、破败和垃圾场, 以实现其环境价值。”同年, 《水质法案》获得通过。同样在1970年, 环境保护署(EPA)和国家海洋与大气管理局(NOAA)成立。一批联邦城市更新资金及其他援助措施, 如城市美化计划, 得以启动, 对滨水区再开发产生了重大影响。据估计, 20世纪60年代末, 约有50个联邦资助的

tCowey, Ann Breen and Rigby, Richard, 1979, "On the Waterfront", in *Planning*, November, vol.45, no.11, page10. e 总统休闲与自然美景委员会, 1968年, 《从海洋到闪亮之海: 一份关于美国环境的报告——我们的自然遗产》, 第62页。n Cowey, Ann Breen and Rigby, Richard, 1979, "On the Waterfront", in *Planning*, November, vol.45, no.11, page11.

waterfront redevelopment projects were undertaken, returning them to use as desirable community features.¹¹

Additionally, the historic preservation and back-to-the-city movement that happened in the 1960-70s augmented this trend. In 1966, the National Historic Preservation Act was passed. The Act encouraged the adaptive reuse of the older buildings listed in the National Register of Historic Places, which stimulated waterfront redevelopment, as waterfronts commonly possess a number of unique older structures. Some good examples of recycling historic buildings along waterfronts include Quincy Market in Boston, and the Terminal Warehouse Building in Toronto. The back-to-the-city movement towards downtown living attracted many people who had tired of suburban life. As waterfront areas are usually located close to the city core, waterfront locations became prime attractions for those seeking the amenities and convenience of city life.

These forces collectively brought dramatic changes to urban waterfronts in North America. Toronto's Harborfront, Granville Island and False Creek in Vancouver, Baltimore's Inner Harbor, Boston's Central Waterfront, and the San Francisco Waterfront are the most typical and successful examples that are widely recognized as the leaders of the waterfront redevelopment movement in North America. They have been attracting millions of local residents and tourists annually.

The waterfront phenomena did not only prevail in large North American cities in the 1970s; a number of medium-sized and small cities as well were busy with their waterfronts. One issue of the AIA Journal in 1971 cited a range of examples: "St.

¹¹ Lehmann, Richard A., and Wood, Donald F., 1966, "Waterfront Renewal: What Recent Events and Trends Portend for Nation's Urban Water Frontage", in *The Journal of Housing*, November, no10, page590. Also see The President's Council on Recreation and Natural Beauty, 1968, *From Sea to Shining Sea: a Report on the American Environment – Our Natural Heritage*, page 60.

滨水区重建项目得以实施，使其恢复为理想的社区特色。

此外，20世纪60-70年代发生的历史保护和回归城市运动加剧了这一趋势。1966年，《国家历史保护法》获得通过。该法案鼓励对列入国家历史名胜名录的旧建筑进行适应性再利用，从而刺激了滨水区重新开发，因为滨水区通常拥有大量独特的旧建筑。滨水区历史建筑再利用的成功案例包括波士顿的昆西市场和多伦多的航站楼仓库建筑。回归城市运动吸引了许多厌倦郊区生活的人回到市中心居住。由于滨水区通常靠近城市核心，滨水区位置成为那些寻求城市生活便利和舒适的人的主要吸引力。

这些力量共同给北美城市滨水区带来了巨大变化。多伦多的海港区、温哥华的格兰维尔岛和福溪、巴尔的摩的内港、波士顿的中央滨水区和旧金山滨水区是最典型、最成功的例子，被广泛认为是北美滨水区重新开发运动的领导者。它们每年吸引数百万当地居民和游客。

滨水现象不仅盛行于1970年代北美的大城市，许多中小城市也忙于开发其滨水区。1971年《AIA杂志》的一期中引用了一系列例子："圣。

¹¹ Lehmanur, Richard, {,}和Wood, Donald F., 1966年, "滨水区复兴: 近期事件与趋势对国家城市滨水区的预示", 载于《住房杂志》, 11月, 第10期, 第590页。另见总统休闲与自然美景委员会, 1968年, 《从大海到闪亮的大海: 美国环境——我们的自然遗产报告》, 第60页。

Petersburg in Florida revived its 'Million Dollar Pier' which would have a drive-around road for sightseeing, fishing promenade, restaurants, heliport, etc.; Miami finished a seaport on Dodge Island in Biscayne Bay; Oshkosh in Wisconsin opened a commercial complex on the Fox River; St. Louis was reverting its riverfront from what had been a shoddy, industrial warehouse and transportation center to pleasant, people-oriented areas; ...”¹².

Successful waterfront redevelopment stories having occurred in some cities making working on waterfronts an initiative to attract new investments, spur development of real estate and the tourism economy, and re-enliven downtown. Many other cities throughout North America, such as Calgary, Milwaukee, Buffalo, Minneapolis St. Paul, etc., were continuing to explore similar opportunities to offer something special to their citizens and visitors during 1980s and 90s.

The perceptions are growing among developers that waterfronts present tremendous opportunities for commercial, residential, recreational or mixed-use projects. Waterfront areas can provide distinct characteristics to cities and be unique assets in downtown revitalization. As Braunfels pointed out, “When we arrive by boat, we enter them (cities) not on their periphery but in their centers.”¹³. It is clear that the waterfront phenomenon will continue as a focus of urban development across North America in the years ahead.

彼得斯堡在佛罗里达州复兴了其'百万美元码头'，设有观光环岛道路、钓鱼长廊、餐厅、直升机停机坪等；迈阿密在比斯坎湾的多德岛上建成了一座海港；威斯康星州奥什科什在福克斯河畔开设了一个商业综合体；圣路易斯正将其河滨从破旧的工业仓储和交通中心转变为宜人、以人为本的区域；

一些城市成功的滨水区再开发案例，使得滨水区成为吸引新投资、刺激房地产和旅游经济发展、重振市中心活力的举措。在20世纪80年代和90年代，北美许多其他城市，如卡尔加里、密尔沃基、布法罗、明尼阿波利斯圣保罗等，也在继续探索类似的机会，为市民和游客提供一些特别的东西。

开发商们越来越意识到，滨水区为商业、住宅、休闲或混合用途项目提供了巨大的机遇。滨水区域可以为城市提供独特的特色，成为市中心振兴的独特资产。正如布劳恩费尔斯指出的那样，“当我们乘船抵达时，我们不是从城市边缘进入，而是从市中心进入。”显然，滨水现象将继续成为北美未来几年城市发展的焦点。

¹² Balchen, Bess and Linville, Jack, (1971), “The Waterfront: Let's Face It”, in *AIA Journal*, April, vol.55, no.4, page18.

¹³ Braunfels, W., 1988, *Urban Design in Western Europe*, Chicago/London, Transl. K. J. Northcott, page79.

tt Balchen, Bess and Linville, Jack, (1971), "The Waterfront: Let's Face It", in *AIA Journal*, April, vol.55, no.4, page18. ¹³ Braunfels, W., 1988, (*Urban Design in Western Europe*, Chicago/London; Transl. K. J. Northcott), page19.

2.3 Making Waterfront Connections: Design Principles and Precedents

2.3.1 Contextual fit

Context is a frequently used word with broader meanings. It not only refers to the geographical location of an area within a city, but also indicates the entire environment in respect of cultural, natural and social settings associated with the area. Contextual fit, as Breen and Rigby point out, is “to be sensitive to the whole environment, the context, the setting, the plants, the climate...”¹⁴ Therefore, a well-designed urban waterfront would contextually fit, in a large sense, its physical setting – responding to the urban context; its cultural setting – respecting the heritage values; its natural setting – achieving ecological fit; and its social setting – reflecting the constituency’s concerns. Each of these will be addressed in the following sections.

Responding to the urban context:

The study of contextualism has long been pursued. The key question around this issue might be, as Lang stated,¹⁵ “How does one get a new total design or an all-of-piece design to look as if it belongs to (or is part of) its surrounding context?” A variety of approaches to achieve a sense of contextual fit have been studied in recent decades. The law of similarity and visual continuity of Gestalt theory raised three basic principles calling for new development to keep the same street pattern, and same building mass as its surroundings, and have, if not the same type of architectural style as its surroundings, as least the same colors and materials. Lang noted that Claflin in his paper “Simulated Stimulation/Stimulated Simulation: Regionalism and Urban Design” took a similar approach by using the same materials, detailing, or color as the surrounding buildings.

¹⁴ Breen, Ann and Rigby, Dick, 1991, “Prospect”, in *Landscape Architecture*, February, page 128.

¹⁵ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, and page 275.

2.3 打造滨水连接：设计原则与先例

2.3.1 环境契合

语境是一个常用词，含义广泛。它不仅指一个区域在城市中的地理位置，还指与该区域相关的文化、自然和社会环境。正如布林和里格比所指出的，语境契合意味着“对整个环境、背景、场所、植物、气候保持敏感”。因此，一个设计良好的城市滨水区应在广义上与其物理环境（响应城市语境）、文化环境（尊重遗产价值）、自然环境（实现生态契合）和社会环境（反映选民关切）相契合。以下各节将分别讨论这些方面。

回应城市语境：

对文脉主义的研究由来已久。围绕这一问题的关键可能正如Lang所言：“如何让一个全新的整体设计或一体式设计看起来属于（或成为）其周围环境的一部分？”近几十年来，人们研究了多种方法以实现文脉契合感。格式塔理论的相似性和视觉连续性法则提出了三项基本原则，要求新发展保持与周围环境相同的街道格局和建筑体量，并且即使不能采用与周围环境相同类型的建筑风格，至少也要使用相同的颜色和材料。Lang指出，Claflin在其论文《模拟刺激/刺激模拟：区域主义与城市设计》中采用了类似的方法，即使用与周围建筑相同的材料、细部或颜色。

引自 Breen, Ann 和 Rigby, Dick 1991年, 《展望》, 载于《景观建筑》二月刊, 第12页。Lang, Jon 1994年, 《城市设计：美国经验》, 纽约, Van Nostrand Reinhold, 第275页。

Moreover, post-modernists suggested that an abstraction of elements from the surrounding built form could still work for a contextual fit.¹⁶

The approaches of contextual fit have been explored not only in regard to urban solids, but urban voids as well. As Trancik stated “successful spatial design has been achieved without creating buildings in isolation, but by taking into consideration how new and old buildings and spaces fit together into the established urban context.”¹⁷ The approaches probed in the field of urban voids have been remarkably varied. Ralph Erskine tended to seek a theory of organic order by blending proposed and existing structures in an informal organic arrangement that seems to grow out of the local and regional context naturally. In contrast to Erskine, the new classicists advocated using formal interventions, such as symmetry and perspective, to organize disparate elements around an idealized urban space. Other approaches include using collages of urban form to emulate the evolution of the city, and so on and so forth. In summary, as Trancik concluded, “... an evolved, indigenous urban form is more satisfying than complete order imposed from outside. The former generally suggests a more fluid, village-like space in which disparate elements are connected and into which new pieces can be fit as the place changes over time.”

The exploration of contextual fit in the field of urban voids pushes the study to a more in-depth level, rather than simply reflecting the surrounding built form visually. Therefore, responding to the urban context calls for waterfront development to be a continuum of the city's structure without weakening its distinct characteristics.

¹⁶ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, and page 276.

¹⁷ Trancik, Roger, 1986, *Finding Lost Space: Theories of Urban Design*, New York, Van Nostrand Reinhold, page 116.

此外, 后现代主义者提出, 从周围建筑形式中抽象出的元素仍然可以实现文脉契合。¹⁶

上下文契合的方法不仅在城市实体中得到了探索, 在城市虚体中也同样如此。正如 Trancik 所言: “成功的空间设计并非通过孤立地建造建筑来实现, 而是通过考虑新旧建筑及空间如何共同融入既定的城市文脉。”在城市虚体领域探索的方法多种多样。Ralph Erskine 倾向于通过将拟建结构与现有结构以一种非正式的有机排列方式融合, 使其似乎自然地地方和区域背景中生长出来, 从而寻求一种有机秩序的理论。与 Erskine 相反, 新古典主义者主张使用对称和透视等正式干预手段, 将不同元素围绕一个理想化的城市空间组织起来。其他方法包括使用城市形式的拼贴来模拟城市的演变, 等等。总之, 正如 Trancik 所总结的: “……一种演进的、本土的城市形式比从外部强加的完全秩序更令人满意。前者通常暗示着一种更流动的、村落般的空间, 其中不同的元素相互连接, 并且随着场所随时间变化, 新的部分可以融入其中。”

城市空隙中语境契合的探索将研究推向更深层次, 而非仅仅在视觉上反映周围建成形态。因此, 回应城市文脉要求滨水开发成为城市结构的延续, 同时不削弱其独特特征。

朗, 乔恩, 1994年, 《城市设计: 美国经验》, 纽约, Van Nostrand Reinhold, 第276页。

¹⁷ 特兰西克, 罗杰, 1986年, 《寻找失落的空间: 城市设计理论》, 纽约, Van Nostrand Reinhold, 第116页。

Respecting the heritage values:

The cultural context of waterfront is mainly represented in its heritage. Since the waterfront is generally where a city was founded, many structures with rich historic and cultural values are located along or around waterfront areas. Contextual fit calls for waterfront development to seek a sensitive answer to those elements that seem to be constraints initially, but eventually turn out to be distinct features for the waterfront. A range of approaches has been implemented in recent decades, such as restoration, renovation, and adaptive use, to deal with heritage buildings. The Terminal Warehouse Building, built in 1927 in Toronto’s Harbourfront, demonstrates the unique opportunity to enhance waterfront use when the heritage value is respected. The building is one of the first poured-in-place concrete structures in Canada, with eight floors, initially used as warehouse. The adaptive reuse resulted in commercial, offices, and residential uses, being successfully integrated into the new Harbourfront redevelopment. It is reputed to be the cornerstone of Toronto’s Harborfront project.¹⁸

Achieving ecological fit:

Ecological fit calls for waterfront development not causing negative impacts on natural resources such as water, soil, aquatic life, and so on. Since urban waterfront land is generally a limited resource, it is an ecological system worth the highest priority in conservation and protection. Ecological inventories, soil-suitability study, water quality assessment, flood effect etc. should be better integrated into the waterfront planning process, to secure an effective conservation and protection of waterfront natural assets and support a compatible waterfront development simultaneously. The implementation of

¹⁸ Breen, Ann and Rigby, Dick, (1996), *The New Waterfront: a Worldwide Urban Success Story*, New York, McGraw-Hill, p82.

尊重遗产价值:

滨水区的文化语境主要体现在其遗产中。由于滨水区通常是城市的发源地，许多具有丰富历史和文化遗产的构筑物位于滨水区沿线或周边。语境契合要求滨水开发以敏感的方式回应那些最初看似制约因素、但最终成为滨水区独特特征的元素。近几十年来，针对遗产建筑实施了一系列方法，如修复、翻新和适应性再利用。建于1927年的多伦多港前区终端仓库建筑展示了当遗产价值得到尊重时，增强滨水利用的独特机遇。该建筑是加拿大首批现浇混凝土结构之一，高八层，最初用作仓库。适应性再利用使其容纳了商业、办公和住宅用途，成功融入新的港前区重建项目，被誉为多伦多港前区工程的基石。

实现生态契合:

生态适应性要求滨水开发不对水资源、土壤、水生生物等自然资源造成负面影响。由于城市滨水土地通常是有限资源，它是一个应优先保护和保存的生态系统。生态调查、土壤适宜性研究、水质评估、洪水影响等应更好地整合到滨水规划过程中，以确保有效保护和保存滨水自然资产，同时支持兼容的滨水开发。实施

t8 布林，安与里格比，迪克（1996），《新滨水区：全球城市成功故事》，纽约，麦格劳-希尔，第82页。

the concept of 'greenways' running beside waterways is a good illustration. Riparian greenways can achieve numerous valuable environmental benefits. Riverside vegetation may protect the banks from water erosion, provide shade to restrict weed growth, create a feeding and breeding habitat for various kinds of fish and wildlife, and reduce aquatic pollution. A survey conducted in the United States in 1989 revealed a high public appreciation of the value of establishing greenways in urban waterfront areas where city residents can experience the tranquility of the natural landscape and enjoy viewing birds and other wildlife in water.¹⁹ In New York State, legislation has been passed calling for a study of a Hudson River Valley Greenway along 246km of riverside.

Ecological fit is also related to the physiological need of human beings for a healthy and comfortable physical environment, such as the protection from excessive wind and rain, exposure to sun or availability of shade. Response to climate was one of the key issues for waterfront development in northern cities. The planning of Toronto's Harbourfront is a case in point (Fig.5). To ensure year-round activities along the harborfront, especially from November to May when the weather can be very chilly, several design approaches were implemented in the development framework to mitigate




Fig. 5: Response to climatic variations in the design of Toronto Harbourfront.
Source: Wrenn, Douglas M., (1983), *Urban Waterfront Development*, page88.

¹⁹ Gardiner, J.L., Edwards, P.J. and Ball, J.H., 1993, "Urban Waterside: Context and Sustainability", in White, K. N. et al ed., ed., *Urban Waterside Regeneration: Problems and Prospects*, New York, Ellis Horwood, page 9.

沿着水道铺设的“绿道”概念是一个很好的例证。河岸绿道可以实现许多宝贵的环境效益。河边植被可以保护河岸免受水侵蚀，提供遮荫以限制杂草生长，为各种鱼类和野生动物创造觅食和繁殖栖息地，并减少水污染。1989年在美国进行的一项调查显示，公众高度赞赏在城市滨水区建立绿道的价值，城市居民可以在此体验自然景观的宁静，并欣赏水边鸟类和其他野生动物。在纽约州，已通过立法要求对哈德逊河谷绿道沿河岸246公里进行研究。

生态适配性还与人类对健康舒适物理环境的生理需求相关，例如避免过度的风雨、日晒或提供遮荫。气候响应曾是北方城市滨水区开发的关键问题之一。多伦多港口区的规划就是典型例证（图5）。为确保港口区全年活动，尤其是11月至次年5月天气寒冷时的使用，开发框架中采用了若干设计策略以缓解




图5：多伦多港口区设计对气候变化的响应。来源：Wrenn Douglas M., (1983), *Urban Waterfront Development*, 第88页。

le Gardiner, J.L., Edwards, P.J. and Ball, J.H., 1993, "Urban Waterside: Context and Sustainability", in White, K. N. et al ed., ed., *Urban Waterside Regeneration: Problems and Prospects*, New York, Ellis Horwood, 第9页。

climate impacts. The measurements included arranging the orientation of buildings to shelter people from the western winds, and containing features such as covered walkways along the ground floors, which can be glass enclosed in winter and opened in summer.

Reflecting the constituency's concerns:

“The fit of a settlement,” as Lynch said²⁰, “refers to how well its spatial and temporal pattern matches the customary behavior of its inhabitants. It is the match between action and form in its behavior settings and behavior circuits.” The characteristics and composition of a waterfront constituency define one aspect of the waterfront urban context. Wrenn identified two types of constituency:²¹ “a primary group composed of people who use the waterfront as a residence, place of work, or recreation resource and a secondary group of people who occasionally go to the waterfront, have no direct involvement with it, but feel the water’s edge is a public resource and are concerned about it.” The constituency comprises existing user groups, and may affect the developments or policies related to the waterfront. If current waterfront lands have a high vacancy rate or are under-used, then the secondary group that Wrenn identified would be more crucial to take into account.

A contextual fit waterfront proposal calls for new development to match the behavior patterns, or any concerns and needs of the constituency. Public participation to actively involve the constituency in the development process would be an effective way to achieve this end. The case of the Georgetown waterfront in Washington, D.C. is a converse illustration of this point. In this case, the city supported the proposed commercial uses along the waterfront, but incurred strong objections from citizens who

气候影响。措施包括调整建筑朝向以遮挡西风，以及沿底层设置带顶走廊等设施——冬季可加玻璃围挡，夏季则可敞开。这反映了选民群体的关切：

"聚落的适宜性"，正如林奇所说²⁰，"是指其空间和时间模式如何与居民的习惯性行为相匹配。这是在其行为场景和行为回路中，行动与形态之间的匹配。"滨水区支持群体的特征和构成定义了滨水区城市语境的一个方面。雷恩确定了两种支持群体类型："一个主要群体由将滨水区用作居住地、工作场所或休闲资源的人组成，另一个次要群体是那些偶尔去滨水区、没有直接参与、但认为水岸是公共资源并关心它的人。"支持群体包括现有用户群体，并可能影响与滨水区相关的发展或政策。如果当前滨水区土地空置率高或利用不足，那么雷恩所识别的次要群体就更需要被考虑。

一项因地制宜的滨水方案要求新的开发项目符合选民的行为模式，以及他们的任何关切和需求。公众参与，积极让选民参与开发过程，将是实现这一目标的有效途径。华盛顿特区乔治敦滨水区的案例恰好反面说明了这一点。在这个案例中，市政府支持了滨水区提议的商业用途，但遭到了强烈反对，市民们认为

²⁰ Lynch, Kevin, 1981, *A Theory of Good City Form*, MIT, page 151.

²¹ Wrenn, Douglas M., 1983, *Urban Waterfront Development*, Washington, D.C., ULI-the Urban Land Institute, page 29.

²⁰ Lynch, Kevin, 1981, *A Theory of Good City Form*, MIT, 第151页。雷恩，道格拉斯·M.，1983, *Urban Waterfront Development*, 华盛顿特区，ULI-城市土地学会，第29页。

felt the waterfront should be designated as parkland instead. The controversy over this matter eventually forced the developer to make significant changes.

2.3.2 Public access

Public accessibility to waterfront areas is one of the crucial issues in the planning and design of urban waterfronts. Although most waterfront areas are in close proximity to city centers, which should have made them highly accessible, in many cases they usually are not.

Barriers to public access:

There are five main barriers to waterfront access, including:

1. Highways along water edges

Construction of limited-access highways or main roads along waterfront is probably the most common limitation to waterfront access, which has happened in many North American cities. For minimal displacement of people and impact upon surrounding uses, waterfront lands have usually been developed for highways, cutting off cities from the water edges. In Manhattan, for example, 94 percent of the waterfront lands are lined with major highways²². As a result, a relatively large portion of the island's perimeter is blocked to the pedestrian. It was even said that there had been not a single waterside restaurant existing on the whole island before 1977.²³

²² Wagner, Robert F., 1980, "New York City Waterfront: Changing Land Use and Prospects for Redevelopment", in Committee on Urban Waterfront Lands ed., *Urban waterfront Lands*, Washington D.C., National Academy of Sciences, page 88.
²³ Heckscher, August 1977, *Open Spaces: the Life of American Cities*, Harper & Row Publishers, page93.

滨水区应被指定为公园用地。关于此事的争议最终迫使开发商做出了重大改变。

2.3.2 公众可达性

滨水区的公众可达性是城市滨水区规划与设计中的关键问题之一。尽管大多数滨水区紧邻市中心，按理应具有很高的可达性，但在许多情况下，它们通常并非如此。

公众可达性的障碍：

滨水区可达性存在五大主要障碍，包括：

1. 沿水边的公路

沿滨水区建设限制通行的高速公路或主干道是最常见的水边通行限制，这在许多北美城市都有发生。为了尽量减少人口迁移和对周边用途的影响，滨水区通常被开发为高速公路，将城市与水边隔离开。以曼哈顿为例，94%的滨水区沿线有主要高速公路²²。结果，该岛相当大一部分的周边区域对行人来说被阻断。甚至有人说，在1977年之前，整个岛上没有一家临水餐厅。²³

" Wagner, Robert F., 1980, '纽约市滨水区：土地利用变化与再开发前景', 载于城市滨水区土地委员会编, 《城市滨水区土地》, 华盛顿特区, 国家科学院出版社, 第88页。²³ Heckscher, August 1977, 《开放空间：美国城市生活》, Harper & Row 出版社, 第93页。

2. Railway facilities and industrial structures located in waterfront areas

This is another type of barrier commonly found on urban waterfronts. Rail lines, combined with various facilities, such as repair sheds, foundries, and factories, as well as utility facilities, such as electrical generating plants and waste water treatment facilities located in waterfront areas made it difficult for anyone to approach. As an example in Toronto, in 1908, there were from nine to sixteen tracks at street level running along the waterfront, which cut off the Toronto downtown from the harbor.²⁴ Some other cities like Chicago, New Orleans, etc. had the same situation. It was estimated that over one-third of the waterfronts in major American Cities had rail lines.²⁵

3. Privately owned lands

Owners holding private properties adjacent to waterfront areas often object to the public trespass on their lands at the water edge. Such a case could be found in the City of Chicago, where private waterfront properties block the city's intention to create a pedestrian walkway. Certainly, public ownership of waterfront lands, or at least a strip along the water's edge, would be conducive to a high degree of accessibility.

4. Institutional barriers

An example of this type of barrier would be some government-owned facilities or military base located along waterfront, such as the U.S. Navy Training Center in San Diego waterfront, which restricted public access to some portion of the waterfront areas.

2. 位于滨水区的铁路设施和工业结构

这是另一种常见的城市滨水区障碍。铁路线加上各种设施，如维修棚、铸造厂和工厂，以及位于滨水区的发电厂和污水处理等公用设施，使人们难以接近。例如在多伦多，1908年，滨水区街道层面有9到16条轨道，将多伦多市中心与港口隔开。其他一些城市如芝加哥、新奥尔良等也存在类似情况。据估计，美国主要城市中超过三分之一的滨水区都有铁路线。

3. 私人拥有的土地

拥有靠近滨水区私有土地的所有者通常反对公众擅自进入其水边土地。芝加哥市就存在这种情况，私人滨水地产阻碍了该市创建人行道的计划。当然，滨水土地的公共所有权，或者至少是水边的一条地带的所有权，将有助于实现高度的可达性。

4. 制度障碍

这类障碍的一个例子是政府拥有的设施或位于滨水区的军事基地，例如圣地亚哥滨水区的美国海军训练中心，它限制了公众进入部分滨水区域。

²⁴ Harbourfront development Corporation, 1978, *Harbourfront Site History*, page 16.

²⁵ London, Mark, 1976, "Urban waterfront planning", in *Canadian Institute of Planner Forum*, May, page6.

2a 海滨开发公司，1978年，《海滨场地历史》，第16页。"Londonq Mark, 1976年，《城市滨水区规划》，载于《加拿大规划师学会论坛》，5月，第6页。

5. Psychological barriers

Psychological barriers are usually generated by poor physical images and unsafe perceptions of the waterfront areas. In this case, waterfront areas are still perceived to be inaccessible, even when physical access is possible.

A variety of planning and design approaches have been tried in many waterfronts to overcome these barriers to enhance public access, as discussed in the following section.

Establish public access:

“There are well-known devices for improving access, including the provision of new channels and modes, the rearrangement of origin and destination, the abolition of social and physical barriers...”²⁶. One common approach being used to improve public accessibility to waterfront areas is the establishment of public right-of-way along the water edge. It can be represented in a wide range of options from bike and pedestrian trails to streetcar routes. Trails can be situated along the water edge and extended into the downtown area and beyond, linking the waterfront with downtown shopping and business districts, and nearby residential areas. It provides people with a way to interact with the water directly. In San Francisco, the waterfront zoning regulations demand a pedestrian walkway along the water edge as part of any new development. In the City of Portland, a four-mile river trail winds along the river through an existing park at the water edge, and connects with the downtown, providing year round activities, such as roller blading, biking, and walking. Another good example could be found in the town of Grand Haven, MI²⁷. A two and a half mile riverfront boardwalk was created in 1984, providing access

²⁶ Lynch, Kevin, 1981, *A Theory of Good City Form*, MIT, page 203.

²⁷ Kotval, Zenia & Mullin, John R., 2001, “Waterfront Planning as a Strategic Incentive to Downtown Enhancement and Livability”, in Burayidi, Michael, ed., *Downtowns: Revitalizing the Centers of Small Urban Communities*, New York, Routledge, page 191.

5. 心理障碍

心理障碍通常由滨水区不良的物理形象和不安全的感知引起。在这种情况下，即使物理通道是可行的，滨水区仍然被认为难以进入。

为了克服这些障碍以增强公共通道，许多滨水区尝试了多种规划与设计方法，如下一节所述。
建立公共通道：

“有一些知名的改善可达性的方法，包括提供新的通道和方式、重新安排起止点、消除社会和物理障碍……”²⁶。一种常用的提高公众对滨水区可达性的方法是沿水边建立公共通行权。它可以有多种形式，从自行车和步行道到有轨电车线路。步道可沿水边设置，延伸至市中心及更远区域，将滨水区与市中心的购物和商业区以及附近的住宅区连接起来。它为人们提供了直接与水互动的途径。在旧金山，滨水区区划法规要求任何新开发项目都必须沿水边设置人行步道。在波特兰市，一条四英里长的河滨步道沿着河流蜿蜒穿过水边现有公园，并与市中心相连，全年提供轮滑、骑行和步行等活动。另一个好例子是在格兰德港镇，1984年建造了一条两英里半的河滨步道，提供了通往

²⁶ 林奇，凯文，《城市形态理论》，麻省理工学院出版社，第203页。小国藤，善太 & 穆林，约翰·R.，2001年，《滨水规划作为提升市中心活力与宜居性的战略激励》，载于布赖迪，迈克尔主编，《市中心：复兴小城市社区的核心》，纽约：劳特利奇出版社，第191页。

to shops, restaurants, a miniature golf course, and scenic parks. As well, the boardwalk led people to several prominent features of the downtown. It brought about significant reinvestment in downtown and became a successful catalyst of downtown revitalization.

In face of the highway and rail line barriers to waterfront areas, various design strategies have been tried. Considering the Louisville waterfront for example, two proposals have been raised to re-establish the pedestrian connections between the waterfront and downtown. One was to build a riverfront plaza decking over the elevated highways; the other was to make a dynamic park, with the sloping planes of lawns, flowing under the highways. In Manhattan, New York, physical access to the waterfront was set up as a mandatory condition in the Lower Manhattan Special District Plan in 1973. The pedestrian connections would go over lower Manhattan's elevated highways and tie the waterfront projects to the existing development behind.

It is also crucial to set up an integrated set of public transportation modes including bus or streetcar, linking to the waterfront, in addition to pedestrian connections. A well-planned mass transit network becomes more necessary for a waterfront with mixed uses. The need for a well-managed circulation is a requirement not only for both the aesthetics and functionality of waterfront but also for safety reasons. Unplanned traffic circulation can be chaotic for both vehicles and pedestrians, and in turn limit the public access to waterfront areas physically and psychologically.

The waterway itself can be used to access waterfront. In many cities, a waterbus has been launched to link destinations along the waterfront. In northern cities, waterways in winter will not only be a place for recreation, but also a natural access to waterfront by skating.

商店、餐厅、迷你高尔夫球场和风景优美的公园的通道。此外，这条步道引导人们前往市中心的几个主要景点。它带来了市中心的重要再投资，并成为市中心复兴的成功催化剂。

面对高速公路和铁路线对滨水区的阻隔，已尝试了多种设计策略。以路易斯维尔滨水区为例，提出了两个方案来重建滨水区与市中心的人行连接。一个是在高架公路上方建造河滨广场平台；另一个是打造一个动态公园，使草坪的斜坡面从高速公路下方流过。在纽约曼哈顿，1973年的下曼哈顿特别区规划将滨水区的物理可达性设为强制性条件。人行连接将跨越下曼哈顿的高架公路，并将滨水项目与后方现有开发相连。

除了人行连接外，建立一套包括公交或有轨电车在内的综合公共交通系统，连接至滨水区，也至关重要。一个规划良好的公共交通网络对于混合用途的滨水区尤为必要。良好的交通循环不仅出于滨水区美学和功能性的需求，也出于安全考虑。未规划的交通循环可能造成车辆和行人的混乱，进而从物理和心理上限制公众对滨水区的可达性。

水道本身可用于通往滨水区。在许多城市，水上巴士已投入运营，连接滨水沿岸的目的地。在北方城市，冬季水道不仅是休闲场所，还可通过滑冰自然成为通往滨水区的通道。

Encouraging diverse public uses and providing a safe environment along waterfronts are other effective means and, have equal importance as well to enhance public access. These points will be discussed in the following sections.

2.3.3 Visual connection

Visual connection is another commonly discussed issue in waterfront design. It represents a two-fold meaning: visual access to waterfront, and views from waterfront to the city. The latter is of the same importance, as the waterfronts in most cities offer the only opportunity for people to regain a peaceful setting and enjoy the entire skyline of the city. To establish visual connections between city and waterfront would both achieve the amenity values and enhance city identity.

Waterfront usually possesses special visual characteristics, which is reflected in its unique built and natural environment. The waterfront built environment usually features ferry buildings, marinas, ship repair facilities that can only be found along the water edges. Often, these structures are visual landmarks and serve as a focal point within a waterfront setting. The movement of moored boats bobbing in the water and nautical flags flapping in the breeze, as well as a variety of surface materials used on the docks further create a rich visual texture. The waterfront visual interest is also frequently enhanced by its natural features. The horizontal edge where land and water meet produces a sharp contrast to the vertical elements found along shorelines. Besides, vegetation, as a kind of soft visual element, also influences the casual character of urban waterfronts by gentling the hard appearance of waterfront built-structures. Furthermore, The two-dimensional water surface provides a wide field of vision. It provides a limitless

鼓励滨水区的多样化公共用途并提供安全环境，是增强公共通道的其他有效手段，且同样重要。这些内容将在后续章节中讨论。

2.3.3 视觉连接

视觉连接是滨水区设计中另一个常被讨论的问题。它包含两层含义：对滨水区的视觉可达性，以及从滨水区望向城市的视野。后者同样重要，因为在大多数城市中，滨水区为人们提供了唯一的机会，让他们能够重获宁静的环境并欣赏整个城市的天际线。建立城市与滨水区之间的视觉连接，既能实现舒适性价值，也能增强城市特色。

滨水区通常具有独特的视觉特征，这体现在其独特的建筑和自然环境中。滨水建筑环境通常包含渡轮建筑、游艇码头、船舶修理设施等仅在水边才能找到的设施。通常，这些结构是视觉地标，并作为滨水环境中的焦点。停泊的船只在水面上摇晃、航海旗帜在微风中飘扬，以及码头上使用的各种表面材料，共同营造出丰富的视觉纹理。滨水区的视觉趣味也常常通过其自然特征得到增强。水陆交汇的水平边缘与海岸线上的垂直元素形成鲜明对比。此外，植被作为一种柔和的视觉元素，通过柔化滨水建筑的硬朗外观，影响着城市滨水区的休闲氛围。而且，二维的水面提供了广阔的视野。它提供了一个无限

space for people to relax themselves by escaping the dense enclosed sense of the city and the high-pressure city life.

Visual accessibility varies tremendously among waterfronts, determined by the configuration of the urban shoreline, the expanse of the water body, and the area's topography. It is also determined by man-made factors such as the building height. To protect views from inland buildings, height limits have been set in several cities for areas near the water. However, for pedestrians at street level, the restriction on the heights of buildings has little value, as a two-story building would block the views as effectively as

a twenty-story one. On the other hand, for the same bulk, a high-rise building usually could occupy less ground than the low-rise, thus allowing more open space that establishes visual corridors to the water. If the ground level of a building is kept open, it would be even better to minimize the obstruction of pedestrian views. Therefore,

visual corridor guidelines have also been established in many waterfronts plans to protect views to the water by severely

restricting construction within these corridors. In the Lower Manhattan Special District Plan of 1973, one of the key considerations was the introduction of visual access to the waterfront. Visual corridors, corresponding to the main paths of pedestrian movement, would extend from Broadway to the water. In the Halifax waterfront plan, urban design




Fig. 6: Visual corridors extending from inland to water in New York City.
Source: New York City waterfront: a Fear of Filling, in *Progressive Architecture*, June 1975, page 51.

空间，让人们逃离城市的密集封闭感和高压城市生活，放松身心。

滨水区的视觉可达性差异很大，取决于城市海岸线的布局、水体的广阔程度以及区域的地形。人为因素如建筑高度也会产生影响。为了保护内陆建筑的视野，多个城市对靠近水域的区域设置了高度限制。然而，对于街道层面的行人来说，建筑高度的限制意义不大，因为一栋两层楼的建筑和一栋

二十层楼的建筑同样会遮挡视线。另一方面，对于相同的体量，高层建筑通常比低层建筑占用更少的地面，从而留出更多开放空间，建立通向水面的视觉通廊。如果建筑物的底层保持开放，最好能进一步减小遮挡行人视线。因此，

许多滨水区规划中也制定了视觉通廊指南，通过严格

在这些走廊内限制建设。在1973年的下曼哈顿特别区规划中，关键考虑因素之一是引入通往水滨的视觉通廊。与主要步行路径相对应的视觉走廊将从百老汇延伸至水边。在哈利法克斯水滨规划中，城市设计




图6：从内陆延伸至水面的视觉通廊，纽约市。来源：纽约滨水区：填海的恐惧，《进步建筑》，1975年6月，第51页

guidelines also called for the preservation of broader panoramic views of and from the water.

Landmarks or vistas on the water edge could serve as focal points to help enhance visual access. Taking the St. Louis waterfront for example, the grand shimmering arch of stainless steel situated at the water edge, designed by Eero Saarinen to memorialize the country's western expansion, is visible from most points within downtown St. Louis, reminding people in the other parts of the city of the river's timeless existence.

Waterfront lighting can be another efficient approach to achieve visual accessibility. Lighting can highlight attractive features, focus attention on a particular area, and create an exciting atmosphere. Lighting can contribute to safe perceptions of waterfront areas and support night-time activities for a 24-hour living waterfront as well.

2.3.4 Diverse public uses

Public uses first:

Private property ownership or institutional uses along the waterfront, as discussed previously, have hindered public access and the active-use of waterfront, and thus weakened its connections with the rest of city. Therefore, a close waterfront connection calls for diverse public uses in those special areas.

A ranking of uses starting with the most public would probably be: park, public activities, shops and restaurants, hotel, office, and private and exclusive housing.²⁸ The choice of uses based on the degree of publicness would probably put most public uses in the areas of highest visibility and accessibility, and also closest to the water.

²⁸ London, Mark, 1976, "Urban Waterfront Planning", in *Canadian Institute of Planners Forum*, May, page3.

指导方针也要求保留更广阔的全景视野，包括欣赏水景以及从水边眺望的景色。

水边的地标或景观可作为焦点，帮助增强视觉可达性。以圣路易斯 waterfront 为例，由埃罗·沙里宁设计、位于水边的巨大不锈钢拱门，旨在纪念国家西部扩张，从圣路易斯市中心大部分地点都能看到，提醒城市其他部分的人们河流的永恒存在。

waterfront 照明是实现视觉可达性的另一种有效方法。照明可以突出吸引人的特征，将注意力集中到特定区域，并营造令人兴奋的氛围。照明有助于 waterfront 区域的安全感知，并支持全天候的 waterfront 夜间活动。

2.3.4 多样化的公共用途

公共用途首先：

如前所述， waterfront 沿线的私人财产所有权或机构用途阻碍了公众进入和 waterfront 的活跃使用，从而削弱了其和城市其他部分的联系。因此，紧密的 waterfront 连接要求在这些特殊区域实现多样化的公共用途。

从最公共的使用开始排序，可能是：公园、公共活动、商店和餐馆、酒店、办公楼，以及私人 and 专属住宅。基于公共性程度的使用选择，可能会将最公共的使用置于最高可见性和可达性的区域，并尽可能靠近水边。

2sLondorj Mark, lgT6,"UrbanWaterfrontPlanning", 加拿大规划师论坛，5月，第3页。

Public recreational use has usually been found to be the primary function in many urban waterfronts, since water has long been considered as providing wonderful recreational amenities for human beings. A city park along waterfront is certainly one of the most common forms for recreation. It provides a large parcel of green open space serving as a stage for public meeting near the water edge, attracting numerous people, both local residents and tourists, to the water. A park also creates outdoor space for various kinds of water-related recreational activities. As well, an actively used and well-maintained waterfront park would bring about other related activities such as specialty shops, restaurants, hotels, etc. together, as the best location for shopping and dining is probably near a city park where people are gathering. Further, these features would definitely help to create an active atmosphere along the waterfront.

For ensuring a more day and night livable waterfront, many cities have tried to make waterfronts serve as tourist attractions. Unique and special features, through the approaches of historic preservation, street lighting, different street patterns, etc. have been geared to the needs of tourists that prefer seeking different experiences. The services and amenities, such as information kiosks, telephone booths, public restrooms, benches and trash receptacles have been well provided and marked for the tourists' convenience. Ensuring special activities or a higher level of animation than in the rest of the city would also attract local residents for repeat visits. Residential uses as well have been developed along the waterfront in many cities, with the aim to achieve an active environment.

The type of public uses along a waterfront would be best selected based on the needs of the local community, as the situations vary from city to city. Since most urban waterfronts are adjacent to downtown districts, the needs and unique characteristics of

公共休闲娱乐通常被视为许多城市滨水区的主要功能，因为水长期以来被认为为人类提供极好的休闲设施。沿水而建的城市公园无疑是休闲娱乐最常见的形式之一。它提供了一大片绿色开放空间，成为靠近水边的公众聚会场所，吸引着大量当地居民和游客前来。公园还为各种与水相关的休闲活动创造了户外空间。同时，一个积极使用且维护良好的滨水公园会带来其他相关活动，如特色商店、餐馆、酒店等，因为购物和就餐的最佳位置可能就在人们聚集的城市公园附近。此外，这些特征无疑有助于在滨水区营造活跃的氛围。

为了确保滨水区昼夜宜居，许多城市已尝试将滨水区打造成旅游景点。通过历史保护、街道照明、不同街道图案等方式，打造独特特色，以满足寻求不同体验的游客需求。信息亭、电话亭、公共卫生间、长凳和垃圾桶等服务和设施已得到良好提供和标识，以方便游客。确保举办特殊活动或营造比城市其他地区更高水平的活力，也能吸引当地居民重复到访。许多城市还在滨水区开发住宅用途，旨在营造活跃的环境。

滨水区域的公共用途类型最好根据当地社区的需求来选择，因为不同城市的情况各异。由于大多数城市滨水区毗邻市中心区域，在选择最佳用途前，应评估滨水区和市中心的需求与独特特征。

waterfronts and downtown districts should be assessed before selecting the best use. In this way, waterfront and downtown would be mutually supportive.

A “working waterfront” is still possible:

Is it still possible to place industrial uses along urban waterfronts? Environmental soundness is the foremost requirement for waterfront industries. In a symposium about waterfront industry held in Toronto in 1990²⁹, a series of criteria was suggested for identifying industries appropriate for waterfronts. A safe, well maintained and managed working waterfront would not only provide employment opportunities and tax benefit for the local community, but also serve as an attraction for local people and city tourists to obtain knowledge through observing the working of various industries – “the drama of the docking and loading and unloading of ships has a special fascination of its own.”³⁰ If it is integrated with certain teaching and research programs, it can actually be a special destination for professional groups as well as students. In the small fishing pier at Provincetown, some whale-watch boats and fishing vessels are open to visitors to see how those boats function. The fishing pier is surrounded by other recreational facilities such as restaurants, shopping streets and a commercial museum, which creates entertaining and learning experiences for visitors simultaneously.

Mixed but not messy:

If waterfront uses are mixed, special attention needs to be given to each element to ensure that one doesn’t negatively impact on the others. Actually, mixed uses should not be mutually exclusive, and some problems caused by mixed uses can be resolved. As

²⁹ Desfor, Gene, 1990, *Urban Waterfront Industry: Planning and Development Green Enterprise for the 21st Century Symposium Report*, Toronto, Minister of Supply and Services Canada, page18.

³⁰ The President’s Council on Recreation and Natural Beauty, 1968, *From Sea to Shining Sea: a Report on the American Environment – Our Natural Heritage*, page 61.

这样，滨水区与市中心将相互支持。

一个“工作型滨水区”仍然是可能的：

在城市滨水区布局工业用途是否仍然可行？环境友好性是滨水工业的首要要求。在1990年于多伦多举行的一次关于滨水工业的研讨会上，提出了一系列识别适合滨水区的工业的标准。一个安全、维护良好且管理有序的工作型滨水区不仅能为当地社区提供就业机会和税收优惠，还能吸引当地居民和城市游客通过观察各种工业运作来获取知识——“船只靠泊、装卸货物的场面具有独特的魅力。”³⁰ 如果与某些教学和研究项目相结合，它实际上可以成为专业人士和学生们的特色目的地。在普罗温斯敦的小型渔码头，一些观鲸船和渔船向游客开放，展示其运作方式。渔码头周围环绕着其他娱乐设施，如餐厅、商业街和商业博物馆，为游客同时创造了娱乐和学习的体验。

混合但不乱：

如果滨水区域的用途混合，就需要特别关注每个元素，以确保一个用途不会对其他用途产生负面影响。实际上，混合用途不应相互排斥，并且由混合用途引起的一些问题是可以解决的。正如

2e Desfor, Gene, 1990, *Urban Waterfront Industry: Planning and Development Green Enterprise for the 21st Century Symposium Report*, Toronto, Minister of Supply and Services Canada, page18. ³⁰ The President's Council on Recreation and Natural Beauty, 1968, *From Sea to Shining Sea: a Report on the American Environment - Our Natural Heritage*, page 61.

discussed in the preceding section, a working waterfront can co-exist with a recreational harbor if it is well planned and managed. The case of Portland provides further illustration. The city is using a municipal zoning by-law to limit recreational boating access to certain areas in order to avoid the threat to the fishing industry. Mixed uses can be truly integrated and complement each other. Such is the case with the Halifax waterfront. The strategy was simply to keep the entire ground floors of the office buildings open for public uses such as open space, shops, and aquarium or maritime museum. Small lobbies at unnoticed positions in the ground floors were designed to lead to the upper levels of offices. It hopes to attract people for more public activities along waterfront without noticing the offices there. On the other hand, the offices would provide a substantial part of the revenue, which would make the ground floor public uses possible.

2.3.5 Public safety

The isolation of waterfront from the rest of city may, in part, contribute to the unsafe perceptions generated among people. There would be no possibilities for a dynamic waterfront if people feel their security is threatened. Maslow ranks safety needs as a primary need after hunger and thirst, and they are represented physically and psychologically. Physical safety is “concerned with attaining a security of knowing that one is safe from physical harm – from the natural elements, human elements, and from artificially created elements of the environments such as moving cars and structurally unsound buildings.”, while psychological safety means “to have control over the

前一部分所述, 一个工作型滨水区如果规划和管理得当, 可以与休闲港口共存。波特兰的案例进一步说明了这一点。该市利用市政分区细则限制休闲船艇进入某些区域, 以避免对渔业构成威胁。混合用途可以真正整合并相互补充。哈利法克斯滨水区的情况便是如此。其策略很简单: 将办公楼的整个底层对公众开放, 用于公共空间、商店、水族馆或海事博物馆等用途。在底层不起眼的位置设计小门厅, 引导人们前往上层的办公区域。它希望吸引人们进行更多滨水公共活动, 同时不注意到那里的办公空间。另一方面, 办公空间将提供大部分收入, 从而使底层的公共用途成为可能。

2.3.5 公共安全

滨水区与城市其他部分的隔离, 可能在一定程度上导致人们产生不安全的感觉。如果人们感到安全受到威胁, 就不可能有充满活力的滨水区。马斯洛将安全需求列为仅次于饥饿和口渴的基本需求, 这些需求体现在生理和心理两个方面。生理安全“关注的是确保一个人免受自然因素、人为因素以及环境中人为创造的要素(如行驶的汽车和不牢固的建筑)的物理伤害”, 而心理安全则意味着“对环境有掌控感,

environment, to know they are in space and in time, to not be socially or physically lost.”³¹

There have been considerable debates about the degree to which a physical environment could affect people’s actions and have some relation to crime prevention. Hough³², in a crime prevention study in Toronto, stated that the design of the physical environment influences the perception of territory and the ability of people to monitor their surroundings, two factors that could deter crime and vandalism. Newman found that crime rates were lower in areas with the qualities including having a clear set of territorial markers, little open space under nobody’s clear jurisdiction, and opportunities for natural surveillance, using building and landscaping forms and materials that communicate a positive image, and so on.³³

Undoubtedly, visibility into a particular open space improves safety because of the increased opportunity for surveillance by other surrounding users. Usually, parks having views from adjacent residences or streets, as well as having greater visibility within the site, have a lower incidence of problems³⁴. Lynch in his plan of “Boston Tomorrow” calls this indirect and direct surveillance “eyes on the street”³⁵. Jane Jacobs and Kevin Lynch advocated building forms which allow views into the open spaces and encourage regular and frequent users, two critical components that enhance safety.³⁶

³¹ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page156, and 158.
³² Hough, Michael and Barrett, Suzanne. 1987, *People and City Landscapes*, Toronto, Conservation Council of Ontario, page105.
³³ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page245.
³⁴ Hough, Michael and Barrett, Suzanne. 1987, *People and City Landscapes*, Toronto, Conservation Council of Ontario, page106.
³⁵ Banerjee, Tridib and Southworth, Michael, ed, 1990, *City Sense and City Design: Writing and Projects of Kevin Lynch*, Cambridge, Massachusetts, The MIT Press, page686.
³⁶ Jacobs, Jane, 1961, *The Death and Life of Great American cities*, New York, Vintage Books.

知道自己在空间和时间中的位置，不会在社交或物理上迷失。”³¹

关于物理环境能在多大程度上影响人们的行为并与犯罪预防有关，一直存在相当大的争论。Hough³²在多伦多的一项犯罪预防研究中指出，物理环境的设计会影响人们对领地的感知以及监视周围环境的能力，这两个因素可以阻止犯罪和破坏行为。Newman发现，在具有以下特征的区域犯罪率较低：清晰的领土标志、无人明确管辖的开放空间少、利用建筑物和景观形式及材料提供自然监视的机会、传达积极形象等。³³

毫无疑问，特定开放空间的可见性由于增加了周围其他使用者的监视机会而提高了安全性。通常，能够从邻近住宅或街道看到景观、且场地内部可见度较高的公园，问题发生率较低³⁴。林奇在他的“明日波士顿”计划中将这种间接和直接监视称为“街道上的眼睛”³⁵。简·雅各布斯和凯文·林奇倡导允许视线进入开放空间并鼓励经常性和频繁使用者的建筑形式，这是增强安全性的两个关键组成部分。³⁶

Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page156 and 158.³² Hough, Michael and Barrett, Suzanne. 1987, *People and City Landscapes*, Toronto, Conservation Council of Ontario, page105. " Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page245. 3a Hough, Michael and Barrett, Suzanne. 1987, *People and City Landscapes*, Toronto, Conservation Council of Ontario, page106. ³⁵ Banerjee, Tridib and Southworth, Michael, ed, 1990, *City Sense and City Design: Writings and Projects of Kevin Lynch*, Cambridge, Massachusetts, The MIT Press, page686. ³⁶ Jacobs, Jane, 1961, *The Death and Life of Great American Cities*, New York, Vintage Books.

Amenities such as lighting are significant as well to improve visibility and avoid hidden corners. “Good lighting reduces opportunities for miscreants to hide and enables people to scan the environment.”³⁷ Adequate lighting at night is important to ensure the optimal use of waterfront throughout a 24-hour period. In addition, maintenance would contribute to safety. A poorly-maintained place indicates less value and attention paid, and in turn discourages people from using it. Safety is also related to the conflict between pedestrian and vehicles. Jan Gehl³⁸ notes that safety from vehicular traffic is another concern, particularly when improved pedestrian access and usage are anticipated.

2.4 Summary

The evolution of urban waterfront functions and forms reveals the factors of a close connection between waterfront and city, and waterfront’s significant role and impact in urban development. Urban waterfront, with its often strategic location, is the most visible place in a city and is the place where a city’s history is concentrated. As Alex Krieger says, it is “along its waterfront (that) the aura of a city resides and persists.”³⁹ Waterfront redevelopment as a catalyst for urban revitalization has been widely recognized, and deserves continuous effort. Many successful urban waterfront redevelopment precedents in North American cities provide practical experience and reference for the redevelopment of the Alexander Waterfront District in Winnipeg, for their similar waterfront evolution history and urban context. The theoretical design principles identified in the preceding literature review should be integrated in implementation, and respond to the different situations in various cities, where relevant

³⁷ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page245.

³⁸ Gehl, Jan, 1987, *Life Between Buildings*, New York, Van Nostrand Reinhold Company.

³⁹ Marshall, Richard, ed. 2001, *Waterfront in Post-Industrial Cities*, London, Spon Press, page13.

照明等便利设施对于提高可见性和避免隐蔽角落也非常重要。“良好的照明减少了不法分子藏身的机会，并使人们能够扫描环境。”³¹ 夜间充足的照明对于确保整个24小时内最佳使用滨水区至关重要。此外，维护工作有助于安全。维护不善的地方表明价值和关注度较低，进而阻碍人们使用。安全还与行人和车辆之间的冲突有关。扬·盖尔³⁸指出，当预期改善行人通道和使用时，来自车辆交通的安全是另一个关注点。

2.4 总结

城市滨水区功能与形态的演变揭示了滨水区与城市紧密联系的因素，以及滨水区在城市发展中的重要作用与影响。城市滨水区凭借其通常具有战略性的位置，成为城市中最显眼的场所，也是城市历史沉淀之地。正如亚历克斯·克里格所言，“城市的光环（正）是沿着其滨水区存在并延续的。”^{3e} 滨水区更新作为城市振兴的催化剂已得到广泛认可，值得持续投入。北美城市中许多成功的滨水区更新先例为温尼伯亚历山大滨水区的更新提供了实践经验与借鉴，因为这些案例具有相似的滨水区演变历史和城市背景。前述文献综述中确定的理论设计原则应在实施中整合，并回应不同城市的具体情况，其中相关的

t' Lang, Jon, 1994, {城市设计：美国经验}, 纽约, Van Nostrand Reinhold, 第245页。3t Gehl, Jan, 1987, {建筑之间的生活}, 纽约, Van Nostrand Reinhold公司。3e Marshall, Richard, 编。2}l,{后工业城市中的滨水区}, 伦敦, Spon Press, 第13页。

emphasis is determined as the principles are applied in practice. Making waterfront connections is to make the waterfront an organic part of city, a place that people desire to go to and stay in for a quality life experience. Therefore, waterfront connections should not only exist physically, but most importantly, reside in people's day-to-day life, deep in their consciousness.

重点在原则应用于实践时得以确定。建立滨水区联系旨在使滨水区成为城市的有机组成部分，成为人们为了高质量生活体验而渴望前往并停留的地方。因此，滨水区联系不仅应体现在物理层面，更重要的是，应融入人们的日常生活，深深扎根于他们的意识之中。

Chapter Three

The Alexander Waterfront District

The Alexander Waterfront District is in the northeast portion of Winnipeg's Downtown. It is bounded to the south by Lombard Avenue and Stephen Juba Park terminating at the Water Intake Structure along the Red River, to the west by Main Street, to the north by the Disraeli Freeway and George Avenue, and to the east by the Red River. The AWD covers about 31.3 ha (77.3 acre). (Fig. 7)

3.1 Historic Perspective

The Alexander Waterfront District, with its rich history, has played an essential role in the urban development of Winnipeg. It was one of the first sites inhabited by early European settlers traveling from Hudson Bay up the Red River in the early 19th century. To some degree, it saw the rise and fall of the city's development. (Fig. 8)

In 1826, Alexander Ross, the first historian of the Red River settlement⁴⁰, arrived in the Red River Colony with his family, settled on a river lot located between what is now John Hirsch Place and Alexander Avenue, from the river bank going west two miles. He built a house known as "Colony Gardens" on the riverfront for his wife and three children. In 1852, his eldest son, William Ross constructed a house at the foot of Market Avenue, which became the first post office of the settlement in 1855. This log house, later known as "Ross House", was moved to Joe Zuken Park in 1948 and serves now as a

⁴⁰ Bureau of Travel and Publicity, Department of Industry and Commerce, Manitoba, *City of the Rivers*, Winnipeg, Queen's Printer, page26.

第三章

亚历山大滨水区

亚历山大滨水区位于温尼伯市中心东北部，南至Lombard Avenue和Stephen Juba Park，终点为红河沿岸的引水结构；西至Main Street；北至Disraeli Freeway和George Avenue；东至红河。AWD面积约31.3公顷（77.3英亩）。（图7）

3.1 历史视角

亚历山大滨水区历史悠久，在温尼伯的城市发展中发挥了重要作用。它是19世纪初早期欧洲定居者从哈德逊湾沿红河南下时首批居住的地点之一。某种程度上，这里见证了城市发展的兴衰。（图8）

1826年，红河定居点的第一位历史学家亚历山大·罗斯（Alexander Ross）随家人抵达红河殖民地，定居在现今约翰·赫希广场（John Hirsch Place）和亚历山大大道（Alexander Avenue）之间的一块河畔土地上，从河岸向西延伸两英里。他在河滨为妻子和三个孩子建造了一所名为“殖民地花园”（Colony Gardens）的房子。1852年，他的长子威廉·罗斯（William Ross）在市场大道（Market Avenue）脚下建造了一所房子，该房子于1855年成为定居点的第一个邮局。这座原木房子后来被称为“罗斯之家”（Ross House），于1948年迁至乔·祖肯公园（Joe Zuken Park），现在作为

00 旅游与宣传部，工商部，马尼托巴省，河流之城温尼伯，女王印刷厂，第26页。



Fig.7: Boundaries of the Alexander Waterfront District⁴¹

⁴¹ The digital map of the Alexander Waterfront District and the aerial photo were provided by Land Information Services Branch, Planning, Property & Development Department, the City of Winnipeg. The AWD's boundary was defined according to a "Prospectus" regarding the AWD, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page6.




图7: 亚历山大滨水区的边界

亚历山大滨水区的数字地图和航拍照片由温尼伯市规划、物业与发展部土地信息服务处提供。AWD的边界是根据环境规划部制作的关于AWD的“招股说明书”划分的，并由温尼伯市物业与发展部规划与土地使用处高级规划师Martin Sandhurst提供，第6页。

small museum. The Ross family lived there until the early 1890s. They sold their property, including the land on which City Hall stands today. Later, their former holdings became a residential area with small bungalows and low brick terraces. In 1893, the newly established Parks Board bought the site of “Colony Gardens” and developed Victoria Park, one of Winnipeg’s first four public parks. The park was bounded by Amy Street to the west, the Red River to the east, Pacific Avenue to the north and James avenue to the south. With its mature trees and views, it was thought the most beautiful amusement place in the city at that time. The park served as a meeting place during the Winnipeg General Strike in 1919.




Fig.8: Historic Development of Winnipeg
Source: Faculty of Architecture, University of Manitoba, *Urban Design Studio 1984-85: Fort Rouge*, p.11

In 1906, the construction of a high pressure pumping station on James Avenue, in the southeast corner of Victoria Park, began the decline of the neighborhood and park.

小博物馆。罗斯家族一直居住在那里直到19世纪90年代初。他们卖掉了自己的财产，包括如今市政厅所在地的土地。后来，他们曾经的房产变成了一个住宅区，有小平房和低矮的砖砌联排房屋。1893年，新成立的公园委员会购买了“殖民地花园”的场地，并开发了维多利亚公园，这是温尼伯最早的四座公共公园之一。公园西至艾米街，东至红河，北至太平洋大道，南至詹姆斯大道。凭借其成熟的树木和景观，它被认为是当时城市中最美丽的游乐场所。1919年温尼伯大罢工期间，该公园曾作为集会地点。




图8：温尼伯的历史发展 来源：马尼托巴大学建筑学院，城市设计工作室1984-85：Fort Rouge，第11页

1906年，在维多利亚公园东南角的詹姆斯大道上建造了一座高压泵站，这开始了该社区和公园的衰落。

The local residents began to gradually migrate from the area due to the further disruption caused by the installation of a rail line along the riverfront to serve the pump station and the expanding warehouse district to the south. In 1922, the Amy Street Steam Plant was built on the park site, to provide emergency electricity in case of power failure from the two generating plants outside of Winnipeg. Eventually, most of the park disappeared. Rapid growth since the early part of 1900s thus transformed the residential neighborhood into a commercial warehouse and industrial district.

3.2 Physical Characteristics

The preceding section established the historic context of the Alexander Waterfront District. To complement the research, it is important to examine the existing physical conditions and qualities of the AWD. To this end, a site inventory was conducted to gain a better understanding of the current situation regarding the urban context, current land uses and ownership, circulation, heritage features, and general image and visual features. The information gathered provides an objective picture of the AWD. Combined with the later public survey, both provide a solid basis for further situational analysis.

3.2.1 The urban context

The Alexander Waterfront District comprises the East Exchange District and a parcel of land at the southeast portion of the North Main Area. To the west, the AWD neighbors Chinatown and the Civic Center, and to the east is the French Quarter across

由于沿河岸铺设铁路线以服务泵站和南部不断扩大的仓库区，进一步造成干扰，当地居民开始逐渐迁离该地区。1922年，在公园场地上建成了艾米街蒸汽发电厂，以便在温尼伯以外的两个发电厂发生电力故障时提供紧急电力。最终，公园的大部分消失了。自20世纪初以来的快速增长，从而将住宅区转变为商业仓库和工业区。

3.2 物理特征

前一节确立了亚历山大滨水区的历史背景。为补充研究，有必要审视AWD现有的物理条件和品质。为此，进行了现场调查，以更好地了解当前的城市环境、土地使用和所有权、交通、遗产特征、总体形象和视觉特征。所收集的信息提供了AWD的客观现状。结合后续的公众调查，两者为进一步的情境分析提供了坚实基础。

3.2.1 城市环境

亚历山大滨水区包括东交易区和北主区东南部的一块地块。西邻唐人街和市政中心，东隔法国区相望




Fig.9: The Alexander Waterfront District surrounding areas.




图9: 亚历山大滨水区及周边区域。

the Red River. The AWD is just one block away from the famous Portage-Main intersection. (Fig. 9)

A brief examination of the character of its surrounding areas, including the North Main Area, the Exchange District, the Chinatown and the French Quarter, is addressed as follows:

The North Main Area:

The North Main Area is bounded by William Avenue to the south, Higgins Avenue to the north, Princess Street to the west, and the Red River to the east. The area is historically known as Nestawe'ya (Three Points), and it has been frequented by Aboriginal people as far back as 8,500 years ago. "From that time onward, the area has witnessed a succession of aboriginal peoples and their cultures, a process that continues today."⁴² The commercial area along Main Street beginning at the Disraeli Freeway, which is also called Mosaic Market, was one of the first commercial zones established in the late 1800s in Winnipeg. Today, a strong ethnic atmosphere is still apparent with more than 120 businesses located in the neighborhood, including many ethnic restaurants, churches and community services.

The Exchange District:

The Exchange District is a dense urban area consisting of approximately 20 city blocks located in Downtown Winnipeg just north of Portage Avenue. The whole area covers about 0.32 square kilometers. The Exchange District played an essential role in Winnipeg's history. It was once a vital part of Winnipeg's industrial and financial district, at the time when Winnipeg was a railway center in North America and gateway to the West. With the process of de-industrialization and the decline of railway transportation,

⁴² The City of Winnipeg, 1997, *Our Place: North Main Task Force*, page 6.

红河。AWD距离著名的Portage-Main交叉口仅一个街区。(图9)

以下简要介绍其周边区域的特征，包括北主区、交易区、唐人街和法国区：

北主区：

北主区南至William大道，北至Higgins大道，西至Princess街，东至红河。该区历史上被称为Nestawe'ya（三点），原住民早在8500年前就曾在此活动。“从那时起，该地区见证了原住民族群及其文化的更迭，这一过程延续至今。”⁴²沿Main Street从Disraeli Freeway开始的商业区，也称为Mosaic Market，是19世纪末温尼伯最早建立的商业区之一。如今，强烈的民族氛围依然明显，社区内拥有超过120家企业，包括许多民族餐馆、教堂和社区服务。

交易所区：

交易区是一片密集的城市区域，大约包含20个城市街区，位于温尼伯市中心，波蒂奇大道以北。整个区域面积约0.32平方公里。交易区在温尼伯历史上扮演了重要角色。它曾是温尼伯工业和金融区的重要组成部分，当时温尼伯是北美铁路中心和通往西部的门户。随着去工业化的进程和铁路运输的衰落，

⁴² 温尼伯市，1997年，《我们的地方：北主街工作组》，第6页。

the warehouse structures in the Exchange District were under-used, resulting in a high vacancy rate. The development boom of the City at the turn of the last century has left a significant collection of intact historic architecture well known for its Chicago Style in the Exchange District. Currently, there are almost 80 municipally designated buildings, 1 provincial designated building, and 5 buildings registered as National Historic Sites in the Exchange District. In 1997, the Exchange



Fig.10: Market Square in the Exchange District.

District was declared a National Historic Site by the Federal Minister of Canadian Heritage for its valuable heritage architecture. Meanwhile, the Exchange District is also famous for its rich artistic and cultural atmosphere. It is the heart of the performing and visual arts community in Winnipeg.

The Chinatown:

The area known as Chinatown was established in 1909 and remains the focus of Chinese culture in the city. It is located between James and Logan Avenues to the west of Main Street. Chinatown offers fine examples of Chinese architecture, and shops selling herbs, spices, Chinese cooking implements and ingredients. The Winnipeg Chinese Cultural and Community Center, in the Dynasty Building, is a center of arts and learning, with many classes and services. The library in the building is the only Chinese library in Manitoba.



Fig.11: Winnipeg Chinatown.

交易区的仓库建筑使用不足，导致空置率很高。上世纪之交的城市发展热潮留下了

在交易区，拥有大量保存完好的历史建筑，以其芝加哥风格而闻名。目前，交易区有近80座市级指定建筑、1省级指定建筑和5座被列为国家历史遗址的建筑。1997年，交易区



图10：交易区的市场广场。

被加拿大遗产联邦部长宣布为国家历史遗址，因其宝贵的遗产建筑。同时，交易区也以其丰富的艺术和文化氛围而闻名。它是温尼伯表演和视觉艺术社区的中心。

唐人街：

被称为唐人街的区域成立于1909年，至今仍是该市中国文化的焦点。它位于主街以西的詹姆斯大道和洛根大道之间。唐人街拥有精美的中国建筑典范，以及出售草药、香料、中式烹饪器具和食材的商店。温尼伯华人

位于王朝建筑内的文化与社区中心是一个艺术和学习中心，提供众多课程和服务。该建筑的图书馆是曼尼托巴省唯一的华人图书馆。




图11：温尼伯唐人街。

The French Quarter:

Winnipeg's French Quarter, also known as Saint-Boniface, was founded in 1818 by Bishop Provencher, who established the first Roman Catholic mission in the west. The French Quarter is home to the resting place of Louis Riel, Métis leader and one of the founders of the Province of Manitoba. There are over 35 designated historic sites in the French Quarter at present.




Fig.12: Winnipeg French Quarter.
Source:<http://www.frenchquarterbiz.com>

3.2.2 Current land uses and ownership

There is a considerable diversity of land uses in the Alexander Waterfront District. (Fig.13) One of the most distinguishing land use features of the AWD is that many of Winnipeg's cultural amenities are concentrated there. As well, office uses and a variety of warehouse facilities, with relatively few residential uses, are located in the AWD.

There are a certain number of lands, including the whole riverbank, publicly owned by the city (Fig.14). The Alexander Dock previously owned by the Federal Government, has been transferred to, and is now maintained by the city.

Cultural use:

There are quite a few cultural facilities currently located within the AWD, including the Centennial Concert Hall, the Museum of Man and Nature, the Planetarium, the Manitoba Theater Center, the MTC Warehouse Theater, the Pantages Theater, the Ukrainian Cultural Center and the Royal Winnipeg Ballet Workshop.

法国区:

温尼伯的法语区, 又称圣博尼法斯, 由普罗文切主教于1818年建立, 他在此设立了西部首个罗马天主教传教区。法语区是梅蒂斯领袖、曼尼托巴省创始人之一路易·里尔的安息之地。目前法语区有超过35处指定历史遗址。



图12: 温尼伯法国区。来源:
h
t
t
p://
www.frenchquarterbiz.com

3.2.2 当前土地用途与所有权

亚历山大滨水区的土地用途具有相当的多样性。(图13) AWD最显著的土地用途特征之一是, 温尼伯的许多文化设施集中于此。此外, AWD内还设有办公用途和各类仓库设施, 住宅用途相对较少。

有若干土地(包括整个河岸)由市政府公有。(图14) 原由联邦政府拥有的亚历山大码头已移交给市政府, 现由市政府维护。

文化用途:

目前AWD内有不少文化设施, 包括百年音乐厅、人类与自然博物馆、天文馆、曼尼托巴剧院中心、MTC Vy'arehouse剧院、潘太及斯剧院、乌克兰文化中心和皇家温尼伯芭蕾舞团工作室。

Commercial use:

There are a certain number of commercial uses existing in the AWD at present. Most of them are restaurants and bars, which are usually located on the ground floors of the buildings in the southern part of the AWD along McDermott Avenue and Rorie Street, with easy access for people working and living in and around the AWD.

Greenery open space:

There are a few green open spaces in the AWD. They are mainly along the riverfront, which consists of Stephen Juba Park along the water's edge from Lombard Avenue to James Avenue. The park was named for Winnipeg's longest-serving mayor and opened in 1984. At the northern end of the park, there is the Alexander Dock currently providing waterbus cruise service on the Red River.

Industrial use:

With the removal of the railway along the riverfront, and the shutdown of the high-pressure pumping station, the Amy Street Steam Plant, and the riverside water intake structure, industrial uses are mainly occupied by warehouses, which are currently concentrated in the northern part of the AWD.

Office use:

Office uses are mainly located in the southern part of the AWD, along Main Street and Lombard Avenue. They accommodate various kinds of business, government offices and banks, and most of which are situated in the historic buildings, such as the Porter Building, Inland Revenue Warehouse, Grain Exchange Building, Great-West Life Building, Union Trust Tower, and the Bank of Hamilton.

商业用途:

目前AWD内有一定数量的商业用途。其中大部分是餐厅和酒吧，通常位于AWD南部沿着麦克德莫特大道和罗里街的建筑底层，方便在AWD及其周边工作和生活的人们进出。

绿地开放空间:

AWD 中有少量绿色开放空间，主要分布在河滨沿线，包括从 Lombard 大道延伸到 James 大道的水边 Stephen Juba 公园。该公园以温尼伯任职时间最长的市长命名，于 1984 年开放。公园北端设有 Alexander 码头，目前提供红河上的水上巴士游船服务。

工业用途: _____:

随着河滨铁路的拆除以及高压泵站、Amy Street 蒸汽厂和河滨进水口的关闭，工业用途主要由仓库占据，目前集中在 AWD 的北部。

办公用途:

办公用途主要位于AWD南部，沿Main Street和Lombard Avenue。这些建筑容纳了各类企业、政府机关和银行，其中大多数位于历史建筑内，如Porter Building、Inland Revenue Warehouse、Grain Exchange Building、Great-West Life Building、Union Trust Tower和Bank of Hamilton。

Parking use:

There are currently two parkades located within the AWD. The remaining stalls are outdoor surface parking. According to a statistic by the Planning Department of the city, there are 425 stalls in the two parkades, which is a little bit less than half of the 985 outdoor surface stalls. Parking is generally perceived as sufficient in the AWD. Parking problems only occur at certain peak times when concurrent events take place at the cultural centers in the AWD.

Residential use:

Although historically the AWD was a residential neighborhood, there are only a few old houses still existing in the AWD today. Most of these houses are located on the northern edge of the AWD, generally in very poor condition. Ashdown Warehouse, a historic building located on Bannatyne Avenue, was recently converted to residential use by the Prairie Housing Co-op. The Co-op has been pursuing plans to turn more of the historic buildings into residences in the future.

停车用途:

目前AWD内有两个停车场。其余停车位为地面露天停车位。根据市规划部门的统计数据，这两个停车场共有425个车位，略少于985个地面露天车位的一半。总体而言，AWD的停车位被认为充足。仅当文化中心同时举办活动的高峰时段，才会出现停车问题。

住宅用途:

尽管历史上 AWD 是一个住宅区，但如今该区域仅存少数几栋老房子。这些房屋大多位于 AWD 的北缘，普遍状况极差。位于班纳廷大道的历史建筑 Ashdown Warehouse 最近由 Prairie Housing Co-op 改造成住宅用途。该合作社一直在计划未来将更多历史建筑改造成住宅。




Fig.13: Current land use in the Alexander Waterfront District⁴³

⁴³ According to the site inventory and the “Prospectus” regarding the AWD, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page4-5.




图13: 亚历山大滨水区当前的土地利用3

a3 根据温尼伯市物业与发展部规划与土地利用处高级规划师马丁·桑德赫斯特提供的环境规划部门编制的场地清单及关于AWD的“Prospectus”文件，第4-5页。




Fig.14: Current public landownership in the Alexander Waterfront District⁴⁴

⁴⁴ According to the “Prospectus” regarding the AWD, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page6.




图14: 亚历山大滨水区当前公共土地所有权

⁴⁴ 据温尼伯市规划与土地利用部门高级规划师Martin Sandhurst提供的环境规划部门编制的AWD “招股说明书”第6页所述。

3.2.3 Circulation

The AWD is surrounded to the north by Disraeli Freeway and to the west by Main Street, both of which are major traffic arterials in the city. The major access points to the AWD are at Pacific Ave., Rupert Ave., Market Ave. and McDermott Ave. on the Main Street side, and Lily St. and Rorie St..

Most roads within the AWD are two-way, except for parts of McDermott Ave. and Bannatyne Ave. between Main Street and Rorie Street, which are one-way. All the east-west roads within the AWD are dead-ended to the east meeting the riverfront lands. This leads to an unsafe perception, due to less pass-through traffic and few pedestrians. Because of the heavy traffic volume on Main Street, some traffic shifts to Rorie Street and Lily Street, which turns out to be a key south-north traffic corridor within the AWD. The currently under-construction Waterfront Drive from Lombard Avenue to Higgins Avenue should mitigate some of the traffic volume on Rorie Street and Lily Street, resolve the dead-end problem of the east-west roads, and bring greater vitality to the AWD.

The AWD is linked to other parts of the city by eight transit routes – Nos. 21,22,24,28,29,31,58, and 67, which is excellent in term of frequency of service and distribution of routes, although the transit routes within the AWD are limited to around the block of the Museum of Man and Nature and Centennial Concert Hall (Fig. 15).




Fig.15: Current public transit in the Alexander Waterfront District.
Source: <http://www.winnipegtransit.com/>

3.2.3 交通循环

AWD的北面是迪斯雷利高速公路，西面是主街，这两条都是城市的主要交通干道。AWD的主要入口位于主街一侧的太平洋大道、鲁珀特大道、市场大道和麦克德莫特大道，以及莉莉街和罗里街。


AWD内部的大部分道路都是双向的，但麦克德莫特大道和班纳廷大道位于主街和罗里街之间的部分除外，这些路段是单向的。AWD内部所有东西向的道路在东端都是断头路，与滨河地带相接。这导致了不安全的感觉，因为过境交通较少，行人也不多。由于主街上的交通流量大，一些车辆分流到罗里街和莉莉街，这两条街成为AWD内部关键的南北向交通走廊。目前正在建设的从伦巴第大道到希金斯大道的海滨大道，将缓解罗里街和莉莉街上的一些交通流量，解决东西向道路的断头问题，并为AWD带来更大的活力。

全轮驱动系统与其他部件相连

21、22、24、28、29、31、58和67，即

在服务频率和路线分布方面表现出色，但AWD内的公交线路仅限于人类与自然博物馆和百年音乐厅街区周围（图15）。

该市通过八条公交线路——第



图I.5：亚历山大滨水区的当前公共交通状况。
来源: [h@://www.winnipegtransit.com/](http://www.winnipegtransit.com/)

Thus there are still some areas in the AWD that are beyond the five-minute walking distance to bus stops, which in turn limits public accessibility to the AWD.

Most of the streets have sidewalks; however, pedestrian circulation is particularly unsatisfactory in the AWD. There are a certain number of pedestrian uses around the Centennial Concert Hall, the Manitoba Theater Center and Pantages Theater during performance times, and on the walkway along the Red River in Stephen Juba Park during lunchtime in summer.

3.2.4 Heritage features

Historic buildings:

There are a number of historic buildings located in the AWD. Most buildings were erected from the early 1880s until the First World War, and especially at the turn of the century. This intact collection of warehouses, financial institutions, and towers, known for their Chicago-Style, provides evidence of Winnipeg’s boom era and its national importance at the time. According to the Heritage Conservation Department of the City of Winnipeg⁴⁵, there are currently forty-three municipally designated historic buildings, listed under the Building Conservation List and Historic Building Inventory⁴⁶, one provincially designated historic building, and three nationally designated historic

⁴⁵ <http://www.city.winnipeg.mb.ca/ppd/historic/>, November 17, 2001.
⁴⁶ The City of Winnipeg retains and compiles two separate yet complementary listings of heritage buildings: the Buildings Conservation List and the Historical Buildings Inventory. The Buildings Conservation List includes structures that have been declared historic by the City of Winnipeg based on recommendations by the Historical Buildings Committee. Historical Buildings Inventory has been compiled including commercial, educational, financial, public, religious, residential, and miscellaneous structures, in order to assess the overall scope of heritage conservation in Winnipeg The Inventory is a listing of buildings which have not been formally researched and evaluated, but which may have architectural or historical significance. Buildings on the Inventory can be viewed therefore, as possible candidates for inclusion on the Buildings Conservation List.

因此，AWD内仍有一些区域距离公交站超过五分钟步行路程，这反过来限制了公众对AWD的可达性。

大多数街道都有人行道；然而，行人流通在AWD（自动人行道区域）尤其不理想。在百年音乐厅、曼尼托巴剧院中心和潘塔吉斯剧院演出期间，以及夏季午间在斯蒂芬·朱巴公园沿红河的人行道上，有一定数量的行人使用。

3.2.4 遗产特征

历史建筑：

AWD内有许多历史建筑。大多数建筑建于1880年代早期至第一次世界大战期间，尤其是在世纪之交。这批保存完好的仓库、金融机构和塔楼以芝加哥风格著称，见证了温尼伯的繁荣时期及其当时在全国的重要性。据温尼伯市遗产保护部门称，目前有43座市级指定历史建筑，列于建筑保护清单和历史建筑名录a6中，还有1座省级指定历史建筑和3座国家级指定历史

a5 <http://www.city.winnipeg.mb.ca/ppd/historic/>, 2001年11月17日。温尼伯市保留并编制了两个独立但互补的历史建筑名录：建筑保护名录和历史建筑清单。建筑保护名录包括根据历史建筑委员会建议由温尼伯市宣布为历史建筑的建筑物。历史建筑清单则汇编了商业、教育、金融、公共、宗教、住宅及其他各类建筑，以评估温尼伯遗产保护的整体范围。该清单列出的是尚未经过正式研究和评估，但可能具有建筑或历史意义的建筑。因此，清单上的建筑可以被视为列入建筑保护名录的潜在候选对象。

buildings, located in the AWD (Fig.16). For the full list of the designated historic buildings, see Appendix A.

Other heritage sites:

1. Victoria Park:

Victoria Park, built on the former site of Victoria and Colony Gardens at the foot of James Avenue facing the Red River, is one of Winnipeg's first four public parks. The Parks Board of the City purchased this land from the Ross family in 1893, and opened the Park in the following year. The Park was thought the most beautiful amusement place in the city at that time, for its formal style with shady walkways, sectioned flowerbeds, rustic wooden benches and a bandstand for summer concerts⁴⁷. It was also the site of several critical meetings during the Winnipeg General Strike in 1919. In 1906, the construction of a high pressure pumping station on James Avenue cut off the southeast corner of Victoria Park, and the construction of the Amy Street Stream Plant later in 1922 led to the eventual disappearance of the Park.

2. Ross House:

Ross House, built with hand-hewn squared logs in the style known as Red River Frame, was constructed at the foot of Market Avenue in 1852 by William Ross who became the first postmaster of the settlement in 1855. The House served as the first post office of the settlement at that time. Later, it was saved from demolition by the Manitoba Historical Society and relocated to Joe Zuken Heritage Park in Point Douglas (west side of Meade Street between Sutherland and Euclid Avenues) in 1948. It now serves as a small museum.

⁴⁷ City of Winnipeg, 1997, *Our Place: North Main Task Force*, page 21.

建筑，位于AWD内（图16）。指定历史建筑完整列表见附录A。

其他遗产遗址：

1. 维多利亚公园：

维多利亚公园建于詹姆斯大道脚下、红河对岸的原维多利亚和殖民地花园遗址上，是温尼伯市最早的四座公共公园之一。1893年，市公园委员会从罗斯家族手中购得这块土地，并于次年开放公园。该公园以其正式风格而闻名，设有林荫步道、分区花坛、质朴的木制长椅以及用于夏季音乐会的演奏台，被认为是当时该市最美丽的娱乐场所。1919年温尼伯大罢工期间，这里也是几次重要会议的举办地。1906年，詹姆斯大道上一座高压泵站的建设切断了维多利亚公园的东南角，而1922年艾米街蒸汽厂的修建最终导致公园消失。

2. 罗斯故居：

罗斯屋建于1852年，位于市场大道脚下，采用手工砍凿的方形原木，风格被称为红河框架，由威廉·罗斯建造，他于1855年成为该定居点的第一位邮政局长。该房屋当时作为定居点的第一个邮局。后来，它被曼尼托巴历史学会从拆迁中拯救出来，并于1948年搬迁至Point Douglas的Joe Zuken遗产公园（米德街西侧，介于Sutherland大道和Euclid大道之间）。现在它作为一个小型博物馆使用。

o' 温尼伯市，1997年，《我们的地方：北主干道特别工作组》，第27页'

3. Alexander Dock:

The history of the Dock can be traced back to the early twentieth century. It was once the main loading facilities for the local warehouses. It was also used by Lake Winnipeg fishermen to sell fresh water fish on summer weekends. It now serves as one of the waterbus stops on the Red and Assiniboine River, connecting with other Downtown destinations including Promenade Tache, the Forks Historic Port, the Manitoba Legislative Building, Osborne Village and Corydon Ave. BIZ. Paddlewheel River Rouge Tours has recently relocated its operations to the Alexander Dock, providing river sightseeing service.

4. The Scots Monument:

This 18-foot high monument is located just north of Alexander Dock, at the site of the original Fort Douglas - the log fort erected by the Selkirk Settlers in 1815. It is dedicated to Thomas Douglas, the fifth Earl of Selkirk and marks the historical origins of Manitoba as a European settled territory. It also honors people of Scottish origin and their descendants who settled in the provinces, territories and districts of Canada. The monument follows the form of a thistle, and is created in bronze, limestone and stainless steel. The story and names of the Selkirk Settlers are inscribed on the monument, and it is surrounded by stonework in which are imbedded stones from parishes of all parts of Scotland.⁴⁸

5. John Hirsch Place:

This is a lane located in the block between Bannatyne Ave. and Market Ave. close to the riverfront. It was once the site of a historic creek flowing to the Red River, and

⁴⁸ See <http://www.geocities.com/Heartland/Village/1479/historic.html> & <http://www.city.winnipeg.mb.ca/interhom/sightsnsound/historicsites.htm#salvationarmy>, December 29, 2001.

3. 亚历山大码头:

亚历山大码头的历史可以追溯到20世纪初。它曾是当地仓库的主要装卸设施。夏季周末, 温尼伯湖的渔民也用它来销售淡水鱼。现在, 它是红河和阿西尼博因河上水上巴士的一站, 连接着其他市中心目的地, 包括Tache长廊、福克斯历史港口、曼尼托巴省议会大厦、奥斯本村和Corydon Ave. BIZ。明轮船红河之旅最近将其运营迁至亚历山大码头, 提供河流观光服务。

4. 苏格兰人纪念碑:

这座18英尺高的纪念碑位于亚历山大码头以北, 在原道格拉斯堡(Selkirk定居者于1815年建造的木堡)遗址上。它献给第五代塞尔柯克伯爵托马斯·道格拉斯, 标志着马尼托巴作为欧洲人定居领土的历史起源。它也纪念苏格兰裔及其后代, 他们定居在加拿大的各省、地区。纪念碑采用蓟花造型, 由青铜、石灰石和不锈钢制成。碑上刻有塞尔柯克定居者的故事和名字, 周围石砌中嵌有来自苏格兰各教区的石头。

5. 约翰·赫希广场:

这是一条位于Bannatyne Ave.和Market Ave.之间街区的小巷, 靠近河滨。它曾是流入红河的一条历史溪流的所在地,

a8 参见 <http://www.geocities.com/Heartland/Village/1479/Æristoric.html> 及 <http://www.city.winnipeg.mb.ca/interhoû/siehtsnsound/historicsites.htm#salvationarmv>, 2001年12月29日。

later a spur railway line. It was beautifully streetscaped in 1988 to honor John Hirsch, the dynamic stage director who founded the Manitoba Theater Center.

3.2.5 General image and visual features

The general image and visual features of the AWD were analyzed according to the aspects of paths, edges, districts, nodes, and landmarks (Fig. 17). According to Lynch⁴⁹, paths are the channels along which the observer customarily, occasionally, or potentially moves; edges are the linear elements not used or considered as paths by the observer, which may be barriers, more or less penetrable, or may be seams, lines along which two regions are related and joined together; districts, defined by Lynch are the medium to large sections of the city, but here more refer to a two-dimensional area, which are recognizable as having some common and identifying character; nodes are points, the strategic spots in a city into which an observer can enter and which are the intensive foci to and from which he is traveling; and landmarks are another type of point-reference, which are viewed as external and the observer does not enter within them.

The image and visual types identified in Fig. 17 are relative, and may occasionally shift from each other with a different viewing circumstance. For instance, the water intake building on the water's edge is treated as a landmark, probably only when being viewed from the river. In addition, a roadway, such as Lily Street, may be viewed as a path for the driver but an edge for the pedestrian. Therefore, this analysis is subjective and is not intended to be definitive, but is a way to identify existing elements that may potentially be altered or maintained in a positive way in a future intervention.

⁴⁹ Lynch, Kevin, 1960, *The Image of the City*, The MIT Press, Cambridge, page47.

后来成为一条铁路支线。1988年，为纪念充满活力的舞台导演、马尼托巴剧院中心的创始人约翰·赫希，这里被改造成了美丽的街景。

3.2.5 通用图像与视觉特征

根据路径、边缘、区域、节点和地标等方面分析了AWD的通用图像与视觉特征（图17）。根据Lynch的定义，路径是观察者习惯性、偶尔或可能移动的通道；边缘是观察者不使用或不视为路径的线性元素，可能是有一定渗透性的屏障，也可能是连接两个区域的接缝；区域（Lynch定义为城市的中大型区域，但此处更指二维区域）具有共同的识别特征；节点是观察者可进入的城市战略点，也是其出行路径的集散焦点；地标是另一种点状参照物，被视为外部元素，观察者无法进入其中。

图17中识别的图像与视觉类型是相对的，可能因观察环境不同而相互转换。例如，水边的取水建筑可能仅在从河上观看时被视为地标。此外，如莉莉街这样的道路，对驾驶员而言是路径，对行人而言则是边缘。因此，此分析具有主观性，并非旨在作为定论，而是一种识别现有元素的方法，这些元素可能在未来干预中以积极的方式被改变或保留。

林奇，凯文，1960年，《城市意象》，麻省理工学院出版社，剑桥，第41页。




Fig. 16: Historic buildings and heritage sites in the Alexander Waterfront District⁵⁰

⁵⁰ The map regarding the historic buildings in the Alexander Waterfront District was produced, according to the City of Winnipeg's website: <http://www.city.winnipeg.mb.ca/ppd/historic/>, and the "Prospectus" regarding the Alexander Waterfront District, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page2.




图16: 亚历山大滨水区的历史建筑和遗产地

关于亚历山大滨水区历史建筑的地图是根据温尼伯市网站 (<http://www.city.winnipeg.mb.ca/ppd/historic/>) 以及由环境规划部制作、并由温尼伯市规划与土地利用部门 (规划与发展部) 高级规划师Martin Sandhurst提供的《亚历山大滨水区招股说明书》(第页) 制作的。




Fig.17: General image and visual features of the Alexander Waterfront District.




图 17：亚历山大滨水区的总体形象与视觉特征。

3.2.6 Summary

The examination of the physical characteristics of the AWD provides a general profile of the AWD. The unique features of the AWD in general and the particular characteristics of the surrounding urban context are those that distinguish this area from others of the city. This investigation, combined with the following analyses, offers a basis for the development of the design strategy for the AWD.

3.3 Demographic Condition

The demographic census is neighborhood-based. The Alexander Waterfront District is partially included in the Old Financial District and the Main Street North neighborhood (Fig.18) Therefore, the examination of the AWD demographic condition is based on the demographic analysis of these two neighborhoods – the Main Street North and the Old Financial District.




Fig.18: Neighborhood boundary for demographic census.
Source:
<http://www.city.winnipeg.mb.ca/Census1996/pages/danielmcintyre.htm>
Shaded area for the Alexander Waterfront District is added.

3.3.1 Demographic condition in the Main Street North⁵¹

The 1996 census showed that there were a total of 475 residents officially living in Main Street North. This population was a sharp decrease, by 43.1%, from the 835 recorded in 1991 census. The residents aged from 20 to 29 comprised the majority of the

⁵¹ According to *Winnipeg Neighborhood Profiles: Main Street North 1996 Census Data*, Statistics Canada. The recent 2001 census data at neighborhood level will be formulated in May 2003 by Statistics Canada.

3.2.6 总结

对亚历山大 waterfront 区 (AWD) 物理特征的考察提供了该区域的一般概况。AWD 的独特特征以及周边城市环境的特定特点，使其与城市其他区域区别开来。这项调查结合后续分析，为 AWD 设计策略的制定提供了基础。

3.3 人口统计条件

人口普查以社区为基础。亚历山大 waterfront 区部分包含在旧金融区和主街北社区内（图 18）。因此，对 AWD 人口统计条件的考察基于这两个社区——主街北和旧金融区——的人口分析。




图18: 人口普查的社区边界。来源:
<http://www.city.winnipeg.mb.ca/Census1996/pages/danielmcintyre.htm> 亚历山大滨水区的阴影区域为新增区域。

3.3.1 主街北部的人口状况

1996年人口普查显示，Main Street North共有475名官方登记的居民。这一人口数量较1991年普查记录的835人急剧下降了43.1%。年龄在20至29岁之间的居民占总人口的

根据《温尼伯社区概况：主街北部1996年人口普查数据》，加拿大统计局。最新的2001年社区层面普查数据将于2003年5月由加拿大统计局编制。

population, 24.2%. People aged 75 or greater ranked second at 17.2%. The third largest age group living in the neighborhood was those less than five years old, which took up 8.1% of the total population. There was a very high ratio of visible minorities living in the neighborhood, 90.3% of the total. The educational level and employment ratio of the population were markedly lower than the average of the city. The population having an education of less than Grade 9 took up 43.2%, and the employment ratio was only 38%. The area was perceived as a low-income neighborhood, since 50% households had an annual income ranging from \$10,000 to \$19,999. All the dwelling tenures within the neighborhood were rented. The mobility ratio in the 1996 census was as high as 61.5% within a five-year period.

3.3.2 Demographic condition in the Old Financial District⁵²

The 1996 census showed that there were only 240 residents officially living in the Old Financial District, which was a 17% population increase compared to that in 1991. The majority of the population was aged from 25 to 54, which accounted for 90%. The high ratio of well-educated and employed population was one of the demographic features of the neighborhood. Nearly half of the residents had a university degree - much higher than the 15.1% citywide. The employment ratio is 80.5% - almost 20 percentage points higher than that of the city. The household income data was not shown in the 1996 census. Another demographic feature of the neighborhood was reflected in the lower ratio of the visible minorities, which only accounted for 4.7% of the total. However, the mobility ratio in the neighborhood was surprisingly high. There are 38.1% of the

⁵² According to *Winnipeg Neighborhood Profiles: Old Financial District 1996 Census Data*, Statistics Canada. The recent 2001 census data at neighborhood level will be formulated in May 2003 by Statistics Canada.

24.2%. 75岁及以上人群位列第二，占17.2%。居住在社区中的第三大年龄组是五岁以下儿童，占总人口的8.1%。社区中可见少数族裔的比例非常高，占总人口的90.3%。该人口的教育水平和就业率明显低于城市平均水平。受教育程度低于9年级的人口占43.2%，就业率仅为38%。该区域被视为低收入社区，因为50%的家庭年收入在10,000至19,999美元之间。社区内所有住宅均为租赁性质。1996年人口普查显示，五年内的流动比率高达61.5%。

3.3.2 旧金融区的人口状况2

1996年人口普查显示，老金融区仅有240名居民正式居住，与1991年相比，人口增长了17%。大部分人口年龄在25至54岁之间，占总人口的90%。高比例的高学历和就业人口是该社区的人口特征之一。近一半的居民拥有大学学位，远高于全市的15.1%。就业率为80.5%，比全市高出近20个百分点。1996年人口普查未显示家庭收入数据。该社区的另一个人口特征体现在少数族裔比例较低，仅占总人口的4.7%。然而，该社区的流动性比率高得惊人。有38.1%的

⁵² 根据L'Innipeg社区档案：旧金融区]1996 人口普查数据，加拿大统计局。最近一次2001年社区层面的人口普查数据将于2003年5月由加拿大统计局编制。

residents having moved within the last one year and 85% within the last five years, versus only 16.1% and 43.9% of the city respectively. In terms of the dwelling tenures, 56.5% of dwellings were rented.

3.3.3 Summary

A comparison of the demographic situation of the two neighborhoods reveals the contrasting characteristic of the two neighborhoods (Table 1). Main Street North can be summarized as having a high ratio of youth and elderly population, visible minority population, and low education level, low employment and low-income population. The Old Financial District looks much more vibrant by displaying totally different features on these aspects. More importantly, the population in the Old Financial District has been increasing in recent years, in comparison to the sharp population loss in Main Street North. Both neighborhoods show a high ratio of mobility in the 1996 census, which may be attributed to their still-immature living, working and business environment, especially in the Old Financial District whose demographics reflect the fact that it has a high number of self-employed people. The increasing population in the Old Financial District demonstrates the potential vibrancy of the neighborhood. It is possible to take advantage of the growth in the Old Finance District to influence and stimulate the development of its neighbor, Main Street North.

The analysis of these two neighborhoods provides the demographic context of the Alexander Waterfront District. As existing residential use and stable resident population is very limited in the AWD, the preceding analysis of the two neighborhoods might not

居民在过去一年内搬迁，过去五年内搬迁的比例为55%，而全市分别为16.1%和43.9%。在住房产权方面，56.5%的住房为租赁住房。

3.3.3 总结

对两个街区人口状况的比较揭示了它们截然不同的特征（表1）。主街北可概括为青年和老年人口比例高、可见少数族裔人口比例高、教育水平低、就业率低和低收入人口多。老金融区则在上述方面呈现出完全不同的特征，显得更有活力。更重要的是，与主街北人口急剧减少相比，老金融区的人口近年来一直在增长。在1996年的人口普查中，两个街区都显示出较高的流动性，这可能归因于它们尚不成熟的生活、工作和商业环境，尤其是老金融区，其人口统计数据反映出该区自雇人口较多。老金融区人口的增长展现了该街区的潜在活力。可以利用老金融区的增长来影响和刺激其相邻的主街北的发展。

对这两个社区的分析提供了亚历山大滨水区的人口背景。由于AWD现有住宅用途和稳定居民人口非常有限，对这两个社区的先前分析可能无法

represent the demographic situation of the AWD wholly and precisely. However, this analysis can inform a projection of the demographic condition of the AWD.

	Main Street North	Old Financial District	City of Winnipeg
Population change from 1991 to 1996	-43.1%	+17%	+0.5%
Age range of major population	20-29 yrs, at 24.2% >75 yrs, at 17.2%	25-54 yrs, at 90%	Evenly distributed
Ratio of visible minorities	90.3%	4.7%	11.9%
Education level of major population	Less than Grade 9, at 43.2%	University degree, at 50%	Grade 9-12 without secondary certificate, at 26%
Employment ratio	38%	80.5%	61.1%
Annual income range of major households	\$10,000-\$19,999, at 50%	Not available	\$10,000-\$19,999, at 17%
Dwelling tenures	100% rented	56.5% rented	38%
Mobility ratio within the last five years	61.5%	85%	43.9%

Table 1: A comparison of the 1996 demographic situations in Main Street North and Old Financial District⁵³

⁵³ According to *Winnipeg Neighborhood Profiles: Main Street North and Old Financial District 1996 Census Data*, Statistics Canada. The recent 2001 census data at neighborhood level will be formulated in May 2003 by Statistics Canada.

完全精确地代表AWD的人口状况。然而，这分析可以用于预测AWD的人口状况。

	主街北	旧金融区	温尼伯市
人口变化从1991年至1996年	-43.1%	+17.0%	+0.5%
主要年龄范围人口	20-29岁, 占24.2%, >75岁, 占17.2%	25-54岁, 在90%的10下	均匀分布
可见光比率 少数族裔	90.3%		11.9%
主要人口的教育水平	低于9年级, 占43.2%	大学学位, 占50%	9-12年级无中学文凭, 在
就业比率	38%	80.5%	61.1%
年收入范围 主要家庭	10,000-19,999美元, 在50%	不可用	10,000-19,999美元, 在17%
住宅居住权 内的流动率 过去五年	100%出租	56.5%已出租	38%
	61.5%	85%	43.9%

1: 1996年Main Street North与Old Financial District人口状况对比⁵³

⁵³ 根据温尼伯社区概况: Main Street North与Old Financial District 1996人口普查数据, 加拿大统计局。最近2001年社区级人口普查数据将于2003年5月由加拿大统计局发布。

Chapter Four

Evaluation of Previous and Ongoing Development Projects regarding the Alexander Waterfront District

4.1 Background

4.1.1 Previous and Ongoing Development Projects

With the closing of the pumping station and Amy Street Steam Plant, the Alexander Waterfront District has undergone numerous changes in the last few decades. In 1967, the Concert Hall, Planetarium, and the Museum of Man and Nature were built in the AWD to commemorate Canada's centennial. A range of cultural facilities was developed later, such as Manitoba Theater Center in 1970, Winnipeg Children's Museum in 1986⁵⁴, and the MTC Warehouse Theater upgrading in 1989. They have helped to gradually turn the AWD into a cultural hub. The late 1980s was a peak period of other redevelopment projects, ranging from streetscaping to warehouse conversions, that have occurred in the AWD, including the Market Ave. Streetscaping in 1987, Ashdown Warehouse Residential Conversion in 1988, John Hirsch Place Project in 1988, Rorie St. Streetscaping and Pantages Theater Renovation in 1990. (Fig.19).

As the Alexander Waterfront District is part of the East Exchange District and part of the North Main Area, it is necessary to examine the development initiatives in these wider areas.

⁵⁴ Winnipeg Children's Museum was relocated to the Forks in 1993.

第四章

对先前和正在进行的开发项目的评估 关于亚历山大滨水区

4.1 背景

4.1.1 先前和正在进行的开发项目

随着泵站和艾米街蒸汽厂的关闭，亚历山大滨水区在过去几十年中经历了诸多变化。1967年，为纪念加拿大百年庆典，在AWD建造了音乐厅、天文馆以及人与自然博物馆。随后，一系列文化设施相继建成，例如1970年的马尼托巴剧院中心、1986年的温尼伯儿童博物馆，以及1989年的MTC仓库剧院升级改造。这些设施逐步将AWD转变为一个文化中心。20世纪80年代末是AWD其他重建项目的高峰期，涵盖从街道景观美化到仓库改造等多个方面，包括1987年的市场大道街道景观美化、1988年的阿什当仓库住宅改造、1988年的约翰·希尔什广场项目、1990年的罗里街街道景观美化以及潘塔吉斯剧院翻新（图19）。

由于亚历山大滨水区属于东交易区和北主城区的一部分，有必要考察这些更广泛区域的发展举措。

温尼伯儿童博物馆于1993年搬迁至福克斯。





Fig.19: Previous and ongoing development projects in the Alexander Waterfront District: 2002⁵⁵

⁵⁵ Adapted from the "Prospectus" regarding the AWD, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page3.



19: 亚历山大滨水区的过去和正在进行的开发项目: 2002ss

⁵⁵ 改编自环境规划部门制作的关于AWD的“招股说明书”，由温尼伯市房地产与发展部规划与土地利用司高级规划师Martin Sandhurst提供，第3页。

For the Exchange District, a number of initiatives have been launched in the last few decades. These have included a series of by-laws established for the conservation and preservation of historic buildings since 1977, such as the Historic Buildings By-Law and the Downtown Winnipeg Zoning By-Law⁵⁶. In addition, a range of redevelopment strategies for the Exchange District have been pursued and renewed every five years, through the Winnipeg Core Area Initiative launched in 1981. In 1996, the Exchange District Strategic Action Plan was established. Four development goals were adopted and eight corresponding action strategies were set up (Table 2).

For the North Main Area, the most important initiative is the North Main Task Force set up in 1997, in which a series of issues was covered encompassing the development of Neeginan, commercial development along Main Street, and housing, cultural and social development. The development strategies and plans related to the AWD included the redevelopment of Victoria Park, renovation of the Manitoba Museum of Man and Nature, expansion of the Ukrainian Cultural and Educational Center, development of a Scottish Cultural Center, and housing development.⁵⁷

Recent development efforts have included the renovation of the riverbank in the AWD, under the Riverbank Development Program⁵⁸ administered by the City of Winnipeg, which was introduced in 1997 under the Winnipeg Development Agreement. The focus of this program is to extend the riverbank walkway from the Forks to the Alexander Dock area, and then further to North Point Douglas. \$1.5 million in funding

对于交易所区，过去几十年已启动了一系列举措。自1977年以来，已制定多项用于保护和保存历史建筑的法规，例如历史建筑法规和温尼伯市中心分区法规56。此外，通过1981年启动的温尼伯核心区倡议，每五年追求并更新一系列针对交易所区的再开发战略。1996年，制定了交易所区战略行动计划，采纳了四个发展目标，并设立了八项相应的行动战略（表2）。

对于北主区，最重要的举措是1997年成立的北主区工作组，其涵盖了一系列问题，包括尼基南的发展、主街沿线的商业开发，以及住房、文化和社会发展。与AWD相关的发展战略和计划包括维多利亚公园的再开发、马尼托巴人与自然博物馆的翻新、乌克兰文化和教育中心的扩建、苏格兰文化中心的开发以及住房开发。

近期开发工作包括在AWD区域沿河岸的翻新，该工程属于温尼伯市管理的河岸开发计划（1997年根据《温尼伯发展协议》启动）。该计划重点是将河岸步道从福克斯延伸至亚历山大码头区，并进一步延伸至北点道格拉斯。项目资金150万加元

⁵⁶ Planning Department, 1991, *Heritage Conservation – Regulatory Overview*, the City of Winnipeg.

⁵⁷ The City of Winnipeg, 1997, *Our Place: North Main Task Force*, page43-44.

⁵⁸ The City of Winnipeg, 1997, *Our Place: North Main Task Force*, page29. & <http://www.wda.mb.ca/news/990812.html> December 29, 2001.

参见规划部，1991年，《遗产保护——法规概述》，温尼伯市。温尼伯市，1997年，《我们的位置：北主任务组》，第43-44页。温尼伯市，1991年，《我们的位置：北主任务组》，第29页。网址：<http://www.wda.mb.ca/news/990812.html>，2001年12月29日。

ACTION STRATEGIES	GOALS			
	1 To preserve the architectural character of the exchange District	2 To enhance the Exchange District's vibrancy and sustainability by increasing the number of people in the Exchange.	3 To maintain the Exchange as the focus of artistic and cultural activity in the province	4 To develop a sense of community within the Exchange District
1. Encourage the conversion of older buildings into residential apartments.	P	P	S	P
2. Address issues of safety, access convenience and aesthetics.	S	P	P	P
3. Designate a specific theater-cultural precinct within the Exchange and encourage expanded activities.	S	P	P	S
4. Improve the physical and administrative infrastructure needed to support temporary festivals, special events, and film production.	S	P	P	S
5. Improve access to the riverbank, expand Stephen Juba Park and add recreational facilities.	S	P		P
6. Establish a civic campus within the Exchange.	P	P		
7. Identify and support an artists' quarter within the Exchange.	S	S	P	P
8. Improve linkages between the Exchange District and the downtown, the Forks, St. Boniface and Point Douglas.	S	P		

Table 2: The Exchange District Strategic Action Plan goals and action strategies matrix⁵⁹

P: Denotes an action strategy in a primary role
S: Denotes an action strategy in a secondary role

was checked up to improve pedestrian and bicycle access to the riverbank, and to enhance the riverbank as a recreational and tourism resource.

⁵⁹ Source: The Exchange Partnership & the Exchange Community, (1996), *The Exchange District Strategic Action Plan*, Winnipeg, Exchange District Business Improvement Zone, page 27.

行动策略	目标			
	保护建筑特色 交易所区域	为了提升交流区的活力与可持续性，通过增加参与交流活动的人数。 交易所。	为了维护交流活动作为艺术和文化的活动焦点在该省的发展	培养一种意识 社区在交易区内
f. 鼓励将旧建筑改造成将老旧建筑改造成住宅公寓。	P	P	P	P
2. 解决安全、出入便利性和美学问题。	P	P	P	P
3. 指定一个特定的剧院-文化区，位于交易所并鼓励扩大活动。	P	P	P	P
4. 改善支持临时节日、特殊活动和所需的物理和管理基础设施扩大活动的物理和行政基础设施。电影制作。	P	P	P	P
5. 改善进入河岸的通道，扩建斯蒂芬朱巴公园并增加娱乐设施。	P	P		P
6. 建立市政园区在交易所内。	P	P		
7. 识别并支持一个艺术家区域，位于交易所内。	P	P	P	P
8. 改善交易所区与市中心、福克斯、圣博尼法斯和道格拉斯角。	P	P		

表2：交易区战略行动计划目标与行动策略矩阵

P：表示主要角色中的行动策略 S：表示次要角色中的行动策略

\ /经检查以改善步行和自行车通道通往河岸，并增强河岸作为休闲和旅游资源的用途。

来源：交易区伙伴关系与交易区社区，(1996)，《交易区战略行动计划》，温尼伯，交易区商业改善区，第27页。

Another significant initiative undertaken in the AWD is the development of Waterfront Drive. Since the removal of the CPR rail line along the waterfront in 1991, plans have been made to introduce a waterfront drive into the AWD. In the Exchange District Strategic Action Plan, an action strategy was included to acquire the CPR rail line and improve access to the riverfront by making pathway connections between the east/west streets and Stephen Juba Park⁶⁰. In the spring of 1999 a Waterfront Committee was formed, as part of CentrePlan, to investigate the potential of developing a scenic waterfront drive following the former railway line along the Red River. In the summer of 2000 CentreVenture Development Corporation developed a concept plan for the Waterfront Drive from the CanWest Global Baseball Park north to Higgins Avenue, under the direction of the City's Department of Public Works. The new two-lane road began construction in the spring of 2001. It is expected to encourage more business, entertainment and residential projects in the AWD, and become one of several key initiatives that will act as a catalyst for the revitalization of the AWD as a whole and the




Fig.20: Waterfront Drive under construction, October 2001.

Downtown at large. As Mayor Glen Murray has said of the project: "We're really not just building a road; we're building a community,"⁶¹ The demolition of the Amy Street Steam Plant in

AWD 中另一项重要举措是开发滨水大道。自从 1991 年沿水滨的 CPR 铁路线被拆除以来,人们就开始计划在 AWD 中修建一条滨水大道。在交易所区战略行动计划中,包括一项行动策略,即收购 CPR 铁路线,并通过在东-西街道与斯蒂芬·朱巴公园之间建立路径连接来改善通往河滨的通道⁶⁰。1999 年春季,作为 CentrePlan 的一部分,成立了一个滨水委员会,以研究沿着红河前铁路线开发一条风景优美的滨水大道的潜力。2000 年夏季, CentreVenture 开发公司在市公共工程部的指导下,为从 CanWest 环球棒球场向北至希金斯大道的滨水大道制定了一个概念规划。这条新的双车道道路于 2001 年春季开始建设。预计它将鼓励 AWD 中更多的商业、娱乐和住宅项目,并成为推动 AWD 整体复兴及



图20: 正在建设中的水岸大道, 2001年10月。

整个市中心。正如市长Glen Murray对该项目所说:“我们真的不仅仅是在修建一条道路;我们是在建设一个社区。”拆除Amy Street蒸汽厂

⁶⁰ The Exchange Partnership & the Exchange Community, 1996, *The Exchange District Strategic Action Plan*, Winnipeg, Exchange District Business Improvement Zone, page 21.

⁶¹ See http://www.prairiepublic.org/features/riverwatch/news/winnipeg_press/01-18_01.html December 29, 2001.

⁶⁰ 交易伙伴关系与交易社区, 1996, 交易区战略行动计划, 温尼伯, 交易区商业改善区, 第2 | 页 61 参见 http://www.prairiepublic.org/features/riverwatch/news/winnipeg_press/01-18_01.html 2001年12月29日。

December 2001⁶² is expected to aid the development of Waterfront Drive, and to strengthen the area as a destination for waterfront activities.

A wide range of development in recent decades has begun to change the character of the AWD. The AWD's preeminent role in Winnipeg's downtown redevelopment has once again been recognized. An international design competition was held in the early summer of 2002, calling for innovative design of the open space along the waterfront in the AWD. It is virtually certain that the redevelopment of the AWD will stimulate more development opportunities in Winnipeg's downtown.

4.1.2 Recent Public Survey Related to the Alexander Waterfront District⁶³

The proposed Waterfront Drive is located from Canwest Global Park to Higgins Ave., and mostly lies within the boundary of the AWD. At the May 2001 Open House presenting the plans for the Waterfront Drive, the public was invited to complete a questionnaire expressing their views on the project's character, plans, and environmental effects, as well as seeking suggestions for the development of the lands on both sides of the road. The results cannot be claimed to be a representative sample of the general public, but they provide more of an impressionistic or snapshot view.

The questionnaire included seven questions (see Appendix B). Regarding the proposed character of Waterfront Drive, 86% of respondents thought its character was consistent with the historic Exchange District, and 78% of respondents were satisfied with the design and extent of the pathway for the combined use of pedestrians, rollerbladers, wheelchairs, strollers and recreational bicyclists.

⁶² O'Brien, David, 2001, "The Beast is Coming Down", in *Winnipeg Free Press*, December 5, 2001.

⁶³ Survey result was provided by KGS Group, and prepared by Thibert Event & Associated management (TEAM), June 2001.

预计于200162 年12月进行，这将有助于Waterfront Drive的开发，并增强该区域作为滨水活动目的地的地位。

近几十年的广泛发展已开始改变 AWD 的面貌。AWD 在温尼伯市中心重建中的卓越作用再次得到认可。2002 年初夏举办了一场国际设计竞赛，征集 AWD 沿岸开放空间的创新设计方案。几乎可以肯定，AWD 的重建将刺激温尼伯市中心更多的发展机会。

4.1.2 近期与亚历山大滨水区相关的公众调查⁶³

拟建的滨水大道位于 Canwest Global Park 至 Higgins Ave., 大部分位于 AWD 范围内。在 2001 年 5 月展示滨水大道规划的开放日活动中，公众受邀填写问卷，就项目的特色、规划、环境影响表达看法，并就道路两侧土地开发寻求建议。结果不能代表普通公众的典型样本，但提供了一种印象性或快照式的观点。

问卷包含七个问题（见附录B）。关于Waterfront Drive拟议的特征，86%的受访者认为其特征与历史悠久的Exchange District一致，78%的受访者对专为行人、轮滑者、轮椅使用者、婴儿车和休闲自行车手共同使用的路径设计和范围表示满意。

⁶⁴ O'Brien, David, 2001, "野兽正在倒下"，载于《温尼伯自由报》，2001年12月5日。调查结果由KGS集团提供，由蒂伯特活动与联合管理公司（TEAM）于2001年6月编制。

In terms of suggestions for recreational activities and amenities designed for the riverfront park, the most frequently mentioned items were picnic shelters/tables/BBQ pits, boat/taxi docking, stands/kiosks for buskers/artists/vendors, and festivals/programming.

Regarding the suggestions for building uses along the west side of Waterfront Drive (most of which are within the AWD's boundary), 57% of respondents suggested residential, 52% restaurants, 36% bars and entertainment facilities. 29% sidewalk café/pastry shops/small unique boutique retail, and 22% office space.

Regarding suggestions for attracting people to the waterfront on weekends and evenings, the most popular suggestion was free concerts/festivals/entertainment by 30% of respondents; 27% believed that general mixed-use development would attract users; and 14% indicated aesthetic landscaping with proper maintenance.

When asked for their views on possible environmental effects of the project, the majority of respondents (55.5%) did not feel it would have any environmental effects; 18.5% felt the project would have negative effects; and 23% did not provide a response. For those feeling negative effects, most were concerned with the destruction of green space and riverbank vegetation, exhaust fumes and traffic noise, and riverbank destabilization.

In summary, the feedback on the project plans, both regarding character and design, was quite positive. Overall, respondents felt that a mixed-use development of the adjacent lands would be best, with a heavy emphasis on residential development. General activity and free programming/entertainment, with small-scale vendors and kiosks, and adequate security and parking, were seen as key elements for attracting high levels of users to the waterfront on weekends and evenings. There was substantial support for

在针对河滨公园设计的休闲活动和设施建议方面，最常被提及的项目包括野餐亭/桌/烧烤坑、船只/出租车停靠点、街头艺人/艺术家/摊贩的摊位/售货亭，以及节日/活动策划。

关于滨水大道西侧建筑用途的建议（大部分位于AWD边界内），51%的受访者建议住宅，52%建议餐厅，36%建议酒吧和娱乐设施，29%建议 sidewalk café/糕点店/小型特色精品零售，以及22%建议办公空间。

关于在周末和晚上吸引人们前往滨水区的建议，最受欢迎的建议是免费音乐会/节日/娱乐活动，占受访者的30%；27%认为综合用途开发会吸引用户；14%表示应进行美观的景观美化并适当维护。

当被问及对该项目可能的环境影响的看法时，大多数受访者（55.5%）认为不会产生任何环境影响；18.5%认为该项目会产生负面影响；23%未提供回答。对于认为有负面影响的受访者，多数担心绿色空间和河岸植被的破坏、废气和交通噪音以及河岸不稳定。

总而言之，关于项目规划的反馈，无论是在特色还是设计方面，都相当积极。总体而言，受访者认为相邻土地最适合进行混合用途开发，且重点放在住宅开发上。一般性活动、免费节目/娱乐、小型摊贩和售货亭、以及充足的安全和停车设施，被视为周末和晚间吸引大量游客前往滨水区的关键因素。有大量支持

emphasizing the natural environment (green space), offering pleasant landscaping, and minimizing emphasis on the actual drive and accompanying traffic.

4.2 Evaluation of Previous and Ongoing Development Projects

4.2.1 Research Method and Preparation

As a component of this research, a semi-structured interview instrument was administered to evaluate the effects of the earlier and ongoing development projects discussed previously, and to probe informants’ concerns regarding future development of the AWD. Eight key informants were interviewed individually. The sample comprised:

- Two professionals (planner and landscape architect) previously involved in development projects in the AWD
- Two potential developers of the AWD
- Two persons working in the AWD
- One restaurant owner in the AWD
- One frequent user of the AWD

Before each interview, an informed consent form (see Appendix D), requesting interview participation and summarizing the intended use of the information, was given to the interviewees. Each interview was recorded by audiotape, supplemented by written notes. An interview was taped only if permission was granted, and a transcription was made. After being transcribed, the original tape was destroyed.

The results of the interviews are presented in the following section. The interviews were conducive in achieving the final design framework for the AWD.

强调自然环境（绿色空间）、提供宜人的景观，并尽量减少对实际车道及伴随交通的关注。

4.2 评估以往和正在进行的开发项目

4.2.1 研究方法 with 准备

作为本研究的一部分，采用半结构化访谈工具，评估之前讨论的早期和正在进行的开发项目的效果，并探究受访者对未来AWD开发的关切。对八位关键受访者进行了单独访谈。样本包括：

- 两位曾参与AWD开发项目的专业人士（规划师和景观设计师） - 两位AWD的潜在开发商 - 两位在AWD工作的人员 - 一位AWD的餐馆老板
- 一位AWD的常客

每次访谈前，向受访者提供一份知情同意书（见附录D），请求参与访谈并总结信息的预期用途。每次访谈均进行录音，并辅以书面笔记。仅在获得许可的情况下进行录音，并制作转录稿。转录完成后，原始录音被销毁。

访谈结果将在下一节中呈现。这些访谈有助于达成AWD的最终设计框架。

4.2.2 Interview Responses from Key Informants

Prior to the interviews, the respondents received a brief introduction to the practicum topic, the boundary map of the Alexander Waterfront District, and a list of interview questions. Respondents were encouraged to answer the questions from their professional as well as personal points of view. The responses to the questions are presented as follows:

- 1. Since the developments of Centennial Concert Hall and Museum of Man and Nature in 1967, there have been a number of projects carried out in the AWD, ranging from cultural facilities developments such as Manitoba Theatre Centre, Children’s Museum and MTC Warehouse Upgrading, to historic building conversion such as Ashdown Warehouse, from streetscaping improvement on Market Av. and Rorie St. to the construction of Stephen Juba Park. On the other hand, there are still many industrial facilities remaining and very little stable living population in the AWD. People are concerned about the safety of that area.

Question 1: What’s your general feeling about these projects?

Question 2: Do you think the AWD has become more attractive to people at present compared to the time before these projects were done?

Almost all the informants confirmed the vital importance of these projects to the AWD. As they said, these projects have played a crucial role in the development of the AWD by enriching it culturally and socially. Without these projects, the AWD would be a slum. On the other hand, some informants pointed out that as the cultural facilities and activities run only during the business hours; the 24 hours a day 7 days a week public interest in the AWD has been lost. Some felt that there was no sense of neighborhood in the AWD, and that the AWD should be developed as a mixed-use area with sufficient residents living in the immediate vicinity to sustain a vibrant atmosphere rather than just in the duration of the show.

- 2. Currently there are very few residential uses and stable living population in the AWD.

Question 3: Do you prefer residential development in the AWD, such as residential reuse of historic building?

4.2.2关键信息提供者的访谈回应

在访谈之前，受访者收到了关于实习主题的简要介绍、亚历山大滨水区的边界地图以及一份访谈问题清单。鼓励受访者从专业和个人角度回答问题。对问题的回答如下所示：

- 1. 自1967年百年音乐厅和人与自然博物馆开发以来，AWD区开展了许多项目，包括文化设施开发（如马尼托巴剧院中心、儿童博物馆和MTC仓库升级）、历史建筑改造（如Ashdown仓库）、Market Av.和Rorie St.的街景改善以及Stephen Juba公园的建设。另一方面，AWD区仍保留着许多工业设施，居住人口极少。人们对该区域的安全感到担忧。问题一：您对这些项目的总体感受如何？问题2：您认为与这些项目实施前相比，AWD区现在是否更具吸引力？

几乎所有信息提供者都确认了这些项目对AWD区的至关重要。他们表示，这些项目通过丰富文化和社交活动，在AWD区的发展中发挥了关键作用。没有这些项目，AWD区将沦为贫民窟。另一方面，一些信息提供者指出，由于文化设施和活动仅在营业时间内运行，AWD区失去了全天候的公众兴趣。有人认为AWD区缺乏社区感，应将其发展为混合用途区域，附近有足够居民居住以维持活力氛围，而不仅仅是在演出期间。

- 2. 目前AWD内住宅用途极少，稳定居住人口稀少。问题3：您是否支持在AWD开发住宅，例如将历史建筑改造为住宅用途？

Question 4: If yes, what do you think would be incentives to attract people to live in the AWD?

Question 5: What kind of people do you think will live there?

All the informants supported the residential development in the AWD. They thought an increased residential population would likely lessen the crime now occurring and increase safety in the area. In addition, an increase in residential opportunities in the AWD would also increase services and businesses, thereby turning the AWD, typically considered a “dead zone” after business hours, into a thriving and lively community. In terms of the reuse of historic buildings, many informants thought affordability was the most crucial issue, although it was considered a constructive initiative. They reported that high-costs, such as the Ashdown Warehouse condos, has actually deterred many individuals who were interested in living in the AWD.

Regarding incentives for living in the AWD, most informants ranked affordable housing first. They commented that the residential development should be affordable for people having different incomes and family sizes. To achieve this end, some informants would like to see capital grants from government for residential development in the AWD. One informant stated that rent controls should be removed, so that the cost of rental outside of downtown would be as high as it should be. Also, many informants mentioned that sufficient community services, grocery stores, local shopping centers, and so on, would be crucial to attract people to live there. One informant thought the incentives should be applied to the builders rather than the potential residents, reasoning that if the business community had confidence in the grants and project funding they would have no problem investing a large amount of dollars in residential development there. Another

问题4：如果是，您认为吸引人们居住在AITD的激励措施有哪些？问题5：您认为哪些人群会居住在那里？

所有受访者都支持在AWD进行住宅开发。他们认为，增加居住人口可能会减少当前发生的犯罪活动，并提高区域安全性。此外，增加AWD的住房机会也将带动服务和商业的发展，从而将通常被认为在营业时间是“死区”的AWD转变为一个充满活力的社区。在历史建筑再利用方面，许多受访者认为可负担性是最关键的问题，尽管这被认为是一项建设性的举措。他们报告称，高昂的成本（例如Ashdown Warehouse公寓）实际上阻止了许多原本有意在AWD居住的人。

关于居住在AWD的激励措施，大多数受访者将经济适用房排在首位。他们评论说，住宅开发应面向不同收入和家庭规模的人群。为实现这一目标，一些受访者希望政府为AWD的住宅开发提供资本资助。一位受访者表示，应取消租金管制，使市中心以外的租房成本达到应有的水平。此外，许多受访者提到，充足的社区服务、杂货店、当地购物中心等对于吸引人们居住至关重要。一位受访者认为，激励措施应针对建筑商而非潜在居民，理由是如果商界对拨款和项目资金有信心，他们就会毫不犹豫地投入大量资金进行住宅开发。另一个

point raised was that a comprehensive plan was necessary to avoid scattered residential development in the AWD.

Many informants thought that young professionals working in the downtown, working singles, some “empty nester” families, and post-secondary students, such as those attending the Red River College downtown campus, would like to live in the AWD. Two informants working in the AWD expressed their interest to live there, as it would save transportation costs. They hoped that the AWD could be a community featuring a mix of cultures and generations. The residents there could be a mixture of people of different ages, families of different sizes, university students, young professionals, and so on.

3. The surrounding area of the AWD, such as North Main, has a high ratio of aboriginal and immigrant population, and is perceived as a low-income and deteriorated neighborhood. Meanwhile, the expansion of Ukrainian Cultural and Educational Center and development of Scottish Cultural Center have been proposed in the AWD.

Question 6: Do you think multi-culture could be a feature of the AWD?

Question 7: If yes, what effects do you think this will have on the revitalization of the AWD?

Question 8: Are there any barriers so far for multi-culturalism development of the AWD?

Some informants thought that multi-culturalism could be a feature and gave the AWD a distinct flavor that would potentially help improve and create more interest in the area. They further suggested that this aspect could be used to assist and lever development through community involvement, and attract businesses to the AWD that could serve a multi-cultural population. One informant thought that multi-culturalism didn't play as important a role as it once did in the area, although it was a good aspect. She thought there were significant historical reasons for why people moved to a certain region, especially since Winnipeg no longer attracted large immigration populations, and

提出的观点是，有必要制定全面规划，以避免AWD住宅开发的零散分布。

许多受访者认为，在市中心工作的年轻专业人士、独居工作者、一些“空巢家庭”以及大专学生（例如在红河学院市中心校区就读的学生）会愿意居住在AWD。两位在AWD工作的受访者表达了居住在那里的兴趣，因为这可以节省交通成本。他们希望AWD能够成为一个融合不同文化和世代的社区。那里的居民可以是不同年龄层的人、不同规模的家庭、大学生、年轻专业人士等。

3. AWD周边区域，如North Main，原住民和移民人口比例较高，被视为低收入和破败的社区。与此同时，乌克兰文化教育中心的扩建和苏格兰文化中心的发展已在AWD提出。问题6：您认为多元文化能成为AI/D的一个特色吗？问题7：如果是，您认为这对AWD的振兴有何影响？问题8：到目前为止，AIT.D的多元文化发展是否存在任何障碍？一些受访者认为，多元文化可以成为一个特色，赋予AWD独特的风味，可能有助于改善并提升该区域的吸引力。他们进一步建议，可以利用这一点，通过社区参与来协助和推动发展，并吸引能够服务多元文化人口的企业入驻AWD。一位受访者认为，多元文化在该区域的作用已不如从前，尽管它仍是一个积极方面。她认为，人们迁移到特定区域有重要的历史原因，特别是温尼伯已不再吸引大量移民人口，而

people tended to choose where they wanted to live based on a broader knowledge of the city, and no longer restricted by precedence.

4. The Riverbank Development Program under the Winnipeg Development Agreement is intended to extend the parkway from the Forks to the Alexander Dock and further to North Point Douglas. This should be good for the revitalization of the AWD. Meanwhile, some people have expressed their concerns for safety in the public space.

Question 9: What do you think of this concern?

Question 10: How to make the riverfront parkway work best?

All the informants thought the development of the parkway would have positive effects on the AWD, and serve to open up the area to public interest. One informant added that developing and increasing access into an area, via a path or parkway, where most people didn't usually go, would create a spark of interest in that area, and more importantly, it would help to increase safety and security in the area. He further suggested that it was a gradual approach to reintroducing some of Winnipeg's significant locations to Winnipeggers, without having full-blown development in that area. Once public interest was generated in the area, people would be encouraged to develop businesses and housing there. Some informants doubted that people would use the park until the whole atmosphere and the character of the AWD changed in a more positive direction. They suggested more housing and restaurants be developed along the parkway, so that more people would use it, and then safety would not be a concern. Some informants mentioned that safety features, such as good lighting, should be added along the parkway. Another informant commented that creating safety could not always be answered by "pure design", and that politicians, businessmen and, more importantly, people needed to invest in and stand behind their neighborhoods.

5. A recent survey during the Waterfront Drive Open House showed that many people favored this development. While some people were worried the traffic on

人们倾向于根据更广泛的知识来选择居住地,

城市, 不再受先例限制。

4. 温尼伯发展协议下的河岸开发计划旨在将公园大道从福克斯延伸至亚历山大码头, 并进一步到达北点道格拉斯。这应有利于AWD的振兴。同时, 一些人表达了对公共空间安全的担忧。问题9: 您如何看待这种担忧? 问题10: 如何使河滨公园大道发挥最佳效果?

所有受访者认为公园大道的开发将对AWD产生积极影响, 并有助于吸引公众对该区域的兴趣。一位受访者补充说, 通过道路或公园大道开发并增加进入一个大多数人不常去的区域的通道, 将激发对该区域的兴趣, 更重要的是, 有助于提高该区域的安全性。他进一步建议, 这是一种渐进的方式, 让温尼伯人重新认识一些重要地点, 而无需在该区域进行全面开发。一旦公众对该区域产生兴趣, 人们就会受到鼓励在此开发商业和住房。一些受访者怀疑, 在AWD的整体氛围和特色朝着更积极的方向改变之前, 人们是否会使用该公园。他们建议沿公园大道开发更多住房和餐馆, 以便更多人使用, 这样安全问题就不再是问题。一些受访者提到, 应沿公园大道增加安全设施, 如良好的照明。另一位受访者评论说, 创造安全并非总能通过“纯粹的设计”来实现, 政治家、商人, 更重要的是, 人们需要投资并支持他们的社区。

5. 最近在水滨大道开放日期间进行的一项调查显示, 许多人支持发展。虽然有些人担心交通问题

the Waterfront Drive would be a barrier to access the waterfront, and some argued that it should be built after the commercial and residential development got underway.

Question 11: Are you satisfied with the development of Waterfront Drive?

Question 12: What do you think about these concerns?

Question 13: To what degree do you think Waterfront Drive will be conducive to the revitalization of the AWD?

Informants generally favored the Waterfront Drive project, as they thought it would actually stimulate public interest and increase public access to the waterfront. One informant suggested "points of interest" along the Drive to identify this part of the city to the general population, who likely have never previously known of its existence. There was only one informant who thought that Waterfront Drive was not necessary. She thought the emphasis should have been placed on pedestrian traffic rather than vehicular because, after all, she added, people felt safer when the streets were lively, not from the amount of traffic passing through. Waterfront Drive concerned some informants who stated that some measures should be taken to prevent through-traffic and slow down vehicles, as it could create a short cut from Provencher Bridge to Higgins. All informants believed that Waterfront Drive should be built before commercial and residential development in the AWD, since nobody would be interested in the current vacant lands until access improved.

6. The city has begun to demolish the Amy Street Steam Plant in December 2001.

Question 14: What kind of usage do you prefer for the site of the Amy Street Steam Plant after its demolition?

Question 15: Many people think about parking on the site, and some think about having a new park to commemorate Victoria Park. What's your opinion?

Informants' opinions on this issue varied. Some supported the idea to re-build Victoria Park, as acknowledging our past, but also pointed to the need to revitalize the area with people and businesses. It was also thought to be good for tourism, by promoting

滨水大道将成为前往滨水区的障碍, 一些人认为应在商业和住宅开发启动后再建设。问题I1: 您对滨水大道的开发是否满意? 问题I2: 您如何看待这些担忧? 问题 13: 您认为滨水大道在多大程度上有助于AWD的复兴?

受访者普遍赞成Waterfront Drive项目, 认为它实际上能激发公众兴趣并增加公众对水滨的访问。一位受访者建议在沿线设置“兴趣点”, 向可能从未知道其存在的普通市民标识城市的这一区域。只有一位受访者认为Waterfront Drive没有必要。她认为重点应该放在行人交通而非车辆交通上, 因为归根结底, 人们感到更安全的是街道充满活力, 而不是因为来往车辆的数量。Waterfront Drive让一些受访者担忧, 他们表示应采取一些措施防止过境交通并降低车速, 因为它可能成为从Provencher Bridge到Higgins的捷径。所有受访者都认为, Waterfront Drive应在AWD商业和住宅开发之前建成, 因为在通道改善之前, 没人会对现在的空地感兴趣。

6. 该市已于12月开始拆除Amy Street蒸汽厂 200I。问题14: 您希望Amy Street蒸汽厂拆除后, 其场地用于何种用途? 问题15: 许多人考虑在该场地停车, 一些人则考虑新建一个公园以纪念Victoria Park。您对此有何看法?

受访者对此问题的看法不一。一些人支持重建维多利亚公园的想法, 认为这是在承认我们的过去, 但同时也指出需要让该地区通过人口和商业重新焕发活力。另有人认为这对旅游业有好处, 可以宣传

the city as an interesting place to visit. Others argued that there were already many parkland uses along the waterfront, and that an additional park was not needed if there were no residents living in the AWD. They thought a housing development, hotel or entertainment facility would be more practical. One informant responded “just let the market tell”, doubting another park would be an economic stimulus, and suggesting that it would be better to have buildings to produce taxes to support the infrastructure in the area. Another informant pointed out that the surrounding lands have continued to be used as parking lots, although Steven Juba Park was built in 1980, demonstrating that adding another park wouldn’t contribute much.

Question 16: What single thing concerns you most about the future of the Alexander Waterfront District?

Some informants expressed concern that the development ought to have a good balance between commercial, residential and public amenity spaces, and the residential development should not be too upscale nor too expensive to deny families or students with low income. The AWD could then be kept open to the public, and developed more “inclusively”. One informant was concerned about how to provide the interest, to obtain and maintain the critical mass of people at a level where the AWD could truly become a people place such as the Forks. A people place, he explained, was where people desired to go - not just needed to go, in order to fulfill some necessary goals, such as shopping. Some informants were concerned about the fiscal aspect of the development. One emphasized how to attract investment. Another said there should be some funding system or incentives in place, to lessen the burden of building, or converting some of the old structures in the AWD. One informant said that what concerned him most was the

这座城市是一个有趣的旅游目的地。其他人则认为滨水区已经有很多公园用地，如果AWD区没有居民居住，就不需要再增加一个公园。他们认为开发住宅、酒店或娱乐设施会更实用。一位受访者回应说“让市场来决定吧”，怀疑另一个公园能否成为经济刺激因素，并建议建造能产生税收的建筑物来支撑该地区的基础设施会更好。另一位受访者指出，尽管史蒂文·朱巴公园建于1980年，但周边土地仍被用作停车场，这表明再增加一个公园不会有太大作用。

问题16：关于亚历山大滨水区的未来，最让您担心的一件事是什么？

一些受访者表示担忧，认为开发项目应在商业、住宅和公共休闲空间之间取得良好平衡，且住宅开发不应过于高端或昂贵，以免低收入家庭或学生无法负担。他们希望AWD能对公众开放，并以更“包容”的方式进行开发。一位受访者担心如何激发兴趣，以维持足够的人流量，使AWD真正成为像福克斯那样的人气聚集地。他解释说，人气聚集地是人们渴望前往的地方——而不仅仅是出于必要目的（如购物）才去的地方。一些受访者对开发项目的财政方面表示担忧。一位受访者强调如何吸引投资。另一位表示，应建立某种资金机制或激励措施，以减轻建设或改造AWD部分旧建筑的压力。一位受访者表示，他最担心的是

bureaucracy, as he thought the planning department of the city was (lagging) behind the development instead of promoting it. Another commented that the planning of the AWD should be looked at on a larger scale, with the entire City in mind, rather than just a specific area.

4.3 Summary

Through the examination of previous and ongoing projects in the AWD, associated with the investigation of the physical and demographic conditions stated in the preceding chapter, it is determined that the AWD has been invisibly divided into two areas, in the south - the East Exchange District, and in the north - the North Main Area. There have been more development projects in the southern part of the AWD, and less in the northern part, which has deepened the gap between the two parts of the AWD.

The past and current development projects are generally perceived to contribute to the growth of the AWD. However, the supposed positive effects on the whole District have somehow been limited because of the aforementioned internal separation, as well as the lack of a comprehensive master plan for the AWD in particular. Waterfront Drive, routed through the AWD and connecting the southern and northern parts, plays a leading role in the recent redevelopment trend. In addition, residential use, which is very deficient at present, has been widely perceived as a priority development focus for the AWD, among most the key informants interviewed.

This evaluation of previous and ongoing projects in the AWD provides part of the basis for undertaking the SWOT analysis, addressed in the following chapter.

官僚主义，他认为城市规划部门在开发中反应滞后，而非推动开发。另一位评论说，AWD的规划应站在更大尺度上考虑，着眼于整个城市，而不仅仅是特定区域。

4.3 总结

通过对AWD过去和正在进行的项目的考察，结合前一章所述的物理和人口状况的调查，确定AWD已被无形地划分为两个区域：南部的东交易区和北部的北主区。AWD南部的发展项目较多，而北部较少，这加深了AWD两部分的差距。

过去和当前的发展项目普遍被认为有助于AWD的增长。然而，由于上述的内部隔离以及AWD缺乏全面的总体规划，这些所谓的积极影响对整个区域来说有所限制。穿过AWD并连接南北区域的水滨大道，在近期的再开发趋势中扮演着主导角色。此外，目前非常缺乏的住宅用途，在大多数接受采访的关键信息提供者中被广泛认为是AWD的优先发展重点。

对AWD中之前和正在进行的项目的评估为开展下一章所述的SWOT分析提供了部分基础。

Chapter Five

A SWOT Analysis of the Alexander Waterfront District

SWOT analysis, as an analytical method, has its origins in business management⁶⁴. When it is utilized to analyze an area of the built environment, strengths (S) and weaknesses (W) refer to the internal working conditions, while opportunities (O) and threats (T) refer to the external working forces on a particular area, which may have impacts on its development.

The SWOT analysis for the Alexander Waterfront District undertaken here is based on the investigation of the historic and existing situation of the AWD, and the evaluation of previous and ongoing projects, addressed in Chapter Three and Four respectively. The strengths and weaknesses, opportunities and threats identified, as well as the informants' views on this analysis are listed as follows. The analysis is intended to assist in formulating possible design strategies for the intervention proposed in Chapter Six.

5.1 District Strengths and Weaknesses, and Input from the Informants

Strengths:

- Part of the AWD overlaps with the East Exchange District – a National Historic Site
- Rich historic and cultural resources exist in the AWD, including the Chicago-style historic buildings, and heritage sites such as the Alexander Dock and the Scots Monument
- Concentration of cultural facilities, including the Centennial Concert Hall, the Museum of Man and Nature, the Planetarium, and the Manitoba Theater Center

⁶⁴ See Mintzberg, Henry, 1994, *The Rise and Fall of Strategic Planning*, Toronto, Free Press, page36-37.

第五章

亚历山大 waterfront 区 SWOT 分析

SWOT分析作为一种分析方法，起源于商业管理^{6a}。当它用于分析建成环境的某个领域时，优势（S）和劣势（W）指内部工作条件，而机会（O）和威胁（T）指对该特定领域产生外部作用力的因素，这些因素可能对其发展产生影响。

此处对亚历山大 waterfront 区进行的 SWOT 分析基于对 AWD 历史和现状的调查，以及对第三、四章讨论的过往和当前项目的评估。已识别的优势、劣势、机会和威胁，以及受访者对此分析的看法，如下所列。该分析旨在协助制定第六章提出的干预措施的可能设计策略。

5.1 区域优势与劣势及受访者意见

优势：

- o AV/D 的一部分与东交易区（国家历史遗址）重叠
- o AWD 拥有丰富的历史文化资源，包括芝加哥风格的历史建筑，以及亚历山大码头和苏格兰人纪念碑等遗产遗址
- o 文化设施集中，包括百年音乐厅、人与自然博物馆、天文馆和马尼托巴剧院中心

^{6a} 见 Mint 兹伯格，亨利，1994，《战略规划兴衰》，多伦多，自由出版社，第36-37页

- Strategic location, being proximate to the downtown office district, the Civic Center, Chinatown and the Forks, and adjacent to major traffic arterials of the city, including Disraeli Freeway and Main Street
- Sufficient greenery open space along the water's edge, such as the establishment of Stephen Juba Park
- Sufficient under-utilized lands available for future development
- Existing waterbus connections from the Alexander Dock to five other downtown destinations
- Compact urban form and personal street width-height ratio in the AWD
- Decent bars and restaurants in the south portion of the AWD

Weaknesses:

- Very limited residential use at present
- High amount of industrial and warehouse uses, which does not reflect, nor take advantage of, the strategic location of the AWD
- Many vacant lands and buildings, which leave a dull impression
- Limited public access and pedestrian walkways to, and along, the water's edge
- Poor sidewalk conditions for pedestrians
- Old buildings with poor maintenance, adversely affecting the AWD's image
- Dead-end for east-west roads, which increases perception of lack of safety
- Less public uses and surveillance around Stephen Juba Park, which limits its usage
- Private ownership of most lands on the west side of Waterfront Drive, which might be barrier to coordinated development

Input from the Informants

A variety of views regarding the strengths and weaknesses of the AWD were received from the informants. Some informants agreed with the strengths identified, but thought that some of them had not been fully capitalized upon currently, and the identified weaknesses, such as the limited pedestrian access, inappropriate industrial and warehouse uses, limited resident population, and the poor general physical image of the AWD, actively restrained the realization of these strengths. It was pointed out that, although many cultural facilities were concentrated in the AWD, and it was perceived as a theater district, the active atmosphere carried by these cultural facilities had not spread

战略位置靠近市中心办公区、市政中心、唐人街和福克斯区，毗邻城市主要交通干道，包括迪斯雷利高速公路和主街o 沿水边有充足的绿化开放空间，如斯蒂芬·朱巴公园o 有充足未充分利用的土地可供未来开发o 现有的水巴士从亚历山大码头连接到其他五个市中心目的地o AWD 内紧凑的城市形态和宜人的街道宽高比o AWD 南部有不错的酒吧和餐厅

劣势:

目前住宅用途非常有限，工业与仓储用途占比高，未能体现或利用AWD的战略地理位置。大量空置土地和建筑，给人沉闷的印象。通往水边及沿水岸的公共通道和人行道有限。人行道条件差。老旧建筑维护不善，对AWD形象产生负面影响。东西向道路尽头，加剧了缺乏安全感的认知。Stephen Juba公园周围公共使用和监控不足，限制了其使用。Waterfront Drive西侧大部分土地为私人所有，可能成为协调发展的障碍。

来自信息提供者的意见

受访者就AWD的优劣势提出了各种观点。一些受访者认同已识别的优势，但认为其中一些尚未得到充分利用，而已识别的劣势，例如有限的步行通道、不适当的工业和仓储用途、有限的居民人口以及AWD整体不佳的物理形象，实际制约了这些优势的发挥。有人指出，尽管许多文化设施集中在AWD，并且它被视为一个剧院区，但这些文化设施所承载的活跃氛围并未扩散

to influence the general surroundings. The informants expressed a consensus that these cultural facilities have been serving as isolated nodes in the AWD, where people went just to fulfill the need to watch a performance. Some informants also agreed that the strength which Stephen Juba Park was supposed to bring to the AWD was, ironically, represented as a weakness, because of the lack of other public uses such as restaurants and bars around it, and the park was thus rarely visited in spite of its good location close to the water.

Many informants suggested that any interventions regarding future development in the AWD should take fuller advantage of the existing strengths, which had been offset or even overwhelmed by the present weaknesses.

5.2 District Opportunities and Threats, and Input from the Informants

Opportunities:

- Development opportunities for multi-culturalism, as the AWD is adjacent to North Main aboriginal community and Chinatown, as well as accommodating the Ukrainian Cultural Center and the Scots Monument
- Development initiatives in neighboring areas undertaken in recent years, such as the heritage interpretation strategy and cultural tourism development in the Exchange District, North Main Task Force initiatives, etc.
- Relevant historic building preservation by-laws and regulations established in recent decades, encouraging the recycling of historic buildings for residential/office uses
- Waterfront Drive, passing through the AWD, is now under construction, which should improve accessibility and bring development opportunities to the AWD
- Riverbank walkways connecting the AWD with other downtown areas have been proposed by the Riverbank Development Program under the Winnipeg Development Agreement
- The incremental population and business growth in the neighboring Old Financial District

来影响周边环境。受访者一致认为，这些文化设施在AWD中一直充当着孤立节点，人们前往这些场所仅仅是为了满足观看演出的需求。部分受访者也认同，斯蒂芬·朱巴公园本应给AWD带来的优势，讽刺地反而成了劣势——由于周边缺乏餐厅、酒吧等其他公共设施，尽管该公园地理位置优越且靠近水域，却鲜有人到访。

许多受访者建议，针对AWD未来发展的任何干预措施都应更充分利用现有优势，这些优势已被当前劣势抵消甚至压倒。

5.2 区域机遇与威胁，以及受访者意见

机遇：

- o 多元文化的发展机遇，因为AWD毗邻北主原住民社区和唐人街，并容纳了{乌克兰文化中心和苏格兰纪念碑。
- o 近年来相邻地区的发展举措，如交易区的遗产解读战略和文化旅游发展、北主任务组倡议等。
- o 近几十年来建立的相关历史建筑保护法规，鼓励将历史建筑改造为住宅/办公用途。
- o 穿过AWD的水滨大道正在建设中，应能改善可达性并为AWD带来发展机遇。连接AWD与其他市区的河滨步道已由温尼伯发展协议下的河滨发展计划提出。
- o 相邻旧金融区的人口和企业逐步增长。

Threats:

- Immediately adjacent to the Main Street North neighborhood, which is experiencing population loss and is perceived as a low-income and disadvantaged neighborhood
- Without a comprehensive master plan for the AWD at present
- Perception of safety risk of the AWD among local people and visitors

Input from the Informants

Some informants agreed that Waterfront Drive would provide development opportunities for the AWD, and other developments, such as the newly opened office building, the Wellington West Building, on Waterfront Drive last year, and the first retail business on Waterfront Drive, a 250-seat restaurant opened in March 2002, were demonstrations. However, some of them also argued that Waterfront Drive might be a potential threat to the AWD if certain traffic control measures were not in place, as it actually could provide a shortcut from the Provencher Bridge to Higgins, and more people might choose to drive this route due to the heavy traffic flow on Main. This could eventually turn Waterfront Drive into a traffic corridor, and a barrier to the water edge for pedestrian.

Some informants mentioned the stagnant local economy in Winnipeg could also be a threat, which would indeed bring difficulties to implement the development initiatives, although they had been well-planned. They said Winnipeg was not experiencing the same substantial growth opportunities as Calgary and Edmonton; so financial viability, or self-sufficiency capability, would be crucial for the development in the AWD.

威胁:

紧邻北主街社区，该社区正经历人口流失，被视为低收入和弱势社区。目前AWD缺乏综合总体规划。当地人和游客对AWD的安全风险感知。

来自信息提供者的输入

一些信息提供者认为，Waterfront Drive将为AWD提供发展机会，以及其他开发项目，例如去年在Waterfront Drive上新开的办公楼Wellington West Building，以及Waterfront Drive上的第一家零售店——一家于2002年3月开业的250座餐厅，这些都是例证。然而，其中一些人还认为，如果没有实施某些交通管制措施，Waterfront Drive可能成为AWD的潜在威胁，因为它实际上可以为从Provencher Bridge到Higgins提供一条捷径，而且由于Main Street上的交通流量大，更多的人可能会选择这条路线。这可能最终使Waterfront Drive变成一条交通走廊，成为行人通往水边的障碍。

部分受访者提到，温尼伯当地经济停滞也可能是一个威胁，这确实会给发展计划的实施带来困难，尽管这些计划已经经过精心规划。他们表示，温尼伯并没有像卡尔加里和埃德蒙顿那样经历显著的增长机遇；因此，财务可行性或自我维持能力对亚历山大滨水区的发展至关重要。

5.3 Summary

The preceding SWOT analysis investigated what is happening inside and outside the AWD. From the input of the informants, it is determined that the strengths and weaknesses, and the opportunities and threats, are interrelated and interactive. Also, there might be some overlap among the four analytical categories. Under certain circumstances, a positive factor categorized as an opportunity might well be also viewed from a negative perspective as a threat. Yet, no matter the perspective a factor is viewed from, its nature is thus indeed displayed. Therefore, the SWOT analysis is an effective tool for dissecting the properties and potentials of a part of the built environment such as the Alexander Waterfront District.

In total, the strengths and weaknesses, and the opportunities and threats identified, calls for future intervention in the AWD to preserve the strengths, add to the opportunities, remove the weaknesses, and keep out the threats⁶⁵. The detailed design strategy for the AWD will be addressed in the following chapter.

⁶⁵ See “PARK” strategy in, Jones, Bernie, 1990, *Neighborhood Planning: A Guide for Citizens and Planners*, Washington, D.C., APA Planners Press, page81.

5.3 摘要

上述SWOT分析调查了亚历山大滨水区内部和外部的情况。根据受访者的反馈，可以确定优势与劣势、机会与威胁是相互关联且相互作用的。此外，四种分析类别之间可能存在一些重叠。在某些情况下，一个被归类为机会的积极因素也可能从消极角度被视为威胁。然而，无论从哪个角度看待一个因素，其本质都得以真实展现。因此，SWOT分析是剖析建筑环境某一部分（如亚历山大滨水区）的特性和潜力的有效工具。

总的来说，所识别的优势、劣势、机遇和威胁要求未来对AV/D进行干预，以保持优势、增加机遇、消除劣势并抵御威胁。AWD的详细设计策略将在下一章中阐述。

⁶⁵ 见琼斯，伯尼（1990）《社区规划：市民与规划师指南》中的“PARK”策略，华盛顿特区，APA规划出版社，第5页。

Design Strategy for the Alexander Waterfront District

6.1 Development Goals and Design Strategy Structure

The foregoing investigation and analysis provides a data base and directions for refining the development goals and establishing design strategy for the Alexander Waterfront District. The investigation and analysis indicate that the current isolated situation of the AWD originates from its inappropriate land uses, limited public access, deteriorated general image and unsafe perception among local people and visitors. Therefore, the development goals for the AWD are three-fold: to alter its current isolated situation; to attract people to live, work, shop, play and socialize there; and eventually, to contribute to Winnipeg's Downtown revitalization. To achieve the aforementioned development goals, the design strategy is structured as shown in Fig. 21.

Firstly, the development goals are translated into five design principles. Direct means to achieve the three goals are identified, respectively, from which five design principles are induced (Fig. 22). Based on the design principles, a concrete design concept framework, for comprehensively achieving the development goals, is advanced with three particular components in mind: the built setting, open space and circulation. To support the design concept framework, and to provide a reference for future policy-making and intervention for the AWD, the relevant supportive recommendations, referring especially to the aspects of built setting, open space and circulation, are proposed. The related objectives respond to the five design principles, thus eventually achieving the aforementioned development goals.

亚历山大滨水区的设计策略

6.1 发展目标与设计策略结构

上述调查和分析为完善亚历山大滨水区的发展目标和制定设计策略提供了数据基础和方向。调查和分析表明，AWD目前的孤立状态源于其不合理的土地利用、有限的公共通道、恶化的整体形象以及当地居民和游客中的不安全感。因此，AWD的发展目标有三重：改变其目前的孤立状态；吸引人们在当地生活、工作、购物、娱乐和社交；并最终为温尼伯市中心的复兴做出贡献。为实现上述发展目标，设计策略如图21所示。

首先，发展目标被转化为五项设计原则。分别识别出实现这三个目标的直接手段，并由此归纳出五项设计原则（图22）。基于这些设计原则，提出一个具体的设计概念框架，以全面实现发展目标，并特别考虑三个组成部分：建成环境、开放空间和交通流线。为支持设计概念框架，并为AWD未来的政策制定和干预提供参考，提出了相关的支持性建议，尤其涉及建成环境、开放空间和交通流线方面。相关目标呼应五项设计原则，从而最终实现前述的发展目标。

Fig. 21: Design strategy structure chart




图21: 设计策略结构图




Fig. 22: Development goals translated into design principles





图22: 发展目标转化为设计原则



6.2 Design Principles

The development goals are translated into a set of design principles serving as the foundation for the development of a design strategy (Fig.22). The design principles are addressed as follows:

1. Integrate the AWD into the surrounding urban context:

The continuity of the development with its surroundings is necessary for the AWD to become an integral part of the city, and to achieve long-term development success.

2. Respect the historic and cultural features of the AWD:

The heritage assets in the AWD should be maintained and highlighted wherever possible. Opportunities should be taken to allow a sense of history and culture to permeate the AWD, an environment closely connected to the important past of the city.

3. Create an accessible urban waterfront for the general public:

The uniqueness of the AWD, and what distinguishes it from many other areas in the city, is its waterfront location. The physical and visual accessibility to the waterfront, therefore, should be strengthened.

4. Support diverse uses and activities:

Support multiple and diverse uses and activities in the AWD for different users at different times, to contribute to the viability of the AWD.

5. Provide identity and sense of place in the AWD:

The AWD's identity and sense of place come not only from the individual buildings, but also more from the characteristics of its outdoor spaces and streets, and

6.2 设计原则

发展目标被转化为一系列设计原则，作为制定设计战略的基础（图22）。设计原则阐述如下：

1. 将AWD融入周边城市环境：

项目与周边环境的连续性对于AWD成为城市不可或缺的一部分以及实现长期发展成功至关重要。

2. 尊重AWD的历史文化特征：

应尽可能保护和突出AWD中的遗产资产。应抓住机会，让历史和文化感渗透到AWD中，营造一个与城市重要过去紧密相连的环境。

3. 为公众创建一个无障碍的城市滨水区：

AWD的独特性及其与城市中许多其他区域的不同之处在于其滨水地理位置。因此，应加强通往滨水区的物理和视觉可达性。

4. 支持多样化的用途和活动：

在AWD内支持多种多样化的用途和活动，为不同用户在时间上提供支持，以促进AWD的活力。

5. 在AWD中提供认同感和场所感：

AWD的身份认同和场所感不仅来自其个别建筑，更来自其室外空间和街道的特征，以及

their relationship to the waterfront. Safety perception among users of these spaces also contributes to the creation of a sense of place.

6.3 Design Concept Framework

The design concept framework consists of three particular components: the built setting, open space and circulation. It is built upon the current characteristics and development initiatives found in the AWD, reflects the design principles proposed, and thus addresses the stated development goals. The design concept addresses the AWD's distinct physical, cultural and historic features through the arrangement of diverse compatible land uses and activities, the reuse of historic buildings and sites, the design of waterfront amenities, and the establishment of pedestrian-friendly open spaces. The concept seeks to ensure close physical, psychological and visual connections between the AWD and its surrounding neighbors, to draw people to the water's edge, and to take full advantage of the unique urban and natural qualities of the area.

The design concept incorporates the notion of urban husbandry, the term used by Gratz in her book *The Living City*⁶⁶. Urban husbandry advocates taking full advantage of existing assets to stimulate a step-by-step rejuvenation, with incremental changes. The design concept for the AWD makes full use of the current resources and existing features. For example, not only the historic architecture but also the existing structurally-sound buildings are proposed to be preserved, and reused adaptively, as much as possible. Also, existing open spaces in the AWD are integrated into the design concept, and their features enhanced by working with proposed new open space. Thus, the design concept aims to achieve an organic development of the AWD that reflects the connection between before

⁶⁶ Gratz, Roberta Brandes, 1990, *The Living City*, Simon & Schuster Inc. New York, page 147.

它们与海滨的关系。这些空间使用者的安全感知也有助于营造场所感。

6.3 设计概念框架

设计概念框架由三个特定组成部分构成：建筑环境、开放空间和交通流线。它基于AWD当前的特征和发展计划，反映了所提出的设计原则，并因此实现所述的发展目标。设计概念通过安排多样化的兼容土地用途和活动、再利用历史建筑和遗址、设计滨水设施以及建立行人友好的开放空间，来体现AWD独特的物理、文化和历史特征。该概念旨在确保AWD与其周边邻居之间紧密的物理、心理和视觉联系，吸引人们来到水边，并充分利用该区域独特的城市 and 自然品质。

设计理念融入了“城市养殖”的概念，这是格拉茨在其著作《活生生的城市》中使用的术语。城市养殖主张充分利用现有资产，通过渐进式改变实现逐步复兴。针对AWD的设计理念充分利用了当前资源和现有特色——例如，不仅历史建筑，而且现有结构完好的建筑也建议尽可能保留并进行适应性再利用。此外，AWD现有的开放空间也被整合到设计理念中，并通过与拟建的新开放空间协同作用来增强其特色。因此，设计理念旨在实现AWD的有机发展，体现前后之间的连接。

⁶⁶ 格拉兹，罗伯塔·布兰德，《活力城市》，L990，西蒙与舒斯特公司，纽约，第14页

and after. The existing District assets are capitalized upon as a catalyst to stimulate and promote future development, even in neighboring areas.

The design concept framework references the built setting, open space and circulation, which are illustrated in Fig.23 through Fig.25 respectively. These three components are intended to function together, serving as open-ended guidance for future possible interventions.

6.3.1 Built setting (Fig.23)

The design concept for the built setting carries the theme of mixed-uses, which can encompass residential, office, cultural, recreational, hotel, and commercial uses, among others. It identifies the historic architecture and structurally-sound buildings that need to be preserved and reused. It designates a cultural and recreational use area in the mid-part of the AWD, which is integrated with the existing Concert Hall, Museum and MTC Theater, and which will serve as a development anchor for the AWD. It opens up all other areas in the AWD in terms of land and building uses, as in many cases, the best use for a particular parcel is an outcome of the balance of a variety of factors. But this does not mean that planning and design control measures are not needed in mixed-use areas. Some specific supportive recommendations are proposed in the following section to provide guidance for this design concept. Meanwhile, in the design concept, prior locations for public use at ground level, and recommended corner locations for commercial use at ground level, are identified for developers when they are considering mixed-use development proposals.

现有区域资产被作为催化剂加以利用，以刺激和促进未来开发，甚至包括邻近地区。

设计概念框架参考了建筑环境、开放空间和流线，分别如图23至图25所示。这三个组成部分旨在协同运作，为未来可能的干预措施提供开放式的指导。

6.3.1 建筑环境（图23）

建筑环境的设计概念以混合用途为主题，可涵盖住宅、办公、文化、娱乐、酒店和商业等多种用途。它识别出需要保留和再利用的历史建筑及结构稳固的建筑物。它在AWD中部指定了一个文化与娱乐用途区域，与现有的音乐厅、博物馆和MTC剧院相结合，并将作为AWD的发展锚点。它开放了AWD中所有其他区域的土地和建筑用途，因为在许多情况下，特定地块的最佳用途是多种因素平衡的结果。但这并不意味着混合用途区域不需要规划与设计控制措施。以下章节提出了一些具体的支持性建议，为这一设计概念提供指导。同时，在设计概念中，为考虑混合用途开发提案的开发商指明了地面层的公共用途优先位置以及地面层商业用途的推荐角落位置。

6.3.2 Open space (Fig.24)

The open space design concept is focused on attracting people to come, stay and be entertained in the places created. Gateway places on the edge of the AWD are identified to function as attractions, drawing people in. Three key activity places are designated along the waterfront park, combined with the cultural and recreational use area, the existing water edge amphi-theater, and the historic Alexander Dock. These places serve as activity nodes with multiple uses to create more “optional activities”⁶⁷, and to enrich pedestrian experience along the waterfront park. An axial connection place, between the gateway place and key activity place in the cultural and recreational use area, is identified, to unconsciously lead people down to the water edge.

6.3.3 Circulation (Fig.25)

The circulation design concept is pedestrian-oriented. An axial pedestrian walkway is proposed and integrated with the connection place in the cultural and recreational use area leading down to the waterfront park, and connected to the riverfront pedestrian path. The riverfront path links three key activity places, and also connects the AWD with the Forks to the south and with the North Main Area to the north. A new public transit route is established, to be close to the main pedestrian walkway and waterfront open space. Waterfront Drive is re-configured to limit through-traffic and to enhance pedestrian orientation. Meanwhile, it is still well connected with the whole street network in the AWD, to achieve smooth circulation.

⁶⁷ “Optional activities” is thought to be especially dependent on exterior physical conditions and the major symptom of a good quality physical environment. See Gehl, Jan, 1987, *Life Between Buildings: Using Public Space*, page11-13.

6.3.2 开放空间（图29）

开放空间设计概念专注于吸引人们来到、停留并在所创造的空间中获得娱乐。AWD边缘的入口场所被确定为吸引人们进入的功能点。沿 waterfront 公园指定了三个关键活动场所，结合了文化与娱乐用途区域、现有的水边露天剧场以及历史悠久的亚历山大码头。这些场所作为多用途的活动节点，创造更多“选择性活动”，并丰富沿 waterfront 公园的行人体验。在入口场所与文化娱乐区的关键活动场所之间，确定了一个轴向连接空间，以引导人们不自觉地向水边走去。

6.3.3 交通流线（图25）

交通流线设计理念以人为本。规划了一条轴向步行道，与文化休闲区的连接点相结合，通向滨水公园，并与河滨步行道相连。河滨步道连接三个主要活动场所，同时将AWD与南部的Forks及北部的North Main Area相连。规划了一条新的公交线路，靠近主要步行道和滨水开放空间。Waterfront Drive被重新规划以限制过境交通，增强行人导向性。同时，它与AWD的整个街道网络保持良好的连接，实现顺畅的交通流线。

⁶⁷ “自发性活动”被认为尤其依赖于外部物理条件和良好物质环境的主要品质。参见Gehl, Jan, 1987, 《Life Between Buildings: Using Public Space》，第1-13页。

Fig. 23: Concept diagram of built setting




图23: 建筑环境概念图




Fig.24. Concept diagram of open space




图24. 开放空间概念图




Fig.25. Concept diagram of circulation





图25. 循环的概念图



6.4 Supportive Recommendations for Design Concept

The relevant recommendations regarding the built setting, open space and circulation, are made to support the design concept, and to provide a reference for future policy-making and interventions for shaping the Alexander Waterfront District.

The proposed recommendations include a Floor Area Bonus Distribution Model (Fig. 26), Mixed-use Infill Design Recommendation Matrix (Table 1 & 2), Open Space Design Recommendation Matrix (Table 3), and Main Axial Walkway and Riverfront Path Design Recommendation Checklist (Table 4). The Floor Area Bonus Distribution Model aims to control mixed-use development to better gear it to changing market needs, and thus to inject more flexibility. The control and adjustment of floor area bonus that provides additional floorspace in return, encourages the initial development in the AWD’s center; development from the AWD’s perimeter to the center; and a balance of development in the AWD north and south. The Mixed-use Infill Design Recommendation Matrix is introduced to create diverse uses and activities for different users at different times, based on the preservation and reuse of historic, and well-conditioned buildings. Design considerations also favour a sensitive response to streetscape shaping and pedestrian use. The Open Space Design Recommendation Matrix is established to strengthen District identity and enhance sense of place. The Main Axial Walkway and Riverfront Path Design Recommendation Checklist aims to strengthen accessibility to the waterfront and enrich pedestrian experience. The implementation of these recommendations at a more specific and detailed level would fulfill the design principles advanced in the preceding section, and help to eventually achieve the development goals.

6.4 设计概念的支持性建议

有关建筑环境、开放空间和交通流线的相关建议旨在支持设计概念，并为未来政策制定和干预措施提供参考，以塑造亚历山大滨水区。

拟议的建议包括：楼面面积奖励分配模型（图26）、混合用途填充设计建议矩阵（表1及2）、开放空间设计建议矩阵（表3），以及主要轴向步道与滨河路径设计建议清单（表4）。楼面面积奖励分配模型旨在控制混合用途开发，以更好地适应不断变化的市场需求，从而注入更多灵活性。通过奖励提供额外楼面面积的楼面面积奖励的控制与调整，鼓励在亚历山大滨水区中心进行初期开发；从亚历山大滨水区边缘向中心开发，以及亚历山大滨水区南北两侧的平衡开发。混合用途填充设计建议矩阵的引入旨在基于历史及状况良好建筑的保留与再利用，为不同用户在不同时间创造多样化的用途和活动。设计考量也倾向于对街道景观塑造和行人使用的敏感回应。建立开放空间设计建议矩阵是为了强化区域特色并增强场所感。主要轴向步道与滨河路径设计建议清单旨在加强滨水区的可达性并丰富行人体验。在更具体和详细的层面上实施这些建议，将能实现前一节提出的设计原则，并最终有助于达成发展目标。

Fig.26. Map of floor area bonus distribution model




图26. 楼面面积奖励分配模型示意图



Table 3: Mixed-use infill design recommendation matrix (1)

Preferred location for principal building uses	Residential	Neighboring other residential buildings; Close to community services and commercial uses; Access to waterfront view; Close to major open space
	Office	Neighboring other office buildings; Close to major street for easy vehicle access; Access to waterfront view
	Commercial	Visible location with good exposure; Pedestrian accessible; Close to residential use; At ground level
	Cultural	Good accessibility for both pedestrian and vehicle; Close to major open space
	Recreational	Pedestrian accessible; Close to major open space
	Hotel	Good accessibility for both pedestrian and vehicle; Access to waterfront view
	Parkade	Close to major destinations; Close to major street for easy vehicle access; Away from pedestrian use

Distribution and combination of mixed uses	Mixed-use building pattern	The distribution of mixed uses depends on the nature of a particular use, and the convenience and comfort provided to users. The combination of mixed uses should be compatible with one another. <table><tr><td>4F and up</td><td>office/hotel/residential</td></tr><tr><td>3F</td><td>cultural/office/hotel/residential</td></tr><tr><td>2F</td><td>commercial/cultural/recreational/office/hotel/residential</td></tr><tr><td>1F</td><td>commercial/cultural/recreational/office/hotel</td></tr><tr><td>-1F</td><td>parking/commercial/cultural/recreational</td></tr><tr><td>-2F and below</td><td>parking</td></tr></table>	4F and up	office/hotel/residential	3F	cultural/office/hotel/residential	2F	commercial/cultural/recreational/office/hotel/residential	1F	commercial/cultural/recreational/office/hotel	-1F	parking/commercial/cultural/recreational	-2F and below	parking
	4F and up	office/hotel/residential												
	3F	cultural/office/hotel/residential												
2F	commercial/cultural/recreational/office/hotel/residential													
1F	commercial/cultural/recreational/office/hotel													
-1F	parking/commercial/cultural/recreational													
-2F and below	parking													
Parkade	Parkade should have commercial/recreational use at ground level fronting on street <table><tr><td>parking</td><td rowspan="4">commercial/ recreational</td><td rowspan="4">Street</td></tr><tr><td>parking</td></tr><tr><td>parking</td></tr><tr><td>parking</td></tr></table>	parking	commercial/ recreational	Street	parking	parking	parking							
parking	commercial/ recreational	Street												
parking														
parking														
parking														







Surface parking patterns	On-street parking around areas having high density of public or commercial uses	Parking on the side of building, with landscape treatment to minimize negative visual impact on sidewalk
		
	Parking at the rear of building	Parking within the block, designed as "parking garden"
		

表 3: 混合用途填充设计建议矩阵 (1)

首选位置 主要建筑用途	住宅	毗邻其他住宅建筑；靠近社区服务和商业用途；可欣赏水景；靠近主要开放空间
	办公	毗邻其他办公建筑；靠近主要街道便于车辆通行；可欣赏水景
	商业	可见位置，曝光良好；行人可达；靠近住宅区；位于地面层
	文化	行人和车辆交通便利；靠近主要开放空间
	娱乐	行人可达；靠近主要开放空间
	酒店	行人和车辆均可便捷到达；享有海滨景观
	停车场	靠近主要目的地；靠近主要街道便于车辆进出；远离行人使用

分布组合 混合用途	混合用途建筑模式	混合用途的分布取决于特定用途的性质以及为用户提供的便利和舒适。混合用途的结合应相互兼容。 <table><tr><td>4层及以上</td><td>办公/酒店/住宅</td></tr><tr><td>3F</td><td>文化/办公/酒店/住宅</td></tr><tr><td>2F</td><td>商业/文化/休闲/办公/酒店/住宅</td></tr><tr><td>1F</td><td>商业/文化/娱乐/办公/酒店</td></tr><tr><td>-1F</td><td>停车/商业/文化/娱乐</td></tr><tr><td>-2F及以下</td><td>停车</td></tr></table>	4层及以上	办公/酒店/住宅	3F	文化/办公/酒店/住宅	2F	商业/文化/休闲/办公/酒店/住宅	1F	商业/文化/娱乐/办公/酒店	-1F	停车/商业/文化/娱乐	-2F及以下	停车
	4层及以上	办公/酒店/住宅												
3F	文化/办公/酒店/住宅													
2F	商业/文化/休闲/办公/酒店/住宅													
1F	商业/文化/娱乐/办公/酒店													
-1F	停车/商业/文化/娱乐													
-2F及以下	停车													
停车场	停车场底层临街面应设有商业/娱乐用途 parking 停车 停车 parking commercial/recreational Street													

地面停车模式	高密度公共或商业用途区域周边的路内停车 高密度公共或商业用途区域周边	在建筑侧面停车，通过景观处理减少对人行道的负面视觉影响。 通过景观处理减少对人行道的负面视觉影响
		
	在建筑背面停车	在街区内部停车，设计为“停车场花园”



地面停车模式		
--------	---	---

Table 4: Mixed-use infill design recommendation matrix (2)


















Sensitive infill with relation to existing building facade pattern	New infill should respect existing surrounding buildings with compatible characteristics in terms of massing, height, scale, orientation, setback, proportion, facade articulation, color and general architectural style to create harmonious visual quality and unified streetscape.			
	 inharmonious infill Existing building New infill with compatible facade texture and massing (Adapted from Lang, Jon, 1994, <i>Urban Design: The American Experience</i>, page 107.)			
Building/pocket open space relation patterns				 Pocket open space facing north upon street is not encouraged
				
Building/side-walk edge patterns				
				

表 4: 混合用途填充式设计建议矩阵 (2)


















敏感填充与现有建筑立面图案	新填充应尊重现有与周围建筑在体量、高度、尺度、朝向、退让、比例、立面划分、色彩和整体特征方面具有兼容性建筑风格以创造和谐的视觉质量与统一的街景。			
	 不协调的填充 现有建筑 具有兼容性的新填充 立面纹理与体量 (Adapted from bEJon, 1994, <i>Urban ttdg: fcthrtui</i> 城市设计: 美国经验)			
建筑口袋开放空间关系模式				 面向北的口袋开放空间临街处不鼓励
				
建筑/侧边步行道边缘模式				
				

Table 5: Open space design recommendation matrix⁶⁸

	Gateway space	Key activity space	Connection space
Description	Visible, attractive, intimate	Pleasant, enjoyable, safe, accommodate climax	Compatible not conformable, full of discovery and provides anticipation
Location	Key access point to the AWD, on ground level, adjacent to sidewalk and transit stop	Close to the waterfront, adjacent to major public use area	In-between gateway space and key activity space
Size	Personal scale with the maximum dimension of 20 –25 meters to enable seeing facial expressions	Not to exceed maximum dimension of 70 to 100 meters to enable seeing events	With appropriate proportion to surrounding spaces
Access	Accessible on at least one side of its perimeter	Multi-access points encouraged	Major access from gateway space
Uses and activities	Accommodate either lingerers or passers-through	Provide programs or events to encourage stay	Support optional activities and causal movement
Visual feature/ landscape treatment	Distinct visual element, serving as landmark, is a must	Visual complexity with greater variety of color, texture, landscape elements, etc. is encouraged	Compatible with surrounding spaces is a must; strong identity is not encouraged
Surrounding building usage	Attractive public use is a must	A variety of retail shops, restaurant, café, or food vendor is encouraged	Grade level uses should contribute to generating optional activities
Micro-climate	Sunshine to sitting areas at lunch time at least; means to shelter from summer sunshine and winter wind should be provided	Sunshine to most of the occupied area from mid-morning to mid-afternoon; ensure breeze in summer, and means to shelter from summer sunshine and winter wind should be provided	Sunshine at lunchtime should be ensured; means to shelter from summer sunshine and winter wind should be provided
Surveillance	Highly desirable but not required	Surveillance from surrounding buildings and sidewalks is a must	Surveillance from surrounding buildings is encouraged
Seating	Seating should be placed in sunny area	Sufficient seating is a must, and should meet the needs of diverse sitters	A variety type of causal seating incorporating landscape elements is encouraged

⁶⁸ Adapted from Punter, John, 1999, “Fig. 55 San Francisco: Guideline for Downtown Open space”, in *Design Guidelines in American Cities: a Review of Design Policies and Guidance in Five West Coast Cities*, Liverpool, Liverpool University Press, page124-125, and Marcus, Clare Cooper & Francis, Carolyn, ed., 1990, “Design Review Checklist”, in *People Places: Design Guidelines for Urban Open Space*, New York, Van Nostrand Reinhold, page65-68.

表5：开放空间设计建议矩阵68

	网关空间	关键活动空间	连接空间
描述	可见 活跃路径，亲密的	愉悦、享受、安全、容纳高潮	相容并非舒适，充满发现并提供期待
位置	关键入口点，通往AWD，位于底层，毗邻人行道和公交站	靠近滨水区，毗邻主要公共使用区域	介于入口空间和主要活动空间之间
尺寸	个人尺度的最大尺寸为最大尺寸为20 -25米，以便能够看到面部表情	不超过最大尺寸70至100米以能够看到事件	通过适当的比例与周围空间
接入	至少在其外围一侧可进入	多入口点鼓励	主要入口来自卫星空间
用途与活动	适应逗留者或穿行者	提供计划或活动以鼓励停留	支持可选活动和因果运动
视觉特征/景观处理	独特的视觉元素作为地标，是一个	视觉复杂度与更丰富的颜色、纹理、景观元素等相关鼓励	兼容于必须的；强烈的个性不被鼓励不被鼓励
周边建筑用途	积极的公共使用是一种	各种零售店，餐厅、咖啡馆或食品供应商受到鼓励	地面层的用途应有助于生成可选活动
微气候	阳光照射到休息区至少在午餐时间；遮风避雨的手段夏日阳光和冬季风应提供	日照覆盖大部分使用区域，从上午中段至下午确保午后微风夏季保持通风，并提供遮蔽夏季阳光和冬季寒风的方法	午餐时段的阳光应确保；应提供遮蔽夏季阳光和冬季风的设施。
监控	非常理想但非必需	来自周边建筑和人行道的监控是必须的	来自周边建筑的监控鼓励与周围建筑相连得到鼓励
座椅	座椅应放置在阳光充足的区域	充足的座椅是一个必须且应满足多样化的使用者需求	多种类型的休闲座椅，结合景观元素，是鼓励

⁶⁸ 改编自Punter, John, 1999, "Fig. 55 San Francisco: Guideline for Downtown Open space", in *Design Guidelines in American Cities: a Review of Design Policies and Guidance in Five West Coast cities*, Liverpool, Liverpool University Press, page124-125, 以及Marcus, Clare Cooper & Francis, Carolyn, ed., 1990, "Design Review Checklist", in *People Places: Design Guidelines for Urban Open Space*, New York: Van Nostrand Reinhold, page65-68.

Table 6: Main axial walkway and riverfront path design recommendation checklist⁶⁹

Self-check questions	Confirm/Comment
1. Is convenient, attractive and protected pedestrian entry provided?	
2. Is the pedestrian walkway well connected with public amenities and major open space?	
3. Does the pedestrian walkway provide easy public access to water's edge?	
4. Is personal safety ensured along pedestrian walkway?	
5. Are diverse visual interests, personal scale design elements, such as landscaping, light fixtures, signage, banners, and public art, considered along walkway to maximize pedestrian comfort and enjoyment?	
6. Is pedestrian walkway close to public transit stops, within the maximum five-minute walking distance, or 400 meters?	
7. Is visual and physical intrusion of parking lots and parking structures minimized on pedestrian walkway?	
8. Are dumpsters, utility and service areas screened from pedestrian walkway?	

⁶⁹ Adapted from Punter, John, 1999, "Fig. 20 Seattle: Neighborhoods Design Guidelines Checklist (1993)", in *Design Guidelines in American Cities: a Review of Design Policies and Guidance in Five West Coast Cities*, Liverpool, Liverpool University Press, page49.

表6：主要轴向步道与滨水路径设计建议检查表

自检问题	确认/评论
1. 是否提供了便利、有吸引力且受保护的行人入口？	
2. 步行道是否与公共设施和主要开放空间良好连接？	
3. 人行道是否提供便捷的公共通道通往水边边缘？	
5. 人行道是否考虑了多样化的视觉趣味和个人尺度设计元素，如景观、灯具、标牌、栏杆和公共艺术，以最大化行人舒适度？（注：原文有误“barulers”应为“栏杆保持原样翻译”。）沿步行道考虑，以最大化行人舒适度。愉悦感？	
6. 人行道是否靠近公共交通站点，且位于最长五分钟步行距离（即400米）范围内？	
7. 在人行道上，停车场和停车结构的视觉与物理侵入是否最小化？	
8. 垃圾箱、公用设施和服务区域是否与行人视线隔离？人行道？	

6e 改编自 punter, John, 1999, "Fig. 20 Seattle: Neighborhoods Design Guidelines Checklist (1993)", 载于《美国城市设计指南：五个西海岸城市的设计政策与指南回顾》，利物浦，利物浦大学出版社，第49页

6.4 Summary

The design strategy proposed is based on a logical analysis of the existing Alexander Waterfront District conditions, with reference to the relevant literature and precedents of urban waterfront planning and design. The design strategy is concentrated on the elaboration of a design concept, which is treated as an acupoint – the key point must be defined or controlled, for the redevelopment of the AWD. The relevant design recommendations are intended to support the design concept, for optimal implementation. The design concept and supportive recommendations are complementary. They are intended to be neither too general nor too specific, but flexible enough to allow specific designs to occur within them. In actuality, they illustrate a design approach to make the design more process-oriented rather than product-oriented. They do not aim to develop a “one-shot design” that includes everything, and rigid prescription - but isolated from development reality. Instead, the design concept and supportive recommendations provide guidance, meanwhile leaving plenty of room for different designers to perform in a variety of ways at different development stages, to eventually shape the AWD into being a welcoming place for people in the future. The design strategy attempts to envision a dynamic development of the AWD.

6.4 小结

提出的设计策略基于对现有亚历山大滨水区状况的逻辑分析，并参考了城市滨水区规划和设计的相关文献及先例。设计策略集中于设计概念的阐述，该概念被视为一个穴位——必须定义或控制的关键点——用于AWD的再开发。相关的设计建议旨在支持设计概念，以实现最佳实施。设计概念和支持性建议是互补的，既不过于笼统也不过于具体，而是足够灵活，允许在其中进行具体设计。实际上，它们展示了一种设计方法，使设计更注重过程而非产品。它们的目标不是开发一种包含一切且僵化规定但脱离发展现实的“一次性设计”。相反，设计概念和支持性建议提供指导，同时为不同设计师在不同发展阶段以多种方式执行留出充足空间，最终将AWD塑造成未来人们欢迎的场所。该设计策略试图设想AWD的动态发展。

Chapter Seven

Suggestions for Further Research

7.1 Feedback from the Informants regarding the Design Strategy

The design strategy proposed in the preceding chapter was reviewed by the key informants to seek comments and suggestions. Communication with informed persons can provide a better understanding of how development of the AWD and the general urban waterfront site can be best achieved. Issues for future research on this topic were identified through this feedback process. The nature of the comments can be broadly grouped into the following three areas: mixed-use development, financial feasibility and long-term maintenance.

1. Concerns about the concept of mixed-use development:

Some informants questioned the proportion of different land/building uses. What would be an appropriate ratio for diverse uses? Should this be totally determined by market needs? And, how to balance the social needs generated by the general public - for instance, wanting a larger open space along the waterfront for public enjoyment, vs. market needs from private developers who, on the other hand, might desire to intensify the development on that site for greater financial return? Some informants also pointed out that a reasonable arrangement of uses should help the AWD serve both as a regional and local attraction for visitors and community residents.

2. Concerns about financial feasibility :

Financial feasibility of the required development was of most concern to the informants. This issue had also been raised during the previous interviews with the

第七章

进一步研究的建议

7.1 来自信息提供者关于设计策略的反馈

上一章提出的设计策略由主要信息提供者进行了评审，以征求评论和建议。与知情人士的沟通可以更好地理解如何最佳实现AWD及一般城市滨水区的发展。通过这一反馈过程，确定了未来关于该主题的研究问题。评论的性质可大致分为以下三个方面：混合用途开发、财务可行性和长期维护。

1. 对混合用途开发概念的担忧：

一些信息提供者质疑不同土地/建筑用途的比例。多样用途的合适比例是多少？是否应完全由市场需求决定？以及，如何平衡公众产生的社会需求——例如，希望沿水岸有更大的开放空间供公众享受，与私人开发商的市场需求——他们可能希望在该地块上加强开发以获得更大的财务回报？一些信息提供者还指出，合理的用途安排应有助于AWD既作为区域目的地也作为本地吸引物，吸引游客和社区居民。

2. 对财务可行性的担忧：

所需开发的财务可行性是受访者最关心的问题。在之前的访谈中，这一议题也已被提出。

informants. Still, many of them were thinking about the cost for developing the whole area, and whether the market really existed to drive this level of development. It was recommended that there should be some bonus systems, incentives or funding programs in place, from the public sector, to encourage this scale of development proposals. Financial self-reliance would also be crucial for long-term sustainable development.

3. Concerns about the long-term operation and maintenance of the development:

Some of the informants thought that the post-build maintenance was of equal significance to the implementation of the design concept. Maintenance strategies should be addressed during the early stage of pre-development and incorporated into the design considerations. The design, they added, did not need to be upscale. Well-arranged public programs throughout the year, such as those for the Forks, could be effective to maintain the vibrancy of the AWD, while minimizing the financial risk in the initial development stage. As well, a development balance should be sought between revenue-generating uses and other public uses, to cover the high cost of future maintenance, and to ensure a continuing vibrancy of the AWD.

The feedback on the design strategy identified some issues beyond the design per se. Urban design, as part of the urban development process, is a dynamic process, requiring designing for change. The concerns expressed by the key informants lead to broadened thinking about urban waterfront planning and design, to providing direction for further study of this topic.

然而，许多人仍在考虑整个区域的开发成本，以及是否存在足够市场来推动这一开发水平。建议公共部门应设立一些奖励机制、激励措施或资助计划，以鼓励此类规模的开发提案。财务自给自足对于长期可持续发展也至关重要。

3. 对项目长期运营和维护的担忧：

部分受访者认为，建成后的维护与设计理念的实施同等重要。维护策略应在开发前期的早期阶段加以考虑，并纳入设计考量。他们补充说，设计不必追求“高端”。全年精心安排的公共活动，例如叉子区的活动，可以在最小化初期开发阶段财务风险的同时，有效维持AWD的活力。此外，应在创收用途与其他公共用途之间寻求发展平衡，以覆盖未来高昂的维护成本，并确保AWD持续保持活力。

对设计策略的反馈识别出了一些超出设计本身的问题。城市设计作为城市发展过程的一部分，是一个动态的过程，需要为变化而设计。关键信息提供者所表达的关切引发了对城市滨水区规划和设计的更广泛思考，为这一主题的进一步研究提供了方向。

7.2 Recent Ideas Competition for the Waterfront in Downtown Winnipeg

An international design competition calling for innovative design ideas was held in the spring of 2002 for the waterfront areas in the East Exchange District and French Quarters of St. Boniface. Part of the competition area in the East Exchange District was within the Alexander Waterfront District. The objectives of this idea competition were:

- Environmental design as a key component in the re-emergence of Downtown Winnipeg;
- Interpretation of the city, its rivers and history;
- Enhancement of the existing site as it relates to its surroundings;
- Consideration of future development on both sides of the river;
- Recognition of the site's significance in the history of Winnipeg, and
- Stimulate public debate.

A high level of interest for waterfront development in Downtown Winnipeg was generated through this ideas competition. There were more than 50 submissions from designers across Canada and the United States, and from as far away as Japan and Europe. The ideas competition highlighted an important issue in the planning and design of the waterfront in Downtown Winnipeg among professionals in the City and around the world.

The various submissions reflected some common concerns for waterfront redevelopment in Downtown Winnipeg. Rather than treating the waterfront open space as only a park, mixed-use development was proposed in most submissions. Residential, commercial and recreational uses were accorded much attention by the designers. A variety of ways to treat the water edge was offered, and clear connections between the surroundings, such as City Hall, and the waterfront were emphasized in many submissions.

The competition generated positive interest from developers and property owners seeking development inspiration. Financial feasibility of the design ideas was of most

7.2 温尼伯市中心滨水区近期创意竞赛

2002年春季，针对东交易区和圣博尼法斯法国区滨水区域举办了一场国际设计竞赛，征集创新设计理念。东交易区部分竞赛区域位于亚历山大滨水区内。本次创意竞赛的目标是：

- 环境设计作为温尼伯市中心复兴的关键组成部分；○ 对城市、河流及历史的诠释；○ 强化现有场地与周边环境的关联；○ 考虑河流两岸的未来发展；○ 认识到该场所在温尼伯历史中的重要性；○ 激发公众讨论。

通过这场创意竞赛，温尼伯市中心滨水区的发展备受关注。来自加拿大和美国各地，甚至远至日本和欧洲的设计师提交了超过50份作品。这场创意竞赛凸显了温尼伯市及全球专业人士对市中心滨水区规划与设计中的一个重要议题。

各参赛作品反映了对温尼伯市中心滨水区重建的一些共同关注点。多数方案并未将滨水开放空间仅视为公园，而是提出了混合用途开发。设计师们高度重视住宅、商业和娱乐用途，并提出了多种处理水岸的方式，同时许多方案强调了周边环境（如市政厅）与滨水区之间的清晰连接。

此次竞赛引起了寻求开发灵感的开发商和业主的积极兴趣。设计理念的财务可行性是

concern to them. Albert Cheung, the landowner of a site at the end of the Market Street, volunteered his site to be included in the competition. He commented that he felt the design ideas all seemed very interesting but some seemed very expensive. The competition co-coordinator added that “to be realistic and achievable” was a requirement for all submissions. He thought that only a few submissions had given consideration to the slow growth context of Winnipeg and paid attention to an incremental growth strategy to achieve sustainable development of the waterfront.

It usually takes decades to accomplish a large-scale development, such as waterfront redevelopment in Downtown Winnipeg. The public sector’s strong commitment, as stimulator and coordinator, is critical in the development process. This ideas competition, sponsored by the City, was an important first step in the redevelopment process for the waterfront area. Although there are currently no specific plans for how to proceed after the competition, the co-coordinator stated that the competition stimulated development ideas and helped to market the City, attracted more attention from people and better informed them of the development issues, including promoting the development on both sides of the Red River.

7.3 Further Research on Urban Waterfront Planning and Design

This study on urban waterfront planning and design cannot end with the completion of this document. There are generally three issues for future research, arising from this current study and from comments by the informants. These are: process-oriented waterfront planning and design; strong public commitment for continuous efforts at development; and design with future maintenance in mind.

他们最关心的问题。市场街尽头的土地所有者Albert Cheung自愿将他的地块纳入竞赛范围。他评论说，他认为这些设计理念都很有趣，但有些似乎成本过高。竞赛协调员补充说，“现实且可实现”是所有参赛作品的要求。他认为，只有少数参赛作品考虑了温尼伯缓慢增长的背景，并关注了通过渐进式增长策略实现滨水区可持续发展的方案。

大型开发项目，例如温尼伯市中心滨水区改造，通常需要数十年才能完成。公共部门作为推动者和协调者的坚定承诺，在开发过程中至关重要。由市政府赞助的这次创意竞赛是滨水区改造过程中的重要第一步。尽管目前尚无竞赛结束后的具体实施计划，但协调员表示，竞赛激发了开发创意，有助于宣传城市，吸引了更多关注，并让人们更清楚地了解开发问题，包括促进红河两岸的开发。

7.3 城市滨水区规划设计进一步研究

这项关于城市滨水区规划与设计的研究不能以本文的完成而告终。基于本研究及受访者的评论，未来研究通常涉及三个问题：过程导向的滨水区规划与设计；公众对持续发展努力的坚定承诺；以及考虑未来维护的设计。

Waterfront planning and design should be closely integrated with the development process. It is itself a complicated process, requiring designers to continually adjust position to gain new perspectives. Waterfront planning and design, as a process-oriented activity, has a two-fold meaning. Firstly, as designers for a particular urban waterfront site, they have to understand the nature of the waterfront development process and the role of design in this process. Secondly, waterfront planning and design should produce a process-oriented “product” rather than a project-oriented “product”, which means the design product no longer needs to be beautiful design drawings on paper, as is the case in traditional “one-shot design”. With designers addressing an unpredictable future, it is foolhardy to focus on a fixed vision. Design and development policy and guidelines have to be adjusted constantly, according to the reality of the development. Therefore, the process-oriented design product should provide a design framework flexible enough so that different designers can cohesively create specific design products, to fulfill changing needs at different times. It should not be hard to understand that, in a slow-growth economic environment, imposing serious restrictions on how development should take place would be of little assistance in attracting investment.

Waterfront design and development is also an integrated long-term process. Many great waterfront projects in Toronto, Boston, or Baltimore took years from the development of a plan to the start of construction and then to completion. For such an undertaking to be successful, there must be a strong public sector commitment to carry the program through to completion. The role of the public sector is critical in establishing social and physical development policies and programs that provide direction for development. The public investment in infrastructure and other subsidies would usually

滨水区规划与设计应与开发过程紧密结合。它本身就是一个复杂的过程，需要设计师不断调整立场以获取新视角。滨水区规划与设计作为一项过程导向的活动，具有双重含义。首先，作为特定城市滨水区的设计师，他们必须理解滨水区开发过程的本质以及设计在此过程中的角色。其次，滨水区规划与设计应产生一个“过程导向”的成果，而非“项目导向”的成果，这意味着设计成果不再需要像传统的“一次性设计”那样是纸上的精美设计图纸。由于设计师面对的是不可预测的未来，专注于固定的愿景是不明智的。设计和开发政策及指导方针必须根据开发的现实情况不断调整。因此，过程导向的设计成果应提供一个足够灵活的设计框架，使不同的设计师能够协同创建具体的设计产品，以满足不同时期不断变化的需求。不难理解，在经济增长缓慢的环境下，对开发方式施加严格限制对吸引投资几乎没有帮助。

滨水区设计与开发也是一个综合性的长期过程。多伦多、波士顿或巴尔的摩的许多大型滨水项目从规划制定到开工建设再到竣工，历时数年。要使这样的工程成功实施，必须有强大的公共部门承诺将项目推进到底。公共部门在制定社会与物质发展政策及计划方面发挥着关键作用，这些政策为开发提供方向。公共基础设施投资和其他补贴通常

be the initial force to launch waterfront redevelopment. Public sector intervention shapes development to meet some specific public ends, and thus to balance the conflicts between different social needs and market needs, and between revenue-generating uses and uses for the general public.

Waterfront planning and design does not end with the completion of construction. A well-designed development is still at risk of losing its attraction after a few years of use, without a suitable maintenance and renewal program in place. Waterfront planning and design cannot solely focus on new creations; close attention should be paid to the care and maintenance of what exists. Consideration of this aspect in the early design stage is significant and should be a part of the basic design. To design with maintenance in mind is to design for change, and to fulfill the full range of needs over time.

7.4 Conclusion

The amount of waterfront land in a city is usually a limited and valued resource. Urban waterfront provides a broad range of development opportunities for a city. Successful waterfront design and development has had catalytic effects on city revitalization. Therefore, there is huge interest in waterfront development; the efforts towards urban waterfront redevelopment are continuing in cities worldwide.

Projects are likely to be different in many ways in different cities. It can be understood from the present study that waterfront redevelopment needs a comprehensive plan to integrate a variety of factors and concerns, and to reflect the waterfront's unique and strategic location and diverse users' needs. As well, an empirically-based design approach, which is specific enough to provide a framework for development and flexible

是启动滨水区再开发的初始动力。公共部门的干预使得开发能够满足特定的公共目标，从而平衡不同社会需求与市场需求之间的冲突，以及创收用途与公共用途之间的矛盾。

滨水区规划与设计并非随着建设完工而结束。如果没有适当的维护和更新计划，一个设计良好的开发项目在使用几年后仍有可能失去吸引力。滨水区规划与设计不能仅仅关注新的创意，还应密切注意现有设施的维护和保养。在早期设计阶段考虑这一点至关重要，应成为基本设计的一部分。以维护为出发点进行设计，即为适应变化而设计，并随时间推移满足全方位的需求。

7.4 结论

城市中的滨水区土地通常是一种有限且宝贵的资源。城市滨水区为城市提供了广泛的发展机遇。成功的滨水区设计与开发对城市复兴产生了催化作用。因此，人们对滨水区开发兴趣浓厚；世界各地的城市都在持续努力推进滨水区再开发。

不同城市的项目很可能在多个方面存在差异。从本研究可以理解，滨水区重建需要一项全面的规划，以整合多种因素和关切，并反映滨水区的独特战略位置及多样化用户的需求。同时，需要一种基于经验的设计方法，该方法应足够具体，为开发提供框架，并具有灵活性

enough to respond to future changes, is needed. Waterfront redevelopment also needs a solid cooperative public-private partnership, and a strong commitment to carry the program throughout the development process.

The design strategy developed in this study provides guidance on how to revitalize the Alexander Waterfront District, and reconnect it to adjacent downtown areas. It serves as an initial step for future research to realize the potential of the Alexander Waterfront District as a place for more people to live, work and be entertained, and as a contribution to Winnipeg's downtown revitalization.

以应对未来的变化。滨水区重建还需要稳固的公共-私营合作伙伴关系，以及在开发过程中坚定执行该规划的承诺。

本研究提出的设计策略为如何振兴亚历山大滨水区并使其与相邻市中心区域重新连接提供了指导。该研究作为未来研究的初步步骤，旨在实现亚历山大滨水区作为更多人生活、工作和娱乐场所的潜力，并为温尼伯市中心的振兴做出贡献。

Bibliography:

Banerjee, Tridib and Southworth, Michael, ed, (1990), *City Sense and City Design: Writing and Projects of Kevin Lynch*, Cambridge, Massachusetts, The MIT Press.

Balchen, Bess and Linville, Jack, (1971), "The Waterfront: Let's Face It", in *AIA Journal*, April, vol.55, no.4, page 17-27.

Barnett, Jonathan, (1982), *An Introduction to Urban Design*, New York, Harper & Row Publishers.

Braunfels, W., (1988), *Urban Design in Western Europe*, Chicago/London, Transl. K. J. Northcott.

Breen, Ann and Rigby, Dick, (1994), *Waterfronts: Cities Reclaim their Edges*, New York, McGraw-Hill.

Breen, Ann and Rigby, Dick, (1996), *The New Waterfront: a Worldwide Urban Success Story*, New York, McGraw-Hill.

Breen, Ann and Rigby, Dick, (1991), "Prospect", in *Landscape Architecture*, February 1991, vol.81 No. 2, page 128.

Bureau of Travel and Publicity, Department of Industry and Commerce, Manitoba, *City of the Rivers*, Winnipeg, Queen's Printer.

City of Winnipeg, (1997), *Our Place: North Main Task Force*.

Cowey, Ann Breen and Rigby, Richard, (1979), "On the Waterfront", in *Planning*, November, vol.45, no.11, page 10-13.

Cleveland, H. W. S., (1945), "Suggestions for a System of Parks and Parkways for the City of Minneapolis", in *Minneapolis Park System 1883-1944*, Minneapolis, Theodore Wirth.

Desfor, Gene, (1990), *Urban Waterfront Industry: Planning and Development Green Enterprise for the 21st Century Symposium Report*, Toronto, Minister of Supply and Services Canada.

Dickinson, Robert E., (1961), *The West European City: a Geographical Interpretation*, London, Routledge & Kegan Paul Limited.

Faculty of Architecture, University of Manitoba, (1985), *Urban Design Studio 1984-85:Fort Rouge*.

参考文献:

Banerjee, Tridib 和 Southworth, Michael 编 (1990), 《城市感知与城市设计: 凯文·林奇的著作与项目》, 马萨诸塞州剑桥市, 麻省理工学院出版社

Balchen, Bess 和 Linville, Jack, (1971), "The Waterfront: Let's Face It", 载于《AIA Journal》, 4月, 第55卷, 第4期, 第17-27页。

Barnett, Jonathan, (1952), 《An Introduction to Urban Design》, 纽约, Harper & Row Publishers。

Braunfels, W., (1988), 《Urban Design in Western Europe》, 芝加哥/伦敦, K. J. Northcott 译。

Breen, Ann 和 Rigby, Dick, (1994), 《Waterfronts: Cities Reclaim their Edges》, 纽约, McGraw-Hill。

Breen, Ann 和 Rigby, Dick, (1996), 《The New Waterfront: a Worldwide Urban Success Story》, 纽约, McGraw-Hill。

Breen, Ann 和 Rigby, Dick, (1991), "展望", 载于《景观建筑》, 1991年2月, 第81卷第2期, 第128页。

马尼托巴省工商部旅游与宣传局, 《河流之城: 温尼伯》, 女王出版社。

温尼伯市, (1997), 《我们的地方: 北主街工作组》。

Cowey, Ann Breen 和 Rigby, Richard, (1979), "在水滨", 载于《规划》, 11月, 第45卷第11期, 第10-13页。

Cleveland, H. W. S., (1945), "明尼阿波利斯市公园与公园路系统建议", 载于《明尼阿波利斯公园系统 1883-1944》, 明尼阿波利斯, Theodore Wirth。

Desfor, Gene, (1990), 《城市滨水工业: 规划与发展——2世纪研讨会报告绿色企业》, 多伦多, 加拿大供应与服务部。

Dickinson, Robert E., (1961), 《西欧城市: 一种地理学解释》, 伦敦, Routledge & Kegan Paul Limited。

马尼托巴大学建筑学院, (1985), (城市设计工作室 1984' 85: 堡垒红)。

Gardiner, J.L., Edwards, P.J. and Ball, J.H., (1993), "Urban Waterside: Context and Sustainability", in White, K. N. et al ed., *Urban Waterside Regeneration: Problems and Prospects*, New York, Ellis Horwood.

Gehl, Jan, (1987), *Life between Buildings*, New York, Van Nostrand Reinhold Company.

Heckscher, August, (1977), *Open Spaces: the Life of American Cities*, Harper & Row Publishers.

Hough, Michael and Barrett, Suzanne. (1987), *People and City Landscapes*, Toronto, Conservation Council of Ontario.

Jacobs, Jane, (1961), *The Death and Life of Great American Cities*, New York, Random House.

Jones, Bernie, (1990), *Neighborhood Planning: A Guide for Citizens and Planners*, Washington D. C., APA Planners Press.

Kostof, Spiro, (1992), *The City Assembled: the Elements of Urban Form Through History*, London, Thames and Hudson.

Kotval, Zenia & Mullin, John R., (2001), "Waterfront Planning as a Strategic Incentive to Downtown Enhancement and Livability", in Burayidi, Michael, ed., *Downtowns: Revitalizing the Centers of Small Urban Communities*, New York, Routledge.

Lang, Jon, (1994), *Urban Design: The American Experience*, New York, Van Nostrand Reinhold.

Lehmann, Richard A., and Wood, Donald F., (1966), "Waterfront Renewal: What Recent Events and Trends Portend for the Nation's Urban Water Frontage", in *The Journal of Housing*, November, Vol. 23, No.10, page 590-592.

London, Mark, (1976), "Urban Waterfront Planning", in *Canadian Institute of Planner Forum*, May 1976, Canadian Institute of Planner, Ottawa, page 3-7.

Lynch, Kevin, (1960), *The Image of the City*, Cambridge, Massachusetts, MIT Press.

Lynch, Kevin, (1981), *A Theory of Good City Form*, Cambridge, Massachusetts, MIT Press.

Marcus, Clare Cooper & Francis, Carolyn, ed., (1990), *People Places: Design Guidelines for Urban Open Space*, New York, Van Nostrand Reinhold.

Marshall, Richard, ed. (2001), *Waterfront in Post-Industrial Cities*, London, Spon Press.

Gardiner, J.L., Edwards, P.J. and Ball, J.H., (1993), "城市滨水区：背景与可持续性", 收录于 White, K. N. 等主编, 《城市滨水区再生：问题与前景》, 纽约, Ellis Horwood.

Gehl, Jan, (1987), 《建筑之间的生活》, New York, Van Nostrand Reinhold Company.

Heckscher, August, (1977), 《开放空间：美国城市的生活》, Harper & Row Publishers.

Hough, Michael and Barrett, Suzanne. (1987), 《人与城市景观》, Toronto, Conservation Council of Ontario.

Jacobs, Jane, (1961), 《美国大城市的死与生》, New York, Random House.

Jones, Bernie, (1990), 《邻里规划：市民与规划师指南》, Washington D. C., APA Planners Press.

Kostof, Spiro, (1992), 《城市组合：历史中的城市形态要素》, London, Thames and Hudson.

Kotval, Zenia & Mullin, John R., (2001), "滨水区规划作为市中心提升和宜居性的战略激励", 载于Burayidi, Michael编, 《市中心：振兴小城市社区的中心》, 纽约, Routledge出版社。

Lang, Ion, (1994), 《城市设计：美国经验》, 纽约, Van Nostrand Reinhold出版社。

Lehmann, Richard 4., 和 Wood, Donald F., (1966), "滨水区更新：近期事件和趋势对国家城市滨水区的前景预示", 载于《住房杂志》, 11月, 第23卷, 第10期, 第590-592页。

London, Mark, (1976), "城市滨水区规划", 载于《加拿大规划师论坛》, 1976年5月, 加拿大规划师学会, 渥太华, 第3-7页。

Lynch, Kevin, (1960), 《城市意象》, 马萨诸塞州剑桥, 麻省理工学院出版社。

Lynch, Kevin, (1981), 《良好城市形态的理论》, 马萨诸塞州剑桥, MIT出版社。

Marcus, Clare Cooper & Francis, Carolyn, 编, (1990), 《人文场所：城市开放空间设计指南》, 纽约, Van Nostrand Reinhold.

Marshall, Richard, 编. (2001), *Waterfront in Post-Industrial Cities*, 伦敦, Spon Press.

Martin, Thomas J. et al., (1978), *Adaptive Use*, Washington D.C., ULI- the Urban Land Institute.

McQuade, Walter, (1961), "The Suffering Shore Line", in *Architectural Forum*, 1961 June, Vol 114, No. 6, page88-93.

Mintzberg, Henry, (1994), *The Rise and Fall of Strategic Planning*, Toronto, Free Press.

Mumford, Lewis, (1961), *The City in History: Its Origins, Its Transformations, and Its Prospects*, New York, Harcourt Brace Jovanovich.

Nelessen, Anton Clarence, (1994), *Visions for a New American Dream: Process, Principles, and an Ordinance to Plan and Design Small Communities*, Washington, D.C. APA Planners Press.

O'Brien, David, (2001), "The Beast is Coming Down", in *Winnipeg Free Press*, December 5, 2001, page A1.

Planning Department, (1991), *Heritage Conservation – Regulatory Overview*, City of Winnipeg.

Punter, John, (1999), *Design guidelines in American Cities: A Review of Design Policies and Guidance in Five West Coast Cities*, Liverpool, Liverpool University Press.

Shirvani, Hamid, (1985), *Urban Design Process*, New York, Van Nostrand Reinhold Company Inc.

The Exchange Partnership & the Exchange Community, (1996), *The Exchange District Strategic Action Plan*, Winnipeg, Exchange District Business Improvement Zone.

The President's Council on Recreation and Natural Beauty, (1968), *From Sea to Shining Sea: a Report on the American Environment – Our Natural Heritage*, Washington D.C.

Thibert Event & Associated Management (TEAM), (2001), *Waterfront Drive Open House: Tabulation and Analysis of Public Input*.

Trancik, Roger, (1986), *Finding Lost Space: Theories of Urban Design*, New York, Van Nostrand Reinhold.

Wagner, Robert F., (1980), "New York City Waterfront: Changing Land Use and Prospects for Redevelopment", in Committee on Urban Waterfront Lands ed., *Urban Waterfront Lands*, Washington D. C., National Academy of Sciences.

Wrenn, Douglas M., (1983), *Urban Waterfront Development*, Washington, D.C., ULI-the Urban Land Institute.

Martin, Thomas J. 等. (1978), *Adaptive Use*, 华盛顿特区, ULI-城市土地学会.

McQuade, Walter, (1961), "受难的海岸线", 载于《建筑论坛》1966月, 第114卷, 第6期, 第88-93页。

Mintzberg, Henry, (1994), 《战略规划的兴衰》, 多伦多, Free Press出版社。

Mumford, Lewis, (1961), 《城市发展史: 起源、演变与前景》, 纽约, Harcourt Brace Jovanovich出版社。

Nelessen, Anton Clarence, (1994), 《新美国梦的愿景: 规划与设计小型社区的流程、原则及条例》, 华盛顿特区, APA规划出版社。

O'Brien, David, (2001), "野兽即将倒下", 载于《温尼伯自由报》, 2001年12月5日, 第41页。

规划局, (1991), 《遗产保护——监管概述》, 温尼伯市。

庞特, 约翰, (1999), 《美国城市设计导则: 对五个西海岸城市设计政策与指引的评述》, 利物浦, 利物浦大学出版社。

希尔瓦尼, 哈米德, (1985), 《城市设计过程》, 纽约, 范诺斯特兰德·莱因霍尔德公司。

交易所伙伴关系与交易所社区, (1996), 《交易所区战略行动计划》, 温尼伯, 交易所区商业改善区。

总统休闲与自然美景委员会, (1968), 《从大海到闪耀之海: 美国环境报告——我们的自然遗产》, 华盛顿特区。

蒂伯特活动及相关管理 (TEAM), (2001), 《滨水大道开放日: 公众意见统计与分析》。

特兰西克, 罗杰, (1986), 《寻找失落空间: 城市设计理论》, 纽约, 范诺斯特兰德·莱因霍尔德。

Wagner, Robert F., (1930), "纽约市 waterfront: 土地利用变化与重建前景", 载于 Committee on Urban Waterfront Lands 编, 《Urban Waterfront Lands》, 华盛顿特区, National Academy of Sciences.

Wrenn, Douglas M., (1983), 《城市滨水区开发》, 华盛顿特区, ULI-城市土地研究所。

Websites:

Current public transit in the Alexander Waterfront District:
<http://www.winnipegtransit.com> November 2, 2001.

Historic buildings in the Alexander Waterfront District:
<http://www.city.winnipeg.mb.ca/ppd/historic/dreamweaver/municipal.htm>, November 17, 2001.

The history of the Scots monument:
<http://www.geocities.com/Heartland/Village/1479/historic.html> December 29, 2001.
<http://www.city.winnipeg.mb.ca/interhom/sightsnsound/historicsites.htm#salvationarmy>,
December 29, 2001.

Waterfront Drive development:
http://www.prairiepublic.org/features/riverwatch/news/winnipeg_press/01-18_01.html
December 29, 2001.

Winnipeg French Quarter:
<http://www.frenchquarterbiz.com> November 2, 2001.

Winnipeg neighborhood profiles, 1996 census data:
<http://www.city.winnipeg.mb.ca/Census1996/pages/danielmcintyre.htm> November 20, 2001.

Winnipeg Riverbank Development Program:
<http://www.wda.mb.ca/news/990812.html> December 29, 2001.

网站:

亚历山大滨水区当前的公共交通:
<http://www.winnipegtransit.com> 2001年11月2日。

亚历山大滨水区的历史建筑:
11月17日
2001年。

苏格兰纪念碑的历史:
'.llwww. http: ca/inte
2001年12月29日。
2001年12月29日。
csites。

滨水大道开发: nverwa
2001年12月29日。
1- t
8

温尼伯法语区:
<http://www.frenchquarterbiz.com> 2001年11月2日

温尼伯社区概况, 1996年人口普查数据: ://
www.citv. winnipee.mb. calÇçnsusl
2001年。
11月20日,

温尼伯河岸开发计划: [http://](http://www.wda.mb.ca/news/9908/2.html)
www.wda.mb.ca/news/9908/2.html, 2001年12月29日

Appendix A:
Designated historic buildings located in the Alexander Waterfront District

1. Municipal designated historic buildings on the Buildings Conservation List located in the Alexander Waterfront District:

Address	Name	Grade ⁷⁰	Date listed
184 Alexander Avenue	Ukrainian Cultural Center	III	April 21, 1980
115 Bannatyne Avenue	Donald H. Bain Building	II	June 16, 1980
123 Bannatyne Avenue	Marshall Wells Building	II	Nov. 14, 1983
137 Bannatyne Avenue	Swiss Building	III	Dec. 8, 1986
141 Bannatyne Avenue	MacKenzie Block	III	Jan. 15, 1993
167 Bannatyne Avenue	Ashdown’s Warehouse	II	Sept. 16, 1985
168 Bannatyne Avenue	Chatfield Distributors (Franklin Press Building)	III	Nov. 14, 1983
181 Bannatyne Avenue	Kilgour Block	III	Jan. 4, 2000
185 Bannatyne Avenue	McClary Building	III	Oct. 1, 1987
109 James Avenue	James Avenue Pumping Station	II	Nov. 15, 1982
167 Lombard Avenue	Grain Exchange Building	II	Oct. 1, 1992
191 Lombard Avenue	Union Tower Building	II	Sept. 12, 1983
389 Main Street	Bank of Commerce	I	Nov. 7, 1979
441 Main Street	Imperial Bank of Canada	II	Oct. 28, 1997
112-114Market Avenue	Great West Saddlery Warehouse	III	May 14, 1990
113 Market Avenue	Great West Saddlery Building	II	Nov. 18, 1985
136 Market Avenue	Marshall-Wells Building	III	May 11, 1987
165 McDermot Avenue	Galpern (Porter) Building	III	June 24, 1985
171 McDermot Avenue	Dawson Richardson Building	III	July 15, 1985

⁷⁰ The Buildings Conservation List includes structures that have been declared historic by the City of Winnipeg based on recommendations by the Historical Buildings Committee. Listed structures are classified by a grade system with Grade I buildings representing outstanding examples of architectural and historical merit, Grade II buildings representing the majority of the city’s building stock, and Grade III buildings represent moderately significant heritage examples.

附录A：亚历山大滨水区指定历史建筑

1. 位于亚历山大滨水区的市政指定历史建筑名录中的建筑：

地址	名称	等级 ⁷⁰	列入日期
184亚历山大大道	乌克兰文化中心	III	1980年4月21日
115 Bannatyne Avenue	Donald H. Bain 大楼	II	1980年6月16日
123 Bannatyne Avenue	马歇尔·威尔斯大厦	II	1983年11月14日
巴纳廷大道137号	瑞士大厦	III	1986年12月8日
巴纳廷大道141号	麦克诺特街区	III	1993年1月5日
班纳坦大道167号	阿什唐仓库	II	1985年9月16日
班纳坦大道168号	Chatfield分销商 (富兰克林出版社大楼)	III	1983年11月14日
班纳廷大道181号	基尔戈街区	III	2000年1月4日
185 巴纳廷大道	麦克拉里大楼	III	1987年10月1日
109 詹姆斯大道	詹姆斯大道泵站	II	1982年11月15日
167 隆巴德大道	谷物交易所大楼	II	1992年10月1日
191 隆巴德大道	联合大厦	II	1983年9月12日
389 Main Street	商业银行	I	1979年11月7日
441 Main Street	加拿大帝国银行	II	1997年10月28日 ⁷
112-114市场大道	大西马具仓库	III	1990年5月14日
113市场大道	大西马具大楼	II	1985年11月18日
136 市场大道	马歇尔·威尔斯大厦	III	1987年5月11日
165 麦克德莫特大道	加尔佩恩（波特）大厦	III	1985年6月24日
171 McDermot Avenue	道森·理查森大楼	III	1985年7月15日

“建筑保护清单”包括那些由温尼伯市根据历史建筑委员会建议宣布为历史建筑的建筑物。所列建筑按等级制度分类，一级建筑代表具有杰出建筑和历史价值的典范，二级建筑代表该市大部分建筑存量，三级建筑代表具有中度重要性的遗产典范。

173 McDermot Avenue	Grange Building	III	July 15, 1985
175 McDermot Avenue	Toronto Type Foundry Building	III	Aug. 29, 1988
177 McDermot Avenue	T.W. Taylor Building	III	July 15, 1985
179 McDermot Avenue	W.F. Alloway Building	III	June 24, 1985
65 Rorie Street	Northern Electric Building	III	April 1, 1985

2. Municipal designated historic buildings in the Historical Buildings Inventory located in the Alexander Waterfront District:

Building address	Building name	Approximate date of construction
90-92 Alexander Avenue	W.J. Guest Fish Co. Ltd. (cold storage warehouse)	1905
95 Alexander Avenue	T. Eaton Co. Warehouse (also 130 Galt Ave.)	1927
146 Alexander Avenue	Not available	1906
15 Amy Street	Hydro Steam Plant	1923
179 Bannatyne Avenue	Not available	1902
181 Bannatyne Avenue	Not available	1904
110 James Avenue	Ryan Brothers Building	1910
128 James Avenue	Warehouse	Not available
130 James Avenue	Victor Fox Foods	1910
132-134 James Avenue	Victor Fox Foods	1911
45 Lily Street	Not available	1893
93 Lombard Avenue	Lombard Building	1906
111 Lombard Avenue	Not available	1903
185 Lombard Avenue	Not available	1900
423 Main Street	Canadian Wheat Board	1928
133 Market Avenue	Warehouse	Not available
139 Market Avenue	Steele Briggs Building	Not available
145 Market Avenue	Stanley Brock Building	Not available
145 McDermot Avenue	Customs Examining Warehouse	1908

173 麦克德莫特大道	谷仓大楼	III	1985年7月15日
175 麦克德莫特大道	多伦多字模铸造厂大楼	III	1988年8月29日
177 麦克德莫特大道	T.W.泰勒大楼	III	1985年7月15日
179 麦克德莫特大道	W.F.阿洛韦大楼	III	1985年6月24日
65 Rorie Street	北方电气大楼	III	1985年4月1日

2. 位于亚历山大滨水区的历史建筑名录中由市政府指定的历史建筑:

建筑地址	建筑名称	大致日期建造
90-92 Alexander Avenue	W.J. Guest Fish Co. Ltd. (冷库仓库)	1905
95 Alexander Avenue	T. Eaton Co. 仓库 (也位于130 Galt Ave.)	1927
146 亚历山大大道	不可用	1906
15 艾米街	冰力蒸汽厂	1923
179 班纳廷大道	不可用	1902
181 Bannatyne Avenue	不可用	1904
110 James Avenue	Ryan Brothers Building	1910
128 James Avenue	仓库	不可用
130 James Avenue	Victor Fox 食品公司	1910
132-134 James Avenue	Victor Fox 食品公司	1911
45 Lily Street	不可用	1893
93 Lombard Avenue	Lombard Building	1906
111 Lombard Avenue	不可用	1903
185 Lombard Avenue	不可用	1900
423 Main Street	加拿大小麦局	1928
133 Market Avenue	仓库	不可用
139 Market Avenue	Steele Briggs Building	不可用
145 Market Avenue	Stanley Brock Building	不可用
145 麦克德莫特大道	海关查验仓库	1908

3. Provincial designated historic buildings located in the Alexander Waterfront District:

Building address	Building name	Designation Date
177 Lombard Avenue	Former Great-West Life Building	Oct. 23, 1985

4. National designated historic buildings located in the Alexander Waterfront District:

Building address	Building name	Designation Date
180 Market Avenue	Pantages Playhouse Theatre	1985
395 Main Street	Bank of Hamilton	1980
455 Main Street	Confederation Building	1976

3. 省级指定历史建筑位于亚历山大滨水区：

建筑地址	建筑名称	指定日期
伦巴第大道177号	前Great-West Life大厦	1985年10月23日

4. 国家级指定历史建筑位于亚历山大滨水区：

建筑地址	建筑名称	指定日期
180市场大道	潘太及斯剧院	1985
395主街	汉密尔顿银行	1980
455主街	联邦大楼	1976

Appendix B:
Questionnaires for the Waterfront Drive Open House held in May 2001⁷¹

1. Do you feel that the proposed character of Waterfront Drive is consistent with the historic Exchange District?
2. Are you satisfied with the design and extent of the pathways that have been designed for the combined use of pedestrians, rollerbladers, wheelchairs, strollers and recreational bicyclists?
3. Are there any specific recreational activities or park amenities that you would prefer, that you would like to see designed for in the park?
4. What types of building uses would you prefer to see along the west side of Waterfront Drive?
5. What do you think would attract people to the waterfront on weekends and during the evening?
6. Do you feel that the project will have any environmental effects that have not been addressed through design or management of the Waterfront Drive project?
7. Please provide any additional comments that you think will make Waterfront Drive and park a success.

⁷¹ Source: Waterfront Drive Open House, May24, 2001.

附录B：2001年5月Waterfront Drive开放日问卷调查

1. 您认为拟议中的滨水大道特色是否与历史交易区一致？2. 您是否满意为行人、轮滑者、轮椅使用者、婴儿车和休闲自行车设计的通道？3. 您是否希望在公园中设计特定的娱乐活动或公园设施？4. 您希望在滨水大道西侧看到哪些类型的建筑用途？5. 您认为什么能吸引人们在周末和晚上来到滨水区？6. 您认为该项目是否会带来设计中或管理上尚未解决的环境影响？7. 请提供任何有助于滨水大道和公园成功的额外建议。

来源：Waterfront Drive开放日，2001年5月24日

Appendix C:
Interview questions for evaluation of previous and ongoing development projects regarding the Alexander Waterfront District

The following interview questions are to investigate key informants' insights and evaluations about the previous and ongoing development projects regarding the Alexander Waterfront District (hereinafter "the AWD"). Please feel free to raise any opinions you may have on these issues. Thanks a lot for your cooperation.

1. Since the developments of Centennial Concert Hall and Museum of Man and Nature in 1967, there have been a number of projects carried out in the AWD, ranging from cultural facilities developments such as Manitoba Theatre Centre, Children's Museum and MTC Warehouse Upgrading, to historic building conversion such as Ashdown Warehouse, from streetscaping improvement on Market Av. and Rorie St. to the construction of Stephen Juba Park. On the other hand, there are still many industrial facilities remaining and very little stable living population in the AWD. People are concerned about the safety of that area.

Question 1: What's your general feeling about these projects?

Question 2: Do you think the AWD has become more attractive to people at present compared to the time before these projects were done?

2. Currently there are very few residential uses and stable living population in the AWD.

Question 3: Do you prefer residential development in the AWD, such as residential reuse of historic building?

Question 4: If yes, what do you think would be incentives to attract people to live in the AWD?

Question 5: What kind of people do you think will live there?

3. The surrounding area of the AWD, such as North Main, has a high ratio of aboriginal and immigrant population, and is perceived as a low-income and deteriorated neighborhood. Meanwhile, the expansion of Ukrainian Cultural and Educational Center and development of Scottish Cultural Center have been proposed in the AWD.

Question 6: Do you think multi-culture could be a feature of the AWD?

Question 7: If yes, what effects do you think this will have on the revitalization of the District?

Question 8: Are there any barriers so far for multi-culturalism development of the District?

4. The Riverbank Development Program under the Winnipeg Development Agreement is intended to extend the parkway from the Forks to the Alexander Dock and further to North Point Douglas. This should be good for the revitalization of the AWD. Meanwhile, some people have expressed their concerns for safety in the public space.

Question 9: What do you think of this concern?

Question 10: How to make the riverfront parkway work best?

附录C：关于亚历山大滨水区既往及在建开发项目评估的访谈问题

以下访谈问题旨在调查关键信息提供者对亚历山大滨水区（以下简称“AWD”）过去和正在进行的发展项目的见解和评价。请随意提出您对这些问题的任何意见。非常感谢您的合作。

1. 自1967年百年音乐厅和人与自然博物馆开发以来，AWD中已实施多个项目，从文化设施开发（如马尼托巴剧院中心、儿童博物馆和MTC仓库升级）到历史建筑改造（如阿什当仓库），从市场大道和罗瑞街的街道景观改善到斯蒂芬·朱巴公园的建设。另一方面，AWD仍保留许多工业设施，稳定居住人口极少。人们对该区域的安全性表示担忧。问题一：您对这些项目总体感觉如何？问题2：您认为与这些项目实施前相比，当前AWD对人们更具吸引力吗？

2. 目前AWD中住宅用途和稳定居住人口极少。问题3：您是否倾向于在AWD进行住宅开发，例如历史建筑的住宅再利用？问题4：如果是，您认为吸引人们居住在AWD的激励因素是什么？问题5：您认为哪种人会居住在那里？

3. AWD周边区域（如北主街）原住民和移民比例较高，被视为低收入和衰败的社区。与此同时，乌克兰文化和教育中心的扩建以及苏格兰文化中心的开发已在AWD提出。问题6：您认为多元文化能否成为AWD的特色？问题T：如果是，您认为这对该地区的振兴有何影响？问题B：目前该地区多元文化发展是否存在障碍？

4. 根据温尼伯发展协议实施的河岸发展计划，旨在将公园大道从福克斯延伸至亚历山大码头，再至北点道格拉斯。这应有利于AWD的振兴。同时，一些人表达了对公共空间安全的担忧。

问题9：您对此担忧有何看法？

问题10：如何使滨河大道发挥最佳作用？

5. A recent survey during the Waterfront Drive Open House showed that many people favored this development. While some people were worried the traffic on the Waterfront Drive would be a barrier to access the waterfront, and some argued that it should be built after the commercial and residential development got underway.

Question 11: Are you satisfied with the development of Waterfront Drive?

Question 12: What do you think about these concerns?

Question 13: To what degree do you think Waterfront Drive will be conducive to the revitalization of the AWD?

6. The city has begun to demolish the Amy Street Steam Plant in December 2001.

Question 14: What kind of usage do you prefer for the site of the Amy Street Steam Plant after its demolition?

Question 15: Many people think about parking on the site, and some think about having a new park to commemorate Victoria Park. What's your opinion?

Question 16: What single thing concerns you most about the future of the Alexander Waterfront District?

5. 最近在滨河大道开放日期间进行的一项调查显示，许多人支持这一开发项目。虽然有些人担心滨河大道的交通会成为通往滨水区的障碍，也有人认为应该在商业和住宅开发启动后再建设。

问题11：您对Waterfront Drive的开发感到满意吗？问题12：您对这些担忧有何看法？问题13：您认为Waterfront Drive在多大程度上有助于AWD的振兴？

6. 市政府将于200年12月开始拆除Amy Street Steam Plant。问题14：您希望Amy Street Steam Plant拆除后的场地作何用途？问题15：许多人考虑在场地停车，也有人考虑建[个新公园以纪念Victoria Park。您怎么看？

问题I6：关于亚历山大滨水区的未来，哪一件事最让您担忧？

Appendix D:
Interview consent form

This study explores urban design issues regarding the Alexander Waterfront District in the City of Winnipeg. The information gained from this survey will be applied to the development of design framework for the study area. This study is conducted by Kangjian Luo, in partial fulfillment of the requirements of Master of City Planning from the University of Manitoba. This study is supervised by Dr. David van Vliet of the Department of City Planning, Faculty of Architecture, the University of Manitoba. The University's Ethics Review Board has reviewed this research for its ethical implications.

During this survey you will be asked to answer and explain questions regarding the Alexander Waterfront District. With your permission, the interview will be audiotaped, so that analyzing the material later will be undertaken with greater ease, efficiency and accuracy. Additionally, written notes will be taken to supplement the audiotaping. A transcript will be made from the audiotape. If at any time a portion of this interview makes you feel uncomfortable in any way, you may choose to have the tape recorder turned off for your response, you may choose not to answer the questions, or terminate the interview. Also, if you have any questions or concerns during the interview, please feel free to ask the interviewer at any time. Participation of this survey is completely voluntary and that subjects are free to withdraw from the study at any time, and/or refrain from answering any questions without prejudice or consequence.

Your identity will be kept confidential in the writing up of this research. This means that your name, your position, your organization's name, and any other information identifying you will not be included in the final report of this study. Where information occurs within an interview transcript that will be included in the final report. Names and other information that is confidential will be omitted. Interview notes and transcripts of audiotapes will be kept secure. These materials will be destroyed after completion of the project.

If you are interested in viewing the final report, it will be made available in October 2002. This research will be published as a practicum and archived in the Architecture and Fine Arts Library at the University of Manitoba, and the National Library of Canada. Copies will be made available also to interested agencies.

If you have any questions or concerns after this interview is completed, please feel free to contact Dr. David van Vliet at (204) 474-7176, or Kangjian Luo at (204) 474-7122.

Any complaints concerning the research and interview process may be reported to the University of Manitoba Human Ethics Secretariat at (204) 474-7122.

Thank you for your time and your participation in this interview. Your responses are valuable to this research project and greatly appreciated.

I, _____, give Kangjian Luo permission to use the information gathered during this interview under the conditions stated above for the purpose of the study for the Alexander Waterfront District in the City of Winnipeg.

Date _____
Respondent's Signature _____ Researcher's Signature _____

附录D：访谈同意书

本研究探讨温尼伯市亚历山大滨水区的城市设计问题。从本调查中获得的信息将应用于研究区域设计框架的制定。本研究由罗康健进行，部分满足马尼托巴大学城市规划硕士的要求。本研究由马尼托巴大学建筑学院城市规划系David van Vliet博士指导。大学伦理审查委员会已对本研究的伦理影响进行了审查。

在本次调查中，您将被要求回答并解释关于亚历山大滨水区的问题。经您许可，访谈将被录音，以便后续更轻松、高效、准确地分析材料。此外，还将做书面笔记以补充录音。录音将整理成文字记录。如果访谈中任何部分让您感到不适，您可以选择关闭录音机进行回答，选择不回答问题，或终止访谈。另外，如果在访谈过程中有任何问题或疑虑，请随时向访谈者提出。本次调查完全自愿参与，受试者可随时退出研究，和/或拒绝回答任何问题，无需承担任何不利后果。

在本研究的书面报告中，您的身份将予以保密。这意味着您的姓名、职位、组织名称以及任何其他识别信息不会包含在最终研究报告中。若访谈记录中出现将纳入最终报告的信息，涉及保密性的姓名及其他信息将被省略。访谈笔记和录音文字记录将妥善保管，这些材料将在项目完成后销毁。

如果您有兴趣查看最终报告，该报告将于2002年10月发布。本研究将以实习报告形式出版，并归档于曼尼托巴大学建筑与美术图书馆及加拿大国家图书馆。副本也将提供给感兴趣的机构。

如果本次访谈结束后您有任何问题或顾虑，请随时联系David van Vliet博士，电话：(204) 474-7176，或联系Kangjian Luo。

任何关于研究及访谈过程的投诉可向曼尼托巴大学人类伦理秘书处报告，联系电话：(204) 474-7122。


感谢您抽出时间参与本次访谈。您的回答对本研究项目非常宝贵，我们深表感激。

本人允许Kangjian Luo将上述信息用于温尼伯市的研究目的。

在此次访谈期间收集的，用于亚历山大滨水区研究条件下的数据


日期 _____
受访者签名 研究者签名

Appendix E:
Photographic survey of the Alexander Waterfront District⁷²




⁷² All the pictures, unless otherwise noted, were taken by the author.

附录E：亚历山大滨水区照片调查T2



除特别注明外，所有照片均由作者拍摄。



Picture 1: The Scots Monument, one of the historic and cultural resources in the AWD.



Picture 2: Sufficient greenery open space along the water's edge.





图1: 苏格兰纪念碑, 是AWD地区的历史文化资源之一。



图2: 水边有充足的绿色开放空间。



Picture 3: Industrial and warehouse uses are dominant along the waterfront in the ADW north.




图3: 工业和仓储用途在ADW北部的滨水区占主导地位。



Picture 4: Alexander Dock serves as one of the waterbus stops on the Red and Assiniboine River, connecting with other Downtown destinations.



Picture 5: The Ukrainian Cultural and Educational Center represents the multi-cultural feature in the AWD.




图4: 亚历山大码头是红河和阿西尼博因河上的水上巴士站点之一, 连接市中心其他目的地。



图5: 乌克兰文化与教育中心代表了AWD地区的多元文化特色。



Picture 6: Pantages Playhouse is one of the three national designated historical buildings located in the AWD.



Picture 7: The Manitoba Theater Center, one of a few cultural facilities concentrated in the AWD.



图6: 潘塔吉斯剧院是AWD中三座国家指定历史建筑之一。






图7: 马尼托巴剧院中心, 是AWD内集中分布的几个文化设施之一。



Picture 8: Streetscape in Rorie Street shows a compact urban form and personal street width-height ratio.



Picture 9: Waterfront Drive under construction, October 2001.




图8: 罗瑞街的街景展示了紧凑的城市形态和个人街道宽高比。





图9: 正在建设中的沃特弗兰克大道, 2001年10月。



Picture 10: Bars and restaurants in McDermot Avenue in the south portion of the AWD.



Picture 11: Key access point to the AWD from Portage/Main circle and downtown office district.



图10: AWD南段麦克德莫特大路上的酒吧和餐厅。




图11: 从波蒂奇/主环路及市中心办公区进入AWD的关键入口点。