

**MAKING CONNECTIONS:
DESIGN STRATEGY FOR THE ALEXANDER
WATERFRONT DISTRICT IN WINNIPEG**

By
Kangjian Luo

A practicum submitted to the Faculty of Graduate Studies of the University of
Manitoba in partial fulfillment of the requirement for the degree of
Master in City Planning

Committee members:
Dr. David van Vliet MCIP
Dr. Ian Wight MCIP
Mr. Stephen Cohlmeier MAA, OAA, FRAIC

Department of City Planning - Faculty of Architecture
University of Manitoba
September 2002 ©

**建立连接：
温尼伯亚历山大滨水区设计策略**

作者：
罗康建

本实习报告提交给曼尼托巴大学研究生院，部分满足城市规划硕士学位的要求

委员会成员：David van Vliet博士
MCIP Ian Wight博士 MCIP Stephen
Cohlmeier先生 MAA, OAA, FRAIC

曼尼托巴大学建筑学院城市规划系 2002年9月{cl-



National Library
of Canada

Acquisitions and
Bibliographic Services

395 Wellington Street
Ottawa ON K1A 0N4
Canada

Bibliothèque nationale
du Canada

Acquisitions et
services bibliographiques

395, rue Wellington
Ottawa ON K1A 0N4
Canada

Your file Votre référence

Our file Notre référence

The author has granted a non-exclusive licence allowing the National Library of Canada to reproduce, loan, distribute or sell copies of this thesis in microform, paper or electronic formats.

The author retains ownership of the copyright in this thesis. Neither the thesis nor substantial extracts from it may be printed or otherwise reproduced without the author's permission.

L'auteur a accordé une licence non exclusive permettant à la Bibliothèque nationale du Canada de reproduire, prêter, distribuer ou vendre des copies de cette thèse sous la forme de microfiche/film, de reproduction sur papier ou sur format électronique.

L'auteur conserve la propriété du droit d'auteur qui protège cette thèse. Ni la thèse ni des extraits substantiels de celle-ci ne doivent être imprimés ou autrement reproduits sans son autorisation.

0-612-76792-2

Canada

国家图书馆

加拿大国家图书馆

采购与书目服务

采购和书目服务 395号威灵顿街 渥太华 安大略省 K1A 0N4 加拿大

395 惠灵顿街, 渥太华,
安大略省 K1A 0N4, 加拿大

您的6个 您的élèmæ

Outño l,lareñlé;w

作者已授予非独占许可, 允许加拿大国家图书馆以微缩胶片、纸质或电子格式复制、出借、分发或出售本论文的副本。

作者保留本论文的版权所有权。未经作者许可, 不得印刷或以其他方式复制本论文或其中的实质性摘录。

作者已授予加拿大国家图书馆非独占许可, 允许以缩微胶片/胶片、纸质复制或电子格式复制、出借、分发或销售本论文的副本。

作者保留保护本论文的版权所有权。未经作者许可, 不得印刷或复制本论文或其重要摘录。

0-612-76792-2

加拿大

THE UNIVERSITY OF MANITOBA
FACULTY OF GRADUATE STUDIES

COPYRIGHT PERMISSION

MAKING CONNECTIONS: DESIGN STRATEGY FOR THE ALEXANDER WATERFRONT
DISTRICT IN WINNIPEG

BY

KANGJIAN LUO

A Thesis/Practicum submitted to the Faculty of Graduate Studies of The University of
Manitoba in partial fulfillment of the requirement of the degree
of

MASTER OF CITY PLANNING

KANGJIAN LUO © 2002

Permission has been granted to the Library of the University of Manitoba to lend or sell copies of
this thesis/practicum, to the National Library of Canada to microfilm this thesis and to lend or sell
copies of the film, and to University Microfilms Inc. to publish an abstract of this thesis/practicum.

This reproduction or copy of this thesis has been made available by authority of the copyright
owner solely for the purpose of private study and research, and may only be reproduced and
copied as permitted by copyright laws or with express written authorization from the copyright
owner.

曼尼托巴大学
研究生院版权许可

建立联系：温尼伯亚历山大滨水区设计策略

罗康建

向曼尼托巴大学研究生院提交的论文/实践报告，部分满足
硕士学位要求

城市规划硕士

罗康建 @ 2002

已授予曼尼托巴大学图书馆出借或出售本论文/实习报告副本、加拿大国家图书馆缩微本论文并出借
或出售缩微胶片副本、以及大学微缩胶片公司出版本论文/实习报告摘要的许可。

本论文的复制件或副本已由版权所有者授权，仅供私人学习和研究之用，且仅可根据版权法或版权所有者明
确的书面授权进行复制和复印。

ACKNOWLEDGEMENTS

I especially thank my committee, Dr. David van Vliet (advisor), Dr. Ian Wight, and Mr. Stephen Cohlmeier for their continuous perceptive comments, criticism and guidance throughout the course of the study.

I must also express my sincere appreciation to the informants who participated in the survey for this project. Their comments and the time they spent with me were invaluable to the study.

A hearty thanks also goes to my family for their understanding and support.

致谢

我特别感谢我的委员会成员 David van Vliet博士（导师）、Ian Wight博士和 Stephen Cohlmeier先生，在整个研究过程中他们持续提供了富有洞察力的评论、批评和指导。

我还要衷心感谢参与本项目调查的受访者。他们的评论及与我共度的时间对本研究至关重要。

衷心感谢我的家人给予的理解和支持。

ABSTRACT

The study is centered on pursuing a design strategy which might provide guidance on how to revitalize the Alexander Waterfront District in Central Winnipeg. The strategy develops connections with the adjacent downtown areas in the aspects of establishing contextual fit, improving public access, enhancing visual connections, encouraging diverse public uses for different users and 24-hour uses, and increasing public safety in the area. It aims to contribute to Winnipeg's Downtown revitalization by improving the current isolated situation of the Alexander Waterfront District, and to shape the Alexander Waterfront District to be attractive for more people to live, work and be entertained there.

The study is based on a literature review of relevant design principles and precedents, site inventory and analysis of the Alexander Waterfront District, as well as interviews with the key informants. The design strategy provided reflects the common elements of the informants' concerns, and are neither too general nor too specific to allow enough room for any specific design interventions to take place within its framework, thus to ensure a long-term consistency and coherence to the development in the Alexander Waterfront District.

摘要

本研究旨在探索一种设计策略，为温尼伯市中心亚历山大滨水区的复兴提供指导。该策略通过建立文脉契合、改善公共通道、增强视觉联系、鼓励针对不同用户的多样化公共用途和24小时使用、以及提升该区域的公共安全等方面，与邻近市中心区域建立联系。其目标是通过改善亚历山大滨水区当前孤立的状况，为温尼伯市中心的振兴做出贡献，并将亚历山大滨水区塑造为更具吸引力、适合更多人在此居住、工作和娱乐的场所。

本研究基于相关设计原则和先例的文献综述、亚历山大滨水区的场地盘点与分析，以及对关键知情人的访谈。所提供的设计策略反映了受访者关切的共同要素，既不过于笼统也不过于具体，从而在其框架内为任何具体的设计干预留出足够空间，以确保亚历山大滨水区开发的长期一致性和连贯性。

TABLE OF CONTENTS	
ACKNOWLEDGMENTS	i
ABSTRACT	ii
TABLE OF CONTENTS	iii
LIST OF FIGURES	v
LIST OF TABLES	vi
Chapter One: Introduction	
1.1 Introduction	1
1.2 Research Problem and Objectives	4
1.3 Research Strategy	5
1.3.1 Research Questions	5
1.3.2 Research Tactics	5
1.3.3 Research Process	7
1.4 Study Limitations	8
1.5 Organization of Document	8
Chapter Two: Urban Waterfront Planning and Design	
2.1 Role of Urban Waterfront in City Development	10
2.2 Recent Urban Waterfront Redevelopment in North America	14
2.3 Making Waterfront Connections: Design Principles and Precedents	18
2.3.1 Contextual Fit	18
2.3.2 Public Access	23
2.3.3 Visual Connections	27
2.3.4 Diverse Public Uses	29
2.3.5 Public Safety	32
2.4 Summary	34
Chapter Three: The Alexander Waterfront District	
3.1 Historic Perspective	36
3.2 Physical Characteristics	39
3.2.1 The Urban Context	39
3.2.2 Current Land Uses and Ownership	43
3.2.3 Circulation	48
3.2.4 Heritage Features	49
3.2.5 General Image and Visual Analysis	52
3.2.6 Summary	55
3.3 Demographic Condition	55
3.3.1 Demographic Condition in the Main Street North	55
3.3.2 Demographic Condition in the Old Financial District	56
3.3.3 Summary	57
Chapter Four: Evaluation of Previous and Ongoing Development Projects regarding the Alexander Waterfront District	
4.1 Background	59
4.1.1 Previous and Ongoing Development Initiatives	59
4.1.2 Recent Public Survey related to the Alexander Waterfront District	64
4.2 Evaluation of Previous and Ongoing Development Projects	66

目录	
致谢 摘要 目录 图列表	liiii V vi
表列表	
第一章：引言	
1.1 引言 1.2 研究问题与目标 1.3 研究策略 1.3.1 研究问题 1.3.2 研究策略 1.3.3 研究过程 1.4 研究局限性 1.5 文档结构	1 4 5 5 5 7 8
第二章：城市滨水区规划与设计	
2.1 城市滨水区在城市发展中的作用 2.2 北美近期城市滨水再开发 2.3 构建滨水联系：设计原则与先例 2.3.1 文脉契合 2.3.2 公共通道 2.3.3 视觉连接 2.3.4 多样化公共用途 2.3.5 公共安全 2.4 总结	1 4 5 5 5 7 8
第三章：亚历山大滨水区	
3.1 历史视角 3.2 物理特征 3.2.1 城市语境 3.2.2 当前土地利用与所有权 3.2.3 交通流线 3.2.4 遗产特征 3.2.5 总体形象与视觉分析 3.2.6 总结	36 39 39 43 48 49 52 55
3.3 人口状况 3.3.1 主区北部人口状况 3.3.2 旧金融区人口状况 3.3.3 总结	55 55 56 57
第四章：亚历山大滨水区既往及当前开发项目评估	
4.1 背景 4.1.1 既往及当前开发倡议 4.1.2 近期公众调查与亚历山大滨水区相关 4.2 既往及当前开发项目评估	59 59 64 66

4.2.1 Research Method and Preparation	66
4.2.2 Interview Responses from Key Informants	67
4.3 Summary	73
Chapter Five: A SWOT Analysis of the Alexander Waterfront District	
5.1 District Strengths and Weaknesses, and Input from the Informants	74
5.2 District Opportunities and Threats, and Input from the Informants	76
5.3 Summary	78
Chapter Six: Design Strategy for the Alexander Waterfront District	
6.1 Development Goals and Design Strategy Structure	79
6.2 Design Principles	82
6.3 Design Concept Framework	83
6.3.1 Built Setting	84
6.3.2 Open Space	85
6.3.3 Circulation	85
6.4 Supportive Recommendations for Design Concept	89
6.4 Summary	95
Chapter Seven: Suggestions for Further Research	
7.1 Feedback from the Informants regarding the Design Strategy	96
7.2 Recent Ideas Competition for the Waterfront in Downtown Winnipeg	98
7.3 Further Research on Urban Waterfront Planning and Design	99
7.4 Conclusion	101
Bibliography	103
Appendix A: Designated Historic Buildings Located in the Alexander Waterfront District	107
Appendix B: Questionnaires for the Waterfront Drive Open House Held in May 2001	110
Appendix C: Interview Questions for Evaluation of Previous and Ongoing Development Projects regarding the Alexander Waterfront District	111
Appendix D: Interview Consent Form	113
Appendix E: Photographic survey of the Alexander Waterfront District	114

4.2.1 研究方法与准备 4.2.2 关键知情人的访谈回应 4.3 总结	66 67 73
第五章：亚历山大滨水区SWOT分析	
5.1 区域优势与劣势及受访者输入 5.2 区域机遇与威胁及受访者输入 5.3 总结	74 76 78
第六章：亚历山大滨水区设计策略	
6.1 发展目标与设计策略 6.2 设计原则 6.3 设计概念框架 6.3.1 建成环境 6.3.2 开放空间 6.3.3 交通流线 6.4 设计概念支持性建议 6.4 总结	79 82 83 84 85 85 89 95
第七章：进一步研究建议	
7.1 设计策略于滨水区规划策略的反馈 7.2 滨水区创意竞赛 7.3 城市滨水区规划与设计的进一步研究 7.4 结论	96 98 99 10i
参考文献	
附录A：位于亚历山大滨水区的指定历史建筑 附录B：五月举行的滨水大道开放日问卷 2001附录C：针对亚历山大滨水区既往及当前开发项目评估的评价问题 附录D：访谈同意书 附录E：亚历山大滨水区摄影调查	r 07 11 0 111 11 3 r1 4

LIST OF FIGURES

图列表

Figure 1. Map of Uppsala in Malardale of Central Sweden 1

Figure 2. Flowchart of research process 7

Figure 3. Cincinnati riverfront in 1960s 12

Figure 4. Outdoor parking along Pittsburgh waterfront 13

Figure 5. Response to climatic variations in the design of Toronto Harbourfront 21

Figure 6. Visual corridors extending from inland to water in New York City 28

Figure 7. Boundaries of the Alexander Waterfront District 37

Figure 8. Historic Development of Winnipeg 38

Figure 9. The Alexander Waterfront District surrounding areas 40

Figure 10. Market Square in the Exchange District 42

Figure 11. Winnipeg Chinatown 42

Figure 12. Winnipeg French Quarter 43

Figure 13. Current land use in the Alexander Waterfront District 46

Figure 14. Current public landownership in the Alexander Waterfront District 47

Figure 15. Current public transit in the Alexander Waterfront District 48

Figure 16. Historic buildings and heritage sites in the Alexander Waterfront District 53

Figure 17. General image and visual features of the Alexander Waterfront District 54

Figure 18. Neighborhood boundary for demographic census 55

Figure 19. Previous and ongoing development projects in the Alexander Waterfront District 60

Figure 20. Waterfront Drive under construction 63

Figure 21. Design strategy structure chart 80

Figure 22. Development goals translated into design principles 81

Figure 23. Concept diagram of built setting 86

Figure 24. Concept diagram of open space 87

Figure 25. Concept diagram of circulation 88

Figure 26. Map of floor area bonus distribution model 90

图1. 瑞典中部梅拉尔代勒乌普萨拉地图 图2. 研究过程流程图 图3. 1960年代辛辛那提滨河区

图4. 匹兹堡滨水区沿路露天停车场 图5. 多伦多港区设计对气候变化的应对 图6. 纽约市从内陆延伸至水域的视觉廊道 图7. 亚历山大滨水区边界 图8. 温尼伯历史发展 图9. 亚历山大滨水区周边区域

图10. 交易区市场广场 图11. 温尼伯唐人街 图12. 温尼伯法式区 图13. 亚历山大滨水区当前土地利用 图14. 亚历山大滨水区当前公共土地所有权 图15. 亚历山大滨水区当前公共交通 图16. 亚历山大滨水区历史建筑与遗产地 13 21 28 37 38 40 42 42 43 46 47 48 53 图17. 亚历山大滨水区总体形象与视觉特征 54 图18. 人口普查社区边界 图19. 亚历山大滨水区先前及正在进行的开发项目 55 60 图20. 建设中的滨水大道 图21. 设计策略结构图 图22. 转化为设计原则的发展目标 图23. 建成环境概念图 图24. 开放空间概念图 图25. 交通流线概念图 图26. 容积率奖励分配模型地图 63 80 81 86 87 88 90

LIST OF TABLES

Table 1: A comparison of the 1996 demographic situations in Main Street North and Old Financial District 58

Table 2: The Exchange District Strategic Action Plan goals and action strategies matrix 62

Table 3: Mixed-use infill design recommendation matrix (1) 91

Table 4: Mixed-use infill design recommendation matrix (2) 92

Table 5: Open space design recommendation matrix 93

Table 6: Main axial walkway and riverfront path design recommendation Checklist 94

表列表

表1: 1996年主区北部与旧金融区人口状况对比 表2: 交易区战略行动计划目标与行动策略矩阵 表3: 混合用途填充设计推荐矩阵 (1) 表4: 混合用途填充设计推荐矩阵 (2) 表5: 开放空间设计推荐矩阵 表6: 主轴线步道与滨河步道设计推荐 58 62 9T 92 93 检查表 94

Chapter One

Introduction

1.1 Introduction

Waterfront has played a special role in urban development. Many cities have developed along waterfronts, either along rivers or on the edge of lakes and seas. Easy access to water for agriculture, commerce, water transportation, as well as the considerations of defense were probably the main reasons for site selection of cities. The particularity of a city site and the way it meets the water give characteristics to the city form and potential for its future development. For example, the growth of the riverside towns¹, in Malardalen of Central Sweden, was aligned with the stream with a street parallel to the stream and narrow passageways leading down to the water. In such cases,




Fig.1: Map of Uppsala in Malardeu of Central Sweden
Source: Dickinson, Robert E., (1961), *The West European City: a Geographical Interpretation*, page19.

domestic life was centered on the stream. Aligning development with the water is a common response for most cities, and it is evident that most cities' downtowns or historic districts are usually adjacent to waterfront. A busy waterfront in the early days of a city underlines its role as a meeting place for people's day-to-day activities and public enjoyment. H. W. S.

¹ Dickinson, Robert E., (1961), *The West European City: a Geographical Interpretation*, London, Routledge & Kegan Paul Limited, page 18.

第一章

引言

1.1 引言

滨水区在城市发展中扮演着特殊角色。许多城市沿滨水区发展，或沿河流，或位于湖泊与海洋边缘。便于取水用于农业、商业、水运，以及防御考虑，可能是城市选址的主要原因。城市地点的特殊性及其与水域的接触方式，赋予了城市形态特征及其未来发展的潜力。例如，在瑞典中部的梅拉达伦地区，河滨城镇的发展与溪流平行，街道与溪流平行，狭窄通道通向水边。在这种情况下，




图1: 位于瑞典中部梅拉尔代勒的乌普萨拉地图 来源: Dickinson, Robert E., (1961), 《西欧城市: 地理解读》, 第19页。

家庭生活以河流为中心。让发展与水域保持一致是大多数城市的常见反馈，并且显然大多数城市的市中心或历史区域通常毗邻滨水区。城市早期繁忙的滨水区凸显了其作为人们日常活动和公共娱乐场所的作用。H. W. S.

¹ Dickinson, Robert E., (1961), 《西欧城市: 地理解读》, 伦敦, Routledge & Kegan Paul Limited出版社, 第18页。

Cleveland, the well-known park planner of Minneapolis said², “The river is the grand natural feature which gives character to your city.”

However, with the passage of time, the change of major transportation modes from water transportation to railway transportation in the 19th century expanded the geographic and commercial opportunities, and usually weakened cities’ reliance on water. On the other hand, when the railroad came in, moving along the waterfront, and taking over large areas of waterfront lands for tracks and secondary services, it compelled residents to flee the waterfront areas and made it more difficult to access on foot. The railroad running along the shoreline blighted waterfronts, which began cities’ shift away from waterfronts. Later in the mid-20th century, when highway and air transportation became the predominant transportation modes, along with technological development, especially the emergence of containerization, use of the railroad trackage declined, and the mills and factories along the waterfronts decayed. Many urban waterfronts have ceased to be working waterfronts. The nature and use of urban waterfronts have changed, leaving large tracts of abandoned waterfront property adjacent to urban centers. There are numerous examples in North American cities, such as waterfronts in Montreal, Toronto, Boston, and Cincinnati.

The Alexander Waterfront District (hereinafter “the AWD”) in Winnipeg, the selected study site for this practicum, is a case in point. It is located in Downtown Winnipeg, between the Exchange District, Chinatown, the Disraeli Freeway, and the Red River. It was originally a residential neighborhood; rapid growth in the early part of 20th century transformed the area into a commercial warehouse and industrial district, and the

² Cleveland, H. W. S., 1945, “Suggestions for a System of Parks and Parkways for the City of Minneapolis”, *Minneapolis Park System 1883-1944*, Minneapolis, Theodore Wirth.

Cleveland, Minneapolis著名的公园规划师曾说：“河流是赋予城市特色的宏伟自然特征。”

然而，随着时间的推移，19世纪主要交通方式从水运转变为铁路运输，扩大了地理和商业机会，通常削弱了城市对水的依赖。另一方面，当铁路进入时，沿着滨水区移动，并占用大片滨水土地用于轨道和辅助服务，迫使居民逃离滨水区域，使步行变得更加困难。沿着海岸线运行的铁路破坏了滨水区，导致城市开始远离滨水区。后来在20世纪中期，当公路和航空运输成为主要交通方式时，随着技术的发展，特别是集装箱化的出现，铁路轨道使用减少，滨水区的工厂和厂房逐渐衰败。许多城市滨水区已不再是功能性滨水区。城市滨水区的性质和使用发生了变化，留下了大片靠近城市中心的废弃滨水地产。在北美城市中有许多例子，如蒙特利尔、多伦多、波士顿和辛辛那提的滨水区。

亚历山大滨水区（以下简称“AWD”）位于温尼伯，是本实践项目选定的研究地点，正是一个典型案例。它位于温尼伯市中心，介于交易区、唐人街、迪斯雷利高速公路和红河之间。最初它是一个住宅区；20世纪初的快速增长将该地区转变为商业仓库和工业区，并且

² Cleveland, H. W. S., 1945, “为明尼阿波利斯市设计的公园与公园道系统建议”, 明尼阿波利斯公园系统 (1883-1944) , Minneapolis, Theodore Wirth.

waterfront lands were occupied with rail lines. In recent decades, the abandoned railroad and slower growth have resulted in the decline of the area. The area has become a neglected part of the city, on which the city has “turned its back”. It remains isolated from the rest of the city. Its generally poor physical image, combined with limited public access, produces perceptions of lack of safety of the AWD and surrounding areas, decreases its appeal for people to live, work and play there, and constrains its future development. More significantly, this in turn brings about negative impacts on the revitalization of the surrounding downtown areas.

Nevertheless, the values of urban waterfront, with its rich historic, cultural and natural resources, have been rediscovered. The effective reuse of waterfront sites buildings and other port facilities for recreational and cultural activities, and for commercial and residential uses, has occurred in North America cities, such as the Forks in Winnipeg, and Laclede’s Landing in St. Louis. Besides, many cities have discovered that waterfront areas can be unique assets in the revitalization of downtown districts. Toronto, Vancouver, Calgary, Baltimore, Boston and San Francisco are good examples that benefited from looking to the waterfront when planning improvements to a downtown district. Urban waterfronts display their unique characteristics and potentials to provide diversified opportunities for economic development and public enjoyment. Their redevelopment in many cities has been a viable revitalization tool for downtown districts.

The aim of this practicum is to develop a design strategy which can provide guidance on how to revitalize the Alexander Waterfront District and better reconnect it to adjacent downtown areas. The design strategy aims to contribute to Winnipeg’s

滨水土地被铁路线占用。近几十年来，废弃的铁路和较慢的增长导致该地区衰退。该地区已成为城市中被忽视的一部分，城市对其“置之不理”。它仍然与城市其他部分隔离。其普遍较差的物理形象，加上有限的公共通道，导致人们对AWD及周边地区缺乏安全感的认知，降低了其对人们生活、工作和娱乐的吸引力，并制约了其未来发展。更重要的是，这反过来对周边市中心区域的复兴产生了负面影响。

然而，城市滨水区凭借其丰富的历史、文化和自然资源，其价值已被重新发现。在北美城市，如温尼伯的福克斯和圣路易斯的拉克利德登陆地，滨水区场地、建筑及其他港口设施已有效再用于休闲娱乐活动以及商业和住宅用途。此外，许多城市发现滨水区域可以成为市中心区复兴的独特资产。多伦多、温哥华、卡尔加里、巴尔的摩、波士顿和旧金山都是很好的例子，它们在规划市中心区改善时从滨水区中受益。城市滨水区展现出其独特特征和潜力，为经济发展和公众愉悦感提供多样化机会。在许多城市，滨水区的再开发已成为市中心区可行的复兴工具。

本次实习的目标是制定一项设计策略，为如何振兴亚历山大滨水区并更好地将其与邻近市中心区域连接提供指导。该设计策略旨在通过改善AWD目前孤立的情况，为温尼伯市中心复兴做出贡献，并将AWD塑造成一个吸引更多人居住、工作和娱乐的地方。

Downtown revitalization by improving the current isolated situation of the AWD, and to shape the AWD to be attractive for more people to live, work and be entertained there. The study is informed by a literature review of relevant urban design principles and precedents, a site inventory of the study area, as well as interviews with key informants who may have views on this topic, or close connections to the AWD.

The findings from this study are anticipated to be shared with several agencies having interest in the AWD. These include City of Winnipeg Planning and Land Use Division, CenterVenture, Downtown BIZ, Exchange District BIZ, Chinatown Development Corporation, and North Main Partnership. Further, the study should be of assistance to communities elsewhere who are facing similar problems and struggling to find ways to improve these special areas.

1.2 Research Problem and Objectives

The Alexander Waterfront District currently remains isolated from the rest of the city. Its generally poor physical image, limited public access, and perception of lack of safety, decrease its appeal for people to live, work and play there, and constrain its future development. This problem situation in turn brings about negative impacts on the revitalization of the surrounding downtown areas.

The study has three objectives:

- To investigate and analyze relevant urban design theories and practice regarding waterfront redevelopment;
- To conduct empirical research of the study area and understand the situational context; and

该研究基于相关城市设计原则和先例的文献综述、研究区域的场地盘点，以及对可能对此话题有看法或与AWD有密切关系的关键知情人的访谈。

本研究的发现预计将与对亚历山大滨水区感兴趣的多个机构共享。这些机构包括温尼伯市规划与土地利用局、CenterVenture、Downtown Brz、Exchange District BIZ、唐人街开发公司和北主街伙伴关系。此外，该研究应有助于其他面临类似问题并努力寻找改善这些特殊区域方法的社区。

1.2 研究问题与目标

亚历山大滨水区目前仍与城市其他部分隔离。其普遍较差的物理形象、有限的公共通道以及缺乏安全感的认知，降低了人们在那里生活、工作和娱乐的吸引力，并制约了其未来发展。这一问题状况进而对周边市中心区域的复兴产生负面影响。

本研究有三个目标：

"调查并分析有关滨水区再开发的相关城市设计理论和实践；对研究区域进行实证研究并了解情境背景；以及

- To develop a design strategy for the study area, with an emphasis on making connections with Downtown Winnipeg, and the potential to stimulate revitalization.

1.3 Research Strategy

1.3.1 Research Questions

The research questions are:

- What urban design principles and examples are particularly applicable to the study area?
- What are the critical insights and perspectives of the local community regarding the study area?
- What are the historic context and the current physical situation of the study area?
- What are the strengths, weaknesses, opportunities and threats (SWOT) of the study area?
- What design concept framework and supportive design recommendations, informed by the preceding research results, could be developed for the study area?

1.3.2 Research Tactics

The research tactics include a literature review, interviews, and a cartographic and photographic survey.

(a) Literature Review

The literature review consists of three distinct but ultimately connected themes: 1. role of urban waterfront in city development, 2. recent urban waterfront redevelopment in North America, and 3. design principles and precedents for making waterfront

"为研究区域制定设计策略，重点强调与温尼伯市中心的连接，并激发复兴的潜力。

1.3 研究策略

1.3.1 研究问题

研究问题是：“哪些城市设计原则和示例特别适用于研究区域？”“当地社区对研究区域有哪些关键见解和观点？”“研究区域的历史背景和当前物理状况如何？”“研究区域的优势、劣势、机遇和威胁（SWOT）是什么？”“基于前期研究结果，可以为研究区域制定什么样的设计概念框架和支持性设计建议？”

1.3.2 研究策略

研究策略包括文献综述、访谈以及地图与摄影调查。

(a) 文献综述

文献综述由三个不同但最终相互关联的主题组成：1. 城市滨水区在城市发展中的作用，2. 北美近期城市滨水区再开发，3. 滨水区设计原则与先例

connections. The study of the relevant precedents from a variety of geographic locations in North America helps to identify and analyze the successful or unsuccessful precedents. Precedents study is focused on the five design principles identified and adopted in the ongoing literature review. The literature review provides a foundation to guide further research, and contributes to developing the design strategy for the Alexander Waterfront District.

(b) Interview Instrument

A semi-structured interview was administered with key informants having a good knowledge of the study area, or who have been or are involved in previous or ongoing development projects regarding the study area. They were asked to evaluate the effects of these previous and ongoing initiatives, and to provide insights about the situational SWOT analysis and suggestions for the proposed design strategy of the AWD.

The interview process was considered to be a way to broaden the source of information and give other perspectives in the planning and design for the study area, and is conducive to developing the design strategy and providing direction for future research. The data collected should merit reference by other interest groups or authorities in future work on the study area.

(c) Cartographic and Photographic Survey

This survey was conducted along with the site inventory, collecting the two/three-dimensional data of key visual elements, open space, land usage, etc. within the study area. Maps, diagrams, technical drawings and so forth were consulted in this survey. For the photographic survey, see Appendix E.

连接。通过研究北美不同地理位置的相关先例，有助于识别和分析成功或不成功的先例。先例研究侧重于文献综述中确定并采用的五项设计原则。文献综述为进一步研究奠定了基础，并有助于制定亚历山大滨水区的设计策略。

b) 访谈工具

本研究采用半结构化访谈，对象为对研究区域有深入了解的关键知情人，或曾参与/正在参与该区域相关开发项目的人员。他们被要求评估这些已有和正在进行的举措的效果，并就情境SWOR分析提供见解，同时为所提出的AW D设计策略提出建议。

访谈过程被视为拓宽信息来源、为研究区域的规划与设计提供其他视角的一种方式，有助于制定设计策略并为未来研究指明方向。所收集的数据应值得其他利益相关方或权威机构在未来研究该区域的工作中参考。

(c) 地图与摄影调查

本调查与场地盘点同时进行，收集了研究区域内关键视觉元素、开放空间、土地利用等的二维/三维数据。调查中参考了地图、图表、技术图纸等。摄影调查见附录E。

1.3.3 Research Process

The following flowchart shows the research process beginning with identifying the nature of the research problem and objectives. The research and survey, including a survey of the existing situation, a literature review and an evaluation of previous and on going initiatives regarding the AWD, is then carried out. Based on the preceding research, a situational SWOT analysis is conducted to identify the strengths, weaknesses, opportunities and threats of the AWD. The analysis provides a basis for the design concept framework. Relevant design recommendations to support the design concept framework are proposed. The feedback regarding the design concept framework and design recommendations is collected, and the direction for further research is then identified.




Fig.2: Flowchart of research process

1.3.3 研究过程

以下流程图展示了研究过程，从识别研究问题的性质与目标开始。接着进行研究和调查，包括现状调查、文献回顾以及对AWD相关先前和当前举措的评估。基于前述研究，进行情境SWOT分析以识别AWD的优势、劣势、机会与威胁。该分析为设计概念框架提供了基础。提出支持设计概念框架的相关设计建议。收集关于设计概念框架和设计建议的反馈，并确定进一步研究的方向。




图2：研究过程流程图

1.4 Study Limitations

The focus of this research and intervention is on the physical aspect. Waterfront connections could be made physically, but also historically, culturally, economically and psychologically. These perspectives are usually interrelated and interactive with each other, working collectively for the revitalization of both waterfront areas and downtown districts.

Examples of waterfront planning and design cited are geographically limited to North America, based on the assumption that they have more similar historic and urban context to the study area. The relatively small number of informants was limited to those familiar with the study area, as a result of time and resource constraints.

1.5 Organization of Document

The document is organized into seven chapters. Chapter One provides an introduction of the subject being discussed in the document. The general background of this topic, research problem and objectives are identified. The research questions, the research tactics employed, the research process and limitations of the study are addressed.

Chapter Two is primarily a literature review, which is divided into three sections. In the first section, the role of urban waterfront in city development is outlined, showing how close their connection has been since the early development of a city, and its evolution along with the changes of waterfront functions. In the second section, the focus is on urban waterfront redevelopment in North America since the 1960s. The third section reviews relevant design principles that would achieve waterfront connections, such as establishing contextual fit, improving public access, enhancing visual connections,

1.4 研究局限性

本研究及干预措施的焦点在于物理层面。滨水连接不仅可以是物理上的，也可以是历史、文化、经济和心理上的。这些视角通常是相互关联且互动的，共同促进滨水区域和市中心区的复兴。

引用的滨水区规划与设计案例在地理上仅限于北美，基于其与研究对象区域具有更相似的历史和城市语境的假设。由于时间和资源限制，受访者人数相对较少，仅限于熟悉研究区域的人。

1.5 文档结构

本文件分为七章。第一章介绍了文件中所讨论的主题，包括该主题的一般背景、研究问题与目标。研究问题、采用的研究策略、研究过程以及研究的局限性均在文中进行了阐述。

第二章主要是文献综述，分为三个部分。第一部分概述了城市滨水区在城市发展中的作用，展示了自城市早期发展以来它们之间的紧密联系，以及随着滨水功能变化的演变。第二部分聚焦于20世纪60年代以来北美的城市滨水区再开发。第三部分回顾了实现滨水连接的相关设计原则，例如建立文脉契合、改善公共通道、增强视觉连接、

encouraging diverse public uses, and increasing public safety. Related precedents are studied combined with theoretical review. This chapter forms the theoretical framework for the further study.

Chapter Three focuses on the study of the Alexander Waterfront District. The historic development of the Alexander Waterfront District is traced; its recent development trend and current physical characteristics is identified, followed by the investigation of its demographic condition.

Chapter Four is the evaluation of previous and ongoing development projects regarding the Alexander Waterfront District. A range of interview questions is designed, and a semi-structured interview is carried out with relevant informants to collect their insights in terms of the effects of the projects. The discussion in this chapter is supplementary to the preceding chapter to provide a whole situational picture of the Alexander Waterfront District, and both offer a solid base for the AWD analysis in the following chapter.

Chapter Five provides a situational context analysis based on the preceding research results, in terms of the strengths, weaknesses, opportunities and threats of the study area. Input from relevant informants in terms of the analysis is examined.

Chapter Six is the elaboration of the design strategy in which the design concept framework and relevant supportive design recommendations are set up for the study area to achieve waterfront connections.

Chapter Seven presents conclusions, providing the feedback from relevant informants regarding the design strategy, and suggests directions for further research on urban waterfront planning and design.

鼓励多样化公共用途以及提升公共安全。结合理论回顾研究相关先例。本章构成了后续研究的理论框架。

第三章聚焦于对亚历山大滨水区的研究。追溯了亚历山大滨水区的历史发展；识别了其近期发展趋势和当前物理特征，随后对其人口状况进行了调查。

第四章是对亚历山大滨水区既往及当前开发项目的评估。设计了一系列访谈问题，并与相关受访者进行了半结构化访谈，以收集他们对项目效果的意见。本章的讨论是对前一章的补充，以提供亚历山大滨水区的整体情境图景，两者都为下一章中的AWD分析奠定了坚实基础。

第五章基于前述研究成果，从研究区域的优势、劣势、机会与威胁方面进行了情境语境分析。审查了相关受访者对分析的意见。

第六章阐述了设计策略，其中为研究区域建立了设计概念框架及相关支持性设计建议，以实现滨水连接。

第七章总结结论，提供相关受访者关于设计策略的反馈，并提出城市滨水区规划与设计进一步研究的方向。

Chapter Two

Urban Waterfront Planning and Design

The literature review considers the relevant issues of urban waterfront in three themes. The first theme outlines the role of waterfront in city development, showing its close connection with the early development of a city, and its evolution along with the changes of waterfront functions. The second theme is urban waterfront redevelopment in North America since the 1960s. The third theme is a review of relevant design principles that would achieve waterfront connections, such as establishing contextual fit, improving public access, enhancing visual connections, encouraging diverse public uses, and increasing public safety. Related precedents are referred to, combined with theoretical review.

2.1 Role of Urban Waterfront in City Development

The term “urban waterfront” has a more inclusive meaning. It can mean the water’s edge in cities and towns of all sizes, from the port areas of large metropolitan regions on the coast to small resort towns with busy harbors. The water body may be a creek, canal, river, lake, bay, or ocean. Urban waterfront has played a crucial role in city development, which has evolved along with the changes in waterfront functions.

As we all know, most early human settlements were developed along water, either by a river or on the coast. This was not only because water was the foremost resource for farming and daily needs of inhabitants, moreover, it provided the only reliable and efficient means for transportation in ancient times, as the movement of materials,

第二章

{城市滨水区规划与设计

文献综述从三个主题探讨城市滨水区的相关问题。第一主题概述滨水区在城市发展中的作用，展示其与城市早期发展的紧密联系以及随滨水功能变化而演变的过程。第二主题是20世纪60年代以来北美的城市滨水再开发。第三主题回顾有助于实现滨水连接的相关设计原则，如建立文脉契合、改善公共通道、增强视觉联系、鼓励多样化公共用途以及提升公共安全。结合理论回顾，引用了相关先例。

2.1 城市滨水区在城市发展中的作用

术语“城市滨水区”具有更广泛的含义。它可以指各种规模城镇的水岸，从沿海大都市区域的港口地区到拥有繁忙港口的小型度假城镇。水体可能是小溪、运河、河流、湖泊、海湾或海洋。城市滨水区在城市发展中发挥了关键作用，其发展随滨水功能的变化而演变。

众所周知，大多数早期人类聚居地都是沿水发展的，要么靠近河流，要么位于海岸。这不仅因为水是农业和居民日常需求的首要资源，更因为在古代，水运提供了唯一可靠且高效的交通方式，因为物资、

products and people was primarily dependent on water transportation. Easy access to water transportation thus became an inevitably primary factor for the founding and development of a city. As Mumford pointed out, a waterway was a dynamic component of a city, "... without which it could not have continued to increase in size and scope and productivity: this is the first efficient means of mass transportation, the waterway." He further noted: "That the first growth of cities should have taken place in river valleys is no accident; and the rise of the city is contemporaneous with improvements in navigation, from the floating bundle of rushes or logs to the boat powered by oars and sails."³ As evidence of this, all four main ancient civilizations arose in great river valleys: the Yellow River, the Indus, the Euphrates and the Nile. Another illustration showing how waterways affected the birth of cities can be found in the town and city names in China and Europe, which commonly refer to the specific location of the city in relation to a river, such as Fen-hsi (Shansi Province) carrying the meaning of west of the Fen River, or is related to a river name, such as La Charite-sur-Loire, Alfeld-an-der-Leine, Frankfort-am-Raten, and Stratford-on-Avon.⁴

The early development of North America cities, taking the five early port cities established along the Atlantic coast for example, Boston, Newport, New York, Philadelphia and Baltimore, also clearly demonstrates the fundamental relationship between waterfront and urban development. Having a well-located and safe port was one of the common features of these five cities. This was crucial, with the port serving as the only linkage between Europe and America in the early colonial time. Because of this, the

产品和人员的流动主要依赖水运。因此，便捷的水运通道成为城市建立和发展的一个不可避免的首要因素。正如芒福德所指出的，水道是城市的一个动态组成部分，“……没有它，城市就无法继续扩大规模、范围和生产力：这是第一种高效的大规模运输方式，即水道。”他进一步指出：“第一批城市出现在河谷中绝非偶然；城市的兴起与航行技术的改进同步，从漂浮的芦苇束或原木到由桨和帆驱动的船只。”³ 作为证据，四大古代文明都发源于大河流域：黄河、印度河、幼发拉底河和尼罗河。另一个说明水道如何影响城市诞生的例子可以在中国和欧洲的城镇名称中找到，这些名称通常指城市相对于河流的特定位置，例如汾西（山西省）意为汾河以西，或者与河流名称相关，例如La Charite-sur-Loire、Alfeld-an-der-Leine、Frankfort-am-Raten和Stratford-on-Avon。⁴

北美城市的早期发展，以大西洋沿岸建立的五个早期港口城市为例——波士顿、纽波特、纽约、费城和巴尔的摩，也清楚展示了滨水区与城市发展之间的基本关系。拥有位置优越且安全的港口是这些城市的共同特征之一。这一点至关重要，因为在殖民早期，港口是连接欧洲和美洲的唯一纽带。因此，这些城市的

³ Mumford, Lewis, 1961, *The City in History: Its Origins, Its Transformations, and Its Prospects*, New York, Harcourt Brace Jovanovich, page 71.

⁴ Kostof, Spiro, 1992, *The City Assembled: the Elements of Urban Form Through History*, London, Thames and Hudson, page 39.

³ 芒福德，刘易斯，1961年，《历史上的城市：起源、转变与展望》，纽约，Harcourt Brace Jovanovich，第71页。
a 斯皮罗·科斯托夫，1992年，《城市集合：历史中的城市形态要素》，伦敦，Thames and Hudson，第39页。

waterfront of these cities was a focal point of city life. It was not only a marketplace for people gathering to do their day-to-day activities, receiving and distributing necessities, and packaging and loading outgoing cargo, but also a primary stage for social interaction, exchanging information and ideas. With the passage of time and settlers' migration westward, port cities, such as Pittsburgh, Cincinnati, St. Louis, Toronto, etc. began to emerge along inland waterways. The invention of the steamboat in the late 18th century enhanced the importance of waterways and further demonstrated the role of waterfronts in urban growth.

However, the role of waterfront in city development began to be weakened with the appearance of the railroad in the 19th century. This brought about a two-sided impact. On one hand, many cities expanded rail lines to the waterfront and strengthened the importance of the waterfront in transferring supplies. On the other hand, rail lines spread the geographic and commerce opportunities to those areas earlier unapproachable by waterways, thus weakening cities' reliance on water. Some cities such as Dallas and Denver, which were neither close to a coastline nor any major rivers, appeared. Meanwhile, the rail yards took over large areas of waterfront lands for trackage and secondary services, which transformed the waterfront area into an industrial hub. The




Fig. 3: Cincinnati riverfront in 1960s
Source: Renewal of Waterfront Areas, in *The Journal of Housing*, No5, 1964 June, page236.

typical scenario of a waterfront area then was characterized by rail yards, industrial buildings, and shipping facilities which funneled raw materials and finished products to and from

滨水区成为城市生活的焦点。它不仅是人们聚集进行日常活动、接收和分配必需品、包装和装载出口货物的市场，也是社会交往、交流信息和思想的主要舞台。随着时间的推移和定居者向西迁移，匹兹堡、辛辛那提、圣路易斯、多伦多等港口城市开始在内陆水道沿岸兴起。18世纪末蒸汽船的发明增强了水道的重要性，并进一步展示了滨水区在城市发展中的作用。

然而，随着19世纪铁路的出现，滨水区在城市发展中的作用开始被削弱。这带来了双重影响。一方面，许多城市将铁路线扩展至滨水区，增强了滨水区在物资转运中的重要性。另一方面，铁路线将地理和商业机会传播到此前水道难以到达的地区，从而减弱了城市对水的依赖。一些城市，如达拉斯和丹佛，既不靠近海岸线，也没有主要河流，便出现了。与此同时，铁路站场占据了大量滨水土地用于轨道和附属服务，将滨水区域转变为工业中心。




图3：20世纪60年代的辛辛那提滨河区 来源：《滨水区更新》，载于《住房杂志》1964年6月第5期，第236页。

当时典型的滨水区域景象是铁路站场、工业建筑和航运设施，这些设施将原材料和成品运往或运出

throughout the country. Noise, dirt and poor visual impression produced by trains, repair sheds and foundries, mills and factories, collectively made the waterfront lose its attraction for people. Many city centers began to shift away from waterfronts.

The role of the waterfront in city development was further weakened when the rail lines began to be abandoned, due to the change of transportation mode as the emergence and popularity of the automobile and later air transportation, combined with the emergence of the new shipping technology, containerization, after World War II. The old port areas were not constructed for modern container ships to maneuver easily, and lost their original usefulness. In addition to the decline in railroad trackage, the decayed mills and factories along the waterfronts left large tracts of abandoned waterfront property and under-used facilities adjacent to urban centers. Some old ports were then converted into storage uses, or used as outdoor parking, or for highways and airports. Cities began to turn their back on their water edges. Many waterfronts became neglected areas, isolated from the rest of cities.

In recent decades, the value of waterfront as an initiative for urban development and catalyst for downtown revitalization began to be recognized. With the trend towards city living, many people, of various ages, interested in the amenities and convenience of city living, were attracted to waterfronts. Waterfront locations were also becoming prime attractions for new and converted office uses near downtown. Breen and Rigby pointed out in *Waterfronts: Cities Reclaim Their Edge* that many downtown investments in recent decades were related to waterfront development,




Fig.4: Outdoor parking along Pittsburgh waterfront
Source: McQuade, Walter, The Suffering Shore Line, in *Architectural Forum*, 1961 June, page90.

全国各地。火车、维修棚、铸造厂、工厂和厂房产生的噪音、污垢和不良视觉印象，共同使滨水区失去了对人们的吸引力。许多城市中心开始远离滨水区。

随着汽车及后来的航空运输的出现和普及，以及新航运技术（集装箱化）在第二次世界大战后的兴起，运输方式发生了变化，导致铁路线开始被废弃，从而进一步削弱了滨水区在城市发展中的作用。旧港口区域并未为现代集装箱船的灵活操作而设计，因此失去了原有的用途。除了铁路轨道的减少，滨水区沿线破败的工厂和厂房留下了大片废弃的滨水地产和未充分利用的设施，邻近城市中心。一些旧港口随后被改作仓储用途，或用作露天停车场，或建设高速公路和机场。城市开始背弃其水边。许多滨水区成为被忽视的区域，与城市其他部分隔绝。

近几十年来，滨水区作为一项

城市发展的倡议与市中心复兴的催化剂开始得到认可。随着城市生活趋势的兴起，许多不同年龄段的人群，被城市生活的便利与设施所吸引，纷纷涌向滨水区。滨水位置也逐渐成为市中心附近新开发及改造成办公用途的主要吸引点。布林与里格比在《滨水区：城市重塑边缘》中指出，近几十年来市中心的大量投资都与滨水开发相关。

图4：匹兹堡滨水区沿线的露天停车场 来源：McQuade, Walter, 《受折磨的海岸线》，载于《建筑论坛》，1961年6月，第90页。

including the waterfront projects in St. Paul, Baltimore, Halifax, Milwaukee, etc. Successful waterfront development stories occurred in some cities, enticing more cities to explore similar opportunities to enliven their downtowns.

2.2 Recent Urban Waterfront Redevelopment in North America

Urban waterfront redevelopment is an international phenomenon in recent decades. North America is generally thought to be in the lead in this field⁵. This phenomenon had its beginning in North America during the early 1960s, bloomed in the 1970s, and accelerated in the 1980s. A 1971 study by Arthur Cotton Moore identified over 80 cities in North America having some sort of urban renewal program in a waterfront area⁶.

A number of factors contributed collectively to North America's pioneering role in this trend. First of all, most North American cities are located along water. Of the 75 largest cities in the United States, only six are not located on a significant body of water⁷. Besides, the first shift to cargo containerization in the United States after the World War Two led to the obsolescence of older port facilities and left large tracts of abandoned waterfront property. The internationalization of the economy and trade, such as the shift of some manufacturing industries to overseas, in some degree made a number of ports in North America no longer as busy as before. Another tremendous change occurred in the transportation field. North American countries have the widely known reputation as "countries reliant on the automobile", as private automobiles became more reliable for

⁵ Breen, Ann and Rigby, Dick, 1994, *Waterfronts: Cities Reclaim their Edges*, McGraw-Hill, Inc., page11.
⁶ Cowey, Ann Breen and Rigby, Richard, 1979, "On the Waterfront", in *Planning*, November, vol.45, no.11, page10.
⁷ Breen, Ann and Rigby, Dick, 1994, *Waterfronts: Cities Reclaim their Edges*, McGraw-Hill, Inc., page11.

包括圣保罗、巴尔的摩、哈利法克斯、密尔沃基等地的滨水项目。一些城市成功实现了滨水开发，吸引了更多城市探索类似机会以重振其市中心活力。

2.2 近代北美城市滨水区再开发

城市滨水区再开发是近几十年的国际现象。北美普遍被认为在这一领域处于领先地位。这一现象于20世纪60年代初期在北美开始，在20世纪70年代蓬勃发展，并于20世纪80年代加速发展。亚瑟·科顿·摩尔在1971年的一项研究中发现，北美洲有80多个城市在其滨水区域实施了某种形式的城市更新计划。

众多因素共同促成了北美在这一趋势中的先驱角色。首先，大多数北美城市位于水域沿线。在美国最大的75座城市中，仅有六座不位于大型水域旁。此外，二战后美国率先转向货物集装箱化，导致旧有港口设施过时，留下大片废弃的滨水区。经济和贸易的国际化，例如部分制造业向海外转移，在一定程度上使得北美的许多港口不再像以往那样繁忙。交通领域也发生了巨大变化。北美国家享有“依赖汽车的国家”的广泛声誉，因为自20世纪中期以来，私人汽车在出行中变得更加可靠。

Breen, Ann 和 Rigby, Dick, 1994, 《滨水区：城市重塑其边缘》，McGraw-Hill 出版社，第11页。 Cowey, Ann, Breen 和 Rigby, Richard, 1979, 《在滨水区》，载于《规划》，11月号，第45卷，第11期，第10页。
⁷ Breen, Ann 和 Rigby, Dick, 1994, 《滨水区：城市重塑其边缘》，McGraw-Hill 出版社，第11页。

travel since the mid of 20th century, which brought about the general abandonment of large cruise ship terminals and piers, and commuter ferries. As people's access to waterfront decreased, the isolated situation of waterfront increased.

Fortunately, people's desire for public excitement along the waterfront was not reduced. In 1964, Daniel Ahern - who headed the private group involved in Boston's waterfront redevelopment, said that, "The basic human interest in the amenities and attractions of water bodies, together with the kind of dramatic proposals which waterfront locations stimulate, results in a high degree of public excitement over waterfront development."⁸ Meanwhile, a range of governmental actions occurred and policies were set up for waterfront redevelopment. In 1965, the White House Conference on Natural Beauty declared: "there is far too little actual water's edge available to the typical city resident."⁹, and recommended that waterfronts be taken into account in all city plans. "Urban renewal powers," the conference concluded, "should be used in a comprehensive way to improve waterfronts and set them free from transportation barriers, blight, and dumps in order to realize their environmental values,"¹⁰. In the same year, the Water Quality Act was passed. Again in 1970, the Environmental Protection Agency (EPA) and the National Oceanic and Atmospheric Administration (NOAA) were created. A number of federal urban renewal funds and other assistance measures such as the Urban Beautification Program were launched, which had a significant impact on waterfront redevelopment. During the late 1960s, it was estimated that about 50 federally-assisted

这导致了大型邮轮码头和客运码头以及通勤渡轮的普遍废弃。随着人们通往滨水区的通道减少，从而滨水区的孤立状况加剧。

幸运的是，人们对于滨水区公共兴奋点的渴望并未减弱。1964年，参与波士顿滨水区再开发的私人团体负责人Daniel Ahern表示：“人们对水体便利设施和吸引力的基本兴趣，加上滨水位置所激发的戏剧性提案，使得公众对滨水区开发产生了高度兴奋。”与此同时，一系列政府行动发生，并为滨水区再开发制定了政策。1965年，白宫自然美会议宣称：“典型城市居民可用的实际水岸太少了。”并建议在所有城市计划中考虑滨水区。会议总结道：“城市更新权力应以全面方式用于改善滨水区，使其摆脱交通障碍、枯萎和垃圾堆，以实现其环境价值。”同年，《水质法案》获得通过。同样在1970年，环境保护局（EPA）和国家海洋和大气管理局（NOAA）成立。一系列联邦城市更新资金和其他援助措施（如城市美化计划）得以启动，对滨水区再开发产生了重大影响。据估计，在20世纪60年代末，约有50个联邦援助的

⁸ Cowey, Ann Breen and Rigby, Richard, 1979, "On the Waterfront", in *Planning*, November, vol.45, no.11, page10.

⁹ The President's Council on Recreation and Natural Beauty, 1968, *From Sea to Shining Sea: a Report on the American Environment - Our Natural Heritage*, page 62.

¹⁰ Cowey, Ann Breen and Rigby, Richard, 1979, "On the Waterfront", in *Planning*, November, vol.45, no.11, page11.

tCowey, Ann Breen and Rigby, Richard, 1979, "在滨水区", 载于《规划》, 11月, 第45卷, 第1期, 第10页。 e 总统休闲与自然美化委员会, 1968年, 《从海到闪耀的海: 美国环境报告——我们的自然遗产》, 第62页。 n Cowey, Ann Breen and Rigby, Richard, 1979, "在滨水区", 载于《规划》, 11月, 第45卷, 第1期, 第11页。

waterfront redevelopment projects were undertaken, returning them to use as desirable community features.¹¹

Additionally, the historic preservation and back-to-the-city movement that happened in the 1960-70s augmented this trend. In 1966, the National Historic Preservation Act was passed. The Act encouraged the adaptive reuse of the older buildings listed in the National Register of Historic Places, which stimulated waterfront redevelopment, as waterfronts commonly possess a number of unique older structures. Some good examples of recycling historic buildings along waterfronts include Quincy Market in Boston, and the Terminal Warehouse Building in Toronto. The back-to-the-city movement towards downtown living attracted many people who had tired of suburban life. As waterfront areas are usually located close to the city core, waterfront locations became prime attractions for those seeking the amenities and convenience of city life.

These forces collectively brought dramatic changes to urban waterfronts in North America. Toronto's Harborfront, Granville Island and False Creek in Vancouver, Baltimore's Inner Harbor, Boston's Central Waterfront, and the San Francisco Waterfront are the most typical and successful examples that are widely recognized as the leaders of the waterfront redevelopment movement in North America. They have been attracting millions of local residents and tourists annually.

The waterfront phenomena did not only prevail in large North American cities in the 1970s; a number of medium-sized and small cities as well were busy with their waterfronts. One issue of the AIA Journal in 1971 cited a range of examples: "St.

¹¹ Lehmann, Richard A., and Wood, Donald F., 1966, "Waterfront Renewal: What Recent Events and Trends Portend for Nation's Urban Water Frontage", in *The Journal of Housing*, November, no10, page590. Also see The President's Council on Recreation and Natural Beauty, 1968, *From Sea to Shining Sea: a Report on the American Environment – Our Natural Heritage*, page 60.

滨水区再开发项目得以实施, 使其重新成为理想的社区特色。

此外, 20世纪60-70年代发生的历史保护和回归城市运动加剧了这一趋势。1966年, 《国家历史保护法案》获得通过。该法案鼓励对国家历史名胜名录中列出的老建筑进行适应性再利用, 从而刺激了滨水区再开发, 因为滨水区通常拥有许多独特的老建筑。滨水区历史建筑回收利用的一些典型例子包括波士顿的昆西市场和多伦多的终点仓库大楼。回归城市运动吸引了许多厌倦郊区生活的人前往市中心居住。由于滨水区域通常靠近城市核心, 滨水位置成为那些寻求城市生活便利设施和便利性的人的主要吸引点。

这些力量共同为北美的城市滨水区带来了巨大变化。多伦多港前区、温哥华的格兰维尔岛和福溪、巴尔的摩内港、波士顿中央滨水区以及旧金山滨水区是最典型和最成功的例子, 被公认为北美滨水区再开发运动的先驱。它们每年吸引数百万当地居民和游客。

滨水区现象在1970年代不仅盛行于北美大城市; 许多中小城市也忙于开发自己的滨水区。1971年的一期AIA Journal列举了一系列例子: “圣。

¹¹ Lehmann, Richard A., and Wood, Donald F., 1966, "滨水区更新: 近期事件与趋势对国家城市滨水区的预示", 载于《住房杂志》, 11月, 第10期, 第590页。另见总统休闲与自然美景委员会, 1968年, 《从海到光辉的海: 美国环境报告——我们的自然遗产》, 第60页。

Petersburg in Florida revived its 'Million Dollar Pier' which would have a drive-around road for sightseeing, fishing promenade, restaurants, heliport, etc.; Miami finished a seaport on Dodge Island in Biscayne Bay; Oshkosh in Wisconsin opened a commercial complex on the Fox River; St. Louis was reverting its riverfront from what had been a shoddy, industrial warehouse and transportation center to pleasant, people-oriented areas; ...”¹².

Successful waterfront redevelopment stories having occurred in some cities making working on waterfronts an initiative to attract new investments, spur development of real estate and the tourism economy, and re-enliven downtown. Many other cities throughout North America, such as Calgary, Milwaukee, Buffalo, Minneapolis St. Paul, etc., were continuing to explore similar opportunities to offer something special to their citizens and visitors during 1980s and 90s.

The perceptions are growing among developers that waterfronts present tremendous opportunities for commercial, residential, recreational or mixed-use projects. Waterfront areas can provide distinct characteristics to cities and be unique assets in downtown revitalization. As Braunfels pointed out, “When we arrive by boat, we enter them (cities) not on their periphery but in their centers.”¹³. It is clear that the waterfront phenomenon will continue as a focus of urban development across North America in the years ahead.

彼得斯堡在佛罗里达复兴了其‘百万美元码头’，该码头设有观光环岛路、钓鱼长廊、餐厅、直升机停机坪等；迈阿密在比斯坎湾的道奇岛建成了一座海港；威斯康星州奥什科什在福克斯河上开设了一个商业综合体；圣路易斯将其河滨从破旧的工业仓库和交通中心改造为宜人、以人为本的区域；

一些城市成功实现了滨水区再开发，使滨水区成为吸引新投资、促进房地产和旅游经济发展以及重振市中心的举措。北美其他许多城市，如卡尔加里、密尔沃基、布法罗、明尼阿波利斯-圣保罗等，在1980年代和1990年代继续探索类似的机会，为其市民和游客提供特别的東西。

开发商越来越认识到，滨水区为商业、住宅、休闲娱乐或混合用途项目提供了巨大机遇。滨水区域可以为城市提供独特特色，并成为市中心复兴中的独特资产。正如布劳恩费尔斯所指出的：“当我们乘船到达时，我们进入的不是城市的边缘，而是其中心。”显然，滨水区现象将继续成为未来几年北美城市发展的焦点。

¹² Balchen, Bess and Linville, Jack, (1971), “The Waterfront: Let’s Face It”, in *AIA Journal*, April, vol.55, no.4, page18.

¹³ Braunfels, W., 1988, *Urban Design in Western Europe*, Chicago/London, Transl. K. J. Northcott, page79.

tt Balchen, Bess and Linville, Jack, (1971), "滨水区：直面现实", in *AIA Journal*, April, vol.55, no.4, page18. ¹³ Braunfels, W., 1988, (西欧城市设计, 芝加哥/伦敦) Transl. K. J. Northcott, page19.

2.3 Making Waterfront Connections: Design Principles and Precedents

2.3.1 Contextual fit

Context is a frequently used word with broader meanings. It not only refers to the geographical location of an area within a city, but also indicates the entire environment in respect of cultural, natural and social settings associated with the area. Contextual fit, as Breen and Rigby point out, is “to be sensitive to the whole environment, the context, the setting, the plants, the climate...”¹⁴ Therefore, a well-designed urban waterfront would contextually fit, in a large sense, its physical setting – responding to the urban context; its cultural setting – respecting the heritage values; its natural setting – achieving ecological fit; and its social setting – reflecting the constituency’s concerns. Each of these will be addressed in the following sections.

Responding to the urban context:

The study of contextualism has long been pursued. The key question around this issue might be, as Lang stated,¹⁵ “How does one get a new total design or an all-of-piece design to look as if it belongs to (or is part of) its surrounding context?” A variety of approaches to achieve a sense of contextual fit have been studied in recent decades. The law of similarity and visual continuity of Gestalt theory raised three basic principles calling for new development to keep the same street pattern, and same building mass as its surroundings, and have, if not the same type of architectural style as its surroundings, as least the same colors and materials. Lang noted that Claflin in his paper “Simulated Stimulation/Stimulated Simulation: Regionalism and Urban Design” took a similar approach by using the same materials, detailing, or color as the surrounding buildings.

¹⁴ Breen, Ann and Rigby, Dick, 1991, “Prospect”, in *Landscape Architecture*, February, page 128.

¹⁵ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, and page 275.

2.3 构建滨水连接：设计原则与先例

2.3.1 语境契合度

语境是一个常用词，具有更广泛的含义。它不仅指城市中某个区域的地理位置，还指示与该区域相关的文化、自然和社会环境的整体。正如布林与里格比所指出的，文脉契合是“对整个环境、语境、环境、植物、气候的敏感”。因此，一个设计良好的城市滨水区将在很大程度上实现与其物理环境（响应城市语境）、文化环境（尊重遗产价值）、自然环境（实现生态契合）和社会环境（反映选民的关切）的文脉契合。以下各节将分别讨论这些方面。

回应城市语境：

对语境主义的研究由来已久。围绕这一问题的关键可能如朗所述：“如何让一个全新的整体设计或统一设计看起来像是属于（或成为）其周边语境的一部分？”近几十年来，人们研究了多种实现文脉契合感的方法。格式塔理论的相似律和视觉连续性提出了三个基本原则，要求新发展保持与周边相同的街道模式、相同的建筑体量，如果建筑风格类型不能与周边相同，至少颜色和材料要一致。朗指出，克拉夫伦在其论文《模拟刺激/刺激模拟：地区主义与城市设计》中采用了类似的方法，使用与周边建筑相同的材料、细部或色彩。

参见 Breen, Ann 和 Rigby, Dick, 1991年, 《展望》, 载于《景观建筑学》, 二月, 第129页。另见 Lang, Jon, 1994年, 《城市设计：美国的经验》, 纽约, Van Nostrand Reinhold出版社, 第275页。

Moreover, post-modernists suggested that an abstraction of elements from the surrounding built form could still work for a contextual fit.¹⁶

The approaches of contextual fit have been explored not only in regard to urban solids, but urban voids as well. As Trancik stated “successful spatial design has been achieved without creating buildings in isolation, but by taking into consideration how new and old buildings and spaces fit together into the established urban context.”¹⁷ The approaches probed in the field of urban voids have been remarkably varied. Ralph Erskine tended to seek a theory of organic order by blending proposed and existing structures in an informal organic arrangement that seems to grow out of the local and regional context naturally. In contrast to Erskine, the new classicists advocated using formal interventions, such as symmetry and perspective, to organize disparate elements around an idealized urban space. Other approaches include using collages of urban form to emulate the evolution of the city, and so on and so forth. In summary, as Trancik concluded, “... an evolved, indigenous urban form is more satisfying than complete order imposed from outside. The former generally suggests a more fluid, village-like space in which disparate elements are connected and into which new pieces can be fit as the place changes over time.”

The exploration of contextual fit in the field of urban voids pushes the study to a more in-depth level, rather than simply reflecting the surrounding built form visually. Therefore, responding to the urban context calls for waterfront development to be a continuum of the city's structure without weakening its distinct characteristics.

¹⁶ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, and page 276.

¹⁷ Trancik, Roger, 1986, *Finding Lost Space: Theories of Urban Design*, New York, Van Nostrand Reinhold, page 116.

此外, 后现代主义者认为, 从周边建成形式中抽象出元素仍能实现文脉契合。

文脉契合的方法不仅在城市实体方面得到了探索, 在城市虚空方面也是如此。正如 Trancik 所言: “成功的空间设计并非通过孤立地创造建筑来实现, 而是通过考虑新旧建筑和空间如何融入既定的城市语境来实现。”在城市虚空领域探索的方法多种多样。Ralph Erskine 倾向于通过将拟建和现有建筑以非正式的有机布局融合在一起, 寻求一种有机秩序理论, 这种布局似乎自然地当地和区域文脉中生长出来。与 Erskine 相反, 新古典主义者主张使用形式干预, 如对称和透视, 将不同元素组织在一个理想化的城市空间周围。其他方法包括使用城市形态的拼贴来模仿城市的演变, 等等。总之, 正如 Trancik 所总结的: “……一种演化而来的本土城市形态比从外部强加的完全秩序更令人满意。前者通常暗示着一种更流动的、村落式的空间, 其中不同的元素相互连接, 并且随着场所随时间变化, 新的片段可以契合其中。”

在城市虚空领域中探索文脉契合, 将研究推向更深入的层面, 而不仅仅是视觉上反映周围的建成形式。因此, 回应城市语境要求滨水开发成为城市结构的延续, 同时不削弱其独特特征。

朗, 乔恩, 1994, 《城市设计: 美国的经验》, 纽约, Van Nostrand Reinhold, 第276页。

¹⁷ Trancik, Roger, 1986, 《寻找失落空间: 城市设计理论》, 纽约, Van Nostrand Reinhold, 第16页。

Respecting the heritage values:

The cultural context of waterfront is mainly represented in its heritage. Since the waterfront is generally where a city was founded, many structures with rich historic and cultural values are located along or around waterfront areas. Contextual fit calls for waterfront development to seek a sensitive answer to those elements that seem to be constraints initially, but eventually turn out to be distinct features for the waterfront. A range of approaches has been implemented in recent decades, such as restoration, renovation, and adaptive use, to deal with heritage buildings. The Terminal Warehouse Building, built in 1927 in Toronto’s Harbourfront, demonstrates the unique opportunity to enhance waterfront use when the heritage value is respected. The building is one of the first poured-in-place concrete structures in Canada, with eight floors, initially used as warehouse. The adaptive reuse resulted in commercial, offices, and residential uses, being successfully integrated into the new Harbourfront redevelopment. It is reputed to be the cornerstone of Toronto’s Harborfront project.¹⁸

Achieving ecological fit:

Ecological fit calls for waterfront development not causing negative impacts on natural resources such as water, soil, aquatic life, and so on. Since urban waterfront land is generally a limited resource, it is an ecological system worth the highest priority in conservation and protection. Ecological inventories, soil-suitability study, water quality assessment, flood effect etc. should be better integrated into the waterfront planning process, to secure an effective conservation and protection of waterfront natural assets and support a compatible waterfront development simultaneously. The implementation of

¹⁸ Breen, Ann and Rigby, Dick, (1996), *The New Waterfront: a Worldwide Urban Success Story*, New York, McGraw-Hill, p82.

尊重遗产价值:

滨水区的文化语境主要体现在其遗产上。由于滨水区通常是城市的发源地，许多具有丰富历史和文化价值的建筑位于滨水区域或其周围。文脉契合要求滨水开发对这些最初看似制约因素、但最终成为滨水区独特特色的元素寻求灵敏的回应。近几十年来，已实施了一系列方法，如修复、翻新和适应性使用，以处理历史建筑。建于1927年的多伦多港前区终点仓库大厦，展示了当遗产价值得到尊重时增强滨水使用的独特机会。该建筑是加拿大最早的现浇混凝土结构之一，共八层，最初用作仓库。适应性再利用产生了商业、办公和住宅用途，成功融入新的港前区再开发中。它被誉为多伦多港前区项目的基石。18

实现生态契合度:

生态契合要求滨水开发不对水、土壤、水生生物等自然资源造成负面影响。由于城市滨水用地通常是稀缺资源，它是在保护和保育中应给予最高优先级的生态系统。生态调查、土壤适宜性研究、水质评估、洪水影响等应更好地整合到滨水规划过程中，以确保有效保护滨水自然资源，同时支持兼容的滨水开发。实施

8 Breen, Ann 和 Rigby, Dicp (1996年), 《新滨水区：全球城市成功故事》，纽约，McGraw-Hill，第82页。

the concept of 'greenways' running beside waterways is a good illustration. Riparian greenways can achieve numerous valuable environmental benefits. Riverside vegetation may protect the banks from water erosion, provide shade to restrict weed growth, create a feeding and breeding habitat for various kinds of fish and wildlife, and reduce aquatic pollution. A survey conducted in the United States in 1989 revealed a high public appreciation of the value of establishing greenways in urban waterfront areas where city residents can experience the tranquility of the natural landscape and enjoy viewing birds and other wildlife in water.¹⁹ In New York State, legislation has been passed calling for a study of a Hudson River Valley Greenway along 246km of riverside.

Ecological fit is also related to the physiological need of human beings for a healthy and comfortable physical environment, such as the protection from excessive wind and rain, exposure to sun or availability of shade. Response to climate was one of the key issues for waterfront development in northern cities. The planning of Toronto's Harbourfront is a case in point (Fig.5). To ensure year-round activities along the harborfront, especially from November to May when the weather can be very chilly, several design approaches were implemented in the development framework to mitigate




Fig. 5: Response to climatic variations in the design of Toronto Harbourfront.
Source: Wrenn, Douglas M., (1983), *Urban Waterfront Development*, page88.

¹⁹ Gardiner, J.L., Edwards, P.J. and Ball, J.H., 1993, "Urban Waterside: Context and Sustainability", in White, K. N. et al ed., ed., *Urban Waterside Regeneration: Problems and Prospects*, New York, Ellis Horwood, page 9.

水道旁的“绿道”概念就是一个很好的例证。滨河绿道可以实现许多有价值的环保效益。河岸植被可以保护河岸免受水流侵蚀，提供遮荫以限制杂草生长，为各种鱼类和野生动物创造觅食和繁殖的栖息地，并减少水污染。美国1989年的一项调查显示，公众高度认可在城市滨水区域建立绿道的价值，城市居民可以在那里体验自然景观的宁静，并欣赏水中的鸟类和其他野生动物。在纽约州，已通过立法要求对沿246公里河岸的哈德逊河谷绿道进行研究。

生态契合也与人类对健康舒适物理环境的生理需求相关，例如避免过多的风雨、暴露于阳光下或有遮荫处。对气候的反馈是北方城市滨水开发的关键问题之一。多伦多港前区的规划就是一个典型案例（图）。为确保港前区全年活动，尤其是从十一月到五月天气寒冷时，开发框架中实施了多项设计方法来缓解




图5：多伦多港区设计中应对气候变化的反馈。来源：Wrenrl Douglas M., (1983), 《城市滨水区开发》，第88页。

le Gardiner, J.L., Edwards, P.J. 和 Ball, J.H., 1993年, 《城市滨水区：背景与可持续性》，载于White, K. N.等编, 《城市滨水区再生：问题与前景》，纽约, Ellis Horwood, 第9页。

climate impacts. The measurements included arranging the orientation of buildings to shelter people from the western winds, and containing features such as covered walkways along the ground floors, which can be glass enclosed in winter and opened in summer.

Reflecting the constituency's concerns:

“The fit of a settlement,” as Lynch said²⁰, “refers to how well its spatial and temporal pattern matches the customary behavior of its inhabitants. It is the match between action and form in its behavior settings and behavior circuits.” The characteristics and composition of a waterfront constituency define one aspect of the waterfront urban context. Wrenn identified two types of constituency:²¹ “a primary group composed of people who use the waterfront as a residence, place of work, or recreation resource and a secondary group of people who occasionally go to the waterfront, have no direct involvement with it, but feel the water’s edge is a public resource and are concerned about it.” The constituency comprises existing user groups, and may affect the developments or policies related to the waterfront. If current waterfront lands have a high vacancy rate or are under-used, then the secondary group that Wrenn identified would be more crucial to take into account.

A contextual fit waterfront proposal calls for new development to match the behavior patterns, or any concerns and needs of the constituency. Public participation to actively involve the constituency in the development process would be an effective way to achieve this end. The case of the Georgetown waterfront in Washington, D.C. is a converse illustration of this point. In this case, the city supported the proposed commercial uses along the waterfront, but incurred strong objections from citizens who

气候影响。措施包括调整建筑朝向以遮挡西风，并在底层设置有顶人行道等功能，冬季可用玻璃封闭，夏季则开放。反映选民的关切：

"聚落的契合度"，正如林奇所说²⁰，"是指其时空模式与居民惯常行为的匹配程度。它是行为场景和行为回路中行动与形式之间的匹配。"滨水区利益相关者群体的特征和构成定义了滨水城市背景的一个方面。雷恩识别出两类利益相关者群体：一类是主要群体，由将滨水区用作居住地、工作场所或休闲资源的人组成；另一类是次要群体，即偶尔前往滨水区、与滨水区无直接关联，但认为水岸是公共资源并对其关注的人。"该利益相关者群体包括现有使用群体，并可能影响与滨水区相关的发展或政策。如果当前滨水土地空置率高或未充分利用，那么雷恩识别出的次要群体将更为关键，需要加以考虑。

一个注重文脉契合的滨水区方案要求新开发项目与行为模式以及利益相关者群体的任何关切和需求相匹配。公众参与，即让利益相关者群体积极参与开发过程，将是实现这一目标的有效途径。华盛顿特区乔治敦滨水区的案例则从反面说明了这一点。在该案例中，城市支持沿滨水区进行商业用途的开发，但遭到了市民的强烈反对，他们认为

²⁰ Lynch, Kevin, 1981, *A Theory of Good City Form*, MIT, page 151.

²¹ Wrenn, Douglas M., 1983, *Urban Waterfront Development*, Washington, D.C., ULI-the Urban Land Institute, page 29.

²⁰ 林奇，凯文，1981年，《良好城市形态理论》，麻省理工学院出版社，第151页。参考雷恩，道格拉斯·M.，1983年，《城市滨水区开发》，华盛顿特区，城市土地学会，第29页。

felt the waterfront should be designated as parkland instead. The controversy over this matter eventually forced the developer to make significant changes.

2.3.2 Public access

Public accessibility to waterfront areas is one of the crucial issues in the planning and design of urban waterfronts. Although most waterfront areas are in close proximity to city centers, which should have made them highly accessible, in many cases they usually are not.

Barriers to public access:

There are five main barriers to waterfront access, including:

1. Highways along water edges

Construction of limited-access highways or main roads along waterfront is probably the most common limitation to waterfront access, which has happened in many North American cities. For minimal displacement of people and impact upon surrounding uses, waterfront lands have usually been developed for highways, cutting off cities from the water edges. In Manhattan, for example, 94 percent of the waterfront lands are lined with major highways²². As a result, a relatively large portion of the island’s perimeter is blocked to the pedestrian. It was even said that there had been not a single waterside restaurant existing on the whole island before 1977.²³

²² Wagner, Robert F., 1980, “New York City Waterfront: Changing Land Use and Prospects for Redevelopment”, in Committee on Urban Waterfront Lands ed., *Urban waterfront Lands*, Washington D.C., National Academy of Sciences, page 88.
²³ Heckscher, August 1977, *Open Spaces: the Life of American Cities*, Harper & Row Publishers, page93.

滨水区应被指定为公园绿地。围绕这一问题的争议最终迫使开发商做出重大改变。

2.3.2 公共通道

滨水区域的公共可达性是城市滨水区规划和设计中的关键问题之一。尽管大多数滨水区域靠近城市中心，这理应使它们高度可通达，但在许多情况下，它们通常并非如此。

公共通道的障碍：

通往滨水区的主要障碍有五个，包括：

1. 沿水边的高速公路

在滨水区建设限制通行高速公路或主干道，可能是阻碍通往滨水区最常见的限制因素，这在许多北美城市都曾发生。为了尽量减少人员迁移及对周边用途的影响，滨水土地通常被开发为高速公路，从而切断了城市与水边的联系。例如，在曼哈顿，94%的滨水土地都建有主要高速公路²²。结果，该岛周边相当大一部分区域对行人来说被阻隔。甚至有人说，在1977年之前，整个岛上没有一家水边餐厅存在²³。

Wagner, Robert F., 1980年，“纽约市滨水区：变化的土地利用与再开发展望”，载于城市滨水区土地委员会编，《城市滨水区土地》，华盛顿特区，美国国家科学院，第88页。²³ 奥古斯特·赫克歇尔，1977年，《开放空间：美国城市的生活》，Harper & Row Publishers，第93页。

2. Railway facilities and industrial structures located in waterfront areas

This is another type of barrier commonly found on urban waterfronts. Rail lines, combined with various facilities, such as repair sheds, foundries, and factories, as well as utility facilities, such as electrical generating plants and waste water treatment facilities located in waterfront areas made it difficult for anyone to approach. As an example in Toronto, in 1908, there were from nine to sixteen tracks at street level running along the waterfront, which cut off the Toronto downtown from the harbor.²⁴ Some other cities like Chicago, New Orleans, etc. had the same situation. It was estimated that over one-third of the waterfronts in major American Cities had rail lines.²⁵

3. Privately owned lands

Owners holding private properties adjacent to waterfront areas often object to the public trespass on their lands at the water edge. Such a case could be found in the City of Chicago, where private waterfront properties block the city's intention to create a pedestrian walkway. Certainly, public ownership of waterfront lands, or at least a strip along the water's edge, would be conducive to a high degree of accessibility.

4. Institutional barriers

An example of this type of barrier would be some government-owned facilities or military base located along waterfront, such as the U.S. Navy Training Center in San Diego waterfront, which restricted public access to some portion of the waterfront areas.

2. 位于滨水区域的铁路设施和工业结构

这是城市滨水区常见的另一种障碍。铁路线，连同各种设施，如维修棚、铸造厂和厂房，以及位于滨水区域的公用设施，如发电厂和污水处理设施，使得任何人难以接近。以多伦多为例，1908年，街道层面上沿着滨水区有九到十六条轨道，切断了多伦多市中心与港口的联系。其他一些城市，如芝加哥、新奥尔良等，也有同样的情况。据估计，美国主要城市中超过三分之一的滨水区有铁路线。

3. 私有土地

持有毗邻滨水区域私有财产的业主通常反对公共侵入其水边的土地。这种情况在芝加哥市可以看到，那里的私有滨水财产阻碍了该市创建人行道的意图。当然，滨水土地的公共所有权，或者至少是沿岸的一条带状区域，将有利于实现高度的可达性。

4. 制度性障碍

此类障碍的示例是一些位于滨水区的政府所有设施或军事基地，例如圣地亚哥滨水区的美国海军训练中心，它限制了公众对部分滨水区域的通道。

²⁴ Harbourfront development Corporation, 1978, *Harbourfront Site History*, page 16.

²⁵ London, Mark, 1976, "Urban waterfront planning", in *Canadian Institute of Planner Forum*, May, page6.

2a 港滨发展公司，1978年，《港滨选址历史》，第16页。"伦敦马克，1976年，《城市滨水区规划》，载于《加拿大规划师协会论坛》，五月，第6页。

5. Psychological barriers

Psychological barriers are usually generated by poor physical images and unsafe perceptions of the waterfront areas. In this case, waterfront areas are still perceived to be inaccessible, even when physical access is possible.

A variety of planning and design approaches have been tried in many waterfronts to overcome these barriers to enhance public access, as discussed in the following section.

Establish public access:

“There are well-known devices for improving access, including the provision of new channels and modes, the rearrangement of origin and destination, the abolition of social and physical barriers...”²⁶. One common approach being used to improve public accessibility to waterfront areas is the establishment of public right-of-way along the water edge. It can be represented in a wide range of options from bike and pedestrian trails to streetcar routes. Trails can be situated along the water edge and extended into the downtown area and beyond, linking the waterfront with downtown shopping and business districts, and nearby residential areas. It provides people with a way to interact with the water directly. In San Francisco, the waterfront zoning regulations demand a pedestrian walkway along the water edge as part of any new development. In the City of Portland, a four-mile river trail winds along the river through an existing park at the water edge, and connects with the downtown, providing year round activities, such as roller blading, biking, and walking. Another good example could be found in the town of Grand Haven, MI²⁷. A two and a half mile riverfront boardwalk was created in 1984, providing access

²⁶ Lynch, Kevin, 1981, *A Theory of Good City Form*, MIT, page 203.

²⁷ Kotval, Zenia & Mullin, John R., 2001, “Waterfront Planning as a Strategic Incentive to Downtown Enhancement and Livability”, in Burayidi, Michael, ed., *Downtowns: Revitalizing the Centers of Small Urban Communities*, New York, Routledge, page 191.

5. 心理障碍

心理障碍通常由滨水区域不良的物理形象和不安全感知所产生。在这种情况下，即使物理通道可行，滨水区域仍被认为不可通达。

许多滨水区尝试了多种规划与设计方法，以克服这些障碍，增强公共通道，如下节所述。建立公共通道：

"有一些众所周知的改善通道的方法，包括提供新的通道和模式、重新安排起点和终点、消除社会和物理障碍……"26. 一种用于改善滨水区域公共可达性的常见方法是沿水边建立公共通行权。这可以表现为多种形式，从自行车和行人步道到有轨电车线路。步道可以沿水边设置，并延伸至市中心及更远区域，将滨水区与市中心的购物和商业区以及附近的住宅区连接起来。它为人们提供了与水直接互动的方式。在旧金山，滨水区划条例要求任何新开发项目都必须沿水边设置人行道。在波特兰市，一条四英里长的河畔步道沿着河流穿过水边的现有公园，并与市中心相连，提供全年活动，如轮滑、骑自行车和步行。另一个好例子可以在格兰德黑文镇找到，1984年，一条两英里半的河滨木板路建于1984年，提供了通道

²⁶ Lynch, Kevin, 1981, *A Theory of Good City Form*, MIT, page 203. ²⁷ Kotval, Zenia & Mullin, John R., 2001, “Waterfront Planning as a Strategic Incentive to Downtown Enhancement and Livability”, in Burayidi, Michael, ed., *Downtowns: Revitalizing the Centers of Small Urban Communities*, New York, Routledge, page 191.

to shops, restaurants, a miniature golf course, and scenic parks. As well, the boardwalk led people to several prominent features of the downtown. It brought about significant reinvestment in downtown and became a successful catalyst of downtown revitalization.

In face of the highway and rail line barriers to waterfront areas, various design strategies have been tried. Considering the Louisville waterfront for example, two proposals have been raised to re-establish the pedestrian connections between the waterfront and downtown. One was to build a riverfront plaza decking over the elevated highways; the other was to make a dynamic park, with the sloping planes of lawns, flowing under the highways. In Manhattan, New York, physical access to the waterfront was set up as a mandatory condition in the Lower Manhattan Special District Plan in 1973. The pedestrian connections would go over lower Manhattan's elevated highways and tie the waterfront projects to the existing development behind.

It is also crucial to set up an integrated set of public transportation modes including bus or streetcar, linking to the waterfront, in addition to pedestrian connections. A well-planned mass transit network becomes more necessary for a waterfront with mixed uses. The need for a well-managed circulation is a requirement not only for both the aesthetics and functionality of waterfront but also for safety reasons. Unplanned traffic circulation can be chaotic for both vehicles and pedestrians, and in turn limit the public access to waterfront areas physically and psychologically.

The waterway itself can be used to access waterfront. In many cities, a waterbus has been launched to link destinations along the waterfront. In northern cities, waterways in winter will not only be a place for recreation, but also a natural access to waterfront by skating.

通往商店、餐厅、一个迷你高尔夫球场和风景优美的公园。此外，木板路引导人们前往市中心的几个重要景点。它带来了对市中心的大量再投资，并成为市中心复兴的成功催化剂。

面对通往滨水区域的高速公路和铁路线障碍，人们尝试了各种设计策略。以路易斯维尔河滨为例，提出了两个方案来重建河滨与市中心之间的步行连接。一个方案是建设一座跨越高架高速公路的河滨广场；另一个方案是打造一个动态公园，让倾斜的草坪平面从高速公路下方流过。在纽约曼哈顿，1973年的下曼哈顿特殊区域规划将通往河滨的物理通道设为强制性条件。步行连接将跨越曼哈顿下城的高架高速公路，并将滨水项目与后方现有开发联系起来。

除了步行连接，建立一套整合的公共交通模式（包括公共汽车或有轨电车）连接河滨也至关重要。对于混合用途的滨水区，规划良好的公共交通网络更为必要。一个管理良好的交通流线不仅是滨水区美学和功能性的要求，也是出于安全考虑。未规划的交通流线可能对车辆和行人造成混乱，进而从物理和心理上限制公众对滨水区域的通道。

水道本身可用于通往滨水区。许多城市已开通水上巴士，连接滨水区各个目的地。在北方城市，冬季的水道不仅是休闲场所，也是通过滑冰通往滨水区的天然通道。

Encouraging diverse public uses and providing a safe environment along waterfronts are other effective means and, have equal importance as well to enhance public access. These points will be discussed in the following sections.

2.3.3 Visual connection

Visual connection is another commonly discussed issue in waterfront design. It represents a two-fold meaning: visual access to waterfront, and views from waterfront to the city. The latter is of the same importance, as the waterfronts in most cities offer the only opportunity for people to regain a peaceful setting and enjoy the entire skyline of the city. To establish visual connections between city and waterfront would both achieve the amenity values and enhance city identity.

Waterfront usually possesses special visual characteristics, which is reflected in its unique built and natural environment. The waterfront built environment usually features ferry buildings, marinas, ship repair facilities that can only be found along the water edges. Often, these structures are visual landmarks and serve as a focal point within a waterfront setting. The movement of moored boats bobbing in the water and nautical flags flapping in the breeze, as well as a variety of surface materials used on the docks further create a rich visual texture. The waterfront visual interest is also frequently enhanced by its natural features. The horizontal edge where land and water meet produces a sharp contrast to the vertical elements found along shorelines. Besides, vegetation, as a kind of soft visual element, also influences the casual character of urban waterfronts by gentling the hard appearance of waterfront built-structures. Furthermore, The two-dimensional water surface provides a wide field of vision. It provides a limitless

鼓励多样化公共用途并在滨水区提供安全的环境是其他有效手段，对于加强公共通道同样重要。这些要点将在以下章节中讨论。

2.3.3 视觉连接

视觉连接是滨水设计中另一个常被讨论的问题。它包含双重含义：滨水区的视觉可达性，以及从滨水区望向城市的视野。后者同样重要，因为在大多数城市中，滨水区为人们提供了重获宁静环境并欣赏整个城市天际线的唯一机会。建立城市与滨水区之间的视觉联系既能实现舒适性价值，又能增强城市认同感。

滨水区通常具有特殊的视觉特征，这体现在其独特的建成环境和自然环境中。滨水区建成环境通常以渡轮建筑、游艇码头、船舶修理设施为特色，这些设施只能在水边找到。这些建筑通常是视觉地标，并在滨水区环境中充当焦点。停泊的船只在水面摇晃、航海旗帜在微风中飘扬，以及码头使用的各种表面材料，进一步营造出丰富的视觉纹理。滨水区的视觉趣味也经常通过其自然特征得到增强。水与陆地交汇的水平边缘，与沿岸的垂直元素形成鲜明对比。此外，植被作为一种软性视觉元素，通过柔和滨水建筑结构的硬朗外观，也影响着城市滨水区的休闲特质。而且，二维的水面提供了广阔的视野。它提供了无限

space for people to relax themselves by escaping the dense enclosed sense of the city and the high-pressure city life.

Visual accessibility varies tremendously among waterfronts, determined by the configuration of the urban shoreline, the expanse of the water body, and the area's topography. It is also determined by man-made factors such as the building height. To protect views from inland buildings, height limits have been set in several cities for areas near the water. However, for pedestrians at street level, the restriction on the heights of buildings has little value, as a two-story building would block the views as effectively as

a twenty-story one. On the other hand, for the same bulk, a high-rise building usually could occupy less ground than the low-rise, thus allowing more open space that establishes visual corridors to the water. If the ground level of a building is kept open, it would be even better to minimize the obstruction of pedestrian views. Therefore,

visual corridor guidelines have also been established in many waterfronts plans to protect views to the water by severely

restricting construction within these corridors. In the Lower Manhattan Special District Plan of 1973, one of the key considerations was the introduction of visual access to the waterfront. Visual corridors, corresponding to the main paths of pedestrian movement, would extend from Broadway to the water. In the Halifax waterfront plan, urban design




Fig. 6: Visual corridors extending from inland to water in New York City.
Source: New York City waterfront: a Fear of Filling, in *Progressive Architecture*, June 1975, page 51.

的空间，让人们可以通过逃离城市的密集封闭感和高压城市生活来放松自己。

滨水区的视觉可达性差异很大，由城市岸线的形态、水体的广度以及区域的地形决定。同时，它也受人为因素如建筑高度的影响。为了保护内陆建筑的视野，一些城市已在近水区域设立了高度限制。然而，对于街道层面的行人而言，建筑高度的限制作用甚微，因为两层建筑同样能

有效遮挡视线，其效果不亚于二十层建筑。另一方面，对于

相同的体量，高层建筑通常

比低层建筑占据更少的地面面积，

从而允许更多的开放空间，建立通往水面的视觉廊道。如果

建筑的底层保持开放，

最好尽量减少

阻碍行人视线。因此，

许多滨水区规划也制定了视觉廊道指南，以严格保护望向水面的视线，

限制在这些廊道内的建设。在1973年下曼哈顿特别区规划中，关键考量之一是引入滨水区的视觉可达性。视觉廊道与行人主要移动路径相对应，从百老汇延伸至水边。在哈利法克斯滨水区规划中，城市设计




图6：纽约市从内陆延伸至水面的视觉廊道。来源：New York City waterfront: a Fear of Filling, in *Progressive Architecture*, June 1975, page 51

guidelines also called for the preservation of broader panoramic views of and from the water.

Landmarks or vistas on the water edge could serve as focal points to help enhance visual access. Taking the St. Louis waterfront for example, the grand shimmering arch of stainless steel situated at the water edge, designed by Eero Saarinen to memorialize the country's western expansion, is visible from most points within downtown St. Louis, reminding people in the other parts of the city of the river's timeless existence.

Waterfront lighting can be another efficient approach to achieve visual accessibility. Lighting can highlight attractive features, focus attention on a particular area, and create an exciting atmosphere. Lighting can contribute to safe perceptions of waterfront areas and support night-time activities for a 24-hour living waterfront as well.

2.3.4 Diverse public uses

Public uses first:

Private property ownership or institutional uses along the waterfront, as discussed previously, have hindered public access and the active-use of waterfront, and thus weakened its connections with the rest of city. Therefore, a close waterfront connection calls for diverse public uses in those special areas.

A ranking of uses starting with the most public would probably be: park, public activities, shops and restaurants, hotel, office, and private and exclusive housing.²⁸ The choice of uses based on the degree of publicness would probably put most public uses in the areas of highest visibility and accessibility, and also closest to the water.

²⁸ London, Mark, 1976, "Urban Waterfront Planning", in *Canadian Institute of Planners Forum*, May, page3.

准则也要求保留更广阔的水景及望向水面的全景视野。

水边的地标或景观可作为焦点，帮助增强视觉可达性。以圣路易斯滨水区为例，位于水边、由埃罗·沙里宁设计、用于纪念美国西部扩张的不锈钢巨大闪亮拱门，在圣路易斯市中心的大部分地点都可见，提醒城市其他部分的人们河流的永恒存在。

滨水照明可以是实现视觉可达性的另一种有效方法。照明可以突出吸引人的特征，将注意力集中在特定区域，并营造激动人心的氛围。照明有助于对滨水区域形成安全感知，并支持夜间活动，实现全天候的活力滨水区。

2.3.4 多样化公共用途

公共用途限制：

如前所述，滨水区的私有产权或机构用途阻碍了公共通道和积极利用滨水区，从而削弱了其与城市其他部分的连接。因此，紧密的滨水连接要求在这些特殊区域实现多样化的公共用途。

按公共性程度从高到低排列用途，可能是：公园、公共活动、商店和餐馆、酒店、办公、以及私密和高档住宅。基于公共性程度的选择可能会将最公共的用途放在最高可见性和可达性的区域，同时也最靠近水边。

²⁸London; 马克, 1976, "城市滨水区规划", 加拿大规划师协会论坛, 五月, 第3页。

Public recreational use has usually been found to be the primary function in many urban waterfronts, since water has long been considered as providing wonderful recreational amenities for human beings. A city park along waterfront is certainly one of the most common forms for recreation. It provides a large parcel of green open space serving as a stage for public meeting near the water edge, attracting numerous people, both local residents and tourists, to the water. A park also creates outdoor space for various kinds of water-related recreational activities. As well, an actively used and well-maintained waterfront park would bring about other related activities such as specialty shops, restaurants, hotels, etc. together, as the best location for shopping and dining is probably near a city park where people are gathering. Further, these features would definitely help to create an active atmosphere along the waterfront.

For ensuring a more day and night livable waterfront, many cities have tried to make waterfronts serve as tourist attractions. Unique and special features, through the approaches of historic preservation, street lighting, different street patterns, etc. have been geared to the needs of tourists that prefer seeking different experiences. The services and amenities, such as information kiosks, telephone booths, public restrooms, benches and trash receptacles have been well provided and marked for the tourists' convenience. Ensuring special activities or a higher level of animation than in the rest of the city would also attract local residents for repeat visits. Residential uses as well have been developed along the waterfront in many cities, with the aim to achieve an active environment.

The type of public uses along a waterfront would be best selected based on the needs of the local community, as the situations vary from city to city. Since most urban waterfronts are adjacent to downtown districts, the needs and unique characteristics of

公共休闲使用通常被认为是许多城市滨水区的主要功能，因为水长期以来被视为为人类提供极好休闲设施的资源。滨水城市公园无疑是休闲最普遍的形式之一。它提供了一大片绿色开放空间，作为水边公共集会的舞台，吸引无数人——包括当地居民和游客——来到水边。公园还为各种与水相关的娱乐活动创造了户外空间。同时，一个活跃使用且维护良好的滨水公园会带动其他相关活动，如特色商店、餐厅、酒店等聚集在一起，因为购物和餐饮的最佳位置可能就在人们聚集的城市公园附近。此外，这些特色无疑有助于在滨水区营造活跃的氛围。

为了确保滨水区昼夜宜居，许多城市尝试将滨水区打造成旅游景点。通过历史保护、街道照明、不同街道模式等方法，打造独特而特别的特征，以满足偏好寻求不同体验的游客需求。服务与便利设施，如信息亭、电话亭、公共卫生间、长椅和垃圾桶，已妥善提供并设置标志，以方便游客。确保比城市其他区域更精彩的活动或更高的活跃度，也将吸引当地居民重复访问。许多城市还在滨水区开发了住宅用途，旨在营造活跃的环境。

滨水区公共用途的类型最好根据当地社区的需求来选择，因为不同城市的情况各不相同。由于大多数城市滨水区毗邻市中心区，在选择最佳用途之前，应评估滨水区 and 市中心区的需求及独特特点。

waterfronts and downtown districts should be assessed before selecting the best use. In this way, waterfront and downtown would be mutually supportive.

A “working waterfront” is still possible:

Is it still possible to place industrial uses along urban waterfronts? Environmental soundness is the foremost requirement for waterfront industries. In a symposium about waterfront industry held in Toronto in 1990²⁹, a series of criteria was suggested for identifying industries appropriate for waterfronts. A safe, well maintained and managed working waterfront would not only provide employment opportunities and tax benefit for the local community, but also serve as an attraction for local people and city tourists to obtain knowledge through observing the working of various industries – “the drama of the docking and loading and unloading of ships has a special fascination of its own.”³⁰ If it is integrated with certain teaching and research programs, it can actually be a special destination for professional groups as well as students. In the small fishing pier at Provincetown, some whale-watch boats and fishing vessels are open to visitors to see how those boats function. The fishing pier is surrounded by other recreational facilities such as restaurants, shopping streets and a commercial museum, which creates entertaining and learning experiences for visitors simultaneously.

Mixed but not messy:

If waterfront uses are mixed, special attention needs to be given to each element to ensure that one doesn’t negatively impact on the others. Actually, mixed uses should not be mutually exclusive, and some problems caused by mixed uses can be resolved. As

²⁹ Desfor, Gene, 1990, *Urban Waterfront Industry: Planning and Development Green Enterprise for the 21st Century Symposium Report*, Toronto, Minister of Supply and Services Canada, page18.

³⁰ The President’s Council on Recreation and Natural Beauty, 1968, *From Sea to Shining Sea: a Report on the American Environment – Our Natural Heritage*, page 61.

这样，滨水区与市中心区才能相互支持。

“功能性滨水区” 仍然可行：

是否仍有可能在城市滨水区布置工业用途？环境友好性是滨水工业的首要要求。在1990年于多伦多举行的滨水工业研讨会上，提出了一系列适合滨水区的产业标准。一个安全、维护良好且管理有序的功能性滨水区，不仅能为当地社区提供就业机会和税收收益，还能吸引当地居民和城市游客，通过观察各类产业的运作来获取知识——“船舶靠泊和装卸的场面具有独特的魅力。”³⁰ 如果与某些教学与研究项目相结合，它实际上可以成为专业团体和学生的特殊目的地。在普罗温斯敦的小型渔码头，一些观鲸船和渔船向游客开放，展示船只如何运作。渔码头周围环绕着其他休闲设施，如餐厅、商业街和商业博物馆，为游客同时创造了娱乐与学习体验。

混合但不乱：

如果滨水区用途混合，则需要特别关注每个元素，以确保一个不会对另一个产生负面影响。实际上，混合用途不应互斥，并且混合用途引起的一些问题是可以解决的。正如

^{2e} Desfor, Gene, 1990, 城市滨水区工业：面向21世纪的规划与开发绿色企业研讨会报告，多伦多，加拿大供应与服务部，第18页。³⁰ 总统休闲与自然美景委员会，1968，从海到闪耀海：美国环境报告——我们的自然遗产，第61页。

discussed in the preceding section, a working waterfront can co-exist with a recreational harbor if it is well planned and managed. The case of Portland provides further illustration. The city is using a municipal zoning by-law to limit recreational boating access to certain areas in order to avoid the threat to the fishing industry. Mixed uses can be truly integrated and complement each other. Such is the case with the Halifax waterfront. The strategy was simply to keep the entire ground floors of the office buildings open for public uses such as open space, shops, and aquarium or maritime museum. Small lobbies at unnoticed positions in the ground floors were designed to lead to the upper levels of offices. It hopes to attract people for more public activities along waterfront without noticing the offices there. On the other hand, the offices would provide a substantial part of the revenue, which would make the ground floor public uses possible.

2.3.5 Public safety

The isolation of waterfront from the rest of city may, in part, contribute to the unsafe perceptions generated among people. There would be no possibilities for a dynamic waterfront if people feel their security is threatened. Maslow ranks safety needs as a primary need after hunger and thirst, and they are represented physically and psychologically. Physical safety is “concerned with attaining a security of knowing that one is safe from physical harm – from the natural elements, human elements, and from artificially created elements of the environments such as moving cars and structurally unsound buildings.”, while psychological safety means “to have control over the

上一节所述，只要规划和管理得当，功能性滨水区可以与休闲港共存。波特兰的案例进一步说明了这一点。该市正在使用市政分区法规限制休闲划船进入某些区域，以避免对渔业造成威胁。混合用途可以真正整合并相互补充。哈利法克斯滨水区就是这样的例子。其策略很简单：保持办公楼底层全部开放用于公共用途，如开放空间、商店、水族馆或海事博物馆。在底层不显眼的位置设计小大堂，通往上层办公区。希望吸引人们沿着滨水区进行更多公共活动，而不注意到那里的办公室。另一方面，办公室将提供大部分收入，使得底层公共用途成为可能。

2.3.5 公共安全

滨水区与城市其他部分的隔离，可能在一定程度上导致了人们产生不安全感。如果人们感到自身安全受到威胁，动态滨水区便无从谈起。马斯洛将安全需求列为继饥饿和口渴之后的基本需求，这些需求体现在生理和心理层面。生理安全是“关注获得一种安全，即知道自己免受身体伤害——免受自然元素、人为因素以及环境中的人工创造元素（如行驶的汽车和结构不安全的建筑）的伤害”，而心理安全则意味着“能够掌控

environment, to know they are in space and in time, to not be socially or physically lost.”³¹

There have been considerable debates about the degree to which a physical environment could affect people’s actions and have some relation to crime prevention. Hough³², in a crime prevention study in Toronto, stated that the design of the physical environment influences the perception of territory and the ability of people to monitor their surroundings, two factors that could deter crime and vandalism. Newman found that crime rates were lower in areas with the qualities including having a clear set of territorial markers, little open space under nobody’s clear jurisdiction, and opportunities for natural surveillance, using building and landscaping forms and materials that communicate a positive image, and so on.³³

Undoubtedly, visibility into a particular open space improves safety because of the increased opportunity for surveillance by other surrounding users. Usually, parks having views from adjacent residences or streets, as well as having greater visibility within the site, have a lower incidence of problems³⁴. Lynch in his plan of “Boston Tomorrow” calls this indirect and direct surveillance “eyes on the street”³⁵. Jane Jacobs and Kevin Lynch advocated building forms which allow views into the open spaces and encourage regular and frequent users, two critical components that enhance safety.³⁶

³¹ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page156, and 158.
³² Hough, Michael and Barrett, Suzanne. 1987, *People and City Landscapes*, Toronto, Conservation Council of Ontario, page105.
³³ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page245.
³⁴ Hough, Michael and Barrett, Suzanne. 1987, *People and City Landscapes*, Toronto, Conservation Council of Ontario, page106.
³⁵ Banerjee, Tridib and Southworth, Michael, ed, 1990, *City Sense and City Design: Writing and Projects of Kevin Lynch*, Cambridge, Massachusetts, The MIT Press, page686.
³⁶ Jacobs, Jane, 1961, *The Death and Life of Great American cities*, New York, Vintage Books.

环境，知道自己在空间和时间中的位置，不会在社会或身体上迷失。”

关于物理环境在多大程度上能够影响人们的行为并与犯罪预防有关，一直存在相当大的争论。Hough³²在多伦多的一项犯罪预防研究中指出，物理环境设计会影响人们对领土的感知以及监控周围环境的能力，这两个因素可以阻止犯罪和破坏行为。Newman发现，具备以下特质的区域犯罪率较低：拥有明确的领土标志、无人明确管辖的开放空间较少、提供自然监视的机会、使用能够传递积极形象的建筑和景观美化形式及材料等。³³

毫无疑问，特定开放空间的可视性通过增加周围其他用户监控的机会而提高了安全性。通常，从相邻居住地或街道可以看到的公园，以及在场地上具有更高可视性的公园，问题发生率较低。林奇在他的“波士顿明天”计划中称这种间接和直接的监控为“街道之眼”。简·雅各布斯和凯文·林奇倡导允许视线进入开放空间并鼓励经常和频繁使用的建筑形式，这是增强安全性的两个关键要素。

³¹ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page156 and page158.
³² Hough, Michael and Barrett, Suzanne. 1987, *People and City Landscapes*, Toronto, Conservation Council of Ontario, page105.
³³ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page245.
³⁴ Hough, Michael and Barrett, Suzanne. 1987, *People and City Landscapes*, Toronto, Conservation Council of Ontario, page106.
³⁵ Banerjee, Tridib and Southworth, Michael, ed, 1990, *City Sense and City Design: Writing and Projects of Kevin Lynch*, Cambridge, Massachusetts, The MIT Press, page686.
³⁶ Jacobs, Jane, 1961, *The Death and Life of Great American cities*, New York, Vintage Books.

Amenities such as lighting are significant as well to improve visibility and avoid hidden corners. “Good lighting reduces opportunities for miscreants to hide and enables people to scan the environment.”³⁷ Adequate lighting at night is important to ensure the optimal use of waterfront throughout a 24-hour period. In addition, maintenance would contribute to safety. A poorly-maintained place indicates less value and attention paid, and in turn discourages people from using it. Safety is also related to the conflict between pedestrian and vehicles. Jan Gehl³⁸ notes that safety from vehicular traffic is another concern, particularly when improved pedestrian access and usage are anticipated.

2.4 Summary

The evolution of urban waterfront functions and forms reveals the factors of a close connection between waterfront and city, and waterfront’s significant role and impact in urban development. Urban waterfront, with its often strategic location, is the most visible place in a city and is the place where a city’s history is concentrated. As Alex Krieger says, it is “along its waterfront (that) the aura of a city resides and persists.”³⁹ Waterfront redevelopment as a catalyst for urban revitalization has been widely recognized, and deserves continuous effort. Many successful urban waterfront redevelopment precedents in North American cities provide practical experience and reference for the redevelopment of the Alexander Waterfront District in Winnipeg, for their similar waterfront evolution history and urban context. The theoretical design principles identified in the preceding literature review should be integrated in implementation, and respond to the different situations in various cities, where relevant

³⁷ Lang, Jon, 1994, *Urban Design: The American Experience*, New York, Van Nostrand Reinhold, page245.

³⁸ Gehl, Jan, 1987, *Life Between Buildings*, New York, Van Nostrand Reinhold Company.

³⁹ Marshall, Richard, ed. 2001, *Waterfront in Post-Industrial Cities*, London, Spon Press, page13.

照明等便利设施对于提高可视性和避免死角同样重要。“良好的照明减少了不法分子藏身的机会，并使人们能够扫描环境。”夜间充足的照明对于确保滨水区在24小时内的最佳使用至关重要。此外，维护有助于安全。维护不善的地方表明价值低且关注不足，进而阻碍人们使用。安全还与行人和车辆之间的冲突有关。扬·盖尔指出，当行人通道和使用增加时，来自车辆交通的安全是另一个关注点。

2.4 总结

城市滨水功能和形式的演变揭示了滨水区与城市紧密联系的因素，以及滨水区在城市发展中的重要作用和影响。城市滨水区凭借其通常的战略位置，是城市中最可见的地方，也是城市历史集中的地方。正如Alex Krieger所说，“沿着它的滨水区（那里）居住并持续着这座城市的气息。”^{3e} 滨水区再开发作为城市复兴的催化剂已得到广泛认可，并值得持续努力。北美城市中许多成功的城市滨水区再开发先例为温尼伯亚历山大滨水区的再开发提供了实践经验参考，因为这些城市具有相似的滨水演变历史和城市语境。前述文献综述中确定的理论设计原则应在实施中整合，并响应不同城市的不同情况，在这些城市中，相关的重点根据原则在实践中的应用来确定。

t' Lang, Jon, 1994, {Urban Design: The American Experience, New York, Van Nostrand Reinhold, 第245页。3t Gehl, Jan, 1987, Life Between Buildings, New York, Van Nostrand Reinhold公司。3e Marshall, Richard, ed.2}}, Waterfront in Post-Industrial Cities, London, Spon Press, 第13页。

emphasis is determined as the principles are applied in practice. Making waterfront connections is to make the waterfront an organic part of city, a place that people desire to go to and stay in for a quality life experience. Therefore, waterfront connections should not only exist physically, but most importantly, reside in people's day-to-day life, deep in their consciousness.

建立滨水连接是为了使滨水区成为城市的有机组成部分，一个人们渴望前往并停留以获取优质生活体验的地方。因此，滨水连接不仅应存在于物理层面，最重要的是，应融入人们的日常生活，深入他们的意识之中。

Chapter Three

The Alexander Waterfront District

The Alexander Waterfront District is in the northeast portion of Winnipeg's Downtown. It is bounded to the south by Lombard Avenue and Stephen Juba Park terminating at the Water Intake Structure along the Red River, to the west by Main Street, to the north by the Disraeli Freeway and George Avenue, and to the east by the Red River. The AWD covers about 31.3 ha (77.3 acre). (Fig. 7)

3.1 Historic Perspective

The Alexander Waterfront District, with its rich history, has played an essential role in the urban development of Winnipeg. It was one of the first sites inhabited by early European settlers traveling from Hudson Bay up the Red River in the early 19th century. To some degree, it saw the rise and fall of the city's development. (Fig. 8)

In 1826, Alexander Ross, the first historian of the Red River settlement⁴⁰, arrived in the Red River Colony with his family, settled on a river lot located between what is now John Hirsch Place and Alexander Avenue, from the river bank going west two miles. He built a house known as "Colony Gardens" on the riverfront for his wife and three children. In 1852, his eldest son, William Ross constructed a house at the foot of Market Avenue, which became the first post office of the settlement in 1855. This log house, later known as "Ross House", was moved to Joe Zuken Park in 1948 and serves now as a

⁴⁰ Bureau of Travel and Publicity, Department of Industry and Commerce, Manitoba, *City of the Rivers*, Winnipeg, Queen's Printer, page26.

第三章

亚历山大滨水区

亚历山大滨水区位于温尼伯市中心东北部，南至隆巴德大道和斯蒂芬·朱巴公园，终点为红河沿岸的取水构筑物；西至主街；北至迪斯雷利高速公路和乔治大道；东至红河。AWD面积约31.3公顷（77.3英亩）。（图7）

3.1 历史视角

亚历山大滨水区历史悠久，在温尼伯的城市发展中发挥了重要作用。它是19世纪早期欧洲定居者从哈德逊湾沿红河迁徙时最早居住的地点之一。在某种程度上，它见证了城市发展的兴衰。（图8）

1826年，红河聚落的第一位历史学家亚历山大·罗斯与家人抵达红河殖民地，定居在现今约翰·赫希广场和亚历山大大道之间的一块河畔地块上，从河岸向西延伸两英里。他在河滨建造了一所名为“殖民地花园”的房子，供妻子和三个子女居住。1852年，他的长子威廉·罗斯在市场大道尽头建造了一所房屋，该房屋于1855年成为聚落的第一个邮局。这所原木房屋后来被称为“罗斯故居”，于1948年迁至乔·祖肯公园，现在作为

哦，旅游与宣传局，工商部，马尼托巴省，河流之城，温尼伯，女王出版社，第26页。



Fig.7: Boundaries of the Alexander Waterfront District⁴¹

⁴¹ The digital map of the Alexander Waterfront District and the aerial photo were provided by Land Information Services Branch, Planning, Property & Development Department, the City of Winnipeg. The AWD's boundary was defined according to a "Prospectus" regarding the AWD, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page6.




图7：亚历山大滨水区边界

亚历山大滨水区的数字地图和航拍照片由温尼伯市物业与发展部规划与土地利用处的土地信息服务处提供。滨水大道开发区边界根据环境规划部编制的关于滨水大道开发区的“说明书”确定，并由温尼伯市物业与发展部规划与土地利用处高级规划师Martin Sandhurst提供，第6页。

small museum. The Ross family lived there until the early 1890s. They sold their property, including the land on which City Hall stands today. Later, their former holdings became a residential area with small bungalows and low brick terraces. In 1893, the newly established Parks Board bought the site of “Colony Gardens” and developed Victoria Park, one of Winnipeg’s first four public parks. The park was bounded by Amy Street to the west, the Red River to the east, Pacific Avenue to the north and James avenue to the south. With its mature trees and views, it was thought the most beautiful amusement place in the city at that time. The park served as a meeting place during the Winnipeg General Strike in 1919.




Fig.8: Historic Development of Winnipeg
Source: Faculty of Architecture, University of Manitoba, *Urban Design Studio 1984-85:Fort Rouge*, p.11

In 1906, the construction of a high pressure pumping station on James Avenue, in the southeast corner of Victoria Park, began the decline of the neighborhood and park.

小型博物馆。罗斯家族一直居住在那里直到1890年代初。他们出售了房产，包括今天市政厅所在的土地。后来，他们曾经的领地变成了一个住宅区，有小平房和低层砖砌排屋。1893年，新成立的公园委员会购买了“殖民地花园”的场地，并开发了维多利亚公园，这是温尼伯最早的四座公共公园之一。公园西临艾米街，东临红河，北临太平洋大道，南临詹姆斯大道。凭借其成熟的树木和景观，它被认为是当时城市中最美丽的娱乐场所。1919年温尼伯大罢工期间，该公园曾作为集会地点。




图8：温尼伯历史发展 来源：曼尼托巴大学建筑学院，城市设计工作室1984-85：红堡，第11页

1906年，在维多利亚公园东南角的詹姆斯大道上建设高压泵站，开始了该社区和公园的衰落。

The local residents began to gradually migrate from the area due to the further disruption caused by the installation of a rail line along the riverfront to serve the pump station and the expanding warehouse district to the south. In 1922, the Amy Street Steam Plant was built on the park site, to provide emergency electricity in case of power failure from the two generating plants outside of Winnipeg. Eventually, most of the park disappeared. Rapid growth since the early part of 1900s thus transformed the residential neighborhood into a commercial warehouse and industrial district.

3.2 Physical Characteristics

The preceding section established the historic context of the Alexander Waterfront District. To complement the research, it is important to examine the existing physical conditions and qualities of the AWD. To this end, a site inventory was conducted to gain a better understanding of the current situation regarding the urban context, current land uses and ownership, circulation, heritage features, and general image and visual features. The information gathered provides an objective picture of the AWD. Combined with the later public survey, both provide a solid basis for further situational analysis.

3.2.1 The urban context

The Alexander Waterfront District comprises the East Exchange District and a parcel of land at the southeast portion of the North Main Area. To the west, the AWD neighbors Chinatown and the Civic Center, and to the east is the French Quarter across

由于沿河滨铺设铁路线以服务泵站和南部不断扩大的仓库区，进一步造成干扰，当地居民开始逐渐迁离该区域。1922年，在公园地点建造了艾米街蒸汽厂，以便在Wiruripeg外部的两座发电厂发生电力故障时提供应急电力。最终，公园大部分消失。自1900年代初以来的快速增长，因此将住宅区转变成了商业仓库和工业区。

3.2 物理特征

前一节建立了亚历山大滨水区的历史语境。为补充研究，需考察AWD现有的物理条件和品质。为此，进行了场地盘点，以更好地了解当前在城市语境、当前土地利用与所有权、交通流线、遗产特征以及总体形象和视觉特征方面的情况。收集的信息提供了AWD的客观图景。与后续的公众调查相结合，两者为进一步的情境分析奠定了坚实基础。

3.2.1 城市语境

亚历山大滨水区包括东交易区和北主区东南部的一块地块。西侧，AWD与唐人街和市政中心相邻；东侧是法国区，隔




Fig.9: The Alexander Waterfront District surrounding areas.




图9: 亚历山大滨水区周边区域。

the Red River. The AWD is just one block away from the famous Portage-Main intersection. (Fig. 9)

A brief examination of the character of its surrounding areas, including the North Main Area, the Exchange District, the Chinatown and the French Quarter, is addressed as follows:

The North Main Area:

The North Main Area is bounded by William Avenue to the south, Higgins Avenue to the north, Princess Street to the west, and the Red River to the east. The area is historically known as Nestawe'ya (Three Points), and it has been frequented by Aboriginal people as far back as 8,500 years ago. "From that time onward, the area has witnessed a succession of aboriginal peoples and their cultures, a process that continues today."⁴² The commercial area along Main Street beginning at the Disraeli Freeway, which is also called Mosaic Market, was one of the first commercial zones established in the late 1800s in Winnipeg. Today, a strong ethnic atmosphere is still apparent with more than 120 businesses located in the neighborhood, including many ethnic restaurants, churches and community services.

The Exchange District:

The Exchange District is a dense urban area consisting of approximately 20 city blocks located in Downtown Winnipeg just north of Portage Avenue. The whole area covers about 0.32 square kilometers. The Exchange District played an essential role in Winnipeg's history. It was once a vital part of Winnipeg's industrial and financial district, at the time when Winnipeg was a railway center in North America and gateway to the West. With the process of de-industrialization and the decline of railway transportation,

⁴² The City of Winnipeg, 1997, *Our Place: North Main Task Force*, page 6.

红河。AWD距离著名的Portage-Main交叉口仅一个街区。(图9)

以下简要考察其周边区域的特征，包括北主区、交易区、唐人街和法国区：

北主区：

北主区南至William大道，北至Higgins大道，西至Princess街，东至红河。该区域历史上被称为Nestawe'ya（三点），可追溯至8500年前原住民频繁活动于此。“从那时起，该地区见证了原住民及其文化的连续更替，这一过程延续至今。”⁴² 沿主街从迪斯雷利高速公路开始的商业区，也称为马赛克市场，是19世纪末温尼伯最早建立的商业区之一。如今，该社区仍保留浓厚的民族氛围，拥有超过120家商业，包括众多民族餐厅、教堂和社区服务。

交易区：

交易区是一个密集的城市区域，由位于温尼伯市中心、波蒂奇大道以北约20个城市街区组成。整个区域面积约0.32平方公里。交易区在Wiruripeg的历史中发挥了重要作用。它曾经是温尼伯工业和金融区的重要组成部分，当时温尼伯是北美的铁路中心和通往西部的门户。随着去工业化进程和铁路运输的衰落，

⁴² 温尼伯市，1997年，《我们的地方：北主街工作组》，第6页。

the warehouse structures in the Exchange District were under-used, resulting in a high vacancy rate. The development boom of the City at the turn of the last century has left a significant collection of intact historic architecture well known for its Chicago Style in the Exchange District. Currently, there are almost 80 municipally designated buildings, 1 provincial designated building, and 5 buildings registered as National Historic Sites in the Exchange District. In 1997, the Exchange



Fig.10: Market Square in the Exchange District.

District was declared a National Historic Site by the Federal Minister of Canadian Heritage for its valuable heritage architecture. Meanwhile, the Exchange District is also famous for its rich artistic and cultural atmosphere. It is the heart of the performing and visual arts community in Winnipeg.

The Chinatown:

The area known as Chinatown was established in 1909 and remains the focus of Chinese culture in the city. It is located between James and Logan Avenues to the west of Main Street. Chinatown offers fine examples of Chinese architecture, and shops selling herbs, spices, Chinese cooking implements and ingredients. The Winnipeg Chinese Cultural and Community Center, in the Dynasty Building, is a center of arts and learning, with many classes and services. The library in the building is the only Chinese library in Manitoba.



Fig.11: Winnipeg Chinatown.

交易区内的仓库结构未充分利用，导致空置率很高。上个世纪之交该市的开发热潮留下了

在交易区拥有大量保存完好的历史建筑，以其芝加哥风格闻名。目前，交易区内有近80座市级指定建筑、一座省级指定建筑，以及5座被列为国家历史遗址的建筑。1997年，交易区



图10：交易区的市场广场。

被加拿大遗产联邦部长宣布为国家历史遗址，因其宝贵的遗产建筑。同时，交易区还以其丰富的艺术文化氛围而闻名。它是温尼伯表演和视觉艺术社区的核心。

唐人街：

被称为唐人街的区域成立于1909年，至今仍是城市中华人文化的焦点。它位于詹姆斯大道和洛根大道之间，主街以西。唐人街拥有中式建筑的典范，以及出售草药、香料、中式烹饪用具和食材的商店。温尼伯华人

位于王朝大厦的文化社区中心是一个艺术与学习中心，提供许多课程和服务。该建筑内的图书馆是马尼托巴省唯一的华语图书馆。




图11：Wiruripeg唐人街。

The French Quarter:

Winnipeg's French Quarter, also known as Saint-Boniface, was founded in 1818 by Bishop Provencher, who established the first Roman Catholic mission in the west. The French Quarter is home to the resting place of Louis Riel, Métis leader and one of the founders of the Province of Manitoba. There are over 35 designated historic sites in the French Quarter at present.




Fig.12: Winnipeg French Quarter.
Source:<http://www.frenchquarterbiz.com>

3.2.2 Current land uses and ownership

There is a considerable diversity of land uses in the Alexander Waterfront District. (Fig.13) One of the most distinguishing land use features of the AWD is that many of Winnipeg's cultural amenities are concentrated there. As well, office uses and a variety of warehouse facilities, with relatively few residential uses, are located in the AWD.

There are a certain number of lands, including the whole riverbank, publicly owned by the city (Fig.14). The Alexander Dock previously owned by the Federal Government, has been transferred to, and is now maintained by the city.

Cultural use:

There are quite a few cultural facilities currently located within the AWD, including the Centennial Concert Hall, the Museum of Man and Nature, the Planetarium, the Manitoba Theater Center, the MTC Warehouse Theater, the Pantages Theater, the Ukrainian Cultural Center and the Royal Winnipeg Ballet Workshop.

法国区:

温尼伯的法国区，也称为圣博尼法斯，由普罗文彻主教于1818年建立，他在此设立了西部第一个罗马天主教传教团。法国区是梅蒂人领袖路易·瑞尔（马尼托巴省创始人之一）的长眠之地。目前法国区拥有超过35个指定历史遗址。




图12: 温尼伯法式区。来源:
h
t
t
p://
www.frenchquarterbiz.com

3.2.2 当前土地利用与所有权

亚历山大滨水区的土地利用类型相当多样化。（图13）AWD最显著的土地利用特征之一是温尼伯的许多文化设施集中于此。此外，AWD内还有办公用途、各种仓库设施，而住宅用途相对较少。

有一定数量的土地（包括整个河岸）由城市公有（图14）。原先由联邦政府拥有的亚历山大码头已移交给城市，并现由城市维护。

文化用途:

目前AWD内有相当多的文化设施，包括百年音乐厅、人与自然博物馆、天文馆、马尼托巴剧院中心、MTC Vy'arehouse剧院、潘塔吉斯剧院、乌克兰文化中心以及皇家温尼伯芭蕾舞团工作坊。

Commercial use:

There are a certain number of commercial uses existing in the AWD at present. Most of them are restaurants and bars, which are usually located on the ground floors of the buildings in the southern part of the AWD along McDermott Avenue and Rorie Street, with easy access for people working and living in and around the AWD.

Greenery open space:

There are a few green open spaces in the AWD. They are mainly along the riverfront, which consists of Stephen Juba Park along the water's edge from Lombard Avenue to James Avenue. The park was named for Winnipeg's longest-serving mayor and opened in 1984. At the northern end of the park, there is the Alexander Dock currently providing waterbus cruise service on the Red River.

Industrial use:

With the removal of the railway along the riverfront, and the shutdown of the high-pressure pumping station, the Amy Street Steam Plant, and the riverside water intake structure, industrial uses are mainly occupied by warehouses, which are currently concentrated in the northern part of the AWD.

Office use:

Office uses are mainly located in the southern part of the AWD, along Main Street and Lombard Avenue. They accommodate various kinds of business, government offices and banks, and most of which are situated in the historic buildings, such as the Porter Building, Inland Revenue Warehouse, Grain Exchange Building, Great-West Life Building, Union Trust Tower, and the Bank of Hamilton.

商业用途:

目前AWD内存在一定数量的商业用途。其中大部分是餐厅和酒吧，通常位于AWD南部沿McDermott Avenue和罗里街的建筑底层，方便在AWD及其周边工作和生活的人们进出。

绿色开放空间:

AWD内有少量绿色开放空间。它们主要沿河滨分布，包括从隆巴德大道到詹姆斯大道的水岸沿线斯蒂芬·朱巴公园。该公园以温尼伯任职时间最长的市长命名，于1984年开放。公园北端是亚历山大码头，目前提供红河上的水上巴士巡航服务。

工业用途: _____:

随着河滨铁路的拆除，以及高压泵站、艾米街蒸汽厂和河边取水构筑物的关闭，工业用途主要由仓库占据，目前集中在AWD北部。

办公用途:

办公用途主要位于AWD南部，沿主街和隆巴德大道分布。这些建筑容纳了各种类型的商业、政府办公室和银行，其中大部分位于历史建筑中，如Porter Building、Inland Revenue Warehouse、Grain Exchange Building、Great-West Life Building、Union Trust Tower和Bank of Hamilton。

Parking use:

There are currently two parkades located within the AWD. The remaining stalls are outdoor surface parking. According to a statistic by the Planning Department of the city, there are 425 stalls in the two parkades, which is a little bit less than half of the 985 outdoor surface stalls. Parking is generally perceived as sufficient in the AWD. Parking problems only occur at certain peak times when concurrent events take place at the cultural centers in the AWD.

Residential use:

Although historically the AWD was a residential neighborhood, there are only a few old houses still existing in the AWD today. Most of these houses are located on the northern edge of the AWD, generally in very poor condition. Ashdown Warehouse, a historic building located on Bannatyne Avenue, was recently converted to residential use by the Prairie Housing Co-op. The Co-op has been pursuing plans to turn more of the historic buildings into residences in the future.

停车用途:

目前AWD内有两个停车楼。其余停车位是露天地面停车场。根据该市规划部门的统计，两个停车楼共有425个停车位，略少于985个露天地面停车位的一半。总体而言，AWD的停车位被视为充足。唯有在AWD文化中心同时举行活动的高峰时段，才会出现停车问题。

住宅用途:

虽然历史上AWD曾是一个住宅区，但如今该区域内仅存几栋旧房屋。这些房屋大多位于AWD北部边缘，状况普遍较差。位于班纳坦大道的阿什当仓库，是一座历史建筑，最近由草原住房合作社改造成住宅用途。该合作社一直在积极推进未来将更多历史建筑改造为居住地的计划。




Fig.13: Current land use in the Alexander Waterfront District⁴³

⁴³ According to the site inventory and the “Prospectus” regarding the AWD, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page4-5.




图13: 亚历山大滨水区当前的土地利用情况a3

a3 根据由环境规划部门编制的关于AWD的场地盘点和“前景展望”，并由温尼伯市物业与发展部规划与土地利用处高级规划师Martin Sandhurst提供，第4-5页。




Fig.14: Current public landownership in the Alexander Waterfront District⁴⁴

⁴⁴ According to the “Prospectus” regarding the AWD, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page6.




图14: 亚历山大滨水区当前的公共土地所有权

⁴⁴ 根据环境规划部编制、物业与发展部规划与土地利用处高级规划师Martin Sandhurst提供的关于AWD的《说明书》，温尼伯市，第6页。

3.2.3 Circulation

The AWD is surrounded to the north by Disraeli Freeway and to the west by Main Street, both of which are major traffic arterials in the city. The major access points to the AWD are at Pacific Ave., Rupert Ave., Market Ave. and McDermott Ave. on the Main Street side, and Lily St. and Rorie St..

Most roads within the AWD are two-way, except for parts of McDermott Ave. and Bannatyne Ave. between Main Street and Rorie Street, which are one-way. All the east-west roads within the AWD are dead-ended to the east meeting the riverfront lands. This leads to an unsafe perception, due to less pass-through traffic and few pedestrians. Because of the heavy traffic volume on Main Street, some traffic shifts to Rorie Street and Lily Street, which turns out to be a key south-north traffic corridor within the AWD. The currently under-construction Waterfront Drive from Lombard Avenue to Higgins Avenue should mitigate some of the traffic volume on Rorie Street and Lily Street, resolve the dead-end problem of the east-west roads, and bring greater vitality to the AWD.

The AWD is linked to other parts of the city by eight transit routes – Nos. 21,22,24,28,29,31,58, and 67, which is excellent in term of frequency of service and distribution of routes, although the transit routes within the AWD are limited to around the block of the Museum of Man and Nature and Centennial Concert Hall (Fig. 15).




Fig.15: Current public transit in the Alexander Waterfront District.
Source: <http://www.winnipegtransit.com/>

3.2.3 交通流线

AWD北临迪斯雷利高速公路，西临主街，这两条都是城市的主要交通干道。AWD的主要通道入口位于主街一侧的太平洋大道、鲁珀特大道、市场大道和麦克德莫特大道，以及莉莉街和罗里街。

AWD内大部分道路为双向通行，但麦克德莫特大道和班纳坦大道位于主街与罗里街之间的部分为单向通行。AWD内所有东西向道路东端均止于河滨地带，形成断头路。这导致通行车辆少、行人稀疏，从而产生不安全的感知。由于主街交通流量大，部分车流分流至罗里街和莉莉街，这两条路成为AWD内关键的南北向交通走廊。目前正在建设的“滨水大道从隆巴德大道至Higgins大道”将缓解罗里街和莉莉街的部分交通压力，解决东西向道路的断头问题，并为AWD带来更大活力。

AWD 与其他区域相连

21、22、24、28、29、31、58 和 67，这是
在服务频率和路线分布方面表现出色，尽管AWD内的公交线路仅限于人与自然博物馆和百年音乐厅街区附近（图15）。

城市八条公交线路——编号




图 15：亚历山大滨水区当前的公共交通。来源: [h@://www.winnipegtransit.com/](http://www.winnipegtransit.com/)

Thus there are still some areas in the AWD that are beyond the five-minute walking distance to bus stops, which in turn limits public accessibility to the AWD.

Most of the streets have sidewalks; however, pedestrian circulation is particularly unsatisfactory in the AWD. There are a certain number of pedestrian uses around the Centennial Concert Hall, the Manitoba Theater Center and Pantages Theater during performance times, and on the walkway along the Red River in Stephen Juba Park during lunchtime in summer.

3.2.4 Heritage features

Historic buildings:

There are a number of historic buildings located in the AWD. Most buildings were erected from the early 1880s until the First World War, and especially at the turn of the century. This intact collection of warehouses, financial institutions, and towers, known for their Chicago-Style, provides evidence of Winnipeg’s boom era and its national importance at the time. According to the Heritage Conservation Department of the City of Winnipeg⁴⁵, there are currently forty-three municipally designated historic buildings, listed under the Building Conservation List and Historic Building Inventory⁴⁶, one provincially designated historic building, and three nationally designated historic

⁴⁵ <http://www.city.winnipeg.mb.ca/ppd/historic/>, November 17, 2001.
⁴⁶ The City of Winnipeg retains and compiles two separate yet complementary listings of heritage buildings: the Buildings Conservation List and the Historical Buildings Inventory. The Buildings Conservation List includes structures that have been declared historic by the City of Winnipeg based on recommendations by the Historical Buildings Committee. Historical Buildings Inventory has been compiled including commercial, educational, financial, public, religious, residential, and miscellaneous structures, in order to assess the overall scope of heritage conservation in Winnipeg The Inventory is a listing of buildings which have not been formally researched and evaluated, but which may have architectural or historical significance. Buildings on the Inventory can be viewed therefore, as possible candidates for inclusion on the Buildings Conservation List.

因此，AWD中仍有一些区域距离公交车站超过五分钟步行距离，这反过来限制了AWD的公共可达性。

大多数街道都有人行道，但在AWD区，行人交通流线尤其不令人满意。在百年音乐厅、马尼托巴剧院中心和潘塔吉斯剧院附近的表演时段，以及夏季午餐时间在斯蒂芬·朱巴公园沿红河的人行道上，有一定数量的行人活动。

3.2.4 遗产特征

历史建筑：

AWD内有多座历史建筑。大多数建筑建于1880年代初期至第一次世界大战期间，尤其是在世纪之交。这批完好无损的仓库、金融机构和塔楼以其芝加哥风格而闻名，证明了温尼伯的繁荣时期及其当时在全国的重要性。据温尼伯市遗产保护部门称，目前有43座市级指定历史建筑列入《建筑保护名录》和《历史建筑目录a6》，一座省级指定历史建筑，以及三座国家级指定历史

a5 <http://www.city.winnipeg.mb.ca/ppd/historic/>, 2001年11月17日。温尼伯市维护并汇编了两个独立但互补的历史建筑名录：建筑保护名录和历史建筑名录。建筑保护名录包括经温尼伯市根据历史建筑委员会建议认定为历史建筑的建筑物。历史建筑名录则汇编了商业、教育、金融、公共、宗教、住宅及其他各类建筑，以评估温尼伯遗产保护的总体范围。该名录列出了尚未经过正式研究和评估但可能具有建筑或历史意义的建筑。因此，名录中的建筑可被视为未来可能列入建筑保护名录的候选对象。

buildings, located in the AWD (Fig.16). For the full list of the designated historic buildings, see Appendix A.

Other heritage sites:

1. Victoria Park:

Victoria Park, built on the former site of Victoria and Colony Gardens at the foot of James Avenue facing the Red River, is one of Winnipeg's first four public parks. The Parks Board of the City purchased this land from the Ross family in 1893, and opened the Park in the following year. The Park was thought the most beautiful amusement place in the city at that time, for its formal style with shady walkways, sectioned flowerbeds, rustic wooden benches and a bandstand for summer concerts⁴⁷. It was also the site of several critical meetings during the Winnipeg General Strike in 1919. In 1906, the construction of a high pressure pumping station on James Avenue cut off the southeast corner of Victoria Park, and the construction of the Amy Street Stream Plant later in 1922 led to the eventual disappearance of the Park.

2. Ross House:

Ross House, built with hand-hewn squared logs in the style known as Red River Frame, was constructed at the foot of Market Avenue in 1852 by William Ross who became the first postmaster of the settlement in 1855. The House served as the first post office of the settlement at that time. Later, it was saved from demolition by the Manitoba Historical Society and relocated to Joe Zuken Heritage Park in Point Douglas (west side of Meade Street between Sutherland and Euclid Avenues) in 1948. It now serves as a small museum.

⁴⁷ City of Winnipeg, 1997, *Our Place: North Main Task Force*, page 21.

建筑位于AWD内（图16）。指定历史建筑完整列表见附录A。

其他遗产景点：

1. 维多利亚公园：

维多利亚公园建在詹姆斯大道尽头、红河畔的维多利亚与殖民地花园原址上，是温尼伯首批四大公共公园之一。市公园委员会于1893年从罗斯家族手中购得这片土地，并于次年开放公园。该公园当时被认为是城市中最美的娱乐场所，因其规整的风格——设有阴凉步道、分区花坛、古朴木制长椅以及供夏季音乐会的演奏台。它也是1919年温尼伯大罢工期间多次重要会议的举办地。1906年，詹姆斯大道上高压泵站的建设切断了维多利亚公园的东南角，而后来1922年艾米街蒸汽厂的建设最终导致公园消失。

2. 罗斯故居：

罗斯故居采用手工劈凿的方木建造，风格称为红河框架，由威廉·罗斯于1852年在市场大道脚下建造，他于1855年成为该聚落的首任邮政局长。该建筑当时作为聚落的第一个邮局。后来，马尼托巴历史学会将其从拆迁中拯救出来，并于1948年迁至道格拉斯角·祖肯遗产公园（米德街西侧，介于萨瑟兰大道与欧几里得大道之间）。如今，它作为一个小型博物馆对外开放。

o' 温尼伯市，1997年，《我们的地方：北主街工作组》，第27页'

3. Alexander Dock:

The history of the Dock can be traced back to the early twentieth century. It was once the main loading facilities for the local warehouses. It was also used by Lake Winnipeg fishermen to sell fresh water fish on summer weekends. It now serves as one of the waterbus stops on the Red and Assiniboine River, connecting with other Downtown destinations including Promenade Tache, the Forks Historic Port, the Manitoba Legislative Building, Osborne Village and Corydon Ave. BIZ. Paddlewheel River Rouge Tours has recently relocated its operations to the Alexander Dock, providing river sightseeing service.

4. The Scots Monument:

This 18-foot high monument is located just north of Alexander Dock, at the site of the original Fort Douglas - the log fort erected by the Selkirk Settlers in 1815. It is dedicated to Thomas Douglas, the fifth Earl of Selkirk and marks the historical origins of Manitoba as a European settled territory. It also honors people of Scottish origin and their descendants who settled in the provinces, territories and districts of Canada. The monument follows the form of a thistle, and is created in bronze, limestone and stainless steel. The story and names of the Selkirk Settlers are inscribed on the monument, and it is surrounded by stonework in which are imbedded stones from parishes of all parts of Scotland.⁴⁸

5. John Hirsch Place:

This is a lane located in the block between Bannatyne Ave. and Market Ave. close to the riverfront. It was once the site of a historic creek flowing to the Red River, and

⁴⁸ See <http://www.geocities.com/Heartland/Village/1479/historic.html> & <http://www.city.winnipeg.mb.ca/interhom/sightsnsound/historicsites.htm#salvationarmy>, December 29, 2001.

3. 亚历山大码头:

该码头的历史可以追溯到二十世纪初。它曾是当地仓库的主要装卸设施。夏季周末, 温尼伯湖渔民也曾在此出售淡水鱼。如今, 它是红河与阿西尼博因河上的水上巴士站之一, 连接其他市中心目的地, 包括塔什长廊、福克斯历史港口、马尼托巴省立法大楼、奥斯本村和科里登大道商业改善区。明轮红河之旅最近已将其运营迁至亚历山大码头, 提供河流观光服务。

4. 苏格兰人纪念碑:

这座18英尺高的纪念碑位于亚历山大码头以北, 原道格拉斯堡遗址——即塞尔柯克定居者于1815年建造的木堡。它献给托马斯·道格拉斯, 即第五代塞尔柯克伯爵, 标志着马尼托巴省作为欧洲人定居领地的历史起源。它也纪念苏格兰血统的人们及其后代, 他们定居在加拿大的各省、地区和区域。纪念碑采用蓟花形状, 由青铜、石灰石和不锈钢制成。碑上刻有塞尔柯克定居者的故事和名字, 周围环绕着石砌结构, 其中嵌入了来自苏格兰各教区的石块。

5. 约翰·赫希广场:

这是一条位于班纳坦大道和市场大道之间街区的小巷, 靠近河滨。这里曾是一条历史溪流的所在地, 溪流汇入红河,

a8 参见 <http://www.geocities.com/Heartland/Village/1479/Eristoric.html> & <http://www.city.winnipeg.mb.ca/interhoû/siehtsnsound/historicsites.htm#salvationarmv>, 2001年12月29日。

later a spur railway line. It was beautifully streetscaped in 1988 to honor John Hirsch, the dynamic stage director who founded the Manitoba Theater Center.

3.2.5 General image and visual features

The general image and visual features of the AWD were analyzed according to the aspects of paths, edges, districts, nodes, and landmarks (Fig. 17). According to Lynch⁴⁹, paths are the channels along which the observer customarily, occasionally, or potentially moves; edges are the linear elements not used or considered as paths by the observer, which may be barriers, more or less penetrable, or may be seams, lines along which two regions are related and joined together; districts, defined by Lynch are the medium to large sections of the city, but here more refer to a two-dimensional area, which are recognizable as having some common and identifying character; nodes are points, the strategic spots in a city into which an observer can enter and which are the intensive foci to and from which he is traveling; and landmarks are another type of point-reference, which are viewed as external and the observer does not enter within them.

The image and visual types identified in Fig. 17 are relative, and may occasionally shift from each other with a different viewing circumstance. For instance, the water intake building on the water's edge is treated as a landmark, probably only when being viewed from the river. In addition, a roadway, such as Lily Street, may be viewed as a path for the driver but an edge for the pedestrian. Therefore, this analysis is subjective and is not intended to be definitive, but is a way to identify existing elements that may potentially be altered or maintained in a positive way in a future intervention.

⁴⁹ Lynch, Kevin, 1960, *The Image of the City*, The MIT Press, Cambridge, page47.

后来成为一条铁路支线。1988年，为纪念充满活力的舞台导演John Hirsch（马尼托巴剧院中心的创始人），这里进行了精美的街道景观美化。

3.2.5 一般图像和视觉特征

根据路径、边缘、区域、节点和地标等方面分析了AWD的一般图像和视觉特征（图17）。根据林奇的观点，路径是观察者习惯性、偶尔或可能移动的通道；边缘是观察者不使用或不视为路径的线性元素，可能是障碍，或多或少可穿透，或是接缝，两个区域相互关联并连接在一起的线；区域，由林奇定义，是城市的中等至大型区域，但这里更指二维区域，具有共同且可识别的特征；节点是点，是城市中可以进入的战略地点，是旅行者来回的密集焦点；地标是另一种参考点，被视为外部参考，观察者不会进入其中。

图17中识别的图像和视觉类型是相对的，并且可能随着不同的观看环境而相互转换。例如，水岸上的取水建筑被视为一个地标，可能仅当从河流观看时才如此。此外，一条道路，如百合街，对驾驶员来说可能被视为路径，但对行人来说可能被视为边缘。因此，此分析是主观的，并非旨在确定，而是识别现有元素的一种方式，这些元素在未来干预中可能以积极的方式被改变或保留。

Lynch, Kevin. 1960. 《城市意象》。麻省理工学院出版社，剑桥，第41页。




Fig. 16: Historic buildings and heritage sites in the Alexander Waterfront District⁵⁰

⁵⁰ The map regarding the historic buildings in the Alexander Waterfront District was produced, according to the City of Winnipeg's website: <http://www.city.winnipeg.mb.ca/ppd/historic/>, and the "Prospectus" regarding the Alexander Waterfront District, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page2.




图16: 亚历山大滨水区的历史建筑和遗产地so

关于亚历山大滨水区历史建筑的地图是根据温尼伯市网站: <http://www.city.winnipeg.mb.ca/ppd/historic/>, 以及由环境规划部门制作并由温尼伯市规划与土地利用部门、物业与发展部门高级规划师Martin Sandhurst提供的《亚历山大滨水区说明书》第2页制作的。




Fig.17: General image and visual features of the Alexander Waterfront District.




图 17：亚历山大滨水区的一般图像和视觉特征。

3.2.6 Summary

The examination of the physical characteristics of the AWD provides a general profile of the AWD. The unique features of the AWD in general and the particular characteristics of the surrounding urban context are those that distinguish this area from others of the city. This investigation, combined with the following analyses, offers a basis for the development of the design strategy for the AWD.

3.3 Demographic Condition

The demographic census is neighborhood-based. The Alexander Waterfront District is partially included in the Old Financial District and the Main Street North neighborhood (Fig.18) Therefore, the examination of the AWD demographic condition is based on the demographic analysis of these two neighborhoods – the Main Street North and the Old Financial District.




Fig.18: Neighborhood boundary for demographic census.
Source:
<http://www.city.winnipeg.mb.ca/Census1996/pages/danielmcintyre.htm>
Shaded area for the Alexander Waterfront District is added.

3.3.1 Demographic condition in the Main Street North⁵¹

The 1996 census showed that there were a total of 475 residents officially living in Main Street North. This population was a sharp decrease, by 43.1%, from the 835 recorded in 1991 census. The residents aged from 20 to 29 comprised the majority of the

⁵¹ According to *Winnipeg Neighborhood Profiles: Main Street North 1996 Census Data*, Statistics Canada. The recent 2001 census data at neighborhood level will be formulated in May 2003 by Statistics Canada.

3.2.6 总结

对AWD物理特征的考察提供了AWD的一般概况。AWD的独特特征以及周围城市语境的特定特性使该区域与城市其他区域区分开来。此项调查与后续分析相结合，为制定AWD的设计策略提供了基础。

3.3 人口状况

人口普查以社区为基础。亚历山大滨水区部分包含在旧金融区和北主街社区内（图18）。因此，对AWD人口状况的考察基于这两个社区——北主街和旧金融区——的人口分析。




图1.8: 人口普查的社区边界。来源:
<http://www.city.winnipeg.mb.ca/Census1996/pages/danielmcintyre.htm> 阴影区域为亚历山大滨水区。

3.3.1 Main Street North的人口状况

1996年人口普查显示，Main Street North共有475名正式居民。这一人口比1991年人口普查记录的835人急剧减少了43.1%。年龄在20至29岁的居民占

⁵¹ 根据温尼伯社区概况：Main Street North 1996年人口普查数据，加拿大统计局。最近的2001年人口普查数据将在2003年5月由加拿大统计局按社区层面发布。

population, 24.2%. People aged 75 or greater ranked second at 17.2%. The third largest age group living in the neighborhood was those less than five years old, which took up 8.1% of the total population. There was a very high ratio of visible minorities living in the neighborhood, 90.3% of the total. The educational level and employment ratio of the population were markedly lower than the average of the city. The population having an education of less than Grade 9 took up 43.2%, and the employment ratio was only 38%. The area was perceived as a low-income neighborhood, since 50% households had an annual income ranging from \$10,000 to \$19,999. All the dwelling tenures within the neighborhood were rented. The mobility ratio in the 1996 census was as high as 61.5% within a five-year period.

3.3.2 Demographic condition in the Old Financial District⁵²

The 1996 census showed that there were only 240 residents officially living in the Old Financial District, which was a 17% population increase compared to that in 1991. The majority of the population was aged from 25 to 54, which accounted for 90%. The high ratio of well-educated and employed population was one of the demographic features of the neighborhood. Nearly half of the residents had a university degree - much higher than the 15.1% citywide. The employment ratio is 80.5% - almost 20 percentage points higher than that of the city. The household income data was not shown in the 1996 census. Another demographic feature of the neighborhood was reflected in the lower ratio of the visible minorities, which only accounted for 4.7% of the total. However, the mobility ratio in the neighborhood was surprisingly high. There are 38.1% of the

⁵² According to *Winnipeg Neighborhood Profiles: Old Financial District 1996 Census Data*, Statistics Canada. The recent 2001 census data at neighborhood level will be formulated in May 2003 by Statistics Canada.

人口的大多数，为24.2岁。75岁及以上人口位居第二，占17.2%。居住在社区中的第三大年龄组是五岁以下儿童，占总人口的8.1%。社区中可见少数族裔的比例非常高，占总人口的90.3%。人口的教育水平和就业率明显低于城市平均水平。受教育程度低于9年级的人口占43.2%，就业率仅为38%。该地区被视为低收入社区，因为50%的家庭年收入在10,000至19,999美元之间。社区内的所有住房所有权均为租赁。1996年人口普查中，五年内的流动率高达61.5%。

3.3.2 旧金融区人口状况2

1996年人口普查显示，旧金融区正式居民仅有240人，与1991年相比人口增长。大部分人口年龄在25至54岁之间，占总人口的90%。高比例的高学历和就业人口是该社区的人口特征之一。近一半的居民拥有大学学位——远高于全市的15.1%。就业率为80.5%，几乎比全市高出20个百分点。1996年人口普查未显示家庭收入数据。该社区的另一个特点是可见少数族裔比例较低，仅占总人口的4.7%。然而，该社区的流动率高得惊人。有38.1%的

⁵² 根据L'innipeg社区概况：旧金融区]996 人口普查数据，加拿大统计局。最近一次2001年人口普查数据将于2003年5月由加拿大统计局制定。

residents having moved within the last one year and 85% within the last five years, versus only 16.1% and 43.9% of the city respectively. In terms of the dwelling tenures, 56.5% of dwellings were rented.

3.3.3 Summary

A comparison of the demographic situation of the two neighborhoods reveals the contrasting characteristic of the two neighborhoods (Table 1). Main Street North can be summarized as having a high ratio of youth and elderly population, visible minority population, and low education level, low employment and low-income population. The Old Financial District looks much more vibrant by displaying totally different features on these aspects. More importantly, the population in the Old Financial District has been increasing in recent years, in comparison to the sharp population loss in Main Street North. Both neighborhoods show a high ratio of mobility in the 1996 census, which may be attributed to their still-immature living, working and business environment, especially in the Old Financial District whose demographics reflect the fact that it has a high number of self-employed people. The increasing population in the Old Financial District demonstrates the potential vibrancy of the neighborhood. It is possible to take advantage of the growth in the Old Finance District to influence and stimulate the development of its neighbor, Main Street North.

The analysis of these two neighborhoods provides the demographic context of the Alexander Waterfront District. As existing residential use and stable resident population is very limited in the AWD, the preceding analysis of the two neighborhoods might not

居民在过去一年内搬迁，过去五年内搬迁的比例为55%，而全市对应的比例仅为16.1%和43.9%。在住房所有权方面，56.5%的住宅为租赁房。

3.3.3 总结

对两个区域的人口状况进行比较，揭示了它们截然不同的特征（表1）。Main Street North 的特点是青年和老年人口比例高、可见少数族裔人口多、教育水平低、就业率低且低收入人口多。相比之下，旧金融区在这些方面表现出完全不同的特征，显得更具活力。更重要的是，旧金融区的人口近年来持续增长，而 Main Street North 则面临严重的人口流失。两个区域在1996年人口普查中都显示出较高的流动性，这可能归因于它们尚不成熟的居住、工作和商业环境，尤其是旧金融区的人口统计数据反映出该区有大量自雇人士。旧金融区的人口增长展示了该区域的潜在活力。可以利用旧金融区的增长来影响和刺激其邻居 Main Street North 的发展。

这两个街区的分析提供了亚历山大滨水区的人口背景。由于AWD现有住宅用途和稳定居民人口非常有限，前述两个街区的分析可能无法

represent the demographic situation of the AWD wholly and precisely. However, this analysis can inform a projection of the demographic condition of the AWD.

	Main Street North	Old Financial District	City of Winnipeg
Population change from 1991 to 1996	-43.1%	+17%	+0.5%
Age range of major population	20-29 yrs, at 24.2% >75 yrs, at 17.2%	25-54 yrs, at 90%	Evenly distributed
Ratio of visible minorities	90.3%	4.7%	11.9%
Education level of major population	Less than Grade 9, at 43.2%	University degree, at 50%	Grade 9-12 without secondary certificate, at 26%
Employment ratio	38%	80.5%	61.1%
Annual income range of major households	\$10,000-\$19,999, at 50%	Not available	\$10,000-\$19,999, at 17%
Dwelling tenures	100% rented	56.5% rented	38%
Mobility ratio within the last five years	61.5%	85%	43.9%

Table 1: A comparison of the 1996 demographic situations in Main Street North and Old Financial District⁵³

⁵³ According to *Winnipeg Neighborhood Profiles: Main Street North and Old Financial District 1996 Census Data*, Statistics Canada. The recent 2001 census data at neighborhood level will be formulated in May 2003 by Statistics Canada.

完全准确地代表AWD的人口情况。然而，这

分析可以为AWD的人口状况预测提供信息。

	Main Street North	旧金融区	温尼伯市
人口变化从 1991年到1996年	-43.1%	+17.0%	+0.5%
主要年龄范围 人口	20-29岁, 占24.2%, >75岁, 占17.2%	25-54岁, 90%	分散均匀
可见的比率 少数族裔	90.3%		11.9%
主要教育水平 人口	低于9年级, 占 43.2%	大学学位, 占 50%	9-12年级无 中学毕业证书,
就业率	38%		61.1%
年收入范围 大多数家庭 住房使用权	\$ 10,000-\$ 19,999, 在	不可用	\$ 10,000-\$ 19,999, 在
流动率在 过去五年内	100% 租赁	56.5% 租赁	
	61.5%		43.9%

1: 1996年Main Street North与旧金融区人口状况比较53

s3 根据《温尼伯社区概况：Main Street North与旧金融区1996人口普查数据》，加拿大统计局。2001年人口普查数据将在2003年5月由加拿大统计局编制完成。

Chapter Four

Evaluation of Previous and Ongoing Development Projects
regarding the Alexander Waterfront District

4.1 Background

4.1.1 Previous and Ongoing Development Projects

With the closing of the pumping station and Amy Street Steam Plant, the Alexander Waterfront District has undergone numerous changes in the last few decades. In 1967, the Concert Hall, Planetarium, and the Museum of Man and Nature were built in the AWD to commemorate Canada’s centennial. A range of cultural facilities was developed later, such as Manitoba Theater Center in 1970, Winnipeg Children’s Museum in 1986⁵⁴, and the MTC Warehouse Theater upgrading in 1989. They have helped to gradually turn the AWD into a cultural hub. The late 1980s was a peak period of other redevelopment projects, ranging from streetscaping to warehouse conversions, that have occurred in the AWD, including the Market Ave. Streetscaping in 1987, Ashdown Warehouse Residential Conversion in 1988, John Hirsch Place Project in 1988, Rorie St. Streetscaping and Pantages Theater Renovation in 1990. (Fig.19).

As the Alexander Waterfront District is part of the East Exchange District and part of the North Main Area, it is necessary to examine the development initiatives in these wider areas.

⁵⁴ Winnipeg Children’s Museum was relocated to the Forks in 1993.

第四章

先前和正在进行的开发项目评估
关于亚历山大滨水区


4.1 背景

4.1.1 先前和正在进行的开发项目

随着泵站和艾米街蒸汽厂的关闭，亚历山大滨水区在过去几十年经历了诸多变化。1967年，音乐厅、天文馆和人与自然博物馆在AWD建成，以纪念加拿大百年庆典。随后开发了一系列文化设施，例如1970年的马尼托巴剧院中心、1986年的温尼伯儿童博物馆，以及1989年的MTC仓库剧院升级改造。这些设施逐渐将AWD转变为一个文化中心。1980年代末是其他再开发项目的高峰期，涵盖从街景美化到仓库改造的各类项目，包括1987年的市场大道街景美化、1988年的阿什当仓库住宅改造、1988年的约翰·赫希广场项目、1990年的罗里街街景美化和潘太及斯剧院翻新。（图19）

由于亚历山大滨水区是东交易区和北主区的一部分，有必要研究这些更广泛区域的开发倡议。


温尼伯儿童博物馆于1993年迁至福克斯。



- | | |
|--|---|
| 1. Centennial Concert Hall (1967) | 12. Ashdown Warehouse Residential Conversion (1988) |
| 2. Museum of Man and Nature (1967) | 13. John Hirsch Place (1988) |
| 3. Planetarium (1967) | 14. Prairie Housing Coop (1988) |
| 4. Manitoba Theatre Centre (1970) | 15. MTC Warehouse Upgrading (1989) |
| 5. 115 Bannatyne Office/Commercial Conversion (1976) | 16. Rorie St. Streetscaping (1990) |
| 6. Stephen Juba Park (1985) | 17. Players Powerboat Championships (event) (1990) |
| 7. Winnipeg Children's Museum (1986) | 18. Alexander Dock/Riverboat Development |
| 8. 90 Market Ave. Office Conversion (1986) | 19. Pantage Playhouse Redevelopment |
| 9. 123 Bannatyne Office Conversion (1987) | 20. Waterfront Drive Construction (2001) |
| 10. Market Ave. Streetscaping (1987) | 21. Removal of Amy Street Stream Plant (2001) |
| 11. 137 Bannatyne Residential/commercial Conversion (1988) | |

Fig.19: Previous and ongoing development projects in the Alexander Waterfront District: 2002⁵⁵

⁵⁵ Adapted from the "Prospectus" regarding the AWD, produced by the Environment Planning Department, and provided by Martin Sandhurst, senior planner of Planning and Land Use Division, Property & Development Department, the City of Winnipeg, page3.



- | | |
|--|---|
| 1. Centennial Concert Hall (1967) | 12. Ashdown Warehouse Residential Conversion (1988) |
| 2. Museum of Man and Nature (1967) | 13. John Hirsch Place (1988) |
| 3. Planetarium (1967) | 14. Prairie Housing Coop (1988) |
| 4. Manitoba Theatre Centre (1970) | 15. MTC Warehouse Upgrading (1989) |
| 5. 115 Bannatyne Office/Commercial Conversion (1976) | 16. Rorie St. Streetscaping (1990) |
| 6. Stephen Juba Park (1985) | 17. Players Powerboat Championships (event) (1990) |
| 7. Winnipeg Children's Museum (1986) | 18. Alexander Dock/Riverboat Development |
| 8. 90 Market Ave. Office Conversion (1986) | 19. Pantage Playhouse Redevelopment |
| 9. 123 Bannatyne Office Conversion (1987) | 20. Waterfront Drive Construction (2001) |
| 10. Market Ave. Streetscaping (1987) | 21. Removal of Amy Street Stream Plant (2001) |
| 11. 137 Bannatyne Residential/commercial Conversion (1988) | |

19: 亚历山大滨水区先前及正在进行的开发项目: 2002ss

⁵⁵ 改编自环境规划部编制的关于AWD的“说明书”，由温尼伯市房地产与发展部规划与土地利用处高级规划师Martin Sandhurst提供，第3页。

For the Exchange District, a number of initiatives have been launched in the last few decades. These have included a series of by-laws established for the conservation and preservation of historic buildings since 1977, such as the Historic Buildings By-Law and the Downtown Winnipeg Zoning By-Law⁵⁶. In addition, a range of redevelopment strategies for the Exchange District have been pursued and renewed every five years, through the Winnipeg Core Area Initiative launched in 1981. In 1996, the Exchange District Strategic Action Plan was established. Four development goals were adopted and eight corresponding action strategies were set up (Table 2).

For the North Main Area, the most important initiative is the North Main Task Force set up in 1997, in which a series of issues was covered encompassing the development of Neeginan, commercial development along Main Street, and housing, cultural and social development. The development strategies and plans related to the AWD included the redevelopment of Victoria Park, renovation of the Manitoba Museum of Man and Nature, expansion of the Ukrainian Cultural and Educational Center, development of a Scottish Cultural Center, and housing development.⁵⁷

Recent development efforts have included the renovation of the riverbank in the AWD, under the Riverbank Development Program⁵⁸ administered by the City of Winnipeg, which was introduced in 1997 under the Winnipeg Development Agreement. The focus of this program is to extend the riverbank walkway from the Forks to the Alexander Dock area, and then further to North Point Douglas. \$1.5 million in funding

对于交易区，过去几十年来已经启动了许多倡议。其中包括自1977年以来为保护和保存历史建筑而制定的一系列条例，例如历史建筑条例和温尼伯市中心区划条例。此外，通过1981年启动的温尼伯核心区倡议，交易区的一系列再开发战略得以实施并每五年更新一次。1996年，交易区战略行动计划制定完成。采纳了四项发展目标，并设立了八项相应的行动策略（表2）。

对于北主区，最重要的倡议是1997年成立的北主区工作组，涵盖了一系列问题，包括Neeginan的开发、主街沿线的商业开发以及住房、文化和社会发展。与AWD相关的发展战略和计划包括维多利亚公园的再开发、马尼托巴人与自然博物馆的翻新、乌克兰文化与教育中心的扩建、苏格兰文化中心的开发以及住宅开发。

近期开发工作包括对AWD河岸的翻新，该项目由温尼伯市管理的河岸开发计划s8实施，该计划于1997年根据温尼伯发展协议启动。该计划的重点是将河岸步道从福克斯延伸至亚历山大码头区域，并进一步延伸至北道格拉斯角。资金150万美元

⁵⁶ Planning Department, 1991, *Heritage Conservation – Regulatory Overview*, the City of Winnipeg.

⁵⁷ The City of Winnipeg, 1997, *Our Place: North Main Task Force*, page43-44.

⁵⁸ The City of Winnipeg, 1997, *Our Place: North Main Task Force*, page29. & <http://www.wda.mb.ca/news/990812.html> December 29, 2001.

规划部门，1991年，《遗产保护——监管概述》，温尼伯市。温尼伯市，1997年，《我们的地方：北主街工作组》，第43-44页。温尼伯市，1991年，《我们的地方：北主街工作组》，第29页。网址：<http://www.wda.mb.ca/news/990812.html>，2001年12月29日。

ACTION STRATEGIES	GOALS			
	1 To preserve the architectural character of the exchange District	2 To enhance the Exchange District's vibrancy and sustainability by increasing the number of people in the Exchange.	3 To maintain the Exchange as the focus of artistic and cultural activity in the province	4 To develop a sense of community within the Exchange District
1. Encourage the conversion of older buildings into residential apartments.	P	P	S	P
2. Address issues of safety, access convenience and aesthetics.	S	P	P	P
3. Designate a specific theater-cultural precinct within the Exchange and encourage expanded activities.	S	P	P	S
4. Improve the physical and administrative infrastructure needed to support temporary festivals, special events, and film production.	S	P	P	S
5. Improve access to the riverbank, expand Stephen Juba Park and add recreational facilities.	S	P		P
6. Establish a civic campus within the Exchange.	P	P		
7. Identify and support an artists' quarter within the Exchange.	S	S	P	P
8. Improve linkages between the Exchange District and the downtown, the Forks, St. Boniface and Point Douglas.	S	P		

Table 2: The Exchange District Strategic Action Plan goals and action strategies matrix⁵⁹

P: Denotes an action strategy in a primary role
S: Denotes an action strategy in a secondary role

was checked up to improve pedestrian and bicycle access to the riverbank, and to enhance the riverbank as a recreational and tourism resource.

⁵⁹ Source: The Exchange Partnership & the Exchange Community, (1996), *The Exchange District Strategic Action Plan*, Winnipeg, Exchange District Business Improvement Zone, page 27.

行动策略	目标			
	为了保护建筑特色 交易所区域	为了提升交易所、交易区的活力和可持续性，通过增加交易所中的人员数量。	为了保持交易所作为艺术和文化的活动焦点在该省份	培养一种意识 社区在交易所交易区
f. 鼓励将旧建筑改造为住宅公寓。	P	P	P	P
2. 解决安全、出入便利及美学问题。	P	P	P	P
3. 指定一个特定的剧院-文化区域内鼓励交易所并扩大活动。	P	P	P	P
4. 改善支持临时节庆、特殊活动和所需的物理和行政基础设施。电影制作。	P	P	P	P
5. 改善通往河岸的通道，扩建斯蒂芬·朱巴公园并增加休闲设施。	P	P		P
6. 建立市民园区在交易区内。	P	P		
7. 识别并支持一个艺术家区，位于交易区内。	P	P	P	P
8. 改善交易区与市中心、福克斯、圣博尼费斯和道格拉斯角。	P	P		

表2：交易区战略行动计划的目标和行动策略矩阵

P：表示起主要作用的行动策略 S：表示起次要作用的行动策略

\ /经检查，以改善行人和自行车通往河岸的通道，并提升河岸作为休闲娱乐和旅游资源的价值。

来源：交易区伙伴关系与交易社区，(1996年)，《交易区战略行动计划》，温尼伯，交易区商业改善区，第27页。

Another significant initiative undertaken in the AWD is the development of Waterfront Drive. Since the removal of the CPR rail line along the waterfront in 1991, plans have been made to introduce a waterfront drive into the AWD. In the Exchange District Strategic Action Plan, an action strategy was included to acquire the CPR rail line and improve access to the riverfront by making pathway connections between the east/west streets and Stephen Juba Park⁶⁰. In the spring of 1999 a Waterfront Committee was formed, as part of CentrePlan, to investigate the potential of developing a scenic waterfront drive following the former railway line along the Red River. In the summer of 2000 CentreVenture Development Corporation developed a concept plan for the Waterfront Drive from the CanWest Global Baseball Park north to Higgins Avenue, under the direction of the City's Department of Public Works. The new two-lane road began construction in the spring of 2001. It is expected to encourage more business, entertainment and residential projects in the AWD, and become one of several key initiatives that will act as a catalyst for the revitalization of the AWD as a whole and the




Fig.20: Waterfront Drive under construction, October 2001.

Downtown at large. As Mayor Glen Murray has said of the project: "We're really not just building a road; we're building a community,"⁶¹ The demolition of the Amy Street Steam Plant in

在AWD启动的另一项重要举措是开发滨水大道。自1991年沿滨水区的加拿大太平洋铁路线拆除以来，已制定计划将一条滨水大道引入AWD。在交易区战略行动计划中，包含了一项行动策略：收购加拿大太平洋铁路线，并通过在东西向街道和斯蒂芬·朱巴公园之间建立通道连接，改善通往河滨的通道。1999年春季，作为CentrePlan的一部分，成立了滨水委员会，以调查沿红河前铁路线开发风景优美的滨水大道的潜力。2000年夏季，CentreVenture开发公司在市公共工程部的指导下，为从CanWest Global Baseball公园向北至Higgins大道的滨水大道制定了一个概念规划。这条新的双车道道路于2001年春季开始建设。预计它将鼓励AWD内更多的商业、娱乐和住宅项目，并成为推动整个AWD振兴的若干关键举措之一。



图20：建设中的滨水大道，2001年10月。

整个市中心。正如市长Glen Murray对该项目的评价：“我们不仅是在修建一条路，我们是在建设一个社区。”艾米街蒸汽厂的拆除在

⁶⁰ The Exchange Partnership & the Exchange Community, 1996, *The Exchange District Strategic Action Plan*, Winnipeg, Exchange District Business Improvement Zone, page21.

⁶¹ See http://www.prairiepublic.org/features/riverwatch/news/winnipeg_press/01-18_01.html December 29, 2001.

60 交易所合作组织与交易所社区，1996年，《交易区战略行动计划》，温尼伯，交易区商业改善区，第2 | 页。参见 http://www.prairiepublic.org/features/riverwatch/news/winnipeg_press/01-18_01.html, 2001年12月29日。

December 2001⁶² is expected to aid the development of Waterfront Drive, and to strengthen the area as a destination for waterfront activities.

A wide range of development in recent decades has begun to change the character of the AWD. The AWD's preeminent role in Winnipeg's downtown redevelopment has once again been recognized. An international design competition was held in the early summer of 2002, calling for innovative design of the open space along the waterfront in the AWD. It is virtually certain that the redevelopment of the AWD will stimulate more development opportunities in Winnipeg's downtown.

4.1.2 Recent Public Survey Related to the Alexander Waterfront District⁶³

The proposed Waterfront Drive is located from Canwest Global Park to Higgins Ave., and mostly lies within the boundary of the AWD. At the May 2001 Open House presenting the plans for the Waterfront Drive, the public was invited to complete a questionnaire expressing their views on the project's character, plans, and environmental effects, as well as seeking suggestions for the development of the lands on both sides of the road. The results cannot be claimed to be a representative sample of the general public, but they provide more of an impressionistic or snapshot view.

The questionnaire included seven questions (see Appendix B). Regarding the proposed character of Waterfront Drive, 86% of respondents thought its character was consistent with the historic Exchange District, and 78% of respondents were satisfied with the design and extent of the pathway for the combined use of pedestrians, rollerbladers, wheelchairs, strollers and recreational bicyclists.

⁶² O'Brien, David, 2001, "The Beast is Coming Down", in *Winnipeg Free Press*, December 5, 2001.

⁶³ Survey result was provided by KGS Group, and prepared by Thibert Event & Associated management (TEAM), June 2001.

十二月 2001⁶² 预计将有助于滨水大道的开发, 并增强该区域作为滨水活动目的地的地位。

近几十年的广泛开发已开始改变AWD的特征。AWD在温尼伯市中心再开发中的首要地位再次得到认可。2002年初夏举办了一场国际设计竞赛, 征集AWD滨水区开放空间的创新设计方案。几乎可以肯定, AWD的再开发将刺激温尼伯市中心更多的发展机遇。

4.1.2 Recent Public Survey (与亚历山大滨水区相关) 63

拟建的滨水大道从Canwest Global Park延伸至希金斯大道, 大部分位于AWD范围内。在2001年5月展示滨水大道规划的开放日上, 公众受邀填写问卷, 就项目的特色、规划、环境影响发表看法, 并为道路两侧土地开发提供建议。调查结果不能代表公众的普遍意见, 但提供了更具印象性或快照式的观点。

问卷包含七个问题(见附录B)。关于滨水大道的拟议特色, 86%的受访者认为其特色与历史悠久的交易区一致, 78%的受访者对行人、轮滑者、轮椅、婴儿车和休闲骑行者共用通道的设计和范围表示满意。

⁶² O'Brien, David, 2001年, 《野兽即将倒下》, 载于《温尼伯自由出版社》, 2001年12月5日。调查结果由KGS Group提供, 并由Thibert活动及相关管理(TEAM)编制, 2001年6月。

In terms of suggestions for recreational activities and amenities designed for the riverfront park, the most frequently mentioned items were picnic shelters/tables/BBQ pits, boat/taxi docking, stands/kiosks for buskers/artists/vendors, and festivals/programming.

Regarding the suggestions for building uses along the west side of Waterfront Drive (most of which are within the AWD's boundary), 57% of respondents suggested residential, 52% restaurants, 36% bars and entertainment facilities. 29% sidewalk café/pastry shops/small unique boutique retail, and 22% office space.

Regarding suggestions for attracting people to the waterfront on weekends and evenings, the most popular suggestion was free concerts/festivals/entertainment by 30% of respondents; 27% believed that general mixed-use development would attract users; and 14% indicated aesthetic landscaping with proper maintenance.

When asked for their views on possible environmental effects of the project, the majority of respondents (55.5%) did not feel it would have any environmental effects; 18.5% felt the project would have negative effects; and 23% did not provide a response. For those feeling negative effects, most were concerned with the destruction of green space and riverbank vegetation, exhaust fumes and traffic noise, and riverbank destabilization.

In summary, the feedback on the project plans, both regarding character and design, was quite positive. Overall, respondents felt that a mixed-use development of the adjacent lands would be best, with a heavy emphasis on residential development. General activity and free programming/entertainment, with small-scale vendors and kiosks, and adequate security and parking, were seen as key elements for attracting high levels of users to the waterfront on weekends and evenings. There was substantial support for

在针对河滨公园设计的娱乐活动和设施建议方面，最常被提及的项目包括野餐亭/野餐桌/烧烤坑、船只/水上出租车停靠、街头艺人/艺术家/摊贩摊位/售货亭，以及节日/节目安排。

关于滨水大道西侧建筑用途的建议（大部分位于滨水大道开发区边界内），51%的受访者建议住宅，52%建议餐厅，36%建议酒吧和娱乐设施，29%建议路边咖啡馆/糕点店/小型特色精品零售，22%建议办公空间。

关于周末和晚间吸引人们前往滨水区的建议，最受欢迎的建议是免费音乐会/节日/娱乐活动，占受访者的30%；27%的人认为一般的混合用途开发会吸引用户；14%的人表示需要适当的景观美化和维护。

当被问及对项目可能的环境影响的看法时，大多数受访者（55.5%）认为不会产生任何环境影响；18.5%的人认为项目会产生负面影响；23%的人未提供反馈。认为有负面影响的受访者中，大多数人担心绿地破坏、河岸植被破坏、废气、交通噪音以及河岸失稳。

总结来看，关于项目规划的反馈，无论是特色与设计，都相当积极。总体而言，受访者认为毗邻地块的混合用途开发最为理想，其中住宅开发应占重要地位。一般活动和免费节目/娱乐，以及小型摊贩和售货亭、充足的安保和停车设施，被视为在周末和晚间吸引大量用户前往滨水区的关键要素。有大量支持

emphasizing the natural environment (green space), offering pleasant landscaping, and minimizing emphasis on the actual drive and accompanying traffic.

4.2 Evaluation of Previous and Ongoing Development Projects

4.2.1 Research Method and Preparation

As a component of this research, a semi-structured interview instrument was administered to evaluate the effects of the earlier and ongoing development projects discussed previously, and to probe informants’ concerns regarding future development of the AWD. Eight key informants were interviewed individually. The sample comprised:

- Two professionals (planner and landscape architect) previously involved in development projects in the AWD
- Two potential developers of the AWD
- Two persons working in the AWD
- One restaurant owner in the AWD
- One frequent user of the AWD

Before each interview, an informed consent form (see Appendix D), requesting interview participation and summarizing the intended use of the information, was given to the interviewees. Each interview was recorded by audiotape, supplemented by written notes. An interview was taped only if permission was granted, and a transcription was made. After being transcribed, the original tape was destroyed.

The results of the interviews are presented in the following section. The interviews were conducive in achieving the final design framework for the AWD.

强调自然环境（绿地），提供愉快的景观美化，并尽量减少对实际车道及伴随交通的关注。

4.2 既往及当前开发项目评估

4.2.1 研究方法 with 准备

作为本研究的一部分，我们采用半结构化访谈工具来评估之前讨论过的早期和当前开发项目的效果，并探究受访者对AWD未来发展的关切。我们对八位关键知情人进行了单独访谈。样本包括：

- 两位曾参与AWD开发项目的专业人士（规划师和景观建筑师） - 两位AWD的潜在开发者 - 两位在AWD工作的人员 - 一位AWD的餐厅老板
- 一位AWD的频繁用户

每次访谈前，受访者会收到一份知情同意书（见附录D），其中请求参与访谈并概述信息的使用意图。每次访谈均通过录音带记录，并辅以书面笔记。仅在获得许可的情况下进行录音，并制作了转录文本。转录完成后，原始录音带被销毁。

访谈结果在以下部分呈现。这些访谈有助于为AWD制定最终的设计框架。

4.2.2 Interview Responses from Key Informants

Prior to the interviews, the respondents received a brief introduction to the practicum topic, the boundary map of the Alexander Waterfront District, and a list of interview questions. Respondents were encouraged to answer the questions from their professional as well as personal points of view. The responses to the questions are presented as follows:

1. Since the developments of Centennial Concert Hall and Museum of Man and Nature in 1967, there have been a number of projects carried out in the AWD, ranging from cultural facilities developments such as Manitoba Theatre Centre, Children's Museum and MTC Warehouse Upgrading, to historic building conversion such as Ashdown Warehouse, from streetscaping improvement on Market Av. and Rorie St. to the construction of Stephen Juba Park. On the other hand, there are still many industrial facilities remaining and very little stable living population in the AWD. People are concerned about the safety of that area.

Question 1: What's your general feeling about these projects?

Question 2: Do you think the AWD has become more attractive to people at present compared to the time before these projects were done?

Almost all the informants confirmed the vital importance of these projects to the AWD. As they said, these projects have played a crucial role in the development of the AWD by enriching it culturally and socially. Without these projects, the AWD would be a slum. On the other hand, some informants pointed out that as the cultural facilities and activities run only during the business hours; the 24 hours a day 7 days a week public interest in the AWD has been lost. Some felt that there was no sense of neighborhood in the AWD, and that the AWD should be developed as a mixed-use area with sufficient residents living in the immediate vicinity to sustain a vibrant atmosphere rather than just in the duration of the show.

2. Currently there are very few residential uses and stable living population in the AWD.

Question 3: Do you prefer residential development in the AWD, such as residential reuse of historic building?

4.2.2关键知情人访谈反馈

在访谈前，受访者收到了关于实习项目主题的简要介绍、亚历山大滨水区的边界地图以及一份访谈问题清单。鼓励受访者从专业和个人角度回答问题。对问题的反馈如下所示：

1. 自1967年百年音乐厅和人与自然博物馆开发以来，AWD已开展多个项目，包括文化设施开发（如马尼托巴剧院中心、儿童博物馆和MTC仓库升级）、历史建筑改造（如阿什当仓库）、市场大道和罗里街的街景改善以及斯蒂芬·朱巴公园的建设。另一方面，AWD仍保留许多工业设施，稳定的居住人口很少。人们担忧该区域的安全。问题1：您对这些项目总体感觉如何？问题2：您认为与这些项目实施前相比，AWD目前是否更具吸引力？

几乎所有受访者都确认了这些项目对AWD的重要性。他们表示，这些项目通过丰富AWD的文化和社会层面，在其发展中发挥了关键作用。没有这些项目，AWD将沦为贫民区。另一方面，一些受访者指出，由于文化设施和活动仅在营业时间内运行，AWD失去了全天候的公众吸引力。一些人认为AWD缺乏社区感，应该发展为混合用途区域，有足够居民就近居住以维持活力氛围，而不仅仅是在演出时段。

2. 目前AWD内住宅用途和稳定居住人口非常少。问题3：您是否希望AWD进行住宅开发，例如历史建筑住宅再利用？

Question 4: If yes, what do you think would be incentives to attract people to live in the AWD?

Question 5: What kind of people do you think will live there?

All the informants supported the residential development in the AWD. They thought an increased residential population would likely lessen the crime now occurring and increase safety in the area. In addition, an increase in residential opportunities in the AWD would also increase services and businesses, thereby turning the AWD, typically considered a “dead zone” after business hours, into a thriving and lively community. In terms of the reuse of historic buildings, many informants thought affordability was the most crucial issue, although it was considered a constructive initiative. They reported that high-costs, such as the Ashdown Warehouse condos, has actually deterred many individuals who were interested in living in the AWD.

Regarding incentives for living in the AWD, most informants ranked affordable housing first. They commented that the residential development should be affordable for people having different incomes and family sizes. To achieve this end, some informants would like to see capital grants from government for residential development in the AWD. One informant stated that rent controls should be removed, so that the cost of rental outside of downtown would be as high as it should be. Also, many informants mentioned that sufficient community services, grocery stores, local shopping centers, and so on, would be crucial to attract people to live there. One informant thought the incentives should be applied to the builders rather than the potential residents, reasoning that if the business community had confidence in the grants and project funding they would have no problem investing a large amount of dollars in residential development there. Another

问题4：如果是，您认为吸引人们居住在AITD的激励措施是什么？问题5：您认为什么样的人会在哪里住？

所有受访者都支持AWD的住宅开发。他们认为，增加住宅人口可能会减少当前发生的犯罪，并提高该地区的安全性。此外，AWD中住宅机会的增加也将增加服务和商业，从而使通常在下班后被视为“死区”的AWD变成一个繁荣活跃的社区。在历史建筑再利用方面，许多受访者认为可负担性是最关键的问题，尽管这被认为是一项建设性的举措。他们报告称，高成本，例如阿什当仓库的公寓，实际上已经阻止了许多有意在AWD居住的人。

关于在AWD生活的激励措施，大多数受访者将可负担住房列为首位。他们评论说，住宅开发应该让不同收入和家庭规模的人都能负担得起。为实现这一目标，一些受访者希望政府为AWD的住宅开发提供资本补助。一位受访者表示，应取消租金管制，这样市中心以外的租金就会达到应有的水平。此外，许多受访者提到，充足的社区服务、杂货店、本地购物中心等对于吸引人们在那里生活至关重要。一位受访者认为，激励措施应适用于建筑商而非潜在居民，理由是如果商业社区对补助和项目资金有信心，他们就不会在投资大量资金进行住宅开发方面有问题。另一个

point raised was that a comprehensive plan was necessary to avoid scattered residential development in the AWD.

Many informants thought that young professionals working in the downtown, working singles, some “empty nester” families, and post-secondary students, such as those attending the Red River College downtown campus, would like to live in the AWD. Two informants working in the AWD expressed their interest to live there, as it would save transportation costs. They hoped that the AWD could be a community featuring a mix of cultures and generations. The residents there could be a mixture of people of different ages, families of different sizes, university students, young professionals, and so on.

- 3. The surrounding area of the AWD, such as North Main, has a high ratio of aboriginal and immigrant population, and is perceived as a low-income and deteriorated neighborhood. Meanwhile, the expansion of Ukrainian Cultural and Educational Center and development of Scottish Cultural Center have been proposed in the AWD.

Question 6: Do you think multi-culture could be a feature of the AWD?

Question 7: If yes, what effects do you think this will have on the revitalization of the AWD?

Question 8: Are there any barriers so far for multi-culturalism development of the AWD?

Some informants thought that multi-culturalism could be a feature and gave the AWD a distinct flavor that would potentially help improve and create more interest in the area. They further suggested that this aspect could be used to assist and lever development through community involvement, and attract businesses to the AWD that could serve a multi-cultural population. One informant thought that multi-culturalism didn’t play as important a role as it once did in the area, although it was a good aspect. She thought there were significant historical reasons for why people moved to a certain region, especially since Winnipeg no longer attracted large immigration populations, and

提出的观点是，需要制定综合规划，以避免AWD的住宅开发过于分散。

许多受访者认为，在市中心的年轻专业人士、单身工作者、一些“空巢老人”家庭以及大专学生（例如就读于红河学院市中心校区的学生）会愿意住在AWD。两位在AWD工作的受访者表示有兴趣住在那里，因为这样可以节省交通成本。他们希望AWD能成为一个融合不同文化和代际的社区。那里的居民可以是不同年龄段的人、不同规模的家庭、大学生、年轻专业人士等的混合体。

3. AWD周边区域（如北主街）的土著与移民人口比例较高，被视为低收入和衰败社区。与此同时，乌克兰文化与教育中心的扩建以及苏格兰文化中心的开发已在AWD中提出。问题6：您认为多元文化能否成为AWD的一个特征？问题7：如果是，您认为这将对AWD的复兴产生哪些影响？问题8：AWD的多元文化主义发展目前是否存在障碍？部分受访者认为多元文化主义可作为特征，为AWD赋予独特魅力，可能有助于改善该区域并提升关注度。他们进一步建议，可通过社区参与利用这一方面推动发展，并吸引服务于多元文化人口的商业入驻AWD。也有受访者认为多元文化主义在该地区的作用已不如从前，尽管它仍是积极因素。该受访者指出人们迁居特定地区存在重要的历史原因，尤其因为温尼伯已不再吸引大量移民人口，且

people tended to choose where they wanted to live based on a broader knowledge of the city, and no longer restricted by precedence.

4. The Riverbank Development Program under the Winnipeg Development Agreement is intended to extend the parkway from the Forks to the Alexander Dock and further to North Point Douglas. This should be good for the revitalization of the AWD. Meanwhile, some people have expressed their concerns for safety in the public space.

Question 9: What do you think of this concern?

Question 10: How to make the riverfront parkway work best?

All the informants thought the development of the parkway would have positive effects on the AWD, and serve to open up the area to public interest. One informant added that developing and increasing access into an area, via a path or parkway, where most people didn't usually go, would create a spark of interest in that area, and more importantly, it would help to increase safety and security in the area. He further suggested that it was a gradual approach to reintroducing some of Winnipeg's significant locations to Winnipeggers, without having full-blown development in that area. Once public interest was generated in the area, people would be encouraged to develop businesses and housing there. Some informants doubted that people would use the park until the whole atmosphere and the character of the AWD changed in a more positive direction. They suggested more housing and restaurants be developed along the parkway, so that more people would use it, and then safety would not be a concern. Some informants mentioned that safety features, such as good lighting, should be added along the parkway. Another informant commented that creating safety could not always be answered by "pure design", and that politicians, businessmen and, more importantly, people needed to invest in and stand behind their neighborhoods.

5. A recent survey during the Waterfront Drive Open House showed that many people favored this development. While some people were worried the traffic on

人们倾向于基于更广泛的认知来选择居住地

城市，不再受先例限制。

4. 温尼伯发展协议下的河岸开发计划旨在将公园道从福克斯延伸至亚历山大码头，并进一步延伸至北道格拉斯角。这应有助于 AWD 的复兴。同时，一些人表达了对公共空间安全的担忧。

问题9：您对此担忧有何看法？问题10：如何让河滨公园道发挥最佳效果？

所有受访者都认为公园道的发展将对 AWD 产生积极影响，并向公众开放该区域。一位受访者补充说，通过一条路径或公园道开发和增加进入一个大多数人通常不去的地方的通道，会引发对该区域的兴趣，更重要的是，有助于提高该区域的安全和安保。他进一步建议，这是一种渐进的方法，向温尼伯人重新介绍温尼伯的一些重要地点，而无需在该区域进行全面开发。一旦公众对该区域产生兴趣，人们就会受到鼓励去开发商业和住房。一些受访者怀疑，在 AWD 的整体氛围和特征向更积极的方向改变之前，人们会使用公园。他们建议沿公园道开发更多住房和餐厅，以便更多人使用它，这样安全就不再是问题。一些受访者提到，应沿公园道增加安全设施，如良好的照明。另一位受访者评论说，创造安全不能总是通过“纯设计”来解决，政治家、商人，更重要的是，人们需要投资并支持他们的社区。

5. 最近在滨水大道开放日进行的一项调查显示，许多人赞成tttir d"uitopment。虽然一些人担心滨水大道的交通会成为通往滨水区的障碍，

the Waterfront Drive would be a barrier to access the waterfront, and some argued that it should be built after the commercial and residential development got underway.

Question 11: Are you satisfied with the development of Waterfront Drive?

Question 12: What do you think about these concerns?

Question 13: To what degree do you think Waterfront Drive will be conducive to the revitalization of the AWD?

Informants generally favored the Waterfront Drive project, as they thought it would actually stimulate public interest and increase public access to the waterfront. One informant suggested "points of interest" along the Drive to identify this part of the city to the general population, who likely have never previously known of its existence. There was only one informant who thought that Waterfront Drive was not necessary. She thought the emphasis should have been placed on pedestrian traffic rather than vehicular because, after all, she added, people felt safer when the streets were lively, not from the amount of traffic passing through. Waterfront Drive concerned some informants who stated that some measures should be taken to prevent through-traffic and slow down vehicles, as it could create a short cut from Provencher Bridge to Higgins. All informants believed that Waterfront Drive should be built before commercial and residential development in the AWD, since nobody would be interested in the current vacant lands until access improved.

6. The city has begun to demolish the Amy Street Steam Plant in December 2001.

Question 14: What kind of usage do you prefer for the site of the Amy Street Steam Plant after its demolition?

Question 15: Many people think about parking on the site, and some think about having a new park to commemorate Victoria Park. What's your opinion?

Informants' opinions on this issue varied. Some supported the idea to re-build Victoria Park, as acknowledging our past, but also pointed to the need to revitalize the area with people and businesses. It was also thought to be good for tourism, by promoting

而另一些人则认为应待商业和住宅开发启动后再建设。问题I1: 您对滨水大道的开发满意吗? 问题I2: 您如何看待这些担忧? 问题 13: 您认为滨水大道在多大程度上有助于AWD的复兴?

受访者普遍支持滨水大道项目, 认为它将激发公众兴趣并增加公众对滨水区的通道。一位受访者建议在滨水大道设置“兴趣点”, 以向普通人群标识这座城市的这一部分, 这些人可能此前从未知道其存在。只有一位受访者认为滨水大道没有必要。她认为重点应放在行人而非车辆上, 因为毕竟, 她补充说, 当街道充满活力时人们感到更安全, 而不是因为车流量大。一些受访者对滨水大道表示担忧, 称应采取一些措施防止过境交通并降低车速, 因为它可能成为从普罗旺谢桥到希金斯的捷径。所有受访者都认为, 在AWD的商业和住宅开发之前, 应先修建滨水大道, 因为如果通道不改善, 没有人会对当前的空地感兴趣。

6. 该市已于12月2001开始拆除艾米街蒸汽厂。问题I4: 您希望艾米街蒸汽厂拆除后的场地有什么用途? 问题I5: 许多人考虑在该场地上停车, 有些人则考虑新建一个公园以纪念维多利亚公园。V[您的意见是什么?

受访者对此问题的意见不一。有人支持重建维多利亚公园, 认为这是对历史的承认, 但也指出需要通过引入人群和商业来振兴该区域。此外, 他们认为这有利于旅游业, 能宣传

the city as an interesting place to visit. Others argued that there were already many parkland uses along the waterfront, and that an additional park was not needed if there were no residents living in the AWD. They thought a housing development, hotel or entertainment facility would be more practical. One informant responded “just let the market tell”, doubting another park would be an economic stimulus, and suggesting that it would be better to have buildings to produce taxes to support the infrastructure in the area. Another informant pointed out that the surrounding lands have continued to be used as parking lots, although Steven Juba Park was built in 1980, demonstrating that adding another park wouldn’t contribute much.

Question 16: What single thing concerns you most about the future of the Alexander Waterfront District?

Some informants expressed concern that the development ought to have a good balance between commercial, residential and public amenity spaces, and the residential development should not be too upscale nor too expensive to deny families or students with low income. The AWD could then be kept open to the public, and developed more “inclusively”. One informant was concerned about how to provide the interest, to obtain and maintain the critical mass of people at a level where the AWD could truly become a people place such as the Forks. A people place, he explained, was where people desired to go - not just needed to go, in order to fulfill some necessary goals, such as shopping. Some informants were concerned about the fiscal aspect of the development. One emphasized how to attract investment. Another said there should be some funding system or incentives in place, to lessen the burden of building, or converting some of the old structures in the AWD. One informant said that what concerned him most was the

该城市成为一个有趣的旅游目的地。另一些人则认为滨水区已有大量公园绿地，如果AWD没有居民居住，则无需再增加公园。他们认为住宅开发、酒店或娱乐设施会更实用。一位受访者回应“让市场决定”，怀疑再建一个公园是否能成为经济刺激，并建议建造能产生税收的建筑来支持该区域的基础设施。另一位受访者指出，尽管史蒂文·朱巴公园建于1980年，周边土地仍被用作停车场，这表明再增加一个公园不会带来太大贡献。

问题16：关于亚历山大滨水区的未来，哪一件事最让您担忧？

一些受访者表示担心，开发项目应在商业、住宅和公共设施空间之间取得良好平衡，而住宅开发不应过于高档或过于昂贵，以免低收入家庭或学生无法负担。AWD 应保持对公众开放，并以更具“包容性”的方式开发。一位受访者担心如何提供吸引力，以维持足够数量的人群，使 AWD 真正成为像福克斯那样的人气聚集地。他解释说，人气聚集地是人们渴望前往的地方——而不仅仅是出于必要目的（例如购物）才去的地方。一些受访者担心开发的财政方面：一位受访者强调如何吸引投资；另一位表示应有某种资金体系或激励措施，以减轻在 AWD 内建造或改造部分旧建筑的负担。一位受访者说，他最担心的是

bureaucracy, as he thought the planning department of the city was (lagging) behind the development instead of promoting it. Another commented that the planning of the AWD should be looked at on a larger scale, with the entire City in mind, rather than just a specific area.

4.3 Summary

Through the examination of previous and ongoing projects in the AWD, associated with the investigation of the physical and demographic conditions stated in the preceding chapter, it is determined that the AWD has been invisibly divided into two areas, in the south - the East Exchange District, and in the north - the North Main Area. There have been more development projects in the southern part of the AWD, and less in the northern part, which has deepened the gap between the two parts of the AWD.

The past and current development projects are generally perceived to contribute to the growth of the AWD. However, the supposed positive effects on the whole District have somehow been limited because of the aforementioned internal separation, as well as the lack of a comprehensive master plan for the AWD in particular. Waterfront Drive, routed through the AWD and connecting the southern and northern parts, plays a leading role in the recent redevelopment trend. In addition, residential use, which is very deficient at present, has been widely perceived as a priority development focus for the AWD, among most the key informants interviewed.

This evaluation of previous and ongoing projects in the AWD provides part of the basis for undertaking the SWOT analysis, addressed in the following chapter.

官僚制度，因为他认为该市的规划部门（落后于）开发，而非推动开发。另一位评论说，AWD 的规划应从更大尺度着眼，考虑整个城市，而不仅仅是特定区域。

4.3 总结

通过考察AWD中过去和正在进行的项目，并结合前一章所述的物理和人口状况调查，可以确定AWD已被无形地划分为两个区域：南部的东交易区和北部的北主区。南部地区的开发项目较多，而北部地区较少，这加深了AWD两个部分之间的差距。

过去和当前的开发项目普遍被认为促进了AWD的发展。然而，由于上述内部隔离以及缺乏针对AWD的全面总体规划，这些预期的积极效果在一定程度上受到了限制。贯穿AWD并连接南北两部分的滨水大道在近期的再开发趋势中发挥了主导作用。此外，目前严重短缺的住宅用途，在大多数受访的关键知情人中被广泛认为是AWD的优先发展重点。

对AWD之前和正在进行的项目的评估为进行SWOT分析提供了部分基础，下一章将讨论这一问题。

Chapter Five

A SWOT Analysis of the Alexander Waterfront District

SWOT analysis, as an analytical method, has its origins in business management⁶⁴. When it is utilized to analyze an area of the built environment, strengths (S) and weaknesses (W) refer to the internal working conditions, while opportunities (O) and threats (T) refer to the external working forces on a particular area, which may have impacts on its development.

The SWOT analysis for the Alexander Waterfront District undertaken here is based on the investigation of the historic and existing situation of the AWD, and the evaluation of previous and ongoing projects, addressed in Chapter Three and Four respectively. The strengths and weaknesses, opportunities and threats identified, as well as the informants' views on this analysis are listed as follows. The analysis is intended to assist in formulating possible design strategies for the intervention proposed in Chapter Six.

5.1 District Strengths and Weaknesses, and Input from the Informants

Strengths:

- Part of the AWD overlaps with the East Exchange District – a National Historic Site
- Rich historic and cultural resources exist in the AWD, including the Chicago-style historic buildings, and heritage sites such as the Alexander Dock and the Scots Monument
- Concentration of cultural facilities, including the Centennial Concert Hall, the Museum of Man and Nature, the Planetarium, and the Manitoba Theater Center

⁶⁴ See Mintzberg, Henry, 1994, *The Rise and Fall of Strategic Planning*, Toronto, Free Press, page36-37.

第五章

亚历山大滨水区的SWOT分析

SWOT分析作为一种分析方法，起源于商业管理。当用于分析建成环境中的某个区域时，优势（S）和劣势（W）指的是内部工作条件，而机会（O）和威胁（T）指的是该特定区域的外部工作力量，这些力量可能对其发展产生影响。

此处对亚历山大滨水区进行的SWOT分析基于对其历史及现状的调查，以及对第三章和第四章分别讨论的过往及正在进行项目的评估。所识别的优势与劣势、机会与威胁，以及受访者对此分析的观点如下所列。该分析旨在为第六章提出的干预措施制定可能的设计策略提供帮助。

5.1 区域优势与劣势，以及受访者意见

优势：

- o 部分AWD区域与东交易区（国家历史遗址）重叠o AWD拥有丰富的历史文化资源，包括芝加哥风格的历史建筑，以及亚历山大码头和苏格兰人纪念碑等遗产地o 文化设施集中，包括百年音乐厅、人与自然博物馆、天文馆和马尼托巴剧院中心

^{64a} 见 Mintzberg, Henry, 1994, *战略规划的兴衰*，多伦多，自由出版社，第36-37页 -

- Strategic location, being proximate to the downtown office district, the Civic Center, Chinatown and the Forks, and adjacent to major traffic arterials of the city, including Disraeli Freeway and Main Street
- Sufficient greenery open space along the water's edge, such as the establishment of Stephen Juba Park
- Sufficient under-utilized lands available for future development
- Existing waterbus connections from the Alexander Dock to five other downtown destinations
- Compact urban form and personal street width-height ratio in the AWD
- Decent bars and restaurants in the south portion of the AWD

Weaknesses:

- Very limited residential use at present
- High amount of industrial and warehouse uses, which does not reflect, nor take advantage of, the strategic location of the AWD
- Many vacant lands and buildings, which leave a dull impression
- Limited public access and pedestrian walkways to, and along, the water's edge
- Poor sidewalk conditions for pedestrians
- Old buildings with poor maintenance, adversely affecting the AWD's image
- Dead-end for east-west roads, which increases perception of lack of safety
- Less public uses and surveillance around Stephen Juba Park, which limits its usage
- Private ownership of most lands on the west side of Waterfront Drive, which might be barrier to coordinated development

Input from the Informants

A variety of views regarding the strengths and weaknesses of the AWD were received from the informants. Some informants agreed with the strengths identified, but thought that some of them had not been fully capitalized upon currently, and the identified weaknesses, such as the limited pedestrian access, inappropriate industrial and warehouse uses, limited resident population, and the poor general physical image of the AWD, actively restrained the realization of these strengths. It was pointed out that, although many cultural facilities were concentrated in the AWD, and it was perceived as a theater district, the active atmosphere carried by these cultural facilities had not spread

战略位置，靠近市中心办公区、市政中心、唐人街和福克斯，毗邻城市主要交通干道，包括迪斯雷利高速公路和主街沿水岸有足够的绿色开放空间，例如斯蒂芬·朱巴公园的建立有充足未充分利用的土地可供未来开发从亚历山大码头到其他五个市中心目的地的现有水上巴士连接AWD紧凑的城市形态和宜人的街宽高比AWD南段有不错的酒吧和餐厅

劣势:

当前住宅用途非常有限；工业和仓储用途占比高，未能体现或利用AWD的战略位置；大量空地和老旧建筑，给人沉闷的印象；通往水岸及沿水岸的公共通道和人行道有限；行人行道状况不佳；老旧建筑维护不善，对AWD形象造成负面影响；东西向道路为死胡同，加剧了缺乏安全感的认知；斯蒂芬·朱巴公园周边公共用途和监控较少，限制了其使用；滨水大道西侧大部分土地为私人所有，可能成为协同发展的障碍

受访者意见

受访者就AWD的优势与劣势提出了各种看法。一些受访者认同所识别的优势，但认为其中一些优势目前尚未被充分利用，而所识别的劣势，如有限的行人通道、不适宜的工业和仓储用途、有限的居民人口以及AWD整体物理形象差，积极限制了这些优势的实现。有人指出，尽管AWD集中了许多文化设施，并且被认为是剧院区，但这些文化设施所承载的活跃氛围并未扩散

to influence the general surroundings. The informants expressed a consensus that these cultural facilities have been serving as isolated nodes in the AWD, where people went just to fulfill the need to watch a performance. Some informants also agreed that the strength which Stephen Juba Park was supposed to bring to the AWD was, ironically, represented as a weakness, because of the lack of other public uses such as restaurants and bars around it, and the park was thus rarely visited in spite of its good location close to the water.

Many informants suggested that any interventions regarding future development in the AWD should take fuller advantage of the existing strengths, which had been offset or even overwhelmed by the present weaknesses.

5.2 District Opportunities and Threats, and Input from the Informants

Opportunities:

- Development opportunities for multi-culturalism, as the AWD is adjacent to North Main aboriginal community and Chinatown, as well as accommodating the Ukrainian Cultural Center and the Scots Monument
- Development initiatives in neighboring areas undertaken in recent years, such as the heritage interpretation strategy and cultural tourism development in the Exchange District, North Main Task Force initiatives, etc.
- Relevant historic building preservation by-laws and regulations established in recent decades, encouraging the recycling of historic buildings for residential/office uses
- Waterfront Drive, passing through the AWD, is now under construction, which should improve accessibility and bring development opportunities to the AWD
- Riverbank walkways connecting the AWD with other downtown areas have been proposed by the Riverbank Development Program under the Winnipeg Development Agreement
- The incremental population and business growth in the neighboring Old Financial District

影响整体环境。受访者一致认为，这些文化设施一直是AWD中的孤立节点，人们前往只是为了满足观看表演的需求。一些受访者还认为，斯蒂芬·朱巴公园本应为AWD带来的优势，讽刺地表现为劣势，因为周边缺乏其他公共用途（如餐厅和酒吧），尽管该公园位置靠近水边，但很少有人光顾。

许多受访者建议，任何关于AWD未来发展的干预措施都应更充分地利用现有优势，而这些优势已被当前的劣势抵消甚至压倒。

5.2 区域机会与威胁，以及受访者的意见

机会：

开发多元文化主义的机会，因为AWD毗邻North Main原住民社区和唐人街，并容纳了Ikrainian文化中心和苏格兰人纪念碑。近年来周边地区开展的开发倡议，例如交易区的遗产解读战略和文化旅游开发、北主区工作组倡议等。近几十年来建立的相关历史建筑保护法规，鼓励将历史建筑改建为住宅/办公用途。穿过AWD的滨水大道正在建设中，这将改善可达性并为AWD带来发展机遇。根据温尼伯发展协议，河岸开发计划已提议修建连接AWD与其他市中心区域的河岸步道。邻近旧金融区的人口和商业增长。

Threats:

- Immediately adjacent to the Main Street North neighborhood, which is experiencing population loss and is perceived as a low-income and disadvantaged neighborhood
- Without a comprehensive master plan for the AWD at present
- Perception of safety risk of the AWD among local people and visitors

Input from the Informants

Some informants agreed that Waterfront Drive would provide development opportunities for the AWD, and other developments, such as the newly opened office building, the Wellington West Building, on Waterfront Drive last year, and the first retail business on Waterfront Drive, a 250-seat restaurant opened in March 2002, were demonstrations. However, some of them also argued that Waterfront Drive might be a potential threat to the AWD if certain traffic control measures were not in place, as it actually could provide a shortcut from the Provencher Bridge to Higgins, and more people might choose to drive this route due to the heavy traffic flow on Main. This could eventually turn Waterfront Drive into a traffic corridor, and a barrier to the water edge for pedestrian.

Some informants mentioned the stagnant local economy in Winnipeg could also be a threat, which would indeed bring difficulties to implement the development initiatives, although they had been well-planned. They said Winnipeg was not experiencing the same substantial growth opportunities as Calgary and Edmonton; so financial viability, or self-sufficiency capability, would be crucial for the development in the AWD.

威胁:

紧邻北主街社区，该社区正经历人口流失，被视为低收入和弱势社区。目前缺乏AWD的总体规划。当地人和游客对AWD的安全风险认知。

受访者的意见

一些受访者同意，滨水大道将为AWD提供发展机遇，其他开发项目也是如此，例如去年在滨水大道上新开的办公楼——威灵顿西部大厦，以及滨水大道上的第一家零售商店——一家于2002年3月开业的250座餐厅，这些都是范例。然而，一些受访者 also 认为，如果未采取某些交通管控措施，滨水大道可能对AWD构成潜在威胁，因为它实际上可能成为从普罗旺谢桥到希金斯的捷径，并且由于主干道交通流量大，更多人可能会选择驾车走这条路线。这最终可能使滨水大道变成一条交通走廊，成为行人通往水边的障碍。

一些受访者提到，温尼伯停滞不前的当地经济也可能是一种威胁，尽管开发倡议经过精心规划，但这确实会为其实施带来困难。他们表示，温尼伯并未像卡尔加里和埃德蒙顿那样经历显著的增长机会；因此，财务可行性或自我维持能力对于AWD的发展至关重要。

5.3 Summary

The preceding SWOT analysis investigated what is happening inside and outside the AWD. From the input of the informants, it is determined that the strengths and weaknesses, and the opportunities and threats, are interrelated and interactive. Also, there might be some overlap among the four analytical categories. Under certain circumstances, a positive factor categorized as an opportunity might well be also viewed from a negative perspective as a threat. Yet, no matter the perspective a factor is viewed from, its nature is thus indeed displayed. Therefore, the SWOT analysis is an effective tool for dissecting the properties and potentials of a part of the built environment such as the Alexander Waterfront District.

In total, the strengths and weaknesses, and the opportunities and threats identified, calls for future intervention in the AWD to preserve the strengths, add to the opportunities, remove the weaknesses, and keep out the threats⁶⁵. The detailed design strategy for the AWD will be addressed in the following chapter.

⁶⁵ See “PARK” strategy in, Jones, Bernie, 1990, *Neighborhood Planning: A Guide for Citizens and Planners*, Washington, D.C., APA Planners Press, page81.

5.3 总结

上述SWOT分析调查了AWD内部和外部的状况。根据受访者的反馈，可以确定优势与劣势、机会与威胁之间是相互关联且相互影响的。此外，这四个分析类别之间可能存在一些重叠。在某些情况下，一个被归类为机会的积极因素，也可能从负面角度被视为威胁。然而，无论从哪个角度看待某个因素，其性质确实得以展现。因此，SWOT分析是剖析诸如亚历山大滨水区等建成环境部分区域的特性和潜力的有效工具。

总体而言，所识别的优势与劣势以及机会与威胁要求未来在AWD进行干预，以保持优势、增加机会、消除劣势并排除威胁。AWD的详细设计策略将在下一章中阐述。

⁶⁵ 参见伯尼·琼斯1990年著作《社区规划：市民与规划师指南》（华盛顿特区：APA规划出版社）第SI页中的“公园”策略

Design Strategy for the Alexander Waterfront District

6.1 Development Goals and Design Strategy Structure

The foregoing investigation and analysis provides a data base and directions for refining the development goals and establishing design strategy for the Alexander Waterfront District. The investigation and analysis indicate that the current isolated situation of the AWD originates from its inappropriate land uses, limited public access, deteriorated general image and unsafe perception among local people and visitors. Therefore, the development goals for the AWD are three-fold: to alter its current isolated situation; to attract people to live, work, shop, play and socialize there; and eventually, to contribute to Winnipeg's Downtown revitalization. To achieve the aforementioned development goals, the design strategy is structured as shown in Fig. 21.

Firstly, the development goals are translated into five design principles. Direct means to achieve the three goals are identified, respectively, from which five design principles are induced (Fig. 22). Based on the design principles, a concrete design concept framework, for comprehensively achieving the development goals, is advanced with three particular components in mind: the built setting, open space and circulation. To support the design concept framework, and to provide a reference for future policy-making and intervention for the AWD, the relevant supportive recommendations, referring especially to the aspects of built setting, open space and circulation, are proposed. The related objectives respond to the five design principles, thus eventually achieving the aforementioned development goals.

亚历山大港滨水区设计策略

6.1 发展目标与设计策略结构

上述调查和分析为完善发展目标和制定亚历山大滨水区的设计策略提供了数据库和方向。调查和分析表明，AWD目前的孤立状况源于其不适当的土地利用、有限的公共通道、恶化的整体形象以及当地居民和游客的不安全感知。因此，AWD的发展目标有三方面：改变其当前的孤立状况；吸引人们在那里生活、工作、购物、娱乐和社交；并最终为温尼伯市中心的复兴做出贡献。为实现上述发展目标，设计策略如图21所示。

首先，发展目标被转化为五项设计原则。分别识别出实现这三个目标的直接手段，并由此推导出五项设计原则（图22）。基于设计原则，提出了一个具体的设计概念框架，以全面实现发展目标，该框架包含三个特定组成部分：建成环境、开放空间和交通流线。为支持设计概念框架，并为AWD未来的政策制定和干预提供参考，提出了相关的支持性建议，尤其涉及建成环境、开放空间和交通流线等方面。相关目标回应了五项设计原则，从而最终实现前述发展目标。

Fig. 21: Design strategy structure chart




图21: 设计策略结构图




Fig. 22: Development goals translated into design principles





图22: 发展目标转化为设计原则



6.2 Design Principles

The development goals are translated into a set of design principles serving as the foundation for the development of a design strategy (Fig.22). The design principles are addressed as follows:

1. Integrate the AWD into the surrounding urban context:

The continuity of the development with its surroundings is necessary for the AWD to become an integral part of the city, and to achieve long-term development success.

2. Respect the historic and cultural features of the AWD:

The heritage assets in the AWD should be maintained and highlighted wherever possible. Opportunities should be taken to allow a sense of history and culture to permeate the AWD, an environment closely connected to the important past of the city.

3. Create an accessible urban waterfront for the general public:

The uniqueness of the AWD, and what distinguishes it from many other areas in the city, is its waterfront location. The physical and visual accessibility to the waterfront, therefore, should be strengthened.

4. Support diverse uses and activities:

Support multiple and diverse uses and activities in the AWD for different users at different times, to contribute to the viability of the AWD.

5. Provide identity and sense of place in the AWD:

The AWD's identity and sense of place come not only from the individual buildings, but also more from the characteristics of its outdoor spaces and streets, and

6.2 设计原则

发展目标转化为一套设计原则，作为制定设计策略的基础（图22）。设计原则如下：

1. 将AWD融入周边城市语境：

ATVD与周边环境的连续性对于其成为城市不可分割的一部分并实现长期发展成功至关重要。

2. 尊重AWD的历史和文化特征：

应尽可能保留和突出AWD中的遗产资产。应抓住机遇，让历史与文化感渗透AWD，营造与城市重要过去紧密相连的环境。

3. 为公众打造可达的城市滨水区：

AWD 的独特性及其与城市中其他许多区域的区别在于其滨水位置。因此，应加强滨水区的物理和视觉可达性。

4. 支持多样化用途和活动：

支持 AWD 中不同用户在不同时间进行的多种多样化用途和活动，以促进 AWD 的可行性。

5. 在 AWD 中提供身份和场所感：

AWD的身份和场所感不仅来自单个建筑，更多来自其户外空间和街道的特征，以及

their relationship to the waterfront. Safety perception among users of these spaces also contributes to the creation of a sense of place.

6.3 Design Concept Framework

The design concept framework consists of three particular components: the built setting, open space and circulation. It is built upon the current characteristics and development initiatives found in the AWD, reflects the design principles proposed, and thus addresses the stated development goals. The design concept addresses the AWD's distinct physical, cultural and historic features through the arrangement of diverse compatible land uses and activities, the reuse of historic buildings and sites, the design of waterfront amenities, and the establishment of pedestrian-friendly open spaces. The concept seeks to ensure close physical, psychological and visual connections between the AWD and its surrounding neighbors, to draw people to the water's edge, and to take full advantage of the unique urban and natural qualities of the area.

The design concept incorporates the notion of urban husbandry, the term used by Gratz in her book *The Living City*⁶⁶. Urban husbandry advocates taking full advantage of existing assets to stimulate a step-by-step rejuvenation, with incremental changes. The design concept for the AWD makes full use of the current resources and existing features. For example, not only the historic architecture but also the existing structurally-sound buildings are proposed to be preserved, and reused adaptively, as much as possible. Also, existing open spaces in the AWD are integrated into the design concept, and their features enhanced by working with proposed new open space. Thus, the design concept aims to achieve an organic development of the AWD that reflects the connection between before

⁶⁶ Gratz, Roberta Brandes, 1990, *The Living City*, Simon & Schuster Inc. New York, page 147.

它们与滨水区的关系。这些空间的用户的安全感知也有助于营造场所感。

6.3 设计概念框架

设计概念框架由三个特定部分组成：建成环境、开放空间和交通流线。它建立在AWD中发现的当前特征和发展倡议之上，反映了所提出的设计原则，从而回应了所述的发展目标。设计概念通过安排多样化的兼容土地利用和活动、再利用历史建筑和遗址、设计滨水设施以及建立步行友好的开放空间，来处理AWD独特的物理、文化和历史特征。该概念旨在确保AWD与其周边邻居之间紧密的物理、心理和视觉联系，吸引人们来到水岸，并充分利用该地区独特的城市 and 自然品质。

设计概念融入了城市保育的理念，这是Gratz在她的著作《The Living Cityuu》中使用的术语。城市保育主张充分利用现有资产，通过渐进式变化刺激逐步更新。AWD的设计概念充分利用了当前资源和现有特征。例如，不仅历史建筑，而且现有的结构完好的建筑也被提议尽可能保留并进行适应性再利用。此外，AWD中的现有开放空间被整合到设计概念中，并通过与拟建的新开放空间协同工作来增强其特色。因此，设计概念旨在实现AWD的有机发展，反映前后之间的连接。

⁶⁶ Graø, Roberta Brandes, L990, *The Living Ci¿¿*, Simon & Schuster Inc. 纽约,第 14页

and after. The existing District assets are capitalized upon as a catalyst to stimulate and promote future development, even in neighboring areas.

The design concept framework references the built setting, open space and circulation, which are illustrated in Fig.23 through Fig.25 respectively. These three components are intended to function together, serving as open-ended guidance for future possible interventions.

6.3.1 Built setting (Fig.23)

The design concept for the built setting carries the theme of mixed-uses, which can encompass residential, office, cultural, recreational, hotel, and commercial uses, among others. It identifies the historic architecture and structurally-sound buildings that need to be preserved and reused. It designates a cultural and recreational use area in the mid-part of the AWD, which is integrated with the existing Concert Hall, Museum and MTC Theater, and which will serve as a development anchor for the AWD. It opens up all other areas in the AWD in terms of land and building uses, as in many cases, the best use for a particular parcel is an outcome of the balance of a variety of factors. But this does not mean that planning and design control measures are not needed in mixed-use areas. Some specific supportive recommendations are proposed in the following section to provide guidance for this design concept. Meanwhile, in the design concept, prior locations for public use at ground level, and recommended corner locations for commercial use at ground level, are identified for developers when they are considering mixed-use development proposals.

现有的区域资产被用作催化剂，以刺激和促进未来开发，甚至是在邻近地区。

设计概念框架参考了建成环境、开放空间和交通流线，分别如图23至图25所示。这三个组成部分旨在协同运作，为未来可能的干预措施提供开放式的指导。

6.3.1 建成环境（图23）

建成环境的设计概念以混合用途为主题，可涵盖住宅、办公、文化、休闲娱乐、酒店和商业等用途。它识别出需要保留和再利用的历史建筑和结构完好的建筑。在AWD的中部划定了一个文化和娱乐使用区，与现有的音乐厅、博物馆和MTC剧院整合，并将作为AWD的发展锚点。它开放了AWD内所有其他区域的土地和建筑用途，因为在许多情况下，特定地块的最佳用途是多种因素平衡的结果。但这并不意味着混合用途区域不需要规划和设计管控措施。下一节将提出一些具体的支持性建议，为这一设计概念提供指导。同时，在设计概念中，为开发商在考虑混合用途开发提案时，预先确定了地面层公共用途的优先位置和推荐的地面层商业使用转角位置。

6.3.2 Open space (Fig.24)

The open space design concept is focused on attracting people to come, stay and be entertained in the places created. Gateway places on the edge of the AWD are identified to function as attractions, drawing people in. Three key activity places are designated along the waterfront park, combined with the cultural and recreational use area, the existing water edge amphi-theater, and the historic Alexander Dock. These places serve as activity nodes with multiple uses to create more “optional activities”⁶⁷, and to enrich pedestrian experience along the waterfront park. An axial connection place, between the gateway place and key activity place in the cultural and recreational use area, is identified, to unconsciously lead people down to the water edge.

6.3.3 Circulation (Fig.25)

The circulation design concept is pedestrian-oriented. An axial pedestrian walkway is proposed and integrated with the connection place in the cultural and recreational use area leading down to the waterfront park, and connected to the riverfront pedestrian path. The riverfront path links three key activity places, and also connects the AWD with the Forks to the south and with the North Main Area to the north. A new public transit route is established, to be close to the main pedestrian walkway and waterfront open space. Waterfront Drive is re-configured to limit through-traffic and to enhance pedestrian orientation. Meanwhile, it is still well connected with the whole street network in the AWD, to achieve smooth circulation.

⁶⁷ “Optional activities” is thought to be especially dependent on exterior physical conditions and the major symptom of a good quality physical environment. See Gehl, Jan, 1987, *Life Between Buildings: Using Public Space*, page11-13.

6.3.2 开放空间（图24）

开放空间设计概念侧重于吸引人们来到、停留并在所创建的空间中娱乐。在AWD边缘确定了门户空间作为吸引点，引导人们进入。沿滨水公园指定了三个关键活动场所，与文化和娱乐使用区、现有的水边露天剧场以及历史性的亚历山大码头相结合。这些场所作为多用途的活动节点，创造更多“自发性活动”，并丰富沿滨水公园的行人体验。在门户空间和文化娱乐使用区内的关键活动场所之间，确定了一个轴向连接空间，以无意识地引导人们走向水边。

6.3.3 交通流线（图25）

交通流线的设计概念以行人导向。提出了一条轴向步行道，与文化和娱乐区的连接空间整合，直通滨水公园，并连接到河边步道。河边步道连接三个关键活动场所，还将AWD与南部的福克斯及北部的北主区相连。建立了一条新的公共交通线路，靠近主要人行道和滨水开放空间。滨水大道重新配置以限制过境交通并增强行人导向，同时，它仍然与AWD的整个街道网络良好连接，以实现顺畅的交通流线。

⁶⁷ “自发性活动”被认为特别依赖于外部物理条件以及良好物质环境的质量。参见扬·盖尔，1987年，《交往与空间》，第1-13页。

Fig. 23: Concept diagram of built setting




图23: 建成环境概念图




Fig.24. Concept diagram of open space




图24. 开放空间概念图




Fig.25. Concept diagram of circulation





图25. 交通流线概念图



6.4 Supportive Recommendations for Design Concept

The relevant recommendations regarding the built setting, open space and circulation, are made to support the design concept, and to provide a reference for future policy-making and interventions for shaping the Alexander Waterfront District.

The proposed recommendations include a Floor Area Bonus Distribution Model (Fig. 26), Mixed-use Infill Design Recommendation Matrix (Table 1 & 2), Open Space Design Recommendation Matrix (Table 3), and Main Axial Walkway and Riverfront Path Design Recommendation Checklist (Table 4). The Floor Area Bonus Distribution Model aims to control mixed-use development to better gear it to changing market needs, and thus to inject more flexibility. The control and adjustment of floor area bonus that provides additional floorspace in return, encourages the initial development in the AWD's center; development from the AWD's perimeter to the center; and a balance of development in the AWD north and south. The Mixed-use Infill Design Recommendation Matrix is introduced to create diverse uses and activities for different users at different times, based on the preservation and reuse of historic, and well-conditioned buildings. Design considerations also favour a sensitive response to streetscape shaping and pedestrian use. The Open Space Design Recommendation Matrix is established to strengthen District identity and enhance sense of place. The Main Axial Walkway and Riverfront Path Design Recommendation Checklist aims to strengthen accessibility to the waterfront and enrich pedestrian experience. The implementation of these recommendations at a more specific and detailed level would fulfill the design principles advanced in the preceding section, and help to eventually achieve the development goals.

6.4 设计概念支持性建议

针对建成环境、开放空间和交通流线的相关建议，旨在支持设计概念，并为未来塑造亚历山大滨水区的政策制定和干预措施提供参考。

建议内容包括容积率奖励分配模型（图26）、混合用途填充设计推荐矩阵（表1 & 2）、开放空间设计推荐矩阵（表3）以及主要轴向步道与河滨路径设计推荐检查表（表4）。容积率奖励分配模型旨在控制混合用途开发，以更好地适应不断变化的市场需求，从而注入更多灵活性。通过控制与调整容积率奖励（以额外建筑面积作为回报），鼓励AWD中心区域的初期开发、从AWD外围向中心的发展，以及AWD北部与南部的平衡发展。引入混合用途填充设计推荐矩阵，旨在基于对历史建筑及保存良好建筑的保护与再利用，为不同用户在不同时段创造多样化用途和活动。设计考量还注重对街景塑造和行人使用的敏感回应。开放空间设计推荐矩阵旨在强化区域认同感和场所感。主要轴向步道与河滨路径设计推荐检查表旨在增强滨水区的可达性并丰富行人体验。在更具体和详细的层面实施这些建议，将实现前述部分提出的设计原则，并最终有助于达成发展目标。

Fig.26. Map of floor area bonus distribution model





图26. 容积率奖励分配模型图



Table 3: Mixed-use infill design recommendation matrix (1)

Preferred location for principal building uses	Residential	Neighboring other residential buildings; Close to community services and commercial uses; Access to waterfront view; Close to major open space	
	Office	Neighboring other office buildings; Close to major street for easy vehicle access; Access to waterfront view	
	Commercial	Visible location with good exposure; Pedestrian accessible; Close to residential use; At ground level	
	Cultural	Good accessibility for both pedestrian and vehicle; Close to major open space	
	Recreational	Pedestrian accessible; Close to major open space	
	Hotel	Good accessibility for both pedestrian and vehicle; Access to waterfront view	
	Parkade	Close to major destinations; Close to major street for easy vehicle access; Away from pedestrian use	

Distribution and combination of mixed uses	Mixed-use building pattern	The distribution of mixed uses depends on the nature of a particular use, and the convenience and comfort provided to users. The combination of mixed uses should be compatible with one another.	
		4F and up	office/hotel/residential
		3F	cultural/office/hotel/residential
2F		commercial/cultural/recreational/office/hotel/residential	
1F		commercial/cultural/recreational/office/hotel	
-1F		parking/commercial/cultural/recreational	
-2F and below		parking	
Parkade	Parkade should have commercial/recreational use at ground level fronting on street		
			







Surface parking patterns	On-street parking around areas having high density of public or commercial uses	Parking on the side of building, with landscape treatment to minimize negative visual impact on sidewalk
		
	Parking at the rear of building	Parking within the block, designed as "parking garden"
		

表 3: 混合用途填充设计推荐矩阵 (1)

首选位置用于主要建筑用途	住宅	邻近其他住宅建筑；靠近社区服务和商业用途；享有滨水景观；靠近主要开放空间
	办公	邻近其他办公建筑；靠近主要街道便于车辆进出；享有waterhont view
	商业	可见度高的位置；行人可达；靠近住宅用途；位于地面层
	文化	行人和车辆均有良好的可达性；靠近主要开放空间
	休闲娱乐	行人可达；靠近主要开放空间
	酒店	行人和车辆均具有良好的通行性；享有滨水景观
	停车楼	靠近主要目的地；靠近主要街道便于车辆通行；远离行人使用

分布组合混合用途	混合用途建筑模式	混合用途的分布取决于特定用途的性质以及为用户提供的便利性和舒适性。混合用途的组合应相互兼容。 <table><tr><td>四层及以上</td><td>办公/酒店/住宅</td></tr><tr><td>3F</td><td>文化/办公/酒店/住宅</td></tr><tr><td>2F</td><td>商业/文化/休闲娱乐/办公/酒店/住宅</td></tr><tr><td>1F</td><td>商业/文化/休闲/办公/酒店</td></tr><tr><td></td><td>停车场/商业/文化/休闲娱乐</td></tr><tr><td>-2层及以下</td><td>停车</td></tr></table>	四层及以上	办公/酒店/住宅	3F	文化/办公/酒店/住宅	2F	商业/文化/休闲娱乐/办公/酒店/住宅	1F	商业/文化/休闲/办公/酒店		停车场/商业/文化/休闲娱乐	-2层及以下	停车
	四层及以上	办公/酒店/住宅												
3F	文化/办公/酒店/住宅													
2F	商业/文化/休闲娱乐/办公/酒店/住宅													
1F	商业/文化/休闲/办公/酒店													
	停车场/商业/文化/休闲娱乐													
-2层及以下	停车													
停车楼	停车楼应在临街地面层设置商业/休闲娱乐用途 停车 停车 停车 parking commercial/recreational Street													

地面停车图案	高密度公共或商业用途区域周边的路边停车公共或商业用途	建筑侧面的停车，配以景观处理以减少对人行道的负面视觉影响 减少对人行道的负面视觉影响
		
	建筑后方的停车	街区内存车，设计为“停车花园”



		
--	---	---

Table 4: Mixed-use infill design recommendation matrix (2)

Sensitive infill with relation to existing building facade pattern	New infill should respect existing surrounding buildings with compatible characteristics in terms of massing, height, scale, orientation, setback, proportion, facade articulation, color and general architectural style to create harmonious visual quality and unified streetscape.			
	inharmonious infill Existing building New infill with compatible facade texture and massing (Adapted from Lang, Jon, 1994, <i>Urban Design: The American Experience</i>, page 107.)			
Building/pocket open space relation patterns				
Building/side- walk edge patterns				

表 4: 混合用途填充设计推荐矩阵 (2)

敏感填充 与 现有建筑 立面图案	新填充建筑应尊重现有周边建筑具有兼容的特征, 包括体量、高度、尺度、朝向、退线、比例、立面处理、色彩和总体建筑风格以创造和谐的视觉品质和统一街景。			
	不和谐的新建建筑 现有建筑 新填充建筑采用兼容的立面纹理和体量 (Adapted from bEJon, 1994, <i>Urban ttdg: fcthrtui</i> 城市设计: 美国经验)			
建筑口袋 开放空间 关系 模式				
建筑/侧边 人行道边缘 模式				

Table 5: Open space design recommendation matrix⁶⁸

	Gateway space	Key activity space	Connection space
Description	Visible, attractive, intimate	Pleasant, enjoyable, safe, accommodate climax	Compatible not conformable, full of discovery and provides anticipation
Location	Key access point to the AWD, on ground level, adjacent to sidewalk and transit stop	Close to the waterfront, adjacent to major public use area	In-between gateway space and key activity space
Size	Personal scale with the maximum dimension of 20 –25 meters to enable seeing facial expressions	Not to exceed maximum dimension of 70 to 100 meters to enable seeing events	With appropriate proportion to surrounding spaces
Access	Accessible on at least one side of its perimeter	Multi-access points encouraged	Major access from gateway space
Uses and activities	Accommodate either lingerers or passers-through	Provide programs or events to encourage stay	Support optional activities and causal movement
Visual feature/ landscape treatment	Distinct visual element, serving as landmark, is a must	Visual complexity with greater variety of color, texture, landscape elements, etc. is encouraged	Compatible with surrounding spaces is a must; strong identity is not encouraged
Surrounding building usage	Attractive public use is a must	A variety of retail shops, restaurant, café, or food vendor is encouraged	Grade level uses should contribute to generating optional activities
Micro-climate	Sunshine to sitting areas at lunch time at least; means to shelter from summer sunshine and winter wind should be provided	Sunshine to most of the occupied area from mid-morning to mid-afternoon; ensure breeze in summer, and means to shelter from summer sunshine and winter wind should be provided	Sunshine at lunchtime should be ensured; means to shelter from summer sunshine and winter wind should be provided
Surveillance	Highly desirable but not required	Surveillance from surrounding buildings and sidewalks is a must	Surveillance from surrounding buildings is encouraged
Seating	Seating should be placed in sunny area	Sufficient seating is a must, and should meet the needs of diverse sitters	A variety type of causal seating incorporating landscape elements is encouraged

⁶⁸ Adapted from Punter, John, 1999, “Fig. 55 San Francisco: Guideline for Downtown Open space”, in *Design Guidelines in American Cities: a Review of Design Policies and Guidance in Five West Coast Cities*, Liverpool, Liverpool University Press, page124-125, and Marcus, Clare Cooper & Francis, Carolyn, ed., 1990, “Design Review Checklist”, in *People Places: Design Guidelines for Urban Open Space*, New York, Van Nostrand Reinhold, page65-68.

表5：开放空间设计推荐矩阵⁶⁸

	Gateway 空间	Key activiW 空间	连接空间
描述	可见的，athactive，亲密的	愉快的，安全的，容纳高潮	兼容但不一致，充满发现，并提供预期
位置	关键入口点通往 AWD，位于地面层，毗邻人行道和公交站	靠近滨水区，毗邻主要公共使用区	介于门户空间和关键活动空间之间
尺寸	人体尺度与最大尺寸为 20 -25 米，以便看到面部表情	不超过最大尺寸 70 到 100 米以实现视野事件	通过适当的比例与周围空间
通道	在其周界至少一侧可通达其边界的一侧	多通道入口鼓励	主要通道来自 gateway 空间
用途与活动	容纳停留者或穿行者	提供计划或事件以鼓励停留	支持自发性活动和随意移动
视觉特征/景观处理	独特视觉元素作为地标，是一个	视觉复杂性具有更多样的色彩、纹理、景观元素等鼓励	兼容周围空间是必须的；强烈的身份认同不鼓励
周围建筑用途	athactive 公共使用是指	多种零售商店、餐厅、咖啡馆或食品供应商受到鼓励	年级水平的使用应有助于产生自发性活动
小气候	日照至休息区至少在午餐时间；遮蔽手段夏季日照和冬季风应该提供	日照到大部分使用区域从上午中段到下午午后；确保微风在夏季，以及提供遮蔽夏季日照和冬季风的措施	午餐时间的日照应确保；遮蔽夏季日照和冬季风的方法应提供
监控	非常可取但非必需	来自周边建筑和人行道的监控必不可少	来自周边建筑是鼓励的
座位	座位应放置在阳光充足区域	充足的座位是必须且应满足不同使用者的需求；保姆	融合了景观元素，是好的选择。鼓励

⁶⁸ 改编自 Punter, John, 1999, “Fig. 55 San Francisco: Guideline for Downtown Open space”, in *Design Guidelines in American Cities: a Review of Design Policies and Guidance in Five West Coast cities*, Liverpool, Liverpool University Press, page124-125, 以及 Marcus, Clare Cooper & Francis, Carolyn, 编, 1990, “Design Review Checklist”, in *People Places: Design Guidelines for Urban Open Space*, New York: Van Nostrand Reinhold, page65-68.

Table 6: Main axial walkway and riverfront path design recommendation checklist⁶⁹

Self-check questions	Confirm/Comment
1. Is convenient, attractive and protected pedestrian entry provided?	
2. Is the pedestrian walkway well connected with public amenities and major open space?	
3. Does the pedestrian walkway provide easy public access to water's edge?	
4. Is personal safety ensured along pedestrian walkway?	
5. Are diverse visual interests, personal scale design elements, such as landscaping, light fixtures, signage, banners, and public art, considered along walkway to maximize pedestrian comfort and enjoyment?	
6. Is pedestrian walkway close to public transit stops, within the maximum five-minute walking distance, or 400 meters?	
7. Is visual and physical intrusion of parking lots and parking structures minimized on pedestrian walkway?	
8. Are dumpsters, utility and service areas screened from pedestrian walkway?	

⁶⁹ Adapted from Punter, John, 1999, "Fig. 20 Seattle: Neighborhoods Design Guidelines Checklist (1993)", in *Design Guidelines in American Cities: a Review of Design Policies and Guidance in Five West Coast Cities*, Liverpool, Liverpool University Press, page49.

表6：主要轴向走道和河边步道设计建议检查表

自查问题	确认/评论
1. 是否提供了便捷、有吸引力且受保护的行人入口？	
2. 人行道是否与公共设施 和主要开放空间良好连接？	
3. 人行道是否便于公众通道前往水边 边缘？	
4. 人行道沿线是否确保人身安全？	
5. 是否包含多样的视觉趣味、人体尺度设计元素，例如 作为景观美化、灯具、标识牌、护栏和公共艺术， 沿人行道考虑，以最大化行人舒适度及 愉悦感？	
6. 人行道是否靠近公交站点，在 最大五分钟步行距离或400米范围内？	
7. 停车场和停车结构对人的视觉和 物理侵入在人行道上是否最小化？	
8. 垃圾桶、公用设施和服务区域是否对人行道进行遮挡？ 人行道？	

6e 改编自 Punter, John, 1999, "图20 西雅图：社区设计指南检查表（1993）"，载于《美国城市设计指南：五个西海岸城市的设计政策与指导回顾》，利物浦，利物浦大学出版社，第49页

6.4 Summary

The design strategy proposed is based on a logical analysis of the existing Alexander Waterfront District conditions, with reference to the relevant literature and precedents of urban waterfront planning and design. The design strategy is concentrated on the elaboration of a design concept, which is treated as an acupoint – the key point must be defined or controlled, for the redevelopment of the AWD. The relevant design recommendations are intended to support the design concept, for optimal implementation. The design concept and supportive recommendations are complementary. They are intended to be neither too general nor too specific, but flexible enough to allow specific designs to occur within them. In actuality, they illustrate a design approach to make the design more process-oriented rather than product-oriented. They do not aim to develop a “one-shot design” that includes everything, and rigid prescription - but isolated from development reality. Instead, the design concept and supportive recommendations provide guidance, meanwhile leaving plenty of room for different designers to perform in a variety of ways at different development stages, to eventually shape the AWD into being a welcoming place for people in the future. The design strategy attempts to envision a dynamic development of the AWD.

6.4 总结

提出的设计策略基于对现有亚历山大滨水区条件的逻辑分析，并参考了城市滨水区规划与设计的相关文献和先例。设计策略集中于阐述一个设计概念，该概念被视为一个穴位——即必须定义或控制的关键点，用于AWD再开发。相关设计建议旨在支持设计概念，以实现最佳实施。设计概念和支持性建议是互补的，既不过于笼统也不过于具体，而是足够灵活，允许在其中进行具体设计。实际上，它们展示了一种设计方法，使设计更倾向于过程导向而非产品导向。它们的目标不是开发一个包含一切的“一次性设计”和僵化的规定——这脱离了发展现实。相反，设计概念和支持性建议提供指导，同时为不同设计师在不同开发阶段以多种方式发挥留出充足空间，最终将AWD塑造成未来对人们友好的场所。该设计策略试图展望AWD的动态发展。

Chapter Seven

Suggestions for Further Research

7.1 Feedback from the Informants regarding the Design Strategy

The design strategy proposed in the preceding chapter was reviewed by the key informants to seek comments and suggestions. Communication with informed persons can provide a better understanding of how development of the AWD and the general urban waterfront site can be best achieved. Issues for future research on this topic were identified through this feedback process. The nature of the comments can be broadly grouped into the following three areas: mixed-use development, financial feasibility and long-term maintenance.

1. Concerns about the concept of mixed-use development:

Some informants questioned the proportion of different land/building uses. What would be an appropriate ratio for diverse uses? Should this be totally determined by market needs? And, how to balance the social needs generated by the general public - for instance, wanting a larger open space along the waterfront for public enjoyment, vs. market needs from private developers who, on the other hand, might desire to intensify the development on that site for greater financial return? Some informants also pointed out that a reasonable arrangement of uses should help the AWD serve both as a regional and local attraction for visitors and community residents.

2. Concerns about financial feasibility :

Financial feasibility of the required development was of most concern to the informants. This issue had also been raised during the previous interviews with the

第七章

进一步研究的建议

7.1 受访者关于设计策略的反馈

前一章提出的设计策略由关键知情人审阅，以征求评论和建议。与知情人士的沟通可以更好地理解如何最佳实现AWD和一般城市滨水区场地的的发展。通过这一反馈过程，确定了未来关于该主题的研究问题。评论的性质大致可分为以下三个方面：混合用途开发、财务可行性和长期维护。

1. 对混合用途开发概念的关注：

一些受访者质疑不同土地/建筑用途的比例。多样用途的合理比例是多少？是否应完全由市场需求决定？以及，如何平衡公众产生的社会需求——例如，希望在滨水区拥有更大的开放空间以供公众愉悦，与私人开发商的市场需求——另一方面，他们可能希望在该地块上强化开发以获得更大的财务回报？一些受访者还指出，合理的用途安排应有助于AWD既作为区域性和本地吸引游客及社区居民的场所。

2. 对财务可行性的关注：

所需开发的财务可行性是受访者最关心的问题。在之前的访谈中，这一议题也被提及，

informants. Still, many of them were thinking about the cost for developing the whole area, and whether the market really existed to drive this level of development. It was recommended that there should be some bonus systems, incentives or funding programs in place, from the public sector, to encourage this scale of development proposals. Financial self-reliance would also be crucial for long-term sustainable development.

3. Concerns about the long-term operation and maintenance of the development:

Some of the informants thought that the post-build maintenance was of equal significance to the implementation of the design concept. Maintenance strategies should be addressed during the early stage of pre-development and incorporated into the design considerations. The design, they added, did not need to be upscale. Well-arranged public programs throughout the year, such as those for the Forks, could be effective to maintain the vibrancy of the AWD, while minimizing the financial risk in the initial development stage. As well, a development balance should be sought between revenue-generating uses and other public uses, to cover the high cost of future maintenance, and to ensure a continuing vibrancy of the AWD.

The feedback on the design strategy identified some issues beyond the design per se. Urban design, as part of the urban development process, is a dynamic process, requiring designing for change. The concerns expressed by the key informants lead to broadened thinking about urban waterfront planning and design, to providing direction for further study of this topic.

受访者仍然有许多人在思考整个区域开发成本，以及市场是否真的存在以推动这种规模的开发。建议公共部门应提供一些奖金制度、激励措施或资助计划，以鼓励这种规模的开发提案。财务自给自足对于长期可持续发展也至关重要。

3. 对项目长期运营与维护的担忧：

部分受访者认为，建成后维护与设计概念的实施同等重要。维护策略应在开发前期早期阶段提出，并纳入设计考量。他们补充说，设计无需过于高档。全年精心安排的公共项目（如福克斯的项目）可有效维持AWD的活力，同时最小化初始开发阶段的财务风险。此外，应在创收用途与其他公共用途之间寻求开发平衡，以覆盖未来维护的高昂成本，并确保AWD持续活力。

对设计策略的反馈识别了一些超出设计本身的问题。作为城市发展过程一部分的城市设计，是一个动态过程，需要为变化而设计。关键知情人表达的关切拓宽了关于城市滨水区规划与设计的思考，并为这一课题的进一步研究提供了方向。

7.2 Recent Ideas Competition for the Waterfront in Downtown Winnipeg

An international design competition calling for innovative design ideas was held in the spring of 2002 for the waterfront areas in the East Exchange District and French Quarters of St. Boniface. Part of the competition area in the East Exchange District was within the Alexander Waterfront District. The objectives of this idea competition were:

- Environmental design as a key component in the re-emergence of Downtown Winnipeg;
- Interpretation of the city, its rivers and history;
- Enhancement of the existing site as it relates to its surroundings;
- Consideration of future development on both sides of the river;
- Recognition of the site’s significance in the history of Winnipeg, and
- Stimulate public debate.

A high level of interest for waterfront development in Downtown Winnipeg was generated through this ideas competition. There were more than 50 submissions from designers across Canada and the United States, and from as far away as Japan and Europe. The ideas competition highlighted an important issue in the planning and design of the waterfront in Downtown Winnipeg among professionals in the City and around the world.

The various submissions reflected some common concerns for waterfront redevelopment in Downtown Winnipeg. Rather than treating the waterfront open space as only a park, mixed-use development was proposed in most submissions. Residential, commercial and recreational uses were accorded much attention by the designers. A variety of ways to treat the water edge was offered, and clear connections between the surroundings, such as City Hall, and the waterfront were emphasized in many submissions.

The competition generated positive interest from developers and property owners seeking development inspiration. Financial feasibility of the design ideas was of most

7.2 温尼伯市中心滨水区近期创意竞赛

2002年春季，在东交易区和圣博尼费斯法国区的滨水区域举办了一场国际设计竞赛，征集创新设计理念。东交易区的部分竞赛区域位于亚历山大滨水区内。这次创意竞赛的目标是：

- o 将环境设计作为温尼伯市中心复兴的关键组成部分；o 解读城市、河流与历史；o 增强现有场地与周边环境的关联性；o 考虑河流两岸的未来发展；o 认识到该场地在温尼伯历史中的重要意义；以及o 激发公众讨论。

本次创意竞赛激发了温尼伯对滨水区开发的浓厚兴趣。来自加拿大和美国各地，乃至远至日本和欧洲的设计师提交了50多份作品。该竞赛突显了温尼伯市中心滨水区规划与设计在专业领域及全球范围内的重要议题。

各参赛作品反映了温尼伯市中心滨水区再开发中的一些共同关注点。多数方案并非将滨水开放空间仅视为公园，而是提出了混合用途开发。设计师们对住宅、商业和休闲娱乐用途给予了充分重视。提出了多种处理水边的方式，并且许多方案强调了周边环境（如市政厅）与滨水区之间的清晰联系。

该竞赛引起了寻求开发灵感的开发商和业主的积极兴趣。设计理念的财务可行性是他们最关心的问题。

concern to them. Albert Cheung, the landowner of a site at the end of the Market Street, volunteered his site to be included in the competition. He commented that he felt the design ideas all seemed very interesting but some seemed very expensive. The competition co-coordinator added that “to be realistic and achievable” was a requirement for all submissions. He thought that only a few submissions had given consideration to the slow growth context of Winnipeg and paid attention to an incremental growth strategy to achieve sustainable development of the waterfront.

It usually takes decades to accomplish a large-scale development, such as waterfront redevelopment in Downtown Winnipeg. The public sector’s strong commitment, as stimulator and coordinator, is critical in the development process. This ideas competition, sponsored by the City, was an important first step in the redevelopment process for the waterfront area. Although there are currently no specific plans for how to proceed after the competition, the co-coordinator stated that the competition stimulated development ideas and helped to market the City, attracted more attention from people and better informed them of the development issues, including promoting the development on both sides of the Red River.

7.3 Further Research on Urban Waterfront Planning and Design

This study on urban waterfront planning and design cannot end with the completion of this document. There are generally three issues for future research, arising from this current study and from comments by the informants. These are: process-oriented waterfront planning and design; strong public commitment for continuous efforts at development; and design with future maintenance in mind.

Albert Cheung是Market Street尽头一处地块的土地所有者，他自愿将其地块纳入竞赛。他评论说，他觉得这些设计理念看起来都很有趣，但有些似乎非常昂贵。竞赛协调员补充说，“现实且可实现”是所有参赛作品的要求。他认为，只有少数参赛作品考虑了温尼伯缓慢增长的语境，并关注了通过渐进式增长策略实现滨水区可持续发展的路径。

完成大规模开发通常需要数十年时间，例如温尼伯市中心的滨水区再开发。公共部门作为激励者和协调者的坚定承诺在开发过程中至关重要。由市政府赞助的这次创意竞赛是滨水区域再开发过程中的重要第一步。尽管目前尚无竞赛后具体如何推进的计划，但协调人表示，该竞赛激发了开发创意，帮助推广了城市，吸引了更多人关注，并使人们更好地了解开发问题，包括促进红河两岸的开发。

7.3 城市滨水区规划与设计的进一步研究

本研究关于城市滨水区规划与设计并不因本文完成而结束。当前研究及受访者评论提出了三个未来研究方向：过程导向的滨水区规划与设计；强有力的公共承诺以持续开发努力；以及考虑未来维护的设计。

Waterfront planning and design should be closely integrated with the development process. It is itself a complicated process, requiring designers to continually adjust position to gain new perspectives. Waterfront planning and design, as a process-oriented activity, has a two-fold meaning. Firstly, as designers for a particular urban waterfront site, they have to understand the nature of the waterfront development process and the role of design in this process. Secondly, waterfront planning and design should produce a process-oriented “product” rather than a project-oriented “product”, which means the design product no longer needs to be beautiful design drawings on paper, as is the case in traditional “one-shot design”. With designers addressing an unpredictable future, it is foolhardy to focus on a fixed vision. Design and development policy and guidelines have to be adjusted constantly, according to the reality of the development. Therefore, the process-oriented design product should provide a design framework flexible enough so that different designers can cohesively create specific design products, to fulfill changing needs at different times. It should not be hard to understand that, in a slow-growth economic environment, imposing serious restrictions on how development should take place would be of little assistance in attracting investment.

Waterfront design and development is also an integrated long-term process. Many great waterfront projects in Toronto, Boston, or Baltimore took years from the development of a plan to the start of construction and then to completion. For such an undertaking to be successful, there must be a strong public sector commitment to carry the program through to completion. The role of the public sector is critical in establishing social and physical development policies and programs that provide direction for development. The public investment in infrastructure and other subsidies would usually

滨水区规划与设计应与开发过程紧密结合。其本身就是一个复杂过程，要求设计师不断调整立场以获得新视角。作为过程导向的活动，滨水区规划与设计具有双重含义。首先，作为特定城市滨水区场地的设计师，他们必须理解滨水开发过程的性质以及设计在此过程中的角色。其次，滨水区规划与设计应产出过程导向的“产品”而非项目导向的“产品”，这意味着设计产品不再需要像传统“一次性设计”那样是纸上美丽的图纸。当设计师面对不可预测的未来时，专注于固定愿景是愚蠢的。设计与开发政策及指南必须根据开发现实不断调整。因此，过程导向的设计产品应提供足够灵活的设计框架，使不同设计师能够协调一致地创造出满足不同时期变化需求的具体设计产品。不难理解，在缓慢增长的经济环境中，对开发方式施加严格限制对吸引投资帮助甚微。

滨水区设计和开发也是一个综合性的长期过程。多伦多、波士顿或巴尔的摩的许多大型滨水项目从规划制定到开工建设再到竣工，历经多年。要使这样的项目成功，必须有强有力的公共部门承诺将其贯彻到底。公共部门在制定指导和引领发展的社会与实体发展政策及计划方面起着关键作用。公共基础设施投资和其他补贴通常是

be the initial force to launch waterfront redevelopment. Public sector intervention shapes development to meet some specific public ends, and thus to balance the conflicts between different social needs and market needs, and between revenue-generating uses and uses for the general public.

Waterfront planning and design does not end with the completion of construction. A well-designed development is still at risk of losing its attraction after a few years of use, without a suitable maintenance and renewal program in place. Waterfront planning and design cannot solely focus on new creations; close attention should be paid to the care and maintenance of what exists. Consideration of this aspect in the early design stage is significant and should be a part of the basic design. To design with maintenance in mind is to design for change, and to fulfill the full range of needs over time.

7.4 Conclusion

The amount of waterfront land in a city is usually a limited and valued resource. Urban waterfront provides a broad range of development opportunities for a city. Successful waterfront design and development has had catalytic effects on city revitalization. Therefore, there is huge interest in waterfront development; the efforts towards urban waterfront redevelopment are continuing in cities worldwide.

Projects are likely to be different in many ways in different cities. It can be understood from the present study that waterfront redevelopment needs a comprehensive plan to integrate a variety of factors and concerns, and to reflect the waterfront's unique and strategic location and diverse users' needs. As well, an empirically-based design approach, which is specific enough to provide a framework for development and flexible

启动滨水区再开发的初始动力。公共部门干预塑造开发以满足特定的公共目标，从而平衡不同社会需求与市场需求之间的矛盾，以及创收用途与公众用途之间的冲突。

滨水区规划与设计并不在建设完成后结束。一个设计良好的开发项目在使用几年后，如果没有适当的维护与更新计划，仍有可能失去其吸引力。滨水区规划与设计不能只关注新创设；应密切关注现有设施的维护与保养。在早期设计阶段考虑这一方面至关重要，应作为基本设计的一部分。以维护为目标进行设计，就是为变化而设计，并满足随着时间推移而产生的各种需求。

7.4 结论

城市中的滨水用地通常是有限且宝贵的资源。城市滨水区为城市提供了广泛的发展机遇。成功的滨水设计与开发对城市振兴产生了催化作用。因此，人们对滨水开发有着极大的兴趣；世界各地的城市都在持续努力推进城市滨水再开发。

不同城市的项目可能在许多方面有所不同。从本研究中可以理解，滨水区再开发需要一个综合规划来整合各种因素和关注点，并反映滨水区独特而战略性的位置以及多样用户的需求。此外，还需要一种基于经验的设计方法，该方法既要足够具体以提供发展框架，又要灵活

enough to respond to future changes, is needed. Waterfront redevelopment also needs a solid cooperative public-private partnership, and a strong commitment to carry the program throughout the development process.

The design strategy developed in this study provides guidance on how to revitalize the Alexander Waterfront District, and reconnect it to adjacent downtown areas. It serves as an initial step for future research to realize the potential of the Alexander Waterfront District as a place for more people to live, work and be entertained, and as a contribution to Winnipeg's downtown revitalization.

足以应对未来的变化。滨水区再开发还需要稳固的公私合作伙伴关系，以及在开发过程中坚持执行计划的坚定承诺。

本研究中制定的设计策略提供了如何振兴亚历山大滨水区并将其与邻近市中心区域重新连接的指导。它作为未来研究的第一步，旨在实现亚历山大滨水区作为更多居民生活、工作和娱乐场所的潜力，并为温尼伯市中心振兴做出贡献。

Bibliography:

Banerjee, Tridib and Southworth, Michael, ed, (1990), *City Sense and City Design: Writing and Projects of Kevin Lynch*, Cambridge, Massachusetts, The MIT Press.

Balchen, Bess and Linville, Jack, (1971), “The Waterfront: Let’s Face It”, in *AIA Journal*, April, vol.55, no.4, page 17-27.

Barnett, Jonathan, (1982), *An Introduction to Urban Design*, New York, Harper & Row Publishers.

Braunfels, W., (1988), *Urban Design in Western Europe*, Chicago/London, Transl. K. J. Northcott.

Breen, Ann and Rigby, Dick, (1994), *Waterfronts: Cities Reclaim their Edges*, New York, McGraw-Hill.

Breen, Ann and Rigby, Dick, (1996), *The New Waterfront: a Worldwide Urban Success Story*, New York, McGraw-Hill.

Breen, Ann and Rigby, Dick, (1991), “Prospect”, in *Landscape Architecture*, February 1991, vol.81 No. 2, page 128.

Bureau of Travel and Publicity, Department of Industry and Commerce, Manitoba, *City of the Rivers*, Winnipeg, Queen’s Printer.

City of Winnipeg, (1997), *Our Place: North Main Task Force*.

Cowey, Ann Breen and Rigby, Richard, (1979), “On the Waterfront”, in *Planning*, November, vol.45, no.11, page 10-13.

Cleveland, H. W. S., (1945), “Suggestions for a System of Parks and Parkways for the City of Minneapolis”, in *Minneapolis Park System 1883-1944*, Minneapolis, Theodore Wirth.

Desfor, Gene, (1990), *Urban Waterfront Industry: Planning and Development Green Enterprise for the 21st Century Symposium Report*, Toronto, Minister of Supply and Services Canada.

Dickinson, Robert E., (1961), *The West European City: a Geographical Interpretation*, London, Routledge & Kegan Paul Limited.

Faculty of Architecture, University of Manitoba, (1985), *Urban Design Studio 1984-85:Fort Rouge*.

参考文献:

Banerjee, Tridib 和 Southworth, Michael 编 (1990), 《城市感知与城市设计: 凯文·林奇的写作与项目》, 马萨诸塞州剑桥, 麻省理工学院出版社

Balchen, Bess 和 Linville, Jack, (1971), 《滨水区: 直面现实》载于 AIA Journal, 4月, 第55卷, 第4期, 第17-27页。

Barnett, Jonathan, (1952), 《城市设计导论》, 纽约, Harper & Row Publishers。

Braunfels, W., (1988), 《西欧城市设计》, 芝加哥/伦敦, Transl. K. J. Northcott。

Breen, Ann 和 Rigby, Dick, (1994), 《滨水区: 城市重塑边缘》, 纽约, McGraw-Hill。

Breen, Ann 和 Rigby, Dick, (1996年), 《新滨水区: 全球城市成功故事》, 纽约, McGraw-Hill。

Breen, Ann 和 Rigby, Dick, (1991), "展望", 载于《景观建筑学》, 1991年2月, 第81卷第2期, 第128页。

旅游局与宣传部, 马尼托巴省工商部, 《河流之城》, 温尼伯, 女王出版社。

温尼伯市, (1997), 《我们的地方: 北主街工作组》。

Cowey, Ann Breen 和 Rigby, Richard, (1979), "在滨水区", 载于《规划》, 11月, 第45卷第11期, 第10-13页。

Cleveland, H. W. S., (1945), "明尼阿波利斯市公园与公园路系统建议", 载于《明尼阿波利斯公园系统1883-1944》, 明尼阿波利斯, Theodore Wirth。

Desfor, Gene, (1990), 《城市滨水区产业: 规划与开发绿色企业》2世纪研讨会报告, 多伦多, 加拿大供应与服务部。

Dickinson, Robert E., (1961), 《西欧城市: 地理学解读》, 伦敦, Routledge & Kegan Paul Limited。

曼尼托巴大学建筑学院, (1985年), (城市设计工作室1984'85: 红堡)。

Gardiner, J.L., Edwards, P.J. and Ball, J.H., (1993), "Urban Waterside: Context and Sustainability", in White, K. N. et al ed., *Urban Waterside Regeneration: Problems and Prospects*, New York, Ellis Horwood.

Gehl, Jan, (1987), *Life between Buildings*, New York, Van Nostrand Reinhold Company.

Heckscher, August, (1977), *Open Spaces: the Life of American Cities*, Harper & Row Publishers.

Hough, Michael and Barrett, Suzanne. (1987), *People and City Landscapes*, Toronto, Conservation Council of Ontario.

Jacobs, Jane, (1961), *The Death and Life of Great American Cities*, New York, Random House.

Jones, Bernie, (1990), *Neighborhood Planning: A Guide for Citizens and Planners*, Washington D. C., APA Planners Press.

Kostof, Spiro, (1992), *The City Assembled: the Elements of Urban Form Through History*, London, Thames and Hudson.

Kotval, Zenia & Mullin, John R., (2001), "Waterfront Planning as a Strategic Incentive to Downtown Enhancement and Livability", in Burayidi, Michael, ed., *Downtowns: Revitalizing the Centers of Small Urban Communities*, New York, Routledge.

Lang, Jon, (1994), *Urban Design: The American Experience*, New York, Van Nostrand Reinhold.

Lehmann, Richard A., and Wood, Donald F., (1966), "Waterfront Renewal: What Recent Events and Trends Portend for the Nation's Urban Water Frontage", in *The Journal of Housing*, November, Vol. 23, No.10, page 590-592.

London, Mark, (1976), "Urban Waterfront Planning", in *Canadian Institute of Planner Forum*, May 1976, Canadian Institute of Planner, Ottawa, page 3-7.

Lynch, Kevin, (1960), *The Image of the City*, Cambridge, Massachusetts, MIT Press.

Lynch, Kevin, (1981), *A Theory of Good City Form*, Cambridge, Massachusetts, MIT Press.

Marcus, Clare Cooper & Francis, Carolyn, ed., (1990), *People Places: Design Guidelines for Urban Open Space*, New York, Van Nostrand Reinhold.

Marshall, Richard, ed. (2001), *Waterfront in Post-Industrial Cities*, London, Spon Press.

Gardiner, J.L., Edwards, P.J. 和 Ball, J.H., (1993年), 《城市滨水区: 语境与可持续性》, 载于 White, K. N. 等编, 《城市滨水区再生: 问题与展望》, 纽约, Ellis Horwood.

扬·盖尔, (1987), 《交往与空间》, 纽约, Van Nostrand Reinhold公司。

奥古斯特·赫克歇尔, (1977), 《开放空间: 美国城市的生活》, Harper & Row Publishers.

迈克尔·霍夫和苏珊娜·巴雷特, (1987), 《人与城市景观》, 多伦多, 安大略省保护委员会。

简·雅各布斯, (1961), 《美国大城市的死与生》, 纽约, 兰登书屋。

伯尼·琼斯, (1990), 《邻里规划: 市民与规划师指南》, 华盛顿特区, APA Planners Press.

斯皮罗·科斯托夫, (1992), 《城市形态: 城市的历史演进》, 伦敦, 泰晤士与哈德逊出版社。

Kotval, Zenia & Mullin, John R., (2001年), "滨水规划作为提升市中心活力与宜居性的战略激励", 收录于Burayidi, Michael编辑的《市中心: 振兴小城市社区的中心》, 纽约, Routledge出版社。

Lang, Ion, (1994年), 《城市设计: 美国经验》, 纽约, Van Nostrand Reinhold.

Lehmann, Richard 4., 和 Wood, Donald F., (1966年), "滨水区更新: 近期事件与趋势对城市滨水区的预示", 载于《住房杂志》, 11月, 第23卷, 第10期, 页码590-592.

London, Mark, (1976年), "城市滨水区规划", 载于《加拿大规划师论坛》, 1976年5月, 加拿大规划师协会, 渥太华, 页码3-7.

Lynch, Kevin, (1960年), 《城市意象》, 马萨诸塞州剑桥, 麻省理工学院出版社。

凯文·林奇, (1981), 《良好城市形态理论》, 马萨诸塞州剑桥, 麻省理工学院出版社。

Marcus, Clare Cooper 和 Francis, Carolyn 编, (1990), 《人群场所: 城市开放空间设计指南》, 纽约, Van Nostrand Reinhold.

Marshall, Richard, 编. (2001年), 《后工业城市中的滨水区》, 伦敦, Spon Press.

Martin, Thomas J. et al., (1978), *Adaptive Use*, Washington D.C., ULI- the Urban Land Institute.

McQuade, Walter, (1961), "The Suffering Shore Line", in *Architectural Forum*, 1961 June, Vol 114, No. 6, page88-93.

Mintzberg, Henry, (1994), *The Rise and Fall of Strategic Planning*, Toronto, Free Press.

Mumford, Lewis, (1961), *The City in History: Its Origins, Its Transformations, and Its Prospects*, New York, Harcourt Brace Jovanovich.

Nelessen, Anton Clarence, (1994), *Visions for a New American Dream: Process, Principles, and an Ordinance to Plan and Design Small Communities*, Washington, D.C. APA Planners Press.

O'Brien, David, (2001), "The Beast is Coming Down", in *Winnipeg Free Press*, December 5, 2001, page A1.

Planning Department, (1991), *Heritage Conservation – Regulatory Overview*, City of Winnipeg.

Punter, John, (1999), *Design guidelines in American Cities: A Review of Design Policies and Guidance in Five West Coast Cities*, Liverpool, Liverpool University Press.

Shirvani, Hamid, (1985), *Urban Design Process*, New York, Van Nostrand Reinhold Company Inc.

The Exchange Partnership & the Exchange Community, (1996), *The Exchange District Strategic Action Plan*, Winnipeg, Exchange District Business Improvement Zone.

The President's Council on Recreation and Natural Beauty, (1968), *From Sea to Shining Sea: a Report on the American Environment – Our Natural Heritage*, Washington D.C.

Thibert Event & Associated Management (TEAM), (2001), *Waterfront Drive Open House: Tabulation and Analysis of Public Input*.

Trancik, Roger, (1986), *Finding Lost Space: Theories of Urban Design*, New York, Van Nostrand Reinhold.

Wagner, Robert F., (1980), "New York City Waterfront: Changing Land Use and Prospects for Redevelopment", in Committee on Urban Waterfront Lands ed., *Urban Waterfront Lands*, Washington D. C., National Academy of Sciences.

Wrenn, Douglas M., (1983), *Urban Waterfront Development*, Washington, D.C., ULI-the Urban Land Institute.

Martin, Thomas J. 等. (1978年), 适应性使用, 华盛顿特区, ULI-城市土地学会.

McQuade, Walter, (1961), "痛苦的海岸线", 载于《建筑论坛》1961六月, 第114卷, 第6, 号, 第88-93页。

Mintzberg, Henry, (1994), 《战略规划的兴衰》, 多伦多, 自由出版社。

Mumford, Lewis, (1961), 《历史上的城市: 其起源、转型与展望》, 纽约, Harcourt Brace Jovanovich。

Nelessen, Anton Clarence, (1994), 《新美国梦的愿景: 规划与设计小型社区的流程、原则及条例》, 华盛顿特区, APA规划出版社。

O'Brien, David, (2001), "野兽即将降临", 载于《温尼伯自由报》, 2001年12月5日, 第41页。

规划部门, (1991), 《遗产保护——监管概述》, 温尼伯市。

Punter, John, (1999), 《美国城市设计指南: 对五个西海岸城市设计政策与指导的回顾》, 利物浦, 利物浦大学出版社。

Shirvani, Hamid, (1985), 《城市设计过程》, 纽约, Van Nostrand Reinhold公司。

交易区合作伙伴与交易区社区, (1996), 《交易区战略行动计划》, 温尼伯, 交易区商业改善区。

总统休闲与自然美景委员会, (1968), 《从大海到闪耀的大海: 关于美国环境——我们的自然遗产的报告》, 华盛顿。

Thibert活动及相关管理 (TEAM), (2001), 《滨水区开放日: 公众意见的整理与分析》。

Trancik, Roger, (1986), 《寻找失落空间: 城市设计理论》, 纽约, Van Nostrand Reinhold。

Wagner, Robert F., (1930), "纽约市滨水区: 不断变化的土地利用与再开发前景", 载于城市滨水区土地委员会编, 《城市滨水土地》, 华盛顿特区, 美国国家科学院。

Wrenn, Douglas M., (1983), 《城市滨水区开发》, 华盛顿特区, 城市土地学会。

Websites:

Current public transit in the Alexander Waterfront District:
<http://www.winnipegtransit.com> November 2, 2001.

Historic buildings in the Alexander Waterfront District:
<http://www.city.winnipeg.mb.ca/ppd/historic/dreamweaver/municipal.htm>, November 17, 2001.

The history of the Scots monument:
<http://www.geocities.com/Heartland/Village/1479/historic.html> December 29, 2001.
<http://www.city.winnipeg.mb.ca/interhom/sightsnsound/historicsites.htm#salvationarmy>,
December 29, 2001.

Waterfront Drive development:
http://www.prairiepublic.org/features/riverwatch/news/winnipeg_press/01-18_01.html
December 29, 2001.

Winnipeg French Quarter:
<http://www.frenchquarterbiz.com> November 2, 2001.

Winnipeg neighborhood profiles, 1996 census data:
<http://www.city.winnipeg.mb.ca/Census1996/pages/danielmcintyre.htm> November 20, 2001.

Winnipeg Riverbank Development Program:
<http://www.wda.mb.ca/news/990812.html> December 29, 2001.

网站:

亚历山大滨水区当前公共交通: <http://www.winnipegtransit.com> 2001年11月2日。

亚历山大滨水区的历史建筑:
2001年11月17日。

苏格兰人纪念碑的历史:
<http://www.city.winnipeg.mb.ca/interhom/sightsnsound/historicsites.htm#salvationarmy>,
2001年12月29日。

滨水大道开发: http://www.prairiepublic.org/features/riverwatch/news/winnipeg_press/01-18_01.html
2001年12月29日。

温尼伯法式区: <http://www.frenchquarterbiz.com> 2001年11月2日

温尼伯社区概况, 1996年人口普查数据: <http://www.city.winnipeg.mb.ca/Census1996/pages/danielmcintyre.htm> November 20, 2001.

温尼伯河岸开发计划: <http://www.wda.mb.ca/news/990812.html> December 29, 2001.

Appendix A:
Designated historic buildings located in the Alexander Waterfront District

1. Municipal designated historic buildings on the Buildings Conservation List located in the Alexander Waterfront District:

Address	Name	Grade ⁷⁰	Date listed
184 Alexander Avenue	Ukrainian Cultural Center	III	April 21, 1980
115 Bannatyne Avenue	Donald H. Bain Building	II	June 16, 1980
123 Bannatyne Avenue	Marshall Wells Building	II	Nov. 14, 1983
137 Bannatyne Avenue	Swiss Building	III	Dec. 8, 1986
141 Bannatyne Avenue	MacKenzie Block	III	Jan. 15, 1993
167 Bannatyne Avenue	Ashdown’s Warehouse	II	Sept. 16, 1985
168 Bannatyne Avenue	Chatfield Distributors (Franklin Press Building)	III	Nov. 14, 1983
181 Bannatyne Avenue	Kilgour Block	III	Jan. 4, 2000
185 Bannatyne Avenue	McClary Building	III	Oct. 1, 1987
109 James Avenue	James Avenue Pumping Station	II	Nov. 15, 1982
167 Lombard Avenue	Grain Exchange Building	II	Oct. 1, 1992
191 Lombard Avenue	Union Tower Building	II	Sept. 12, 1983
389 Main Street	Bank of Commerce	I	Nov. 7, 1979
441 Main Street	Imperial Bank of Canada	II	Oct. 28, 1997
112-114Market Avenue	Great West Saddlery Warehouse	III	May 14, 1990
113 Market Avenue	Great West Saddlery Building	II	Nov. 18, 1985
136 Market Avenue	Marshall-Wells Building	III	May 11, 1987
165 McDermot Avenue	Galpern (Porter) Building	III	June 24, 1985
171 McDermot Avenue	Dawson Richardson Building	III	July 15, 1985

⁷⁰ The Buildings Conservation List includes structures that have been declared historic by the City of Winnipeg based on recommendations by the Historical Buildings Committee. Listed structures are classified by a grade system with Grade I buildings representing outstanding examples of architectural and historical merit, Grade II buildings representing the majority of the city's building stock, and Grade III buildings represent moderately significant heritage examples.

附录A：位于亚历山大滨水区的指定历史建筑

1. 位于亚历山大滨水区建筑保护名录中的市政指定历史建筑：

地址	名称	等级至 ⁷⁰	列入日期
亚历山大大道184号	乌克兰文化中心	III	1980年4月21日
115 班纳坦大道	唐纳德·H·贝恩大楼	II	1980年6月16日
123 班纳坦大道	马歇尔·威尔斯建筑	II	1983年11月14日
137 班纳坦大道	瑞士建筑	III	1986年12月8日
141 班纳坦大道	MacKerøie 街区	III	1993年1月5日
167 Bannatyne Avenue	阿什当仓库	II	1985年9月16日
168 Bannatyne Avenue	查特菲尔德分销商 (富兰克林出版社大楼)	III	1983年11月14日
181 Bannatyne Avenue	基尔戈街区	III	2000年1月4日
185 Bannatyne Avenue	McClary Building	III	1987年10月1日
109 James Avenue	James Avenue Pumping Station	II	1982年11月15日
167 Lombard Avenue	Grain Exchange Building	II	1992年10月1日
191 Lombard Avenue	Union Tower Building	II	1983年9月12日
389 Main Street	Bank of Commerce	I	1979年11月7日
441 Main Street	Imperial Bank of Canada	II	1997年10月28日 ⁷
112-114Market Avenue	Great West Saddlery Warehouse	III	1990年5月14日
113 市场大道	Great West Saddlery 建筑	II	1985年11月18日
136 市场大道	Marshall-Wells 建筑	III	1987年5月11日
165 McDermot Avenue	Galpern (Porter) Building	III	1985年6月24日
171 麦克德莫特大道	道森·理查森建筑	III	1985年7月15日

《建筑保护名录》包括由Winnipeg市根据历史建筑委员会的建议宣布为历史建筑的建筑物。列出的建筑按等级系统分类：一级建筑代表具有卓越建筑和历史价值的范例，二级建筑代表城市中大多数建筑存量，三级建筑代表具有中等重要性的遗产范例。

173 McDermot Avenue	Grange Building	III	July 15, 1985
175 McDermot Avenue	Toronto Type Foundry Building	III	Aug. 29, 1988
177 McDermot Avenue	T.W. Taylor Building	III	July 15, 1985
179 McDermot Avenue	W.F. Alloway Building	III	June 24, 1985
65 Rorie Street	Northern Electric Building	III	April 1, 1985

2. Municipal designated historic buildings in the Historical Buildings Inventory located in the Alexander Waterfront District:

Building address	Building name	Approximate date of construction
90-92 Alexander Avenue	W.J. Guest Fish Co. Ltd. (cold storage warehouse)	1905
95 Alexander Avenue	T. Eaton Co. Warehouse (also 130 Galt Ave.)	1927
146 Alexander Avenue	Not available	1906
15 Amy Street	Hydro Steam Plant	1923
179 Bannatyne Avenue	Not available	1902
181 Bannatyne Avenue	Not available	1904
110 James Avenue	Ryan Brothers Building	1910
128 James Avenue	Warehouse	Not available
130 James Avenue	Victor Fox Foods	1910
132-134 James Avenue	Victor Fox Foods	1911
45 Lily Street	Not available	1893
93 Lombard Avenue	Lombard Building	1906
111 Lombard Avenue	Not available	1903
185 Lombard Avenue	Not available	1900
423 Main Street	Canadian Wheat Board	1928
133 Market Avenue	Warehouse	Not available
139 Market Avenue	Steele Briggs Building	Not available
145 Market Avenue	Stanley Brock Building	Not available
145 McDermot Avenue	Customs Examining Warehouse	1908

173 麦克德莫特大道	格兰奇大厦	III	1985年7月15日
175 麦克德莫特大道	多伦多铸字大厦	III	1988年8月29日
177 麦克德莫特大道	T.W.泰勒大厦	III	1985年7月15日
179 麦克德莫特大道	W.F.阿洛韦大厦	III	1985年6月24日
65 Rorie Sheet	Northern Electric Building	III	1985年4月1日

2. 位于亚历山大滨水区的历史建筑名录中的市政指定历史建筑:

建筑地址	建筑名称	大致日期 建设
亚历山大大道90-92号	W.J. Guest Fish Co. Ltd. (冷藏仓库)	1905
95 Alexander Avenue	T. Eaton Co. Warehouse (亦为130 Galt Ave.)	1927
146 Alexander Avenue	不可用	1906
15 Amy Street	水电站蒸汽厂	1923
179 Bannatyne Avenue	不可用	1902
181 Bannatyne Avenue	不可用	1904
110詹姆斯大道	瑞安兄弟大厦	1910
128詹姆斯大道	仓库	不可用
130 詹姆斯大道	维克多·福克斯食品公司	1910
132-134 詹姆斯大道	维克多·福克斯食品公司	1911
百合街45号	不可用	1893
隆巴德大道93号	伦巴第大厦	1906
伦巴第大道111号	不可用	1903
伦巴第大道185号	不可用	1900
主街423号	加拿大小麦局	1928
市场大道133号	仓库	不可用
市场大道139号	斯蒂尔·布里格斯大厦	不可用
市场大道145号	斯坦利·布洛克大楼	不可用
145 麦克德莫特大道	海关查验仓库	1908

3. Provincial designated historic buildings located in the Alexander Waterfront District:

Building address	Building name	Designation Date
177 Lombard Avenue	Former Great-West Life Building	Oct. 23, 1985

4. National designated historic buildings located in the Alexander Waterfront District:

Building address	Building name	Designation Date
180 Market Avenue	Pantages Playhouse Theatre	1985
395 Main Street	Bank of Hamilton	1980
455 Main Street	Confederation Building	1976

3. 省级指定历史建筑位于亚历山大滨水区:

建筑地址	建筑名称	指定日期
伦巴第大道177号	前大西方人寿大厦	1985年10月23日

4. 国家级指定历史建筑位于亚历山大滨水区:

建筑地址	建筑名称	指定日期
市场大道180号	潘塔吉斯剧院	1985
主街395号	Bank of Hamilton	1980
主街455号	联邦大楼	1976

Appendix B:
Questionnaires for the Waterfront Drive Open House held in May 2001⁷¹

1. Do you feel that the proposed character of Waterfront Drive is consistent with the historic Exchange District?
2. Are you satisfied with the design and extent of the pathways that have been designed for the combined use of pedestrians, rollerbladers, wheelchairs, strollers and recreational bicyclists?
3. Are there any specific recreational activities or park amenities that you would prefer, that you would like to see designed for in the park?
4. What types of building uses would you prefer to see along the west side of Waterfront Drive?
5. What do you think would attract people to the waterfront on weekends and during the evening?
6. Do you feel that the project will have any environmental effects that have not been addressed through design or management of the Waterfront Drive project?
7. Please provide any additional comments that you think will make Waterfront Drive and park a success.

⁷¹ Source: Waterfront Drive Open House, May24, 2001.

附录B：2001年5月滨水大道开放日问卷

1. 您认为拟议中的滨水大道的特色是否与历史悠久的交易区一致？
2. 您对为行人、轮滑者、轮椅、婴儿车和休闲骑行者设计的步道的设计及范围满意吗？
3. 您是否希望在公园中看到任何特定的娱乐活动或公园设施？
4. 您更希望在滨水大道西侧看到哪些类型的建筑用途？
5. 您认为什么能吸引人们在周末和晚上前往滨水区？
6. 您认为该项目是否会产生任何通过滨水大道项目的设计或管理未能解决的环境影响？
7. 请提供任何您认为能使滨水大道和公园成功的额外建议。

tt 来源：滨水大道开放日，2001年5月24日

Appendix C:
Interview questions for evaluation of previous and ongoing development projects regarding the Alexander Waterfront District

The following interview questions are to investigate key informants' insights and evaluations about the previous and ongoing development projects regarding the Alexander Waterfront District (hereinafter "the AWD"). Please feel free to raise any opinions you may have on these issues. Thanks a lot for your cooperation.

1. Since the developments of Centennial Concert Hall and Museum of Man and Nature in 1967, there have been a number of projects carried out in the AWD, ranging from cultural facilities developments such as Manitoba Theatre Centre, Children's Museum and MTC Warehouse Upgrading, to historic building conversion such as Ashdown Warehouse, from streetscaping improvement on Market Av. and Rorie St. to the construction of Stephen Juba Park. On the other hand, there are still many industrial facilities remaining and very little stable living population in the AWD. People are concerned about the safety of that area.

Question 1: What's your general feeling about these projects?

Question 2: Do you think the AWD has become more attractive to people at present compared to the time before these projects were done?

2. Currently there are very few residential uses and stable living population in the AWD.

Question 3: Do you prefer residential development in the AWD, such as residential reuse of historic building?

Question 4: If yes, what do you think would be incentives to attract people to live in the AWD?

Question 5: What kind of people do you think will live there?

3. The surrounding area of the AWD, such as North Main, has a high ratio of aboriginal and immigrant population, and is perceived as a low-income and deteriorated neighborhood. Meanwhile, the expansion of Ukrainian Cultural and Educational Center and development of Scottish Cultural Center have been proposed in the AWD.

Question 6: Do you think multi-culture could be a feature of the AWD?

Question 7: If yes, what effects do you think this will have on the revitalization of the District?

Question 8: Are there any barriers so far for multi-culturalism development of the District?

4. The Riverbank Development Program under the Winnipeg Development Agreement is intended to extend the parkway from the Forks to the Alexander Dock and further to North Point Douglas. This should be good for the revitalization of the AWD. Meanwhile, some people have expressed their concerns for safety in the public space.

Question 9: What do you think of this concern?

Question 10: How to make the riverfront parkway work best?

附录 C: 亚历山大滨水区既往及当前开发项目评估访谈问题

以下采访问题旨在调查关键知情人对亚历山大滨水区（以下简称“AWD”）过去和正在进行的开发项目的见解和评估。请自由提出您对这些问题的任何意见。非常感谢您的合作。

1. 自1967年百年音乐厅和人与自然博物馆建成以来，AWD内开展了一系列项目，从马尼托巴剧院中心、儿童博物馆和MTC仓库升级等文化设施开发，到阿什当仓库等历史建筑改造，从市场大道和罗里街的街景改善到斯蒂芬·朱巴公园的建设。另一方面，AWD内仍有许多工业设施残留，稳定居住人口极少。人们对该区域的安全性表示担忧。问题1：您对这些项目的总体感受如何？问题2：您认为与这些项目实施前相比，目前AWD对人们的吸引力是否更强了？

2. 目前，AWD内住宅用途和稳定居住人口极少。问题3：您是否支持在AWD进行住宅开发，例如历史建筑住宅再利用？问题4：如果支持，您认为吸引人们居住在AWD的激励措施是什么？问题5：您认为哪些人可能会住在那里？

3. AWD周边区域，如北主街，原住民和移民人口比例较高，被视为低收入和衰退的社区。与此同时，乌克兰文化教育中心的扩建和苏格兰文化中心的开发已在AWD提出。问题6：您认为多元文化能否成为AWD的一个特色？问题T：如果是，您认为这将对区域复兴产生什么影响？问题B：到目前为止，区域多元文化主义发展是否存在任何障碍？

4. 根据温尼伯发展协议制定的河岸开发计划，旨在将公园道从福克斯延伸至亚历山大码头，进一步至北道格拉斯角。这应有利于AWD的复兴。同时，一些人对公共空间的安全表达了担忧。

问题9：您如何看待这种担忧？

问题10：如何让河滨公园大道发挥最佳效果？

5. A recent survey during the Waterfront Drive Open House showed that many people favored this development. While some people were worried the traffic on the Waterfront Drive would be a barrier to access the waterfront, and some argued that it should be built after the commercial and residential development got underway.

Question 11: Are you satisfied with the development of Waterfront Drive?

Question 12: What do you think about these concerns?

Question 13: To what degree do you think Waterfront Drive will be conducive to the revitalization of the AWD?

6. The city has begun to demolish the Amy Street Steam Plant in December 2001.

Question 14: What kind of usage do you prefer for the site of the Amy Street Steam Plant after its demolition?

Question 15: Many people think about parking on the site, and some think about having a new park to commemorate Victoria Park. What's your opinion?

Question 16: What single thing concerns you most about the future of the Alexander Waterfront District?

5. 最近在滨水大道开放日进行的一项调查显示，许多人支持这一开发项目。尽管一些人担心滨水大道上的交通会成为通往滨水区的障碍，还有一些人认为应该等到商业和住宅开发启动后再修建。

问题11：您对滨水大道的开发满意吗？问题12：您如何看待这些担忧？问题13：您认为滨水大道在多大程度上有助于AWD的复兴？

6. 城市已于12月开始拆除艾米街蒸汽厂。200问题14：您希望艾米街蒸汽厂旧址在拆除后作何用途？问题15：很多人考虑在旧址上建停车场，也有人认为应建一个新公园以纪念维多利亚公园。您怎么看？【

问题16：关于亚历山大滨水区的未来，哪一个问题最让你担忧？

Appendix D:
Interview consent form

This study explores urban design issues regarding the Alexander Waterfront District in the City of Winnipeg. The information gained from this survey will be applied to the development of design framework for the study area. This study is conducted by Kangjian Luo, in partial fulfillment of the requirements of Master of City Planning from the University of Manitoba. This study is supervised by Dr. David van Vliet of the Department of City Planning, Faculty of Architecture, the University of Manitoba. The University's Ethics Review Board has reviewed this research for its ethical implications.

During this survey you will be asked to answer and explain questions regarding the Alexander Waterfront District. With your permission, the interview will be audiotaped, so that analyzing the material later will be undertaken with greater ease, efficiency and accuracy. Additionally, written notes will be taken to supplement the audiotaping. A transcript will be made from the audiotape. If at any time a portion of this interview makes you feel uncomfortable in any way, you may choose to have the tape recorder turned off for your response, you may choose not to answer the questions, or terminate the interview. Also, if you have any questions or concerns during the interview, please feel free to ask the interviewer at any time. Participation of this survey is completely voluntary and that subjects are free to withdraw from the study at any time, and/or refrain from answering any questions without prejudice or consequence.

Your identity will be kept confidential in the writing up of this research. This means that your name, your position, your organization's name, and any other information identifying you will not be included in the final report of this study. Where information occurs within an interview transcript that will be included in the final report. Names and other information that is confidential will be omitted. Interview notes and transcripts of audiotapes will be kept secure. These materials will be destroyed after completion of the project.

If you are interested in viewing the final report, it will be made available in October 2002. This research will be published as a practicum and archived in the Architecture and Fine Arts Library at the University of Manitoba, and the National Library of Canada. Copies will be made available also to interested agencies.

If you have any questions or concerns after this interview is completed, please feel free to contact Dr. David van Vliet at (204) 474-7176, or Kangjian Luo at (204) 474-7176.

Any complaints concerning the research and interview process may be reported to the University of Manitoba Human Ethics Secretariat at (204) 474-7122.

Thank you for your time and your participation in this interview. Your responses are valuable to this research project and greatly appreciated.

I, _____, give Kangjian Luo permission to use the information gathered during this interview under the conditions stated above for the purpose of the study for the Alexander Waterfront District in the City of Winnipeg.

Date _____
Respondent's Signature _____ Researcher's Signature _____

附录D: 访谈同意书

本研究探讨了温尼伯市亚历山大滨水区的城市设计问题。本次调查所得信息将用于研究区域的设计框架制定。本研究由罗康健进行, 作为曼尼托巴大学城市规划硕士要求的部分内容。本研究由曼尼托巴大学建筑学院城市规划系的David van Vliet博士指导。大学的伦理审查委员会已审查本研究的伦理问题。

在本次调查中, 您将被要求回答并解释关于亚历山大滨水区的问题。经您许可, 访谈将进行录音, 以便后续分析材料时更轻松、高效和准确。此外, 将同步记录书面笔记以补充录音内容。录音将用于制作文字记录。如果访谈中任何部分让您感到不适, 您可以选择关闭录音设备进行回答, 可以选择不回答问题, 或终止访谈。此外, 如果您在访谈中有任何问题或疑虑, 请随时向访谈者提出。本次调查的参与完全自愿, 受访者可以随时退出研究, 和/或拒绝回答任何问题, 而不会受到任何偏见或影响。

在本研究的撰写过程中, 您的身份将予以保密。这意味着您的姓名、职位、所属机构名称以及任何其他可识别您身份的信息都不会包含在本研究的最终报告中。当访谈记录中出现将在最终报告中包含的信息时, 姓名和其他机密信息将被省略。访谈笔记和录音的文字记录将妥善保管。这些材料将在项目完成后销毁。

如果您有兴趣查看最终报告, 该报告将于2002年10月发布。本研究将作为实习报告发表, 并归档于曼尼托巴大学的建筑与美术图书馆和加拿大国家图书馆。副本也将提供给感兴趣的机构。

如果您在本访谈完成后有任何问题或顾虑, 请随时联系David van Vliet博士, 电话(204) 474-7176, 或联系罗康健。
任何有关研究和访谈过程的投诉可向曼尼托巴大学人类伦理秘书处报告, 电话(204) 474-7122。


感谢您抽出时间参与本次访谈。您的反馈对本研究项目非常宝贵, 我们深表感谢。

本人同意罗康健将上述信息用于温尼伯项目的研究目的。

本次访谈中, 根据亚历山大滨水区在城市中的条件
研究收集的数据


日期 _____
受访者签名 研究者签名

Appendix E:
Photographic survey of the Alexander Waterfront District⁷²




⁷² All the pictures, unless otherwise noted, were taken by the author.

附录E：亚历山大滨水区的摄影调查T2



除特别注明外，所有照片均由作者拍摄。



Picture 1: The Scots Monument, one of the historic and cultural resources in the AWD.



Picture 2: Sufficient greenery open space along the water's edge.





图1: 苏格兰人纪念碑, AWD中的历史和文化资源之一。



图2: 水岸沿线有充足的绿色开放空间。



Picture 3: Industrial and warehouse uses are dominant along the waterfront in the ADW north.




图3: 工业和仓储用途在ADW北部的滨水区占主导地位。



Picture 4: Alexander Dock serves as one of the waterbus stops on the Red and Assiniboine River, connecting with other Downtown destinations.



Picture 5: The Ukrainian Cultural and Educational Center represents the multi-cultural feature in the AWD.




图4: 亚历山大码头是红河与阿西尼博因河上的水上巴士停靠点之一, 连接其他市中心目的地。



图5: 乌克兰文化与教育中心体现了AWD的多文化特征。



Picture 6: Pantages Playhouse is one of the three national designated historical buildings located in the AWD.



Picture 7: The Manitoba Theater Center, one of a few cultural facilities concentrated in the AWD.



图6: 潘塔吉斯剧院是AWD内三座国家级指定历史建筑之一。





图7: 马尼托巴剧院中心, 是集中在AWD的少数文化设施之一。



Picture 8: Streetscape in Rorie Street shows a compact urban form and personal street width-height ratio.



Picture 9: Waterfront Drive under construction, October 2001.




图8: 罗里街的Streetscape展示了紧凑的城市形态和个人纸张宽高比。





图9: 2001年10月建设中的滨水大道。



Picture 10: Bars and restaurants in McDermot Avenue in the south portion of the AWD.



Picture 11: Key access point to the AWD from Portage/Main circle and downtown office district.



图10: AWD南部麦克德莫特大道上的酒吧和餐厅。




图11: 从Portage/Main环岛和市中心办公区到AWD的关键入口点。