



復旦大學

Long Title Here

Presenter Name Author2 Author3

School of Computer Science, Fudan University, Shanghai, China
Shanghai Key Laboratory of Data Science, Shanghai, China
Shanghai Institute of Intelligent Electronics & Systems

This work is partially supported by xxx

May 13, 2019

Agenda

1 SectionName

2 Examples

3 Q&A



Frame title here (optional)

Frame subtitle here (also optional)

whatever you want to say



Agenda

1 SectionName

2 Examples

- itemize
- enumerate
- columns
- images
- animation
- cite
- block
- equation
- algorithm
- code
- tikz



itemize

The main contribution of our work is to propose a xxxx

- point one
 - **Point1.1**
 - something about point 1
 - **Point1.2**
 - something about point 2
 - **Point1.3**
 - something about point 3
- point two
- point three
- point four

enumerate

- 1 First,
- 2 Second,



columns

0.7 textwidth

**PLACEHOLDER**

0.3 textwidth

**PLACEHOLDER**

images



■ Point1

- something about point 1

■ Point2

- something about point 2

■ Point3

- something about point 3



■ Point1

- something about point 1

■ Point2

- something about point 2

■ Point3

- something about point 3

placeholder

■ Point1

■ something about point 1

■ Point2

■ something about point 2

■ Point3

■ something about point 3



cite

- First you need to put all your reference into the bib file like reference.bib
- Then you can cite like this Author (year) -> Jia u. a. (2014)
- footnote cite seems not good...If you find better way to call footnote, please issue for me.
- ¹

¹Jia, Shelhamer, Donahue, Karayev, Long, Girshick, Guadarrama und Darrell, 2014

block

Block Title

Anything you want to emphasize

equation

$$\Sigma + \epsilon + \alpha + \beta + \Theta \quad (1)$$

algorithm

Algorithm 1: Algorithm Title

Input:Variables one, *one*Variables two, *two***Output:**Output, *out*

```
1 foreach condition do
2   |   loop
3 end
4 if condition then
5   |   process
6 end
7 if condition then
8   |   process
9 else
10  |   else process
11 end
```

■ Detail for your algorithm


source code

Listing 1: C code example

```
int main()  
{  
    printf("Hello World!");  
    return 0;  
}
```

you should pass the option fragile to the frame environment.

tikz plot inplace



place some explanation here

Agenda

1 SectionName

2 Examples

3 Q&A



Thanks Q&A



復旦大學

Long Title Here

Presenter Name Author2 Author3

School of Computer Science, Fudan University, Shanghai, China
Shanghai Key Laboratory of Data Science, Shanghai, China
Shanghai Institute of Intelligent Electronics & Systems

This work is partially supported by xxx

May 13, 2019

References

- [Jia u. a. 2014] JIA, Yangqing ; SHELHAMER, Evan ; DONAHUE, Jeff ; KARAYEV, Sergey ; LONG, Jonathan ; GIRSHICK, Ross ; GUADARRAMA, Sergio ; DARRELL, Trevor: Caffe: Convolutional Architecture for Fast Feature Embedding. In: *arXiv preprint arXiv:1408.5093* (2014)

