System Theory
project: Model Predictive Control Using FPGA

Due on Thursday, June 21, 2018

106061531 Fu-En Wang

1 Introduction

This journal paper (**Model Predictive Control Using FPGA**) is trying to use MPC for motor speed control. In addition, they also deploy their method into FPGA. So they will varify their algorithm and model parameters by MATLAB and then convert the code to C program. Afterwards, they will use the SDK provided by FPGA manufacturer to export program into FPGA board.
In this report, I will implement the MPC algorithm to simulate the system provided by this paper.

1.1 Model Predictive Control

Give a state-space model as

$$x(k+1) = A_m x(k) + B_m u(k) \tag{1}$$
$$y(k) = C_m x(k) \tag{2}$$

then we can further create augmeted model

$$x(k+1) = Ax(k) + Bu(k) \tag{3}$$
$$y(k) = Cx(k) \tag{4}$$

For each time of iteration, we will use Quadratic Programming to solve an non-linear system

$$\min_{\Delta U} \frac{1}{2}\Delta U^T H \Delta U + \Delta U^T f \tag{5}$$
$$A\Delta U \leq b \tag{6}$$

In **Receding Horizon Control**, we will only use the first element of ΔU and re-compute the QP for next iteration.

2 Simulation Result

in this paper, the state-space model is

$$A_m = \begin{bmatrix} -0.0001 & 0 \\ 3.3864 & 0.9974 \end{bmatrix} \tag{7}$$
$$B_m = \begin{bmatrix} 0.0025 \\ 0.2594 \end{bmatrix} \tag{8}$$
$$C_m = \begin{bmatrix} 0 \\ 1 \end{bmatrix} \tag{9}$$
$$N_c = 3 \tag{10}$$
$$N_p = 10 \tag{11}$$