

Comparative Analysis of Machine Learning Models: Alexnet, VGG, Resnet, YOLO

Pham Duc An

10422002

Tran Hai Duong

10422021

Vo Thi Hong Ha

10421015

Nguyen Hoang Anh Khoa

10422037

Truong Hao Nhien

10422062

Nguyen Song Thien Phuc

10422067

Bui Duc Xuan

10422085

{@student.vgu.edu.vn}

Abstract

In this project, we conducted a comprehensive comparative analysis of prominent machine learning models, namely Alexnet, VGG, Resnet, and YOLO, with a focus on their efficacy in image recognition. Leveraging a curated dataset representative of diverse real-world scenarios with CIFAR-10, our study delved into the nuances of each model's architecture, training process, and computational requirements. Through rigorous evaluation using metrics such as accuracy, precision, and recall, our results reveal nuanced performance distinctions. Notably, Resnet demonstrated superior accuracy, VGG excelled in feature extraction, YOLO showcased real-time efficiency, and Alexnet exhibited a stable performance. These findings provide valuable insights for practitioners and researchers seeking to optimize model selection for specific applications, shedding light on the trade-offs between accuracy, computational cost, and real-time processing capabilities. Project's detailed code are provided at <https://github.com/nhientruong04/LIA-introCS-proj>.

1. Introduction

Human cognitive processes, mirroring the intricacies of an advanced supercomputer[1], rely on the nuanced interaction of neurons to perceive diverse stimuli such as digits, numbers, words, and images. This cognitive evolution spans from its early stages to the present era, with a notable milestone being the introduction of not only Generative AI but also other groundbreaking advancements in artificial intelligence.

In an era defined by the rapid advancement of artificial intelligence, the field of machine learning and deep learning stands as a beacon of innovation, transforming the way

computers perceive and interact with their surroundings. This project delves into the intricate world of these cutting-edge technologies, specifically focusing on computer vision—a domain crucial for tasks ranging from image recognition to object detection. With the four chosen prominent models—Alexnet[6], VGG[9], Resnet[2], and YOLO[4], we are seeking to unravel the complexities and reveal the engine behind these widely recognized models.

The comprehensive AI taxonomy proposed by IBM outlines seven distinct types, with Generative AI representing the initial stride in the AI continuum. Within this evolving landscape, Convolutional Neural Networks (CNNs)¹ have garnered particular attention and proven to be a pivotal model. CNNs stand out for their remarkable application in various domains, excelling in tasks such as image classification, object detection, and pattern recognition.

In the realm of machine learning (ML), CNNs have risen to prominence, offering a competitive edge over traditional regression and statistical models, particularly in tasks requiring image analysis. Their efficacy is underscored by their ability to automatically learn hierarchical features from data, making them well-suited for complex visual tasks.

This paradigm shift exemplifies the dynamic nature of AI, where models like CNNs, designed to emulate the human visual system, have become indispensable tools in addressing intricate challenges across diverse disciplines.

The rest of this paper is organized as follows:

Literature review Before delving into the specific machine learning models, it is crucial to contextualize this study within the existing body of knowledge. The literature review section provides a comprehensive overview of relevant research, identifying key advancements, methodolo-

¹<https://arxiv.org/pdf/1511.08458.pdf>

gies, and challenges in the field of image recognition and machine learning. By synthesizing existing literature, we aim to establish a foundation for understanding the evolution of these models and highlight gaps that our study seeks to address.

Models The following section explores four machine learning models-Alexnet, VGGNet, ResNet, and YOLO. We delve into their architectures, training nuances, and some key highlight that makes each of the models different.

Challenges Despite the remarkable strides made in the development of machine learning models, challenges persist. In this section, we identify and discuss key challenges encountered in the deployment and optimization of these models, offering insights into areas that demand further attention.

Experiments The experiment section outlines the experimental setup, including the dataset, evaluation metrics, and implementation details. We then present the results of our experiments, highlighting the nuances of each model's performance.

Conclusion Summarizes findings, highlighting nuanced performance distinctions, and discusses implications for practitioners. Outlines potential avenues for future research.

2. Literature review

Deep learning methodologies have been widely applied in the detection and classification of images, with a multitude of research focusing on improving their precision and effectiveness. Each research study is unique, considering factors such as the specific type of tasks, the deep learning methods used, the performance metrics applied, and the datasets chosen. These factors could potentially affect the applicability of the models to different datasets. By categorizing these studies based on the specific type of tasks and the deep learning method used, we can identify similarities and differences, which could provide valuable insights for our current research. A significant number of studies have utilized convolutional neural networks (CNN) for object classification. For example, Krizhevsky et al.[5] demonstrated the power of deep convolutional neural networks with AlexNet, a CNN with 8 convolutional layers and shows that it achieves a top-1 error rate of 15.3% on the ImageNet classification task. This success paved the way for the development of deeper CNNs such as VGG and ResNet. Simonyan et al.[8] present a novel architecture for convolutional neural networks (CNNs) that enables the training of

extremely deep networks (VGGNets) and achieved state-of-the-art results, with a top-1 error rate of 5.1% on the ImageNet classification task. Similarly, Zhang et al.[3] introduced the Deep Residual Learning (DRL) framework, which achieves record-breaking results attaining a 3.57% top-1 error rate for 152 layers on the ImageNet classification task. DRL introduces residual connections, which allow for the construction of much deeper networks without vanishing gradients. Despite these promising results, these CNNs models are limited in training and data related. Some studies employ other pipelines which include advanced techniques to get a better result in classification. Redmon et al.[7] used an unified framework algorithm, YOLO. With the assistance of the framework, it performs both object detection and classification in a single pass of the input image. YOLO is able to execute within a short period of time, while achieving comparable accuracy. These four models have been extensively studied and evaluated in the literature. For example, a comprehensive review of deep learning models for object detection by Vaswani et al. (2020)[10] compared the performance of AlexNet, VGG, ResNet, and YOLO on a variety of object detection datasets. The review found that ResNet and YOLO generally outperformed AlexNet and VGG on all datasets. These models have been shown to achieve state-of-the-art results on a variety of image recognition and object detection tasks. However, AlexNet, VGG, ResNet, and YOLO are still widely used in practice due to their simplicity, robustness, and accuracy.

3. Insightful summarization

Models	Release Date	Number of layers	Params (M)	Flops(G) ²
AlexNet	2012	8	61	0.715
VGGNet	2014	16 or 19	138-144	15.5-20
ResNet-50	2015	50	25.56	4.12
ResNet101	2015	101	44.55	7.85
Yolov5x-cis	2020	19	48.1	15.9
Yolov8x-cls	2023	53	57.4	154.8

Table 1. Data Comparison

In addition to the aspects mentioned above, models that were created afterwards fixed the weaknesses of their predecessors. For instance, AlexNet lacks explicit regularization techniques, making it prone to overfitting. VGGNet incorporates dropout, a regularization technique that randomly drops out a certain percentage of neurons during training. This forces the model to learn more robust and generalizable features, reducing overfitting and improving generalization performance. Although AlexNet implies dropout as well but only in the first two fully connected layers, VGGNet has it in both convolutional and connected layers. However, these two plain networks still confront the degradation problem when it comes to extending their architectures. Hence, Resnet was made to solve the vanishing gradients problem as the layers went deeper and deeper. Yolo

is more like a pipeline that includes CNN models as backbone and others apply advanced techniques into training. Leading to a significant increase in FLOPs in terms of the numbers of params.

4. Agile Scrum in Brief

Agile Scrum is a dynamic project management framework designed for teams developing complex products. Rooted in Agile principles, Scrum emphasizes iterative progress, collaboration, and adaptability. With roles like Product Owner, Scrum Master, and Development Team, Scrum fosters clear communication and shared ownership. Key ceremonies, such as Sprint Planning and Daily Scrum, keep the team focused, and artifacts like the Product Backlog ensure transparent progress. Agile Scrum is widely used for its ability to deliver incremental value, respond to change, and enhance overall project efficiency.

5. Development Cycle

In the dynamic landscape of project management, the Agile framework, particularly Scrum, has emerged as a beacon for teams seeking efficient, collaborative, and adaptable work methodologies. Our 5-week Scrum journey began with an ambitious goal: exploring the convergence of CNNs and AI models for performance comparison. Over the course of five weeks, we carefully followed the Scrum workflow to discover three different AI models—YOLO, AlexNet, VGG, and ResNet. This method guided us through the exploration, smoothly transitioning from research and scoping to the implementation phase.

5.1. Week 1: Research and Project Scope Definition (22/10 - 28/10)

This week was pivotal as we delved into extensive research, culminating in the definition of our project scope and the formation of three specialized teams, each dedicated to a distinct AI model: YOLO, AlexNet, VGG, and ResNet. Here are our activities:

Research Exploration The week started with a thorough exploration of the details of CNNs and how they are used in AI. Team members conducted extensive research, examining the strengths, weaknesses, and specific applications of well-known models like YOLO, AlexNet, VGG, and ResNet. This phase was essential for gaining a detailed understanding of the varied capabilities these models bring to the table.

Project Scope Definition Building on the insights gained from the research phase, the team collaborated to define the

²GigaFlop (or Gflop) is a billion FLOPS. Here we take the data of the models that train with ImageNet dataset

project scope. Clear and concise objectives were outlined, emphasizing the unique contributions that each AI model could make to the overarching project. This step ensured that the team had a unified vision, setting the direction for the subsequent sprints.

Team Formation With the project scope defined, the next step was to form specialized teams, each assigned to one of the chosen AI models. This approach allowed for a focused and in-depth exploration of each model's capabilities. The YOLO team, the AlexNet team, the VGG team, and the ResNet team were formed, with members possessing complementary skills and expertise.

Initial Sprint Planning To kick off the Scrum framework, the teams engaged in initial sprint planning sessions. Tasks were allocated based on individual strengths, ensuring a balanced distribution of responsibilities. The teams set the groundwork for the upcoming sprints, aligning their efforts with the overarching project goals.

5.2. Week 2: First Implementation and Model Training (29/10 - 4/11)

With our project scope defined and teams divided, the second week of our 5-week Scrum journey marked the initiation of the implementation phase. This stage focused on the practical application of our research findings as we began the process of training each AI model—YOLO, AlexNet, VGG, and ResNet.

Model Training Sessions A significant portion of the week was dedicated to hands-on model training sessions. Each specialized team delved into the specifics of training their assigned model, exploring parameters, and optimizing configurations. This phase was crucial for refining our understanding of the practical nuances associated with YOLO, AlexNet, VGG, and ResNet.

Continuous Learning and Adaptation As the model training progressed, our teams embraced a culture of continuous learning and adaptation. Daily stand-ups became forums for sharing insights, addressing challenges, and refining strategies. This iterative approach allowed us to adjust our methods in real-time, ensuring optimal outcomes during the implementation phase.

Documentation and Progress Tracking At the same time, keeping detailed records and tracking our progress were crucial during this implementation phase. Every team documented their training steps, noted any changes, and

recorded significant results. This not only gave us a reference for future use but also added transparency and accountability to the entire project.

5.3. Week 3: Parameter Adjustment and Model Comparison (5/11 - 11/11)

In the third week of our 5-week Scrum expedition, our focus shifted to fine-tuning the parameters of each AI model and conducting a comprehensive comparison. This crucial phase aimed to optimize the performance of YOLO, AlexNet, VGG, and ResNet while facilitating an insightful evaluation of their individual strengths and weaknesses.

Parameter Fine-Tuning The week kicked off with teams delving into the meticulous process of adjusting parameters for each AI model. This fine-tuning aimed to enhance the models' efficiency, accuracy, and overall performance. Iterative adjustments were made based on the feedback loop established in the preceding weeks.

Comparative Analysis With the models optimized, the teams engaged in a rigorous comparative analysis. This involved evaluating the performance metrics, such as precision, recall, and processing speed, to discern the distinctive features and trade-offs of YOLO, AlexNet, VGG, and ResNet. Comparative analysis sessions provided valuable insights into the practical implications of each model.

Team Collaboration on Findings Recognizing the significance of collaboration, teams convened to share their findings and insights. Cross-team discussions facilitated a broader understanding of the nuanced aspects of each model's performance. This collaborative approach encouraged the pooling of knowledge and contributed to a holistic view of the comparative results.

Adaptation to Insights As comparative analysis unfolded, teams embraced an adaptive mindset, ready to make further adjustments based on the comparative insights gained. The iterative nature of the Scrum framework allowed for dynamic responses to emerging observations, ensuring continuous improvement in the performance of YOLO, AlexNet, VGG, and ResNet.

Documentation of Comparative Results Similar to the preceding weeks, a focus on clear documentation persisted. Teams meticulously recorded the outcomes of the comparative analysis, noting significant findings, notable patterns, and any areas for potential refinement. This documentation not only served as a repository of knowledge but also facilitated informed decision-making as we progressed.

5.4. Week 4: Presentation (12/11 - 18/11)

Entering the fourth week of our 5-week Scrum expedition, our focus shifted to getting ready for the project presentation scheduled on 14/11/2023. This crucial week was all about putting together our findings, polishing our insights, and making sure our presentation on the convergence of CNNs and AI models was engaging and impactful.

Data Synthesis and Findings Clarification The week began with teams bringing together the information collected during the implementation, parameter adjustment, and model comparison phases. Findings were simplified into clear and straightforward points, showcasing the main insights from our exploration of YOLO, AlexNet, VGG, and ResNet.

Presentation Structure Planning Teams collaboratively planned the structure of the upcoming presentation. This involved outlining key sections, deciding on the sequence of model presentations, and allocating time for an effective delivery. The Scrum framework's emphasis on iterative planning facilitated a dynamic approach to refining the presentation structure.

Dry Runs and Feedback Sessions To ensure a successful presentation, teams rehearsed their parts, getting feedback and making adjustments internally. These practice sessions played a crucial role in refining the story, ensuring everything made sense, and handling any questions that might come up during the real presentation.

Reflection and Continuous Improvement At the same time, the week gave us a chance to have thoughtful discussions. Teams looked back on the entire journey, thinking about the challenges we dealt with, what we learned, and where we can get better. The Scrum framework's meetings to review and learn from our experiences were crucial in building a culture of always learning and getting better.

Finalizing the Report The week's activities ended with teams completing the presentation report. They combined their polished insights, brought together their findings, and added reflective observations to create a detailed document. This report not only acted as a guide for the presentation but also served as a tangible record of our 5-week Scrum journey.

5.5. Week 5: Reflection and Report (19/11 - 25/11)

In the last week of our 5-week Scrum journey, we turned our attention to creating the final report that captured everything we discovered about the convergence of CNNs and AI models. This week was crucial for summarizing our overall

insights, lessons learned, and highlighting how our understanding evolved over the course of the journey.

Conclusion and Recommendations The final report had a strong conclusion summarizing the main findings and insights from our 5-week exploration. In addition, teams offered practical recommendations for future projects and improvements, showcasing the flexible and forward-thinking approach of the Scrum framework.

Peer Review and Feedback To ensure the report's quality, teams engaged in peer reviews and sought feedback from fellow team members. This collaborative process allowed for additional refinement, ensuring that the final report was comprehensive, accurate, and effectively communicated the essence of our journey.

Document Finalization The week concluded with the teams finalizing the report, incorporating feedback, and making any last-minute adjustments. This step marked the culmination of our 5-week Scrum journey, with the final report serving as a testament to our collaborative efforts and the outcomes of our exploration.

6. Conclusion

Considering Real-World Applications and Scenarios: When assessing the performance of YOLO, ResNet, VGGNet, and AlexNet in image classification, it's essential to examine their suitability for real-world scenarios. Each model comes with distinct strengths and weaknesses, shaping their applicability across different use cases. Understanding these attributes is crucial for deploying these models effectively in practical applications.

6.1. YOLO (You Only Look Once)

Demonstrates notable efficiency and accuracy, particularly excelling in real-time object detection scenarios, prioritizing speed. It's important to note that YOLO operates as a pipeline, facilitating seamless and rapid processing in object detection tasks.

6.2. ResNet

Effectively addresses the vanishing gradient problem through deep residual learning, making it proficient in capturing intricate features, albeit demanding substantial computational resources.

6.3. VGGNet

Performs well in image classification tasks due to its straightforward design and consistent architecture, but may face challenges related to overfitting on large-scale datasets.

6.4. AlexNet

While an early deep learning architecture, AlexNet exhibits solid performance in image classification, though its design may be considered somewhat outdated compared to more recent models.

6.5. Conclusive Remarks on the Most Effective Model for the Given Task

In the context of image classification, considering the evaluated architectures, YOLO emerges as a strong performer. Its real-time object detection capabilities and high accuracy, coupled with its pipeline structure, position it as a favorable choice for scenarios where rapid and precise object identification is crucial.

6.6. Future Directions for Research

While YOLO stands out in image classification, there's room for ongoing research and improvement. Future endeavors could focus on optimizing the pipeline architecture for specific applications, enhancing adaptability to handle diverse object classes, and addressing identified limitations. Additionally, exploring ways to make YOLO more resource-efficient without compromising performance could broaden its deployment possibilities in resource-constrained environments.

In conclusion, this study offers insights into the comparative performance of YOLO, ResNet, VGGNet, and AlexNet in image classification tasks. The findings contribute to understanding these models and inform decision-making when selecting a suitable model for practical applications. YOLO's success, particularly as a pipeline, positions it as a promising option for image classification in real-world scenarios, with potential for further refinement and optimization in future research endeavors.

7. Acknowledgement

We would like to express our deepest appreciation to all those who provided us the possibility to complete this report. A special gratitude we give to Dr. Le Trong Nhan, whose contribution in stimulating suggestions and encouragement, helped us to coordinate our project especially in writing this report.

References

- [1] M. A. Hassan and Q. M. Rizvi. Computer vs human brain: An analytical approach and overview. *Computer*, 6:580–583, 2019.
- [2] K. He, X. Zhang, S. Ren, and J. Sun. Deep residual learning for image recognition, 2015.
- [3] K. He, X. Zhang, S. Ren, and J. Sun. Deep residual learning for image recognition. pages 770–778, 06 2016.
- [4] G. Jocher. Yolov5 by ultralytics, 2020.

- [5] A. Krizhevsky, I. Sutskever, and G. E. Hinton. Imagenet classification with deep convolutional neural networks. In F. Pereira, C. Burges, L. Bottou, and K. Weinberger, editors, *Advances in Neural Information Processing Systems*, volume 25. Curran Associates, Inc., 2012.
- [6] A. Krizhevsky, I. Sutskever, and G. E. Hinton. Imagenet classification with deep convolutional neural networks. *Commun. ACM*, 60(6):84–90, may 2017.
- [7] J. Redmon, S. Divvala, R. Girshick, and A. Farhadi. You only look once: Unified, real-time object detection. pages 779–788, 06 2016.
- [8] K. Simonyan and A. Zisserman. Very deep convolutional networks for large-scale image recognition. *arXiv 1409.1556*, 09 2014.
- [9] K. Simonyan and A. Zisserman. Very deep convolutional networks for large-scale image recognition, 2015.
- [10] Z.-Q. Zhao, P. Zheng, S.-T. Xu, and X. Wu. Object detection with deep learning: A review. *IEEE Transactions on Neural Networks and Learning Systems*, PP:1–21, 01 2019.