

# CONTENT

<i>Title</i>	
<i>Certificate</i>	<i>II-III</i>
<i>Acknowledgement</i>	<i>IV-V</i>
<i>Preface</i>	<i>VI</i>
<i>Content</i>	<i>VII-XXII</i>
<b>Chapter – 1 Introduction</b>	<b>1 to 29</b>
1.1 Introduction	2
1.2 Motivation of Research	4
1.3 Mobile Communication Technologies at Glance	5
1.4 Introduction to Mobile Networks	7
1.4.1 First Generation Mobile Network (Analog voice)	7
1.4.1.1 Advanced Mobile Phone System.	7
1.4.1.2 Channels	9
1.4.1.3 Call Management	9
1.4.2 Second Generation Mobile Network (Digital Voice)	10
1.4.2.1 D-AMPS- The Digital Advanced Mobile Phone System	10
1.4.2.2 GSM-The Global System for Mobile Communications	11
1.4.3 Third Generation Mobile Network (Digital Voice and Data)	13
1.5 Footprint towards Next Generation Networking	15
1.5.1 From IN to NGN	17
1.6 World before IMS	18
1.6.1 Requirement of Emerging Technology	19
1.7 Introduction to NGN	20
1.7.1 IMS Introduction	20
1.7.2 IMS Standardization bodies	21
1.7.2.1 The 3 <sup>rd</sup> Generation Partnership Project (3GPP)	21
1.7.2.2 European Telecommunications Standard Institute (ETSI)	21
1.7.2.3 International Telecommunications Union (ITU)	22
1.7.2.4 The Internet Engineering Task Force (IETF)	22
1.7.2.5 Java Community Process (JCP)	22
1.7.3 IMS vision	23
1.7.4 IMS Current Scenario	24
1.8 Research Methodology	24
1.8.1 Audience	26
1.9 Benefits of the Study	26
1.10 Structure of Thesis	28
<b>Chapter – 2 IP Multimedia Subsystem Architecture, Related Technologies &amp; Tools</b>	<b>30 to 87</b>
2.1 Requirement for IMS Architecture	33
2.1.1 IP Multimedia Sessions	33
2.1.2 IP connectivity	34

2.1.3	Ensuring quality of service for IP multimedia services	35
2.1.4	IP policy control for ensuring correct usage of media resources	35
2.1.5	Secure Communication	36
2.1.6	Charging arrangements	36
2.1.7	Support of roaming	38
2.1.8	Interworking with other networks	38
2.1.9	Service control model	39
2.1.10	Service development	39
2.1.11	Layered design	40
2.1.12	Access independence	41
2.2	Description of IMS-related entities and functionalities	41
2.2.1	Call Session Control Functions (CSCF)	42
2.2.1.1	Proxy Call Session Control Function (P-CSCF)	42
2.2.1.2	Interrogating Call Session Control Function (I-CSCF)	43
2.2.1.3	Serving Call Session Control Function (S-CSCF)	43
2.2.2	Application Servers	44
2.2.2.1	Gateways	45
2.2.3	BGCF (Breakout Gateway Controller Functions)	45
2.2.4	Media Resource Function (MRF)	46
2.2.5	Reference points	46
2.3	IMS functional planes	47
2.3.1	Transport plane	48
2.3.2	Control plane	48
2.3.3	Service plane	49
2.4	Databases	49
2.5	Service functions	50
2.5.1	Interworking functions	52
2.6	IMS Related Technologies	53
2.6.1	Service Oriented Architecture	53
2.6.2	User Oriented Architecture	54
2.6.3	Event Driven Architecture	55
2.6.4	Web Services	56
2.6.4.1	Extensible Markup Language (XML)	57
2.6.4.2	Web Services Description Language (WSDL)	58
2.6.4.3	Universal Description Discovery and Integration	59
2.6.4.4	SOAP	59
2.6.4.5	Web Services Invocation Framework	60
2.6.4.6	Representation State Transfer (REST)	60
2.6.4.7	OSA Parlay X	61
2.7	Service Orchestration	62
2.7.1	Choreography v/s Orchestration	62
2.7.2	Enterprise Service Bus	63
2.7.3	Service Delivery Platforms	64
2.7.3.1	Telephony Application Programming Interface (TAPI)	64

	2.7.3.2 SIP Common Gateway Interface (SIP CGI)	64
	2.7.3.3 Service Level Execution Environment	64
	2.7.3.4 SIP Servlets	65
	2.7.3.5 SDPs and IMS Requirements	65
2.8	Web 2.0 Principles	66
	2.8.1 General Characteristics	66
	2.8.2 Mashups	68
2.9	IMS Service Creation Environment & Toolkits	68
	2.9.1 IMS Service Development	68
	2.9.2 Unified Service Creation Environment (USCE)	69
	2.9.3 USCE (Unified Service Creation Environment) Toolkits for IMS	69
	2.9.4 Application Server Toolkit	70
	2.9.5 Perspective of AST V6.1 Tools	70
	2.9.6 SIP Servlet Application Development	71
	2.9.6.1 SIP only Applications	71
	2.9.6.2 Converged SIP/HTTP Applications	71
	2.9.6.3 SIP Servlet Deployment	71
	2.9.6.4 Sample SIP Services	73
2.10	Hardware & Software Requirement for Application Server Toolkit	73
	2.10.1 Hardware Requirement	73
	2.10.2 Supported Operating system	73
2.11	IMS Enablement Kit	73
	2.11.1 IMS access gateways and enablers	74
	2.11.2 IMS Enablement Tool Kit Components	74
	2.11.3 Sample Application for IMS Foundation	75
	2.11.4 Hardware & Software Requirement for IMS Enablement Tool Kit	76
	2.11.5 Web Services Server Toolkit	76
	2.11.6 Capabilities of Telecom Web Services Toolkit (TWSS)	77
	2.11.7 Mediation Service	78
	2.11.8 TWSS Access Gateway Mediation Primitives	78
	2.11.9 TWSS Default Message Flow	79
	2.11.10 Hardware & Software requirements for TWSS Toolkit	80
2.12	IMS Service Creation Tools	80
	2.12.1 IMS service creation	80
	2.12.2 Web tools platform for AST (Application Server Toolkit)	80
	2.12.2.1 Categories of web tool platform	81
2.13	Portlet Development Tool	81
	2.13.1 Server Tool	82
	2.13.2 Telecom Web services Tools	82
2.14	Tools Developing & Testing SIP and IMS Sample Applications	83
	2.14.1 SIPp	83
	2.14.2 Ethereal	83
	2.14.3 SIPx Phone	83
	2.14.4 Comparison of IMS traffic analyzing tools	83
	2.14.5 DA 3400, DA 3600A VOIP Analysis [JDSUO]	84

2.14.6	PVA-1000 VOIP Analysis [JDSUO]	84
2.14.7	Packet Scan [GL Communication©]	85
2.14.8	Hammer Call Analyzer [Emprix©]	85
2.14.9	Hammer G5 [Emprix©]	86
2.14.10	THGNOTEBOOK [FinisarO]	86
2.14.11	VOIP testing [RadcomO]	86
2.14.12	nGenius (Infmitestream) [NETSCOUTO]	87
2.15	Summary	87

### **Chapter 3 Literature Review** **88 to 108**

3.1	IMS Architecture & Session Initiation Protocol Issues	90
3.2	Quality of Service Issues	91
3.3	IMS Security Aspects & Issues	92
3.4	IMS Service Integration	92
3.4.1	Existing work in Presence Service for IMS	93
3.4.2	Presence Optimizations by IETF	97
3.5	IMS Mobility Management	99
3.5.1	IMS Mobility Management in IPv6 Issues	99
3.5.2	IMS Mobility management in SIP	100
3.6	Service management and Charging in IMS	102
3.7	IMS Client	103
3.8	IMS QoS, QoE Approach	104
3.9	Innovation application with IMS	105
3.10	Discussion of Problems based on Literature Review	105
3.10.1	Aspect 1: IMS Client	105
3.10.2	Aspect 2: Presence Service	106
3.10.3	Aspect 2: IM Service	107
3.10.4	Aspect 4: IMS based Mobile Blogs	107

### **Chapter – 4 OpenIMS Implementation** **109 to 177**

4.1	Introduction to Open IMS	112
4.1.1	Asterisk	113
4.2	Applications over OpenIMS	114
4.3	Related works: OpenIMS Implementation	116
4.3.1	Installation and Configuration of an OpenIMS	116
4.3.2	Installation of Prerequisites	117
4.3.3	Installation and Configuration of FhoSS	118
4.3.3.1	Interface layer	118
4.3.3.2	Data Access Layer (DAL)	119
4.3.3.3	GUI	120
4.4	Installation FhoSS	120
4.4.1	Get source code	120
4.4.2	Compile	120
4.4.3	Configure the environment	121
4.4.4	Configure the IMS core	121
4.5	Installations and Configuration of CSCFs	121
4.5.1	Modules of OpenIMS CSCFs	122

4.5.2	Installation steps for CSCF	124
4.5.3	Start the Components	125
4.5.4	Configure Subscribers	125
4.6	Functionality evaluations of OpenIMS	127
4.6.1	User Equipment	127
4.6.1.1	SIPHardphone	128
4.6.1.2	SIP Softphone: X-Lite	128
4.6.1.3	UCT IMS Client	129
4.6.2	Configuration of SIP/IMS Client	129
4.6.2.1	Configuration of X-Lite Softphone	129
4.6.2.2	Configuration of UCT IMS client	130
4.6.3	Test tools	131
4.7	SIP signaling in OpenIMS	132
4.7.1	Registration Procedures	133
4.7.2	Subscription procedure	135
4.7.3	Call Session procedure	136
4.8	Evaluation of OpenIMS components	141
4.8.1	Evaluation at the UE	141
4.8.2	Evaluation at the P-CSCF	142
4.8.3	Evaluation at the I-CSCF	145
4.8.4	Evaluation at the S-CSCF	146
4.8.5	Evaluation at the SIP2IMS	147
4.8.6	Evaluation at the Cx	148
4.8.7	Evaluation at the abnormal cases	148
4.9	Solutions of interoperability between IMS and SIP	151
4.9.1	Use two S-CSCFs	151
4.9.2	Installation and configuration of S-CSCF2	152
4.9.2.1	Add S-CSCF2 in DNS	152
4.9.2.2	Installation of S-CSCF2	153
4.9.2.3	Add S-CSCF2 in FhoSS	154
4.9.2.4	Modification in S-CSCF/s – CSCF2.cfg	155
4.9.3	Registration and call session with S-CSCFs	155
4.9.3.1	Registration with S-CSCF 2	156
4.9.3.2	Call session with S-CSCF 2	159
4.9.4	Evaluation about the solution with two S-CSCFs	159
4.9.4.1	Instability	160
4.9.4.2	Call session released automatically	161
4.10	Integration with SIP/VoIP solutions	161
4.10.1	Solution for migrate towards IMS	162
4.10.2	Implementation of the "client based" solution	163
4.10.2.1	Using Asterisk server	163
4.10.2.2	Using openSER server	163
4.10.2.3	Registration and Call session setup with redirect server	163
4.11	Evaluation of "client-based" solution	166
4.11.1	NAT issues	166
4.11.2	Configuration of P-CSCF	167

4.12	Performance evaluation of OpenIMS	168
4.12.1	Testing steps	169
4.12.1.1	Add 100 subscribers in databases	169
4.12.1.2	Write the xml files	169
4.12.1.3	Use the commands to test	170
4.13	Hands on for OpenIMS performance assessment	171
4.14	Functionality evaluation of OpenIMS	175
4.14.1	Evaluate SIP and IMS clients	175
4.14.1.1	UCT IMS	175
4.14.1.2	X-Lite	175
4.14.1.3	Grandstream GXP-2000	175
4.14.2	Functionality evaluation	176
4.14.3	Solutions of interoperability between IMS and SIP	176
4.14.3.1	Integration with SIP/VoIP solutions	176
<b>CHAPTER – 5 INITIALIZATION OF SIP IN IMS</b>		<b>178 TO 214</b>
5.1	Introduction to SIP	179
5.2	SIP Functionality	179
5.3	Sip Elements	180
5.3.1	Different roles of a SIP server	181
5.3.1.1	Proxy server:	181
5.3.1.2	Redirect server:	182
5.3.1.3	Registrar server:	182
5.4	SIP Pre-Setup Procedures in IMS Environment	183
5.4.1	GPRS Attach	184
5.4.2	PDP Context Activation	185
5.4.3	CSCF Discovery	186
5.4.4	Service Registration of SIP in IMS	187
5.5	Overview of SIP Session Flow Procedures in IMS	189
5.5.1	Session Setup Procedures	189
5.5.1.1	Origination Procedures	190
5.5.1.2	S-CSCF to S-CSCF Procedures	193
5.5.1.3	Mobile termination procedures	198
5.5.1.4	Summary of The Session Setup Procedures	200
5.5.2	Session Release Procedures	201
5.6	SIP Message Structure	203
5.6.1	SIP request	204
5.6.2	SIP method extensions	205
5.6.3	SIP Response	205
5.6.4	SIP Headers	207
5.7	A Simple SIP Example	207
5.8	Tools to read SIP Messages	214
5.8.1	SIP Logger	214

5.8.2 SIP Parser	214
<b>Chapter – 6 IMS Client Development and Deployment</b>	<b>215 to 254</b>
6.1 Introduction	217
6.2 Other IMS Clients	217
6.2.1 FOKUS Open IMS Client Lite	217
6.2.2 IMS-Communicator	218
6.2.3 UCT IMS Client	219
6.3 Overview Of Tools Used For Developing IMS Client	220
6.3.1 Development Tools	220
6.3.1.1 Java Development Kit (JDK)	221
6.3.1.2 J2ME Sun Wireless Toolkit	221
6.3.2 EclipseME	222
6.3.3 Java 2 Micro-Edition Platform	223
6.3.4 Configurations	223
6.3.5 Profiles	224
6.4 JAVA Libraries For SIP Programming	225
6.4.1 SIP API for J2ME	226
6.5 IMS Client Development	228
6.5.1 SIP Registration	232
6.5.2 Session Establishment	233
6.5.3 Session Description Protocol (SDP) Offer/Answer	236
6.5.4 Communication Mode	236
6.5.5 Cancelling an Early Session	237
6.5.6 Ending Session	237
6.6 System Implementation	238
6.6.1 IMS Network Testbed	238
6.6.2 System Simulation	239
6.7 Experimental Setup	240
6.7.1 Testing Requirements	241
6.7.1.1 Hardware Requirements	241
6.7.1.2 Software Requirements	242
6.7.1.3 Testbed Specifications	243
6.7.2 Experimental Demonstration	243
6.8 Results Discussion	245
6.8.1 Registration Request	246
6.8.2 Invite Request	246
6.8.3 Trying Response	248
6.8.4 Session Progress Response	249
6.8.5 PRACK Request	249
6.8.6 UPDATE Request	250
6.8.7 ACK Request	251
6.8.8 Communication Mode	252
6.9 Low-size & Open IMS Client Implementations	253
6.10 Conclusion	253

<b>Chapter – 7 Study &amp; Modeling Instant Messaging and Presence over IMS</b>	<b>255 to 314</b>
7.1 Introduction	257
7.1.1 Definitions	257
7.2 Concepts and Model for IMPS	258
7.2.1 Presence Service	259
7.2.2 Instant Message Service	260
7.2.3 Differences from Other Communication Systems Model	260
7.2.4 History of Messaging over Wireless Network	262
7.2.5 Differences in Comparison to Instant Messaging in Fixed / wireless Networks	264
7.2.5.1 Device Limitations	264
7.2.5.2 Network Limitations	266
7.2.5.3 Mobility	266
7.2.5.4 Other Factors	267
7.2.6 Standards and Protocols	267
7.2.6.1 xMS (SMS, EMS, MMS)	268
7.2.6.2 Short Message Service (SMS)	268
7.2.6.3 Enhanced Messaging Service (EMS)	269
7.2.6.4 Multimedia Messaging Service (MMS)	269
7.2.6.5 IMPS	270
7.3 Entities of Presence & Instant Messaging	270
7.4 Study of IMPS and SIMPLE Protocols	271
7.4.1 Functionality	272
7.4.2 Evaluate Both Technologies	274
7.4.2.1 Architecture	274
7.4.2.2 Protocols	278
7.4.3 Culmination for further implementation of Research	282
7.5 The Common Profile for Instant Messaging (IM)	283
7.6 Example of Presence Service	284
7.7 Example of Instant Message Service	285
7.8 Performance evaluation of IMPS and SIMPLE	285
7.8.1 Bandwidth Usage	286
7.8.2 Delays	287
7.8.3 Coverage Loss	288
7.8.4 Proxy Traversal	288
7.8.5 Scalability	288
7.9 Implementation	289
7.9.1 Programming Language	289
7.10 Results	289
7.11 Comparison of IMPS & SIMPLE Performance	299
7.11.1 Some user scenarios of Presence Service	301
7.12 Analysis of presence server traffic load	303
7.13 Mathematical Analysis	303
7.14 Dimension IMPS over a PoC service	307
7.14.1 Proposed Access priority Model	308
7.14.2 Proposed Timer	309



7.14.3 Proposed Model to Optimize Simultaneous Sessions	310
7.15 Summary	313

<b>Chapter – 8 Designing, Deploying &amp; Modeling MoBlog over IMS</b>	<b>315 to 350</b>
8.1 Introduction to Blogging	317
8.1.1 Blogs – a space for participation and communication	317
8.1.2 Basics about MoBlog	318
8.2 MoBlog Project	319
8.2.1 Functions of the MoBlog	320
8.2.2 MoBlog hierarchy	321
8.2.2.1 Blog	321
8.2.2.2 Entry	322
8.2.2.3 Multimedia	322
8.2.2.4 Comment	322
8.3 Study of various MoBlog stage	322
8.3.1 Capture and store	322
8.3.2 Capture and share	322
8.3.3 Capture and publish	323
8.3.4 Capture and communicate	323
8.4 Displaying a Graphical User Interface with J2ME	324
8.4.1 Using a Form	324
8.4.2 Using a List	325
8.4.3 Adding Buttons	326
8.4.4. Starting Screen for MoBlog	327
8.4.5 File Browser windows for Moblog	328
8.4.6 MoBlog Title window	329
8.4.7 Blog Description windows	330
8.4.8 MoBlog Loading Windows	331
8.4.9 MoBlog Completion Windows	332
8.4.10 Advantages of MoBlog	333
8.5 Integrated Development Environment	333
8.6 Reading pictures from the picture directory	333
8.7 J2ME record management store	334
8.8 MoBlog client	335
8.8.1 Model View Controller design pattern	336
8.8.2 Packages	337
8.8.2.1 Package com.siemens.mobile.core	338
8.8.3 MoBlog	339
8.8.3.1 Package com.siemens.mobile.util	340
8.8.4 Package com.Siemens.mobile.util.xml	341
8.8.5 Package com.siemens.mobile.views	344
8.9 MoBlog Server	349
8.9.1 Session Initiation Protocol - Application Server	349
8.9.2 Implementation of the MoBlog Server	349

<b>CHAPTER – 9</b>	<b>CONCLUSION &amp; FUTURE WORK</b>	<b>351 to 359</b>
9.1	Open IMS Core Testbed	352
9.2	IMS Session Setup in Mobile Environment	353
9.3	IMS Client Design and Deployment over Open IMS Core Testbed	353
9.3.1	Necessitate for IMS low size client	354
9.3.2	Findings from IMS Client	355
9.4	Instant Messaging and Presence Service over IMS core network	355
9.4.1	Analysis of presence server traffic load over IMS	356
9.5	Designs and Deploy MoBlog over IMS Client	357
9.6	Future work	357
Appendix A	List of Abbreviations with Full form	360 to 366
Appendix B	Testing results	367 to 379
Appendix C	Messages from call session for "client-based" solution	380 to 382
Appendix D	AddUser.java file	383
Appendix E	XML file of REGISTER using in SIPp	384 to 375
Appendix F	XML file of INVITE using in SIPp	386 to 389
Appendix G	Sip Message Flow	390 to 392
Appendix H	Java Code To Create A Display Of J2me	393
Appendix I	Global Diagram of MoBlog	394
Appendix J	XML Message Structure	395 to 398
Appendix K	MoBlog Menu Structure	399 to 301
Bibliography		402 to 412

Figure 1.1:	Timeline of developments leading to present state of Mobile Communication	7
Figure 1.2	(a) Frequencies are not reused in adjacent cells.	8
Figure 1.2	(b) To add more users, smaller cells can be used (The cells are normally roughly circular).	8
Figure 1.3	(a) A D-AMPS channel with 3 users	11
Figure 1.3	(b) A D-AMPS channel with 6 users	11
Figure 1.4:	GSM uses 124 frequency simplex channels, each of which uses an eight-Slot TDM system.	12
Figure 1.5:	A portion of the GSM framing structure	13
Figure 1.6:	Cellular Network Evolution: 1G to 4G	15
Figure 1.7:	Research Methodology for this Research work	27
Figure 2.1:	IMS connectivity options when a user is roaming	34
Figure 2.2:	Overview of IMS security	36
Figure 2.3:	IMS charging overview	37
Figure 2.4:	IMS/CS Roaming Alternatives.	38
Figure 2.5:	IMS and layered architecture.	40
Figure 2.6:	Access-independent IMS.	41
Figure 2.7:	S-CSCF routing and basic IMS session setup	44
Figure 2.8:	IMS functional planes	48
Figure 2.9:	Structures of HSS.	50
Figure 2.10:	Relationship between different application server types.	51
Figure 2.11:	Signalling conversion in the SGW	53
Figure 2.12:	Relationship between the IMS & Enabling Technologies	54
Figure 2.13:	SIP INVITE Client Transaction - state machine	56
Figure 2.14:	Standard Web Services Interactions – Overview	57
Figure 2.15:	Typical Web Services Protocol Stack	58
Figure 2.16:	Choreography v/s Orchestration	63
Figure 2.17:	Choreography and Orchestration	63
Figure 2.18:	Overview of JSLEE Architecture	65
Figure 2.19:	Application Server Toolkit (AST) Workbench	75
Figure 2.20:	ISC Demo Call flow	75
Figure 2.21:	Mediation Application Service	78
Figure 2.22:	TWSS Default Message Flow	79
Figure 3.1	Example of the RPID	94
Figure 3.2:	Publishing and notifying presence information	96
Figure 3.3:	Example of the timed status extension	97
Figure 3.4:	Resource list through an exploder	98
Figure 3.5:	Hierarchical registration in SIP	101
Figure 4.1	Overview of IMS	112
Figure 4.2	OpenIMS testbed at FOKUS	113
Figure 4.3	Comparisons of IMS and OpenIMS	113
Figure 4.4:	SIP-based presence architecture in the IMS	115
Figure: 4.5	Setting up of OpenIMS testbed	117
Figure 4.6:	Architecture of FhoSS	118
Figure 4.7:	Structure of databases	119
Figure 4.8:	Architecture of OpenIMS CSCFs	122

Figure 4.9 FHoSS User Profile	126
Figure 4.10 X-Lite softphone	128
Figure 4.11 Setting up Account	130
Figure 4.12 Preferences of UCT IMS client	131
Figure 4.13 Test cases in evaluating OpenIMS	133
Figure 4.14 Registration for IMS client in OpenIMS	134
Figure 4.15: IMS client basic call setup	136
Figure 4.16 Mistakes in properties	150
Figure 4.17: Interoperability between SIP and IMS	152
Figure 4.18 Registration SIP client to OpenIMS (with two S-CSCF)	158
Figure 4.19: Call session setup between SIP client and IMS client	159
Figure 4.20: Client based solution—Registration case	162
Figure 4.21: Client based solution—Call session setup case	163
Figure 4.22 Registration and Call session setup with redirect server	164
Figure 4.23 Call session setup between two domains	166
Figure 4.24: Call session setup related to firewall	167
Figure 4.25 original commands in pcscf.cfg	168
Figure 4.26 changed commands in pcscf.cfg	168
Figure 4.27 the difference cases access to OpenIMS	173
Figure 5.1: Example of user mobility using registers and redirects	
Messages	183
Figure 5.2: Procedures Before SIP Sessions	183
Figure 5.3: Scope of PDP Context	185
Figure 5.4: P-CSCF Discovery Using DHCP and DNS	186
Figure 5.5: P-CSCF Discovery Using PDP Context Activation Signaling	186
Figure 5.6: Registration Procedure for Un-registered User	187
Figure 5.7: Overview of Session Flow Sections	189
Figure 5.8: Mobile origination procedure – Roaming	191
Figure 5.9: S-CSCF to S-CSCF Procedure – Different Operators	194
Figure 5.10: Mobile termination procedure – roaming	197
Figure 5.11: Simplified Mobile-to-Mobile Call flow	200
Figure 5.12: Mobile Initiated Session Release	201
Figure 5.13: A simple SIP example	208
Figure 6.1: FOKUS OpenIC Lite	218
Figure 6.2: IMS-Communicator Screenshot	219
Figure 6.3: UCT IMS Client Screenshot	220
Figure 6.4: Sun Java WTK 2.5 API Selection Window	222
Figure 6.5: J2ME Stack	224
Figure 6.6: IMS and the applicability of the SIP specifications	225
Figure 6.7: Simplified class diagram of SIP API for J2ME	226
Figure 6.8: Sending SIP request	227
Figure 6.9: Receiving a SIP request	228
Figure 6.10: IMS Client Stack	229
Figure 6.11: IMS Client position in relation to IMS CN	229
Figure 6.12: Session Establishment Main Flow diagram	230
Figure 6.13: IMS Client Sequence Diagram	231
Figure 6.14: IMS Client Display before Registration	233

Figure 6.15: IMS Client Busy Display	233
Figure 6.16: IMS Client Display after Registration	234
Figure 6.17: IMS Client Invite Display	234
Figure 6.18: An IMS Client Chatting Display	237
Figure 6.19: IMS Testbed	238
Figure 6.20 (A): Sun Wireless Toolkit – Ktoolbar	239
Figure 6.20 (B): Experimental Setup at INT IMS Testbed	240
Figure 6.21: IMS Testing Environment	244
Figure 6.22: Demonstration of How to Establish a Session	245
Figure 6.23: REGISTER Request Trace	246
Figure 6.24: INVITE Request Trace	248
Figure 6.25: 100-Trying Response Trace	248
Figure 6.26: 183-Session Progress Response Trace	249
Figure 6.27: PRACK Request Trace	249
Figure 6.28: 200-OK Response for PRACK Trace	250
Figure 6.29: UPDATE Request Trace	251
Figure 6.30: 200-OK Response for UPDATE Trace	251
Figure 6.31: ACK Request Trace	252
Figure 6.32: MESSAGE Request Trace	252
Figure 7.1 Instant Messaging and Presence on User Equipment	259
Figure 7.2: Overview of a presence service	259
Figure 7.3: Different kinds of watchers	260
Figure 7.4: Overview of an instant message service	260
Figure 7.5: Worldwide monthly SMS traffic. Source: EMC Research	263
Figure 7.6: SIMPLE architecture	276
Figure 7.7 Pager mode messaging service	277
Figure 7.8 Session mode paging service	277
Figure 7.9: SIMPLE Presence Server	278
Figure 7.10: IMPS communication model	279
Figure 7.11: The SIP trapezoid	280
Figure 7.12 CPIM models for presence and instant message services	283
Figure 7.13: Publish and Notify Queues in a PS.	304
Figure 7.14: State Transition Graph for Queue System with Batch Arrival and Controlled Vacation	306
Figure 7.15: Example of PoC 1 to many Group session	307
Figure 7.16: Markov model for accessing session	308
Figure 7.17: Markov model for PoC server states	310
Figure 7.18: session states of a PoC Client	312
Figure 8.1: Diagram with MoBlog hierarchy	321
Figure 8.2: The result of Code 8.1	324
Figure 8.3: The result of Code 8.2	325
Figure 8.4: The result of Code 8.3	326
Figure 8.5: The result of Code 8.5	327
Figure 8.6: The result of Code 8.6	328
Figure 8.7: The result of Code 8.7	329
Figure 8.8 The result of Code 8.8	330
Figure 8.9 The result of Code 8.9	331

Figure 8.10 The result of Code 8.10	332
Figure 8.11: RMS with MIDlets	335
Figure 8.12: The MVC pattern	336
Figure 8.13: State Diagram of BlogListHandler	343
Figure 8.14: Main menu	345
Figure 8.15: My Blog Loading Screen	346
Figure 8.15: An EntryScreen	347
Figure 8.16: A Comment List	348
Figure 8.17: MoBlog Server Architecture	350

Table 1.1 Timeline for Telecommunication innovation	6
Table 2.1: Code compare for SOAP vs. REST	61
Table 2.2: Overview of SDP Features	66
Table 4.1: Evaluation at the UE	41
Table 4.2 Evaluations at the P-CSCF	143
Table 4.3: Evaluation at the I-CSCF	145
Table 4.4 Evaluation at the S-CSCF	146
Table 4.5 SIPp-UCT IMS client (SIP to IMS)	172
Table 4.6 SIPp-X-Lite (SIP to SIP)	172
Table 4.7 SIPp-UCT IMS client (SIP to IMS)	172
Table 4.8 SIPp – X-Lite (SIP to SIP)	173
Table 4.9: SIP to UCT IMS	174
Table 4.10 SIP to SIP	175
Table 4.11 compare of three SIP/IMS clients	176
Table 5.1: SIP Method with Description	204
Table 5.2: Different classes in SIP	206
Table 5.3: SDP data	210
Table 6.1: Mobile Development Platforms	221
Table 6.2: INVITE Request Trace	235
Table 6.3: Hardware Specifications	241
Table 6.4: Software Specifications	242
Table 6.5: IMS Testbed Specifications	243
Table 6.6: SDP Attributes	247
Table 6.7: Comparison of Light-Weight & IMS Client Functionalities	253
Table 7.1: Comparison of popular messaging systems	261
Table 7.2: The influence of messaging systems on productivity	262
Table 7.3: Comparison of various mobile messaging Services	269
Table 7.4: Comparison of IMPS and SIMPLE functionality	272
Table 7.5: IMPS service elements	274
Table 7.6: SIMPLE reference points	276
Table 7.7: SIMPLE usage of SIP methods	281
Table 7.8: Advantages and disadvantages of IMPS	300
Table 7.9: Advantages and disadvantages of SIMPLE	301
Table 8.1. Functions of MoBlogs	320
Table 8.2: MVC classes	337
Table 8.3: Escaped characters in XML	344