



|                                      |                 |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|--------------------------------------|-----------------|-------------|----|-----------|-------------|----|-----------|-------------|---------------------------|-----------|----------|----|-----------|----------|--------|-----------|----------|---|-----------|----------|---|-----------|--|--|
| パ<br>タ<br>ン<br>切<br>替                |                 | (1) 平日      |    |           | (2) 土曜      |    |           | (3) 日曜      |                           |           | (4) 特殊日1 |    |           | (5) 特殊日2 |        |           | (6) 特殊日3 |   |           | (7) 特殊日4 |   |           |  |  |
|                                      | 切替<br>番号        | 時           | 分  | ハタン<br>番号 | 時           | 分  | ハタン<br>番号 | 時           | 分                         | ハタン<br>番号 | 時        | 分  | ハタン<br>番号 | 時        | 分      | ハタン<br>番号 | 時        | 分 | ハタン<br>番号 | 時        | 分 | ハタン<br>番号 |  |  |
|                                      | 1               | 6           | 00 | 1         | 6           | 00 | 1         | 6           | 00                        | 1         |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 2               | 9           | 00 | 2         |             |    |           | 6           |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 3               | 15          | 00 | 1         |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 4               |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 5               |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 6               |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 7               |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 8               |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 9               |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
| A                                    |                 |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
| 動<br>作<br>切<br>替                     | 連動子機            | 00:00～00:00 |    |           | 00:00～00:00 |    |           | 00:00～00:00 |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      |                 |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      |                 |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      |                 |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
| 系<br>統<br>動<br>作<br>定<br>数           | 同期点             |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 追従幅             |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 追従階梯秒数配分        |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 主現示追従階梯         |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 従現示追従階梯         |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
| 連<br>動<br>子<br>機<br>能<br>定<br>数      | 時刻修正            |             |    |           |             |    |           |             | ○                         |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | DC方式            |             |    |           |             |    |           |             | -                         |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | AC方式            |             |    |           |             |    |           |             | ●                         |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 同期階梯1(B／Y1)     |             |    |           |             |    |           |             | 1ステップ <sup>※</sup> (親の3Y) |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 同期階梯2(A／Y2)     |             |    |           |             |    |           |             | -                         |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 周期監視時間          |             |    |           |             |    |           |             | 255                       |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 共通オフセット1        |             |    |           |             |    |           |             | -                         |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 共通オフセット2        |             |    |           |             |    |           |             | -                         |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 連動親機            |             |    |           |             |    |           |             | 01-0444 下温品               |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      |                 |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
| 交<br>通<br>弱<br>者<br>感<br>応<br>定<br>数 | 交通弱者感応定数        |             |    |           |             |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 感応階梯            |             |    |           |             |    |           |             | ステップ                      |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 補正階梯            |             |    |           |             |    |           |             | ステップ                      |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 倍率指定 (10～19)    |             |    |           |             |    |           |             | ×0.1倍                     |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | 弱者用保証青時間( 0～99) |             |    |           |             |    |           |             | 秒                         |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
| ギ<br>ャ<br>ッ<br>プ<br>感<br>応<br>定<br>数 | 単位1             |             |    |           |             |    |           |             | 単位2                       |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      |                 | 短縮          | 延長 | 単位青       | 単位青         |    | 短縮        | 延長          | 単位青                       | 単位青       |          | 短縮 | 延長        | 単位青      | 単位青    |           |          |   |           |          |   |           |  |  |
|                                      |                 | Ts          | Te | 上り0.1秒    | 下り0.1秒      |    | Ts        | Te          | 上り0.1秒                    | 下り0.1秒    |          | Ts | Te        | 上り0.1秒   | 下り0.1秒 |           |          |   |           |          |   |           |  |  |
|                                      | P1              |             |    |           |             | P1 |           |             |                           |           | P1       |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | P2              |             |    |           |             | P2 |           |             |                           |           | P2       |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | P3              |             |    |           |             | P3 |           |             |                           |           | P3       |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | P4              |             |    |           |             | P4 |           |             |                           |           | P4       |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | P5              |             |    |           |             | P5 |           |             |                           |           | P5       |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | P6              |             |    |           |             | P6 |           |             |                           |           | P6       |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | P7              |             |    |           |             | P7 |           |             |                           |           | P7       |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | P8              |             |    |           |             | P8 |           |             |                           |           | P8       |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | P9              |             |    |           |             | P9 |           |             |                           |           | P9       |    |           |          |        |           |          |   |           |          |   |           |  |  |
|                                      | PA              |             |    |           |             | PA |           |             |                           |           | PA       |    |           |          |        |           |          |   |           |          |   |           |  |  |
| 感応階梯                                 |                 |             |    |           |             |    |           | 感応階梯        |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |
| リ<br>コ<br>ー<br>ル<br>定<br>数           | 感応階梯            |             |    |           | ステップ        |    |           |             |                           |           |          |    |           |          |        |           |          |   |           |          |   |           |  |  |