

流動図	至高須町 24. 4m 歩灯2灯		21. 2m 歩灯2灯	
------------	--------------------------------	--	--------------------	--

1 P [1P]																																																																																																															
----------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--	--	--	--	--	--	--	--

																		周期	7テスト 秒
保 安	25	8	3	3	5	3	3	33	8	3	3	3						100	
定周期																		0	
P 1	25	8	3	3	5	3	3	23	8	3	3	3						90	12
P 2	26	8	3	3	7	3	3	30	8	3	3	3						100	0
P 3	36	8	3	3	7	3	3	40	8	3	3	3						120	20
P 4	30	8	3	3	5	3	3	33	8	3	3	3						105	0
P 5	35	8	3	3	5	3	3	33	8	3	3	3						110	0
P 6	40	8	3	3	5	3	3	33	8	3	3	3						115	0
P 7	45	8	3	3	5	3	3	33	8	3	3	3						120	0
P 8	50	8	3	3	5	3	3	33	8	3	3	3						125	0
P 9	55	8	3	3	5	3	3	33	8	3	3	3						130	0
P A	60	8	3	3	5	3	3	33	8	3	3	3						135	0

