



規制番号 名称		1-0040 駅南口第3駐輪場前								運 用		2011年3月10日		製造番号		1B0492										
管制番号 名称		01-0040 駅南口第3駐輪場前 (X3-U)								開始日時		22時34分 ~		製造年月		2011年3月										
												メーカー		パナソニックSSインフラシステム株式会社												
50km/h 至 白島 バス・二輪専用 7:00~9:00, 17:00~19:00 (20km/h) (30km/h) 40km/h (30km/h) 40km/h 至 広島駅前 33.9m 33.8m 46.1m 43.1m S80筐体 ステータス機能 S3:閃光																										
ステップ番号		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20					
ステップ名称		1PG	1PW	1 G	1 Y	1 R	2PG	2PW	2 G	2 Y	2 R	3PG	3PW	3 G	3 Y	3 R										
流動図		歩灯2 8.8m 4P <-----> 1 → 1 ↗ ↘ 2 ← 1 1P <-----> 1P <-----> 9.9m 歩灯2 19.0m 歩灯2					歩灯2 2P ↑ 1 → 2 ↗ ↘ 2 ↑ 3 22.3m					歩灯2 3P ↑ 4P <-----> 5 ↗ 3右矢 19.9m					歩灯2 4P <-----> 3右矢					歩灯2 5 ↗ 3右矢				
1P [1P]																										
1 [1V]		~~~~~																								
2P [2P]																										
2 [2V]							~~~~~																			
3P [3P]																										
3 [3V]												~~~~~					~~~~~									
4P [4P]																										
4 [4V]							~~~~~																			
3右矢 [2A]												→														
5 [※]																	~~~~~									
																	※ 5G [1A]									
																	※ 5Y [2X]									
																	※ 5R [1X]									
最終指定							○										○									
可変指定		○					○					○														
安全必要秒時		19	7	2	3	4	23	8	2	3	4	17	7	2	3	4										
保安秒時 (140秒)		45	7	2	3	4	29	8	2	3	4	17	7	2	3	4										
最長時間(秒)		110	110	110	10	10	110	110	110	10	10	110	110	110	10	10										
最短時間(秒)		6	0.95	0.95	0.95	0.95	6	0.95	0.95	0.95	0.95	6	0.95	0.95	0.95	0.95										
AB連動出力		A	B	B	B	B	B	A	A	A	A	A	A	A	A	A										

規制番号 名称	1-0040 駅南口第3駐輪場前	運用	H. 8年 3月 5日	製造番号	7L0196
管制番号 名称	01-0040 駅南口第3駐輪場前 (A集中)	開始日時	11時15分 ~	製造年月	昭和62年11月



ステップ番号	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
ステップ名称	1PG	1PW	1 G	1 Y	1 R	2PG	2PW	2 G	2 Y	2 R	3PG	3PW	3 G	3 Y	3 R					



1P [1P]																				
1 [1V]																				
2P [2P]																				
2 [2V]																				
3P [3P]																				
3 [3V]																				
3' [4V]																				
3' 右矢 [4A]																				
4P [4P]																				
4 [1・2・3A]																				
最終指定																				
可変指定																				
安全必要秒時	21	7	2	3	4	17	8	2	3	4	15	7	2	3	4					
保安秒時 (140秒)	34	15	4	3	5	22	15	4	3	2	14	10	4	3	2					
最長時間(秒)	110	110	110	10	10	110	110	110	10	10	110	110	110	10	10					
最短時間(秒)	6	0.95	0.95	0.95	0.95	6	0.95	0.95	0.95	0.95	6	0.95	0.95	0.95	0.95					
AB連動出力	A	B	B	B	B	B	A	A	A	A	A	A	A	A	A					

