

Quarterly Accessibility Report

This document demonstrates fulgur's Tagged PDF output. When rendered with `--tagged` or `--pdf-ua`, the PDF contains a structure tree that screen readers and accessibility tools can traverse.

Summary

Tagged PDF embeds semantic structure — headings, paragraphs, lists, tables, figures, and links — directly in the PDF file. This structure is required for [PDF/UA-1](#) conformance and enables assistive technologies to present documents in a meaningful order.

Supported Elements

The following HTML elements map to PDF structure tags:

HTML element	PDF structure tag
h1–h6	H1–H6
p, div	P, Div
span	Span
ul	L (unordered)
ol	L (ordered)
li	LI → Lbl + LBody
table	Table
thead / tbody / tfoot	THHead / TBody / TFoot
tr	TR
th	TH (scope: Row/Column/Both)
td	TD
img	Figure (alt text propagated)
a	Link

Step-by-Step Workflow

1. Author semantic HTML using the elements listed above.
2. Run fulgur with `--tagged` (structure tree) or `--pdf-ua` (full PDF/UA-1).
3. Verify the output with a PDF accessibility checker such as PAC 2024 or Adobe Acrobat's accessibility tool.

Known Limitations

- Alt text is propagated from `img alt` attributes only; CSS background images are not tagged.
- PDF/UA-1 requires a document language. Always pass `--language` (CLI) or `.lang()` (API) when using `--pdf-ua`.
- Python and Ruby bindings do not yet expose `tagged` / `pdf_ua` options.

CLI Usage

Generate a Tagged PDF:

```
fulgur render --tagged --language en -o report.pdf report.html
```

Generate a PDF/UA-1 conformant PDF (implies `--tagged` and `--bookmarks`):

```
fulgur render --pdf-ua --language en -o report.pdf report.html
```