

ARUP

Ove Arup & Partners
Building Engineering

Fax To: Gougeon's.....

Fax No: 012:33:6773:3065...

Attn: Humbert Camrillo.....

cc:
.....

From: Lorraine Lin.....

Subject: Maan Theater.....

13 Fitzroy Street
London W1P 6BQ
Telephone: 071-636 1531
Facsimile: 071-580 3924

Direct Dialling:
Fax: 071-465 3743
Tel: 071-465

Date: 17/6/91...

Ref/Job no:

Total Pages: 22.....
(Including this page)

If you have not received all the pages listed please phone the sender

Message

Hello Humbert,

Here are the cutting patterns for
Kepler - Alpha.


Chorus,

Lorraine

Note:

once again, the patterns are for an
exact fit. Thus allow ~~to~~ a 3mm
tolerance between strips. The nodes
given ~~for~~ correspond to the node numbering
of the grid. (refer to fax 4/6/91 for diagram)

~~Chorus~~



(not to ~~set~~ scale)

Kepler - alpha

Strip 1

FILE : STR1.pat

DATA FOR PATTERN : STR1

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 0.6583
Width of pattern : 0.2875

NUMBER OF NODES ON TOP OF PATTERN = 2

FIRST (LEFT HAND END) = 60

LAST (RIGHT HAND END) = 39

NUMBER OF NODES ON BOTTOM OF PATTERN = 3

FIRST (LEFT HAND END) = 58


LAST (RIGHT HAND END) = 38

Mesh	COORDINATES	
Node	X	Y
60	0.165	0.288
39	0.544	0.066

Mesh	COORDINATES	
Node	X	Y
58	0.000	0.000
21	0.537	0.000
38	0.658	0.000

Strip 2

Kepler-alpha



Strip 2

Kepler-alpha

FILE : STR2.pat

DATA FOR PATTERN : STR2

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 1.9243
Width of pattern : 0.6172

NUMBER OF NODES ON TOP OF PATTERN = 5
FIRST (LEFT HAND END) = 59
LAST (RIGHT HAND END) = 37

NUMBER OF NODES ON BOTTOM OF PATTERN = 5
FIRST (LEFT HAND END) = 62
LAST (RIGHT HAND END) = 36

Mesh	COORDINATES	
Node	X	Y
59	0.078	0.116
58	0.413	0.617
21	0.949	0.582
38	1.069	0.574
37	1.712	0.142

Mesh	COORDINATES	
Node	X	Y
62	0.000	0.000
28	0.065	0.000
20	0.887	0.000
12	1.697	0.000
36	1.924	0.000


STRIP 3

KEPLER - ALPHA

FOR PATTERN 1 STR1

INTERSECTION VALUES WARP : 0.0000
 WARP : 0.0000

Length of pattern : 3.0753
 Width of pattern : 0.6370



Mesh Node	X	Y
62	0.000	0.637
28	0.536	0.637
20	1.376	0.637
12	2.124	0.637
36	2.411	0.637
35	2.940	0.103

Mesh COORDINATES

122 % !!

171 % !!

Menu Help Draw Load File(s) Append File(s) Delete File(s)

Data read from STR1.top
 Data read from STR2.top
 Data read from STR3.top

STRIP 3

KEPLER - ALPHA

FILE : STR3.pat

DATA FOR PATTERN : STR3

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 3.0753
Width of pattern : 0.6370

NUMBER OF NODES ON TOP OF PATTERN = 6
FIRST (LEFT HAND END) = 62
LAST (RIGHT HAND END) = 35


NUMBER OF NODES ON BOTTOM OF PATTERN = 6
FIRST (LEFT HAND END) = 63
LAST (RIGHT HAND END) = 34

Mesh	COORDINATES	
Node	X	Y
62	0.491	0.637
28	0.556	0.632
20	1.376	0.579
12	2.184	0.525
36	2.411	0.509
35	2.940	0.103

Mesh	COORDINATES	
Node	X	Y
63	0.000	0.000
27	0.486	0.000
19	1.312	0.000
11	2.126	0.000
5	2.929	0.000
34	3.075	0.000

KEPLER ALPHA

Length of pattern : 4.1755
Width of pattern : 0.5506



Mesh Node	COORDINATES	
	X	Y
66	0.000	0.000
31	0.153	0.000
26	0.996	0.000
13	1.827	0.000
10	2.645	0.000
4	3.452	0.001
33	4.175	0.002

Menu Help Draw Load File(s) Append File(s) Delete File(s)

Data read from STR2.top
Data read from STR3.top
Data read from STR4.top

STRIP 1

KEPLER ALPHA

FILE : STR4.pat

DATA FOR PATTERN : STR4

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 4.1758
Width of pattern : 0.6606

NUMBER OF NODES ON TOP OF PATTERN = 7
FIRST (LEFT HAND END) = 66
LAST (RIGHT HAND END) = 33

NUMBER OF NODES ON BOTTOM OF PATTERN = 7
FIRST (LEFT HAND END) = 61
LAST (RIGHT HAND END) = 34

Mesh	COORDINATES	
Node	X	Y
66	0.000	0.000
31	0.153	0.000
26	0.996	0.000
18	1.827	0.000
10	2.645	0.000
4	3.452	0.001
33	4.176	0.002


Mesh	COORDINATES	
Node	X	Y
61	0.176	0.199
63	0.583	0.660
27	1.068	0.629
19	1.892	0.576
11	2.704	0.523
5	3.505	0.470
34	3.652	0.460

KEPLER - ALPHA

DATA FOR PATTERN - STR5

COMPENSATION VALUES WARP : 0.0000
 REPT : 0.0000

Length of pattern : 5.1223
 Width of pattern : 0.6890



LAST (RIGHT HAND END) = 64

Mesh Node	X	Y
32	4.925	0.355
33	4.853	0.471
4	4.137	0.464
10	3.332	0.520
18	2.815	0.573
26	1.687	0.624
31	0.845	0.679
64	0.692	0.689

Menu Help Draw Load File(s) Append File(s) Delete File(s)

Data read from STR3.top
 Data read from STR4.top
 Data read from STR5.top

125 % !!

STRIP 5
 KEPLER - ALPHA

FILE : STR5.pat

DATA FOR PATTERN : STR5

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 5.1223
Width of pattern : 0.6890

NUMBER OF NODES ON TOP OF PATTERN = 8

FIRST (LEFT HAND END) = 32

LAST (RIGHT HAND END) = 66

NUMBER OF NODES ON BOTTOM OF PATTERN = 9

FIRST (LEFT HAND END) = 49

LAST (RIGHT HAND END) = 64

Mesh	COORDINATES	
Node	X	Y
32	4.925	0.355
33	4.859	0.421
4	4.137	0.468
10	3.332	0.520
18	2.515	0.573
26	1.687	0.626
31	0.845	0.679
66	0.692	0.689

Mesh	COORDINATES	
Node	X	Y
49	5.122	0.159
47	4.965	0.003
1	4.885	0.003
3	4.083	0.002
9	3.272	0.001
17	2.449	0.000
25	1.614	0.000
30	0.767	0.000
64	0.000	0.000

COMPENSATION VALUE WARP

WARP 1

0.000

0.000

Length of pattern :

3.1358

Width of pattern :

0.7107

NUMBER OF NODES ON TOP OF

FIRST (LEFT) END

NUMBER OF NODES ON BOTTOM OF

FIRST (LEFT) END

LAST (RIGHT) END

NUMBER OF NODES ON TOP OF

LAST (RIGHT) END

NUMBER OF NODES ON BOTTOM OF

LAST (RIGHT) END

NUMBER OF NODES ON TOP OF

LAST (RIGHT) END

NUMBER OF NODES ON BOTTOM OF

LAST (RIGHT) END

NUMBER OF NODES ON TOP OF

LAST (RIGHT) END

NUMBER OF NODES ON BOTTOM OF

LAST (RIGHT) END

NUMBER OF NODES ON TOP OF

LAST (RIGHT) END

NUMBER OF NODES ON BOTTOM OF

LAST (RIGHT) END

NUMBER OF NODES ON TOP OF

LAST (RIGHT) END

NUMBER OF NODES ON BOTTOM OF

LAST (RIGHT) END

NUMBER OF NODES ON TOP OF

LAST (RIGHT) END

NUMBER OF NODES ON BOTTOM OF

LAST (RIGHT) END

NUMBER OF NODES ON TOP OF

LAST (RIGHT) END

Node

COORDINATES

Node

X

Y

50

3.045

0.107

24

4.845

0.307

30

4.199

0.005

25

3.351

0.903

17

2.516

0.302

9

1.693

0.001

3

0.882

0.000

1

0.080

0.000

Menu Help Draw Load File(s) Append File(s) Delete File(s)

Data read from STR6.top
Data read from STR7.top
Data read from STR6.top

125 X !!

126 X !!

STRIP 6

KEPLER ALPHA

FILE : STR6.pat

DATA FOR PATTERN : STR6

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 5.1558
Width of pattern : 0.7107

NUMBER OF NODES ON TOP OF PATTERN = 9
FIRST (LEFT HAND END) = 65
LAST (RIGHT HAND END) = 47

NUMBER OF NODES ON BOTTOM OF PATTERN = 10
FIRST (LEFT HAND END) = 67
LAST (RIGHT HAND END) = 48

Mesh	COORDINATES	
Node	X	Y
65	5.065	0.107
64	4.965	0.007
30	4.199	0.005
25	3.351	0.003
17	2.516	0.002
9	1.693	0.001
3	0.882	0.000
1	0.080	0.000
47	0.000	0.000

Mesh	COORDINATES	
Node	X	Y
67	5.156	0.197
46	5.074	0.279
45	4.640	0.711
29	4.233	0.685
24	3.383	0.630
16	2.545	0.575
8	1.720	0.520
2	0.906	0.466
50	0.437	0.435
48	0.085	0.084

CONCENTRATION VALUES WARP :

WARP :

0.0000


0.0000

Length of pattern :

4.2116

Width of pattern :

0.6439



Mesh

COORDINATES

Node

X

Y

54

0.491

0.429

54

0.534

0.466

7

1.311

0.517

15

2.141

0.571

23

2.983

0.625

43

3.628

0.666

44

3.826

0.441

Menu Help Draw Load File(s) Append File(s) Print File(s)

Data read from STR7.top
Data read from STR6.top
Data read from STR7.top

STRIP 7

KEPLER - ALPHA

FILE : STR7.pat

DATA FOR PATTERN : STR7

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 4.2114
Width of pattern : 0.6659

NUMBER OF NODES ON TOP OF PATTERN = 7
FIRST (LEFT HAND END) = 51
LAST (RIGHT HAND END) = 44

NUMBER OF NODES ON BOTTOM OF PATTERN = 7
FIRST (LEFT HAND END) = 50
LAST (RIGHT HAND END) = 45

Mesh	COORDINATES	
Node	X	Y
51	0.491	0.429
54	0.534	0.466
7	1.311	0.517
15	2.141	0.571
23	2.983	0.625
43	3.628	0.666
44	3.826	0.441

Mesh	COORDINATES	
Node	X	Y
50	0.000	0.000
2	0.469	0.000
8	1.285	0.000
16	2.112	0.001
24	2.952	0.002
29	3.804	0.004
45	4.211	0.004

STR7
KIPLER - ALPHA

FOR PATTERN : STRIP

COMPENSATION VALUES WARP :

WEFT :

0.0004


0.0004

Length of pattern :

3.1001

Width of pattern :

0.6283



Mesh

COORDINATES

Node

X

Y

54

0.000

0.000

7

0.779

0.000

15

1.611

0.000

23

2.455

0.000

43

3.100

0.000

Mesh

COORDINATES

Node

X

Y

54

0.000

0.000

7

0.779

0.000

15

1.611

0.000

23

2.455

0.000

43

3.100

0.000

Menu Help Draw Load File(s) Append File(s) Delete File(s)

Data read from STR9.top
Data read from STR10.top
Data read from STR8.top

STRIP 8

KEPLER - ALPHA

FILE : STR8.pat

17

DATA FOR PATTERN : STR8

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 3.1001
Width of pattern : 0.6283

NUMBER OF NODES ON TOP OF PATTERN = 5
FIRST (LEFT HAND END) = 54
LAST (RIGHT HAND END) = 43


NUMBER OF NODES ON BOTTOM OF PATTERN = 5
FIRST (LEFT HAND END) = 52
LAST (RIGHT HAND END) = 42

Mesh	COORDINATES	
Node	X	Y
54	0.000	0.000
7	0.779	0.000
15	1.611	0.000
23	2.455	0.001
43	3.100	0.002

Mesh	COORDINATES	
Node	X	Y
52	0.656	0.504
6	0.805	0.514
14	1.639	0.567
22	2.486	0.620
42	2.616	0.628

STRIP 9

KEPLER ALPHA



Menu Help Draw Load File(s) Append File(s) Delete File(s)

Data read from STR7.top
Data read from STR8.top
Data read from STR9.top

STRIP 9

KEPLER - ALPHA

FILE : STR9.pat

DATA FOR PATTERN : STR9

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 1.9640
Width of pattern : 0.5980

NUMBER OF NODES ON TOP OF PATTERN = 5
FIRST (LEFT HAND END) = 53
LAST (RIGHT HAND END) = 41


NUMBER OF NODES ON BOTTOM OF PATTERN = 5
FIRST (LEFT HAND END) = 52
LAST (RIGHT HAND END) = 42

Mesh Node	COORDINATES	
	X	Y
53	0.154	0.104
55	0.815	0.552
13	1.012	0.564
40	1.561	0.598
41	1.842	0.181

Mesh Node	COORDINATES	
	X	Y
52	0.000	0.000
6	0.149	0.000
14	0.985	0.000
22	1.834	0.001
42	1.964	0.001

STRIP 10

KEPLER - ALAYA



STRIP 10

KEPLER - ALPHA

FILE : STR10.pat

FOR PATTERN : STR10

COMPENSATION VALUES WARP : 0.000%
WEFT : 0.000%

Length of pattern : 0.7477
Width of pattern : 0.3293

NUMBER OF NODES ON TOP OF PATTERN = 3

FIRST (LEFT HAND END) = 55

LAST (RIGHT HAND END) = 40

NUMBER OF NODES ON BOTTOM OF PATTERN = 2


FIRST (LEFT HAND END) = 56

LAST (RIGHT HAND END) = 57

Mesh	COORDINATES	
Node	X	Y
55	0.000	0.000
13	0.197	0.000
40	0.748	0.000

Mesh	COORDINATES	
Node	X	Y
56	0.202	0.120
57	0.555	0.329

KEPLER ALPHA



KEPLER ALPHA