

Screen 2: Public Website – Temple Registration (Multi-Step Flow)

Purpose

This flow enables:

- New ISKCON temples to **self-register**
- Capture **President & Vice-President details**
- Automatically **create login credentials** for **President & Vice-President**

Flow Structure (Step-Based UX)

Step 1: Temple Basic Details

Step 2: President Details

Step 3: Vice-President Details

Step 4: Review & Submit

Step 5: Success Screen

Temple Registration Form UI

Step1 Image

ISKCON
COURSE PORTAL

Home

About Us

Courses

How It Works

Exam Guidelines

Contact Us

Temple Registration

Login

Register

1

Temple Details

2

President Details

3

Vice-President Details

4

Review & Submit

5

Success

Temple Details

Please provide basic information about your temple. All fields marked with * are mandatory.

Temple Information

Temple Name *

Enter temple name

GST Number *

Enter GST number

Enter 15-digit GST number (e.g. 22AAAAA0000A1Z5)

Temple Logo

Upload your temple logo
JPG, PNG, WEBP up to 2MB

Click to upload or drag and drop
PNG, JPG up to 2MB

Address Information

Country *

India

State *

Select State

City *

Enter city

Pin Code *

Enter pin code

Address Line 1 *

Enter address line 1

Address Line 2

Enter address line 2 (optional)

←

Back

Save Draft

Next Step

→

ISKCON
COURSE PORTAL

Dedicated to providing authentic Vedic knowledge for the spiritual upliftment of all.

QUICK LINKS

About Us

Courses

How It Works

Exam Guidelines

Contact Us

SUPPORT

Help Center

FAQs

Privacy Policy

Terms & Conditions

CONTACT US

iskconcourses@example.com

+91 12345 67890

ISKCON, Hare Krishna Land, Amritsar, India

NEWSLETTER

Subscribe to get updates on new courses and important announcements.

Enter your email

→

© 2024 ISKCON Course Portal. All rights reserved.

Step2 Image

Make sure, if one drop down is opened then other opened drop down will get closed

ISKCON
COURSE PORTAL

HomeAbout UsCoursesHow It WorksExam GuidelinesContact UsTemple Registration

LoginRegister

1234

Temple DetailsPresident DetailsVice-President DetailsReview & Submit

President Details

Enter details of the Temple President. All fields marked with * are mandatory.

Your information is secure

We never share your data

Basic Info

Personal and basic information

Full Name *

Enter full name

Date of Birth *

DD / MM / YYYY

Gender *

Select gender

Father / Guardian Name *

Enter name

Marital Status *

Select status

Nationality *

Indian

Contact & Verification

Mobile verification, email and emergency contact

Identity

Government ID details and verification

Additional Info

Occupation, address and other details

Family Info

Add family members and emergency contacts

Enforcement Rules:

At least 1 member must be marked as Emergency Contact

Emergency contact mobile number must not be same as president mobile

Add Family Member

Name	Relation	Mobile Number	Email	Emergency Contact	Action
Ramesh Sharma	Brother	9876543210	ramesh@gmail.com	☒ Yes	
Sita Sharma	Sister	9123456780	sita@gmail.com	☐ No	

Note: You can edit or remove family members using the action buttons.

Spiritual Info

Spiritual background and seva information

Back

Save Draft

Next Step

ISKCON
COURSE PORTAL

Dedicated to providing authentic Vedic knowledge for the spiritual upliftment of all.

f

ig

yt

tw

QUICK LINKS

About Us

Courses

How It Works

Exam Guidelines

Contact Us

SUPPORT

Help Center

FAQs

Privacy Policy

Terms & Conditions

CONTACT US

iskconcourses@example.com

+91 12345 67890

ISKCON, Hare Krishna Land, Amritsar, India

NEWSLETTER

Subscribe to get updates on new courses and important announcements.

Enter your email

© 2024 ISKCON Course Portal. All rights reserved.

ISKCON COURSE PORTAL

HomeAbout UsCoursesHow It WorksExam GuidelinesContact UsTemple Registration

Login

Register

✓

✓

3

4

Temple Details

President Details

Vice-President Details

Review & Submit

Vice-President Details

Enter details of the Temple Vice-President. All fields marked with * are mandatory.

✓

Your information is secure

We never share your data

Basic Info

Personal and basic information

▼

Contact & Verification

Mobile verification, email and emergency contact

▼

Identity

Government ID details and verification

▼

Additional Info

Occupation, address and other details

▼

Family Info

Add family members and emergency contacts

▲

Enforcement Rules:

✓ At least 1 member must be marked as Emergency Contact

✓ Emergency contact mobile number must not be same as vice-president mobile

+ Add Family Member

Name	Relation	Mobile Number	Email	Emergency Contact	Action
Rajesh Sharma	Brother	9876543210	rajesh@gmail.com	☒ Yes	
Anita Sharma	Sister	9123456780	anita@gmail.com	☐ No	

Note: You can edit or remove family members using the action buttons.

Spiritual Info

Spiritual background and seva information

▼

← Back

Save Draft

Next Step →

ISKCON COURSE PORTAL

Dedicated to providing authentic Vedic knowledge for the spiritual upliftment of all.

QUICK LINKS

About Us

Courses

How It Works

Exam Guidelines

Contact Us

SUPPORT

Help Center

FAQs

Privacy Policy

Terms & Conditions

CONTACT US

iskconcourses@example.com

+91 12345 67890

ISKCON, Hare Krishna Land, Amritsar, India

NEWSLETTER

Subscribe to get updates on new courses and important announcements.

Enter your email

→

© 2024 ISKCON Course Portal. All rights reserved.

Home

About Us

Courses

How It Works

Exam Guidelines

Contact Us

Temple Registration

Login

Register

✓

Temple Details

✓

President

✓

Vice-President

4

Review

Review & Submit

Please review all the details carefully before final submission.

You can edit any section using the Edit option.

Temple Details

Edit Section

Temple Name

Sri Sri Radha Krishna Temple

GSTN Number

07ABCDE1234F125

Temple Logo

temple_logo.png

Temple Address Information

Country

India

State

Punjab

City

Amritsar

Pin Code

143001

Address Line 1

Hare Krishna Land

Address Line 2

Iskcon Road, Chheharta

President Details

Edit Section

Basic Information

Full Name

Ramesh Sharma

DOB

12/03/1975

Gender

Male

Father / Guardian Name

Shri Mohan Sharma

Address Details

Address Line 1

123 Gandhi Nagar

Address Line 2

Near Golden Temple

City

Amritsar

State

Punjab

Country

India

Pin Code

143001

Contact Details

Mobile Number

9876543210

OTP Verified

Google Email ID

ramesh@gmail.com

Verified

Identity & Verification

Government ID Type

PAN

Government ID Number

ABCDE1234F

ID Card Upload

pan_card.pdf

Additional Info

Photo

president_photo.jpg

Alternate Phone Number

9123456780

Emergency Contact

Sita Sharma (9123456780)

Professional Info

Occupation

Business

Organization Name

Sharma Enterprises

Work Address

123 Business Street, Amritsar

Family Info

Name	Relation	Mobile	Email	Emergency Contact
Sita Sharma	Wife	9123456780	sita@gmail.com	Yes
Rahul Sharma	Son	9871234567	rahul@gmail.com	No
Pooja Sharma	Daughter	9876547890	pooja@gmail.com	No

ISKCON / Spiritual Info

Initiation Name (if any)

Radhesht Das

Initiation Date (if any)

15/08/2005

Spiritual Mentor / Guru Name

HG Bhakti Vikas Swami

Years of Association with ISKCON

20 Years

Vice-President Details

Edit Section

Basic Information

Full Name

Suresh Kumar

DOB

18/07/1980

Gender

Male

Father / Guardian Name

Shri Om Prakash

Address Details

Address Line 1

456 Guru Nanak Road

Address Line 2

Near Ranjit Avenue

City

Amritsar

State

Punjab

Country

India

Pin Code

143001

Contact Details

Mobile Number

9123456780

OTP Verified

Google Email ID

suresh@gmail.com

Verified

Identity & Verification

Government ID Type

Aadhaar

Government ID Number

XXXXXX5678

ID Card Upload

aadhaar_card.pdf

Additional Info

Photo

vicepresident_photo.jpg

Alternate Phone Number

9876543211

Emergency Contact

Neeta Kumar (9876543211)

Professional Info

Occupation

Service

Organization Name

ISKCON Temple

Work Address

ISKCON Temple Office, Amritsar

Family Info

Name	Relation	Mobile	Email	Emergency Contact
Neeta Kumar	Wife	9876543211	neeta@gmail.com	Yes
Amit Kumar	Son	9123987654	amit@gmail.com	No

ISKCON / Spiritual Info

Initiation Name (if any)

Gopal Das

Initiation Date (if any)

21/01/2008

Spiritual Mentor / Guru Name

HG Gauranga Das

Years of Association with ISKCON

15 Years

Back

Save Draft

Submit Registration

Dedicated to providing authentic Vedic knowledge for the spiritual upliftment of all.

QUICK LINKS

About Us

Courses

How It Works

Exam Guidelines

Contact Us

SUPPORT

Help Center

FAQs

Privacy Policy

Terms & Conditions

CONTACT US

✉ iskconcourses@example.com

+91 12345 67890

ISKCON, Hare Krishna Land, Amritsar, India

NEWSLETTER

Subscribe to get updates on new courses and important announcements.

Enter your email

➔

© 2024 ISKCON Course Portal. All rights reserved.

Step5 Image

 **ISKCON
COURSE PORTAL**

[Home](#) [About Us](#) [Courses](#) [How It Works](#) [Exam Guidelines](#) [Contact Us](#) [Temple Registration](#) [Login](#) [Register](#)

✓

Temple Details

✓

President Details

✓

Vice-President Details

✓

Review & Submit

5

Success



Temple Registered Successfully!

Your temple registration has been submitted successfully.
Login credentials have been created for the President & Vice-President and
sent to their registered email addresses.

[Go to Login →](#) [Back to Home](#)

 **ISKCON
COURSE PORTAL**

Dedicated to providing authentic Vedic
knowledge for the spiritual upliftment of all.

[f](#) [@](#) [v](#) [t](#)

QUICK LINKS

- [About Us](#)
- [Courses](#)
- [How It Works](#)
- [Exam Guidelines](#)
- [Contact Us](#)

SUPPORT

- [Help Center](#)
- [FAQs](#)
- [Privacy Policy](#)
- [Terms & Conditions](#)

CONTACT US

- [✉ iskconcourses@example.com](mailto:iskconcourses@example.com)
- [☎ +91 12345 67890](tel:+911234567890)
- [📍 ISKCON, Hare Krishna Land,
Amritsar, India](#)

NEWSLETTER

Subscribe to get updates on new courses
and important announcements.

[→](#)

© 2026 ISKCON Course Portal. All Rights Reserved.

Temple Registration Form Content

STEP 1: Temple Basic Details

Fields:

- Temple Name *
- GSTN Number *
- Temple Logo Upload
- Country *
- State * (*GET /api/location/states-by-country?countryCode=IN*)
- City *
- Pin Code *
- Address Line 1 *
- Address Line 2 *

Buttons:

- Back - disabled
- Next Button (Save Step1 details)
 - Save Step1 - URL: */api/temple-registration/step1*

Validations:

Field Name	Mandatory (Y/N)	Client-Side Validation	Server-Side Validation	Error Message
Temple Name	Y	3-150 chars, text only	Sanitize + length check	Invalid temple name
GSTN Number	Y	15 char GSTIN format	Regex + uniqueness check	Invalid GSTN
Temple Logo Upload	N	jpg/png/gif/pdf, max 5MB	MIME type + size check	Invalid file format
Country	Y	Dropdown selection	Enum validation	Invalid country
State	Y	Dropdown selection	Enum validation	Invalid state
City	Y	Alphabets only	Sanitize	Invalid city
Pin Code	Y	6 digit numeric	Regex check	Invalid pincode
Address Line 1	Y	Text, max 200 chars	Sanitize	Invalid address
Address Line 2	Y	Text, max 200 chars	Sanitize	Invalid address

STEP 2: Temple President Details

Fields: Mandatory Fields

Basic Information ▼

- Full Name *
- DOB
- Gender
- Father's Name

Address Details ▼

- Address Line 1
- Address Line 2
- City
- State
- Country
- Pin Code

Contact Details ▼

- Mobile Number * (OTP Verified)
- Google Email ID * (validated)

Identity & Verification ▼

- Government ID Type (Aadhar / PAN / Passport) drop down
- Government ID Number*
- Govt. ID-Card Upload*

Additional Info (Non-Mandatory Fields) ▼

Personal Info

- Photo
- Alternate Phone Number
- Emergency Contact

Professional Info

- Occupation
- Organization Name
- Work Address

Family Info ▼

- fullName
- relation
- mobile
- email
- isEmergencyContact

ISKCON/Spiritual Info ▼

- Initiation Name (if any)
- Initiation Date (if any)
- Spiritual Mentor / Guru Name
- Years of Association with ISKCON

Buttons:

- Next Button – Save Step2 (Endpoint: /api/temple-registration/step2)
- Back Button - GET: /api/temple-registration/step1/{templeId}

Validations:

Field Name	Mandatory (Y/N)	Client-Side Validation	Server-Side Validation	Error Message
Full Name	Y	Alphabets + spaces, 3-100 chars	Sanitize, length check	Invalid name
Photo Upload	Y	jpg/png/gif/pdf, max 5MB	MIME type check, size limit	Invalid file format
DOB	N	Valid date, age >=18	Age validation	Age must be >=18
Gender	N	Dropdown	Enum validation	Invalid gender
Father's Name	Y			
Address Line 1	N	Text	Sanitize	Invalid input
City	N	Alphabets only	Sanitize	Invalid city
State	N	Dropdown, autopopulated basis on country selection	Enum validation	Invalid state

Country	N	Dropdown	Enum validation	Invalid country
Pin Code	N	6 digit numeric	Regex check	Invalid pincode
Mobile Number	Y	10 digit + OTP verify	Unique + OTP validation	Invalid/duplicate mobile
Google Email Id	Y	Must end @gmail.com	Unique + domain check	Invalid email
Govt ID Type	Y	Dropdown	Enum validation	Invalid ID type
PAN Number	Y	PAN regex	Unique + regex	Invalid PAN
Aadhaar	Y	12 digit numeric	Unique + regex	Invalid Aadhaar
Passport	Y	6-9 chars alphanumeric	Regex	Invalid passport
Govt ID Upload	Y	Allowed formats	MIME/type check	Invalid file
Alternate Phone	N	10 digit numeric	Format check	Invalid number
Emergency Contact				
Occupation	N	Text	Sanitize	Invalid input
Organization Name	N	Text	Sanitize	Invalid input
Work Address	N	Text	Sanitize	Invalid input
Family Info				
Name				
Relation				
Mobile				
Email				
Emergency Contact				
Initiation Name	N	Text	Sanitize	Invalid input
Initiation Date	N	Date	Date validation	Invalid date
Guru Name	N	Text	Sanitize	Invalid input
Years of Association	N	0-100 numeric	Range check	Invalid value
Cross Validation (President vs VP)	Y	Compare mobile/email/PAN	Strict uniqueness check	Cannot be same person

Family Details

fullName	N	0-100 numeric	Range check	Invalid name
Relation	N	Compare mobile/email/PAN	Relation must be from ENUM: SPOUSE, FATHER, MOTHER, SON, DAUGHTER, BROTHER, SISTER, OTHER	Invalid relation
mobile	N	10 digit		Invalid mobile

email	N	Valid format		Invalid email
isEmergencyContact	N	At least 1 required	Emergency contact must NOT be same as user mobile	Select emergency contact

STEP 3: Vice-President Details

(Same structure as Step 2)

Fields: Mandatory Fields

Basic Information ▼

- Full Name *
- DOB
- Gender
- Father's Name

Address Details ▼

- Address Line 1
- Address Line 2
- City
- State
- Country
- Pin Code

Contact Details ▼

- Mobile Number * (OTP Verified)
- Google Email ID * (validated)

Identity & Verification ▼

- Government ID Type (Aadhar / PAN / Passport) drop down
- Government ID Number*
- Govt. ID-Card Upload*

Additional Info (Non-Mandatory Fields) ▼

Personal Info

- Photo
- Alternate Phone Number
- Emergency Contact

Professional Info

- Occupation
- Organization Name
- Work Address

Family Info ▼

- fullName
- relation
- mobile
- email
- isEmergencyContact

ISKCON/Spiritual Info ▼

- Initiation Name (if any)

- Initiation Date (if any)
- Spiritual Mentor / Guru Name
- Years of Association with ISKCON

Button:

Next - Endpoint: /api/temple-registration/step3 (Save Step3 details)

Back - GET: /api/temple-registration/step2/{templeId}

Validations:

Field Name	Mandatory (Y/N)	Client-Side Validation	Server-Side Validation	Error Message
Full Name	Y	Alphabets + spaces, 3-100 chars	Sanitize, length check	Invalid name
Photo Upload	Y	jpg/png/gif/pdf, max 5MB	MIME type check, size limit	Invalid file format
DOB	N	Valid date, age >=18	Age validation	Age must be >=18
Gender	N	Dropdown	Enum validation	Invalid gender
Father's Name	Y			
Address Line 1	N	Text	Sanitize	Invalid input
City	N	Alphabets only	Sanitize	Invalid city
State	N	Dropdown, autopopulated basis on country selection	Enum validation	Invalid state
Country	N	Dropdown	Enum validation	Invalid country
Pin Code	N	6 digit numeric	Regex check	Invalid pincode
Mobile Number	Y	10 digit + OTP verify	Unique + OTP validation	Invalid/duplicate mobile
Google Email Id	Y	Must end @gmail.com	Unique + domain check	Invalid email
Govt ID Type	Y	Dropdown	Enum validation	Invalid ID type
PAN Number	Y	PAN regex	Unique + regex	Invalid PAN
Aadhaar	Y	12 digit numeric	Unique + regex	Invalid Aadhaar
Passport	Y	6-9 chars alphanumeric	Regex	Invalid passport
Govt ID Upload	Y	Allowed formats	MIME/type check	Invalid file
Alternate Phone	N	10 digit numeric	Format check	Invalid number
Emergency Contact				
Occupation	N	Text	Sanitize	Invalid input
Organization Name	N	Text	Sanitize	Invalid input
Work Address	N	Text	Sanitize	Invalid input
Family Info				

Name				
Relation				
Mobile				
Email				
Emergency Contact				
Initiation Name	N	Text	Sanitize	Invalid input
Initiation Date	N	Date	Date validation	Invalid date
Guru Name	N	Text	Sanitize	Invalid input
Years of Association	N	0-100 numeric	Range check	Invalid value
Cross Validation (President vs VP)	Y	Compare mobile/email/PAN	Strict uniqueness check	Cannot be same person

Family Details

fullName	N	0-100 numeric	Range check	Invalid name
Relation	N	Compare mobile/email/PAN	Relation must be from ENUM: SPOUSE, FATHER, MOTHER, SON, DAUGHTER, BROTHER, SISTER, OTHER	Invalid relation
mobile	N	10 digit		Invalid mobile
email	N	Valid format		Invalid email
isEmergencyContact	N	At least 1 required	Emergency contact must NOT be same as user mobile	Select emergency contact

STEP 4: Review & Submit

Layout:

- Read-only summary of all entered data
 - When click on Edit link, respective page (Step1/2/3) will get redirected
-

Sections:

- **Temple Details ▼ (Edit link)**
 - Temple Name *
 - GSTN Number *
 - Temple Logo Upload
- Address Information **(Edit link)**
 - Country *
 - Country *
 - State *
 - City *
 - Pin Code *
 - Address Line 1 *
 - Address Line 2
- **President Details ▼ (Edit link)**

Basic Information

- Full Name *
- DOB
- Gender
- Father/ Guardian Name

Address Details

- Address Line 1
- Address Line 2
- City
- State
- Country
- Pin Code

Contact Details

- Mobile Number * (OTP Verified)
- Google Email ID * (validated)

Identity & Verification

- Government ID Type (Aadhar / PAN / Passport)
- Government ID Number*
- Govt. ID-Card Upload*

Additional Info (Non-Mandatory Fields)**Personal Info**

- Photo
- Alternate Phone Number
- Emergency Contact

Professional Info

- Occupation
- Organization Name
- Work Address

Family Info

- fullName
- relation
- mobile
- email
- isEmergencyContact

ISKCON/Spiritual Info

- Initiation Name (if any)
- Initiation Date (if any)
- Spiritual Mentor / Guru Name
- Years of Association with ISKCON

- **Vice-President Details ▼ (Edit link)**

Basic Information

- Full Name *
- DOB
- Gender
- Father/ Guardian Name

Address Details

- Address Line 1
- Address Line 2
- City
- State
- Country
- Pin Code

Contact Details

- Mobile Number * (OTP Verified)
- Google Email ID * (validated)

Identity & Verification

- Government ID Type (Aadhar / PAN / Passport)
- Government ID Number*
- Govt. ID-Card Upload*

Additional Info (Non-Mandatory Fields)

Personal Info

- Profile Photo
- Alternate Phone Number
- Emergency Contact

Professional Info

- Occupation
- Organization Name
- Work Address

Family Info

- fullName
- relation
- mobile
- email
- isEmergencyContact

ISKCON/Spiritual Info

- Initiation Name (if any)
- Initiation Date (if any)
- Spiritual Mentor / Guru Name
- Years of Association with ISKCON

Actions:

- Edit (per section)
- Submit Registration (Endpoint: /api/temple-registration/submit)
- Back - GET: /api/temple-registration/step3/{templeId}

STEP 5: Success Screen

Message:

“Temple Registered Successfully!”

Information Displayed:

- Confirmation message

- Login created for:
 - President
 - Vice-President

Actions:

- Go to Login
- Back to Home

Primary Actions

- Next Step
- Submit Registration

Secondary Actions

- Back
 - Edit Details
-

Temple Registration API Details :

API 1– Country, State interdependent

1. API 1 – States Auto-Populate (Country → States)
<u>Sample Request</u>
<i>GET /api/location/states-by-country?countryCode=IN</i>
<u>Sample Response</u>
<pre>{ "success": true, "data": { "country": { "_id": "65f1c2a1", "name": "India", "code": "IN", "phoneCode": "+91" }, "states": [{ "_id": "s1", "name": "Karnataka", "code": "KA" }, { "_id": "s2", "name": "Maharashtra", "code": "MH" }] } }</pre>

API 2 – Bulk Upsert (Enterprise Level)
<u>Endpoint</u>
<i>POST /api/location/bulk-upsert</i>
<u>Sample Request</u>


```
{
  "countries": [
    {
      "name": "India",
      "code": "IN",
      "phoneCode": "+91",
      "states": [
        { "name": "Karnataka", "code": "KA" },
        { "name": "Tamil Nadu", "code": "TN" }
      ]
    },
    {
      "name": "USA",
      "code": "US",
      "phoneCode": "+1",
      "states": [
        { "name": "California", "code": "CA" },
        { "name": "Texas", "code": "TX" }
      ]
    }
  ]
}
```

3. API 3 – Soft Delete

Endpoint

API 3 – Soft Delete

Sample Request

```
{
  "countryId": "65f1c2a1"
}
```

OR

```
{
  "countryName": "India"
}
```

Sample DB JSON Collection

Countries

```
[
  {
    "_id": "c1",
    "name": "India",
    "code": "IN",
    "phoneCode": "+91",
    "isActive": true,
    "createdAt": "2026-01-01T00:00:00Z"
  }
]
```

States

```
[
  {
    "_id": "s1",
    "countryId": "c1",
    "name": "Karnataka",
    "code": "KA",
    "isActive": true,
    "createdAt": "2026-01-01T00:00:00Z"
  }
]
```

API 2– Temple Basic Details (Next Step 1 Save/Update)

1. Endpoint

- **Method:** POST
- **URL:** /api/temple-registration/step1

2. Description

This API handles **Step 1: Temple Basic Details** from the multi-step registration flow.

- Saves or updates temple data when user clicks “**Next Step**”
- Creates a **draft temple record** (status = DRAFT)
- Supports **idempotent upsert** (new or existing draft using templeId)
- Stores **logo as file reference (file_metadata)**
- Prepares data for Step 2 (President)

This aligns with the multi-step UX defined in the FSD

3. Request Payload (JSON)

```
{
  "templeId": "optional-existing-id",
  "name": "ISKCON Bangalore",
  "gstn": "29ABCDE1234F1Z5",
  "address": {
    "line1": "Rajajinagar",
    "line2": "Near Orion Mall",
    "city": "Bangalore",
    "state": "Karnataka",
    "country": "India",
    "pinCode": "560010"
  },
  "logoFileId": "file_object_id_optional"
}
```

4. Response Payload (JSON)

```
{
  "success": true,
  "message": "Temple details saved successfully",
  "data": {
    "templeId": "65fab1234",
    "status": "DRAFT",
    "nextStep": "PRESIDENT_DETAILS"
  }
}
```

5. Client-Side Validation:

Field Validations

- Temple Name
 - Required
 - 3–150 chars
 - Alphabets + spaces only
- GSTN
 - Required
 - Regex: `^[0-9]{2}[A-Z]{5}[0-9]{4}[A-Z]{1}[1-9A-Z]{1}Z[0-9A-Z]{1}$`
- Address:
 - Line1 → Required, max 200 chars
 - Line2 → Required, max 200 chars
 - City → Alphabets only
 - State → Dropdown mandatory
 - Country → Dropdown mandatory
 - PinCode → 6 digit numeric
- Logo Upload:
 - Optional
 - Allowed: jpg/png/pdf/gif
 - Max size: 5MB

Button Behavior

- **Next Button**
 - Disabled until all mandatory fields valid
 - On click → call API
 - Show loader
- **Back Button**
 - Not applicable (first step)

Edge Cases

- GSTN invalid format
- Empty required fields
- Unsupported file type
- Network failure → retry option

6. Server-Side Validation:

Field Validation

- Sanitize all text inputs (XSS prevention)
- Trim & normalize strings

Business Rules

- GSTN must be **unique**
- Temple name indexed for search
- Address must be complete

DB Constraints

- Unique index on gstn
- Soft delete aware (isDeleted = false)

File Validation

- Validate file exists in file_metadata
- Ensure ownership/session linkage

8. Mongo DB JSON Collection

temples collection

```
{
  "_id": "65fabcd1234",
  "name": "ISKCON Bangalore",
  "gstn": "29ABCDE1234F1Z5",
}
```

```

"address": {
  "line1": "Rajajinagar",
  "line2": "Near Orion Mall",
  "city": "Bangalore",
  "state": "Karnataka",
  "country": "India",
  "pinCode": "560010"
},
"logoFileId": "file123",
"status": "DRAFT",
"isDeleted": false,
"createdAt": "2026-04-18T10:00:00Z",
"updatedAt": "2026-04-18T10:05:00Z"
}

```

file_metadata collection (if logo uploaded)

```

{
  "_id": "file123",
  "fileName": "temple-logo.png",
  "fileType": "image/png",
  "fileSize": 245678,
  "url": "https://cdn.domain.com/uploads/temple-logo.png",
  "uploadedBy": null,
  "createdAt": "2026-04-18T09:59:00Z"
}

```

audit_logs collection

```

{
  "_id": "audit1",
  "entity": "temples",
  "entityId": "65fabcd1234",
  "action": "CREATE_DRAFT",
  "performedBy": null,
  "timestamp": "2026-04-18T10:00:01Z"
}

```

9. Notes (Optional)

Use **upsert strategy**:

```
findOneAndUpdate({ _id: templeId }, data, { upsert: true })
```

- Add indexes:
 - gstn (unique)
 - name (text index)
 - status
- Consider **draft expiry cleanup job** (cron)
- Store currentStep = 1 for flow tracking (optional enhancement)

API 3– President Details (Next Step 2 Save/Update)

1. Endpoint

Method: POST

URL: /api/temple-registration/step2

2. Description

This API handles **Step 2: President Details** in the temple registration flow.

- Saves or updates **President information**
- Ensures **OTP verification for mobile**
- Validates **Gmail-only email**
- Stores **uploaded files via file_metadata references**
- Links President data to the **existing temple (Step 1)**

- Keeps data in **draft mode (user NOT created yet)**
- This follows the validation-heavy onboarding defined in FSD

3. Request Payload (JSON)

```
{
  "templateId": "65fab1234",

  "fullName": "Ramesh Sharma",
  "dob": "1985-05-10",
  "gender": "MALE",

  "address": {
    "line1": "Rajajinagar",
    "line2": "Near Orion Mall",
    "city": "Bangalore",
    "state": "Karnataka",
    "country": "India",
    "pinCode": "560010"
  },

  "mobile": "9876543210",
  "otp": "456789",

  "email": "ramesh@gmail.com",

  "govtIdType": "PAN",
  "govtIdNumber": "ABCDE1234F",

  "photoFileId": "file_photo_123",
  "govtIdFileId": "file_id_456",

  "additionalInfo": {
    "alternatePhone": "9123456780",
    "occupation": "Business",
    "organizationName": "ISKCON Org",
    "yearsOfAssociation": 10
  }
}
```

4. Response Payload (JSON)

```
{
  "success": true,
  "message": "President details saved successfully",
  "data": {
    "templateId": "65fab1234",
    "presidentDraftSaved": true,
    "nextStep": "VICE_PRESIDENT_DETAILS"
  }
}
```

5. Client-Side Validation:

Mandatory Fields

- Full Name → alphabets + spaces (3–100 chars)
- Photo Upload → required
- Mobile Number → 10 digit
- OTP → required after clicking verify
- Email → must end with @gmail.com
- Govt ID Type → dropdown
- Govt ID Number → based on type
- Govt ID Upload → required

Field Rules • PAN → [A-Z]{5}[0-9]{4}[A-Z]{1} • Aadhaar → 12 digit numeric • Passport → 6–9 alphanumeric • DOB → age >= 18 • City → alphabets only • PinCode → 6 digit numeric
Button Behavior • Verify OTP button ○ Calls OTP API (API 9) ○ Enables Next only after success • Next Button ○ Disabled until: ▪ OTP verified ▪ All mandatory fields valid • Back Button ○ Navigate to Step 1 (no API call here)
Edge Cases • OTP expired • Duplicate mobile/email • Invalid PAN/Aadhaar format • File not uploaded • Same email typed with uppercase (normalize)

6. Server-Side Validation:

Field Validation • Sanitize all fields (XSS, injection) • Normalize: ○ email → lowercase ○ PAN → uppercase
Business Rules • Mobile must be: ○ OTP verified (otp_verifications.isUsed = true) • Email: ○ Must end with @gmail.com • Govt ID: ○ Must be unique across system • President must be unique per temple
Cross Validation • Prevent duplicate: ○ mobile ○ email ○ govtIdNumber
OTP Validation • Check: ○ OTP exists ○ Not expired ○ Not already used • Mark OTP as used
File Validation • Ensure: ○ photoFileId exists

- govtIdFileId exists

8. Mongo DB JSON Collection

(Draft storage inside temples OR temp collection)

📁 Recommended: store in temples as embedded draft

```
{
  "_id": "65fab1234",
  "name": "ISKCON Bangalore",
  "status": "DRAFT",

  "president": {
    "fullName": "Ramesh Sharma",
    "dob": "1985-05-10",
    "gender": "MALE",

    "address": {
      "line1": "Rajajinagar",
      "line2": "Near Orion Mall",
      "city": "Bangalore",
      "state": "Karnataka",
      "country": "India",
      "pinCode": "560010"
    },

    "mobile": "9876543210",
    "email": "ramesh@gmail.com",

    "govtIdType": "PAN",
    "govtIdNumber": "ABCDE1234F",

    "photoFileId": "file_photo_123",
    "govtIdFileId": "file_id_456",

    "isMobileVerified": true
  },

  "updatedAt": "2026-04-18T11:00:00Z"
}
```

otp_verifications collection

```
{
  "_id": "otp123",
  "mobile": "9876543210",
  "otp": "456789",
  "expiresAt": "2026-04-18T11:05:00Z",
  "isUsed": true
}
```

file_metadata collection

```
{
  "_id": "file_photo_123",
  "fileName": "president-photo.jpg",
  "fileType": "image/jpeg",
  "fileSize": 345678,
  "url": "https://cdn.domain.com/president-photo.jpg",
  "uploadedBy": null
}
```

audit_logs

```
{
  "entity": "temples",
  "entityId": "65fab1234",
  "action": "UPDATE_PRESIDENT_DRAFT",
}
```

```
"timestamp": "2026-04-18T11:00:01Z"
}
```

9. Notes (Optional)

- Do NOT create user yet → only on final submit (API 5)
- Add index:
 - users.mobile (unique)
 - users.email (unique)
 - users.govtIdNumber (unique)
- Use **OTP reuse prevention**
- Consider **partial draft validation flag**

API 4– Vice-President Details (Next Step 3 Save/Update)

1. Endpoint

Method: POST
URL: /api/temple-registration/step3

2. Description

This API handles **Step 3: Vice-President Details** in the multi-step flow.

- Saves or updates **Vice-President information**
- Enforces **OTP verification for mobile**
- Ensures **Gmail-only email validation**
- Performs **STRICT cross-validation with President**
- Stores data as **draft (no user creation yet)**
- Links Vice-President to the same **templeId**

This step mirrors President flow but adds **cross-entity validation** as per FSD

3. Request Payload (JSON)

```
{
  "templeId": "65fab1234",

  "fullName": "Suresh Verma",
  "dob": "1988-08-15",
  "gender": "MALE",

  "address": {
    "line1": "BTM Layout",
    "line2": "Stage 2",
    "city": "Bangalore",
    "state": "Karnataka",
    "country": "India",
    "pinCode": "560076"
  },

  "mobile": "9123456789",
  "otp": "123456",

  "email": "suresh@gmail.com",

  "govtIdType": "AADHAAR",
  "govtIdNumber": "123456789012",

  "photoFileId": "file_photo_789",
  "govtIdFileId": "file_id_999",

  "additionalInfo": {
    "alternatePhone": "9000000000",
    "occupation": "Teacher",
  }
}
```



```
"organizationName": "ISKCON Trust",
"yearsOfAssociation": 8
}
}
```

4. Response Payload (JSON)

```
{
  "success": true,
  "message": "Vice-President details saved successfully",
  "data": {
    "templeId": "65fabcd1234",
    "vicePresidentDraftSaved": true,
    "nextStep": "REVIEW_SUBMIT"
  }
}
```

5. Client-Side Validation:

Mandatory Fields

- Full Name → alphabets + spaces (3–100 chars)
- Photo Upload → required
- Mobile Number → 10 digit
- OTP → required & verified
- Email → must end with @gmail.com
- Govt ID Type → required
- Govt ID Number → required
- Govt ID Upload → required

Field Rules

- PAN → regex validation
- Aadhaar → 12 digit numeric
- Passport → alphanumeric
- DOB → age ≥ 18
- PinCode → 6 digit

Cross Validation (VERY IMPORTANT)

- Must NOT match President:
 - Mobile
 - Email
 - Govt ID Number

Button Behavior

- Verify OTP
 - Calls OTP API
 - Enables Next only after success
- Next Button
 - Enabled only when:
 - OTP verified
 - Cross-validation passed
 - All mandatory fields valid
- Back Button
 - Goes to President screen

Edge Cases

- VP same as President → block immediately
- OTP expired
- Duplicate email/mobile
- Switching ID type but keeping old value

6. Server-Side Validation:

Field Validation

- Normalize:
 - email → lowercase
 - govtId → uppercase (PAN)

OTP Validation

- OTP must:
 - Exist
 - Not expired
 - Not used
- Mark OTP as used

Business Rules

- Mobile must be unique
- Email must be unique
- Govt ID must be unique

CRITICAL Cross Validation

Fetch President from DB and validate:

if (vp.mobile === president.mobile) throw error

if (vp.email === president.email) throw error

if (vp.govtIdNumber === president.govtIdNumber) throw error

File Validation

- photoFileId exists
- govtIdFileId exists

8. Mongo DB JSON Collection

temples collection (draft updated)

```
{
  "_id": "65fab1234",
  "name": "ISKCON Bangalore",
  "status": "DRAFT",

  "president": {
    "fullName": "Ramesh Sharma",
    "mobile": "9876543210",
    "email": "ramesh@gmail.com",
    "govtIdNumber": "ABCDE1234F"
  },

  "vicePresident": {
    "fullName": "Suresh Verma",
    "dob": "1988-08-15",
    "gender": "MALE",

    "address": {
      "line1": "BTM Layout",
      "line2": "Stage 2",
      "city": "Bangalore",
      "state": "Karnataka",
      "country": "India",
      "pinCode": "560076"
    },

    "mobile": "9123456789",
    "email": "suresh@gmail.com",

    "govtIdType": "AADHAAR",
```

```

"govtIdNumber": "123456789012",

"photoFileId": "file_photo_789",
"govtIdFileId": "file_id_999",

"isMobileVerified": true
},

"updatedAt": "2026-04-18T12:00:00Z"
}

```

otp_verifications

```

{
  "_id": "otp456",
  "mobile": "9123456789",
  "otp": "123456",
  "expiresAt": "2026-04-18T12:05:00Z",
  "isUsed": true
}

```

audit_logs

```

{
  "entity": "temples",
  "entityId": "65fab1234",
  "action": "UPDATE_VICE_PRESIDENT_DRAFT",
  "timestamp": "2026-04-18T12:00:01Z"
}

```

9. Notes (Optional)

- This is the **most critical validation step**
- Cross-validation must be **atomic**
- Use DB transaction if possible
- 📌 Prepare data for **final submission (API 5)**

API 5– Final Submit (Submit Registration + User Creation)

1. Endpoint

- **Method:** POST
- **URL:** /api/temple-registration/submit

2. Description

This API handles **Step 4 → Final Submission** of the temple registration flow.

- Validates **ALL steps together (Temple + President + VP)**
- Creates:
 - **Temple (finalized)**
 - **President user**
 - **Vice-President user**
- Assigns **roles**
- Generates **login credentials**
- Sends **email notifications**
- Moves status from DRAFT → ACTIVE/PENDING_APPROVAL

This is the **critical commit point** of the entire flow as defined in FSD

3. Request Payload (JSON)

```

{
  "templeId": "65fab1234"
}

```

```
}
```

4. Response Payload (JSON)

```
{
  "success": true,
  "message": "Temple registered successfully",
  "data": {
    "templeId": "65fab1234",
    "presidentUserId": "user123",
    "vicePresidentUserId": "user456",
    "loginCreated": true
  }
}
```

5. Client-Side Validation:

Before Submit

- Ensure all steps completed:
 - Step 1 → Temple ✓
 - Step 2 → President ✓
 - Step 3 → Vice-President ✓
- Ensure:
 - OTP verified for both users
 - Files uploaded
 - No empty mandatory fields

UI Behavior

- Submit button:
 - Disabled until all steps valid
 - Shows loader on click
- Prevent double submission

Edge Cases

- User refresh before submit
- Partial data missing
- Network failure → retry with same templeId

6. Server-Side Validation:

1. Full Data Validation

- Temple:
 - GSTN unique
- President & VP:
 - Mobile unique
 - Email unique
 - Govt ID unique

2. Cross Validation

- President ≠ Vice-President:
 - mobile
 - email
 - govtIdNumber

3. OTP Validation

- Both users must have:
 - isMobileVerified = true

4. Data Integrity Check

- Ensure:
 - All required file IDs exist
 - No missing fields from any step

5. Transaction (VERY IMPORTANT)

Use MongoDB transaction:

```
session.startTransaction()

try {
  // create users
  // update temple
  // assign roles
  // commit
} catch (e) {
  session.abortTransaction()
}
```

8. Mongo DB JSON Collection

1. temples collection (FINALIZED)

```
{
  "_id": "65fab1234",
  "name": "ISKCON Bangalore",
  "gstn": "29ABCDE1234F1Z5",

  "address": {
    "line1": "Rajajinagar",
    "line2": "Near Orion Mall",
    "city": "Bangalore",
    "state": "Karnataka",
    "country": "India",
    "pinCode": "560010"
  },

  "logoFileId": "file123",

  "presidentUserId": "user123",
  "vicePresidentUserId": "user456",

  "status": "ACTIVE",
  "isDeleted": false,
  "createdAt": "2026-04-18T10:00:00Z",
  "updatedAt": "2026-04-18T13:00:00Z"
}
```

2. users collection (President)

```
{
  "_id": "user123",
  "templeId": "65fab1234",
  "fullName": "Ramesh Sharma",
  "email": "ramesh@gmail.com",
  "mobile": "9876543210",
  "passwordHash": "$2b$10$hashed",

  "roleIds": ["ROLE_PRESIDENT"],

  "govtIdType": "PAN",
  "govtIdNumber": "ABCDE1234F",

  "isMobileVerified": true,
  "status": "ACTIVE",
  "isDeleted": false,
  "createdAt": "2026-04-18T13:00:00Z"
}
```

3. users collection (Vice-President)

```
{
  "_id": "user456",
  "templeId": "65fab1234",
```

```
"fullName": "Suresh Verma",
"email": "suresh@gmail.com",
"mobile": "9123456789",
"passwordHash": "$2b$10$hashed",

"roleIds": ["ROLE_VICE_PRESIDENT"],

"govtIdType": "AADHAAR",
"govtIdNumber": "123456789012",

"isMobileVerified": true,
"status": "ACTIVE",
"isDeleted": false,
"createdAt": "2026-04-18T13:00:00Z"
}
```

4. user_roles collection

```
{
  "userId": "user123",
  "roleId": "ROLE_PRESIDENT"
}
{
  "userId": "user456",
  "roleId": "ROLE_VICE_PRESIDENT"
}
```

5. auth_tokens (optional login creation)

```
{
  "userId": "user123",
  "token": "jwt-token",
  "expiresAt": "2026-04-19T13:00:00Z"
}
```

6. notification_logs

```
{
  "userId": "user123",
  "message": "Your account has been created",
  "isRead": false
}
```

7. audit_logs

```
{
  "entity": "temples",
  "entityId": "65fabcd1234",
  "action": "FINAL_SUBMIT",
  "timestamp": "2026-04-18T13:00:01Z"
}
```

9. Notes (Optional)

- Generate **random password + send email**
- Or send **set password link**
- Use **bcrypt hashing**
- Add indexes:
 - users.email (unique)
 - users.mobile (unique)
 - users.govtIdNumber (unique)
- Recommended:
 - Event-driven email service (Kafka / queue)
 - Retry mechanism for notifications

API 6— Back1 Button (Fetch Temple Details)

1. Endpoint

- **Method:** GET
- **URL:** /api/temple-registration/step1/{templeId}

2. Description

This API is triggered when the user clicks “Back” from Step 2 (President) to Step 1 (Temple Details).

- Fetches previously saved **Temple Basic Details**
- Populates form fields with **existing draft data**
- Supports seamless **multi-step navigation persistence**
- Ensures user does not lose entered data

This aligns with step-navigation UX defined in FSD

3. Request Payload (JSON)

GET /api/temple-registration/step1/65fab1234

4. Response Payload (JSON)

```
{
  "success": true,
  "data": {
    "templeId": "65fab1234",
    "name": "ISKCON Bangalore",
    "gstn": "29ABCDE1234F1Z5",
    "address": {
      "line1": "Rajajinagar",
      "line2": "Near Orion Mall",
      "city": "Bangalore",
      "state": "Karnataka",
      "country": "India",
      "pinCode": "560010"
    },
    "logoFile": {
      "fileId": "file123",
      "url": "https://cdn.domain.com/uploads/temple-logo.png"
    }
  }
}
```

5. Client-Side Validation:

On Back Button Click

- Call API using templeId
- Populate form fields:
 - Temple Name
 - GSTN
 - Address fields
 - Logo preview

UI Behavior

- Show loader while fetching
- Disable form until data loaded
- Pre-fill dropdowns (state/country)

Edge Cases

- templeId missing → redirect to Step 1 fresh form
- API fails → show retry option
- Partial data → fill available fields only

6. Server-Side Validation:

Validation

- Validate templeId:
 - Must be valid ObjectId
 - Must exist
 - isDeleted = false

Business Rules

- Only fetch:
 - Draft OR partially completed records
- Do NOT return sensitive/internal fields

Data Handling

- Join with file_metadata to return logo URL

Security

- Prevent enumeration:
 - Add rate limiting
 - Optional: use sessionId / temp token

8. Mongo DB JSON Collection

temples collection

```
{
  "_id": "65fabcd1234",
  "name": "ISKCON Bangalore",
  "gstn": "29ABCDE1234F1Z5",
  "address": {
    "line1": "Rajajinagar",
    "line2": "Near Orion Mall",
    "city": "Bangalore",
    "state": "Karnataka",
    "country": "India",
    "pinCode": "560010"
  },
  "logoFileId": "file123",
  "status": "DRAFT",
  "isDeleted": false,
  "createdAt": "2026-04-18T10:00:00Z",
  "updatedAt": "2026-04-18T10:05:00Z"
}
```

file_metadata collection

```
{
  "_id": "file123",
  "fileName": "temple-logo.png",
  "fileType": "image/png",
  "fileSize": 245678,
  "url": "https://cdn.domain.com/uploads/temple-logo.png",
  "uploadedBy": null,
  "createdAt": "2026-04-18T09:59:00Z"
}
```

audit_logs

```
{
  "entity": "temples",
  "entityId": "65fabcd1234",
  "action": "FETCH_TEMPLE_DETAILS",
}
```



```
"timestamp": "2026-04-18T13:10:00Z"
}
```

9. Notes (Optional)

- Add caching (Redis) for faster back navigation
- Add projection to fetch only required fields
- Consider encrypting templeId in frontend (security enhancement)

API 7– Back2 Button (Fetch President Details)

1. Endpoint

- **Method:** GET
- **URL:** /api/temple-registration/step2/{templeId}

2. Description

This API is triggered when the user clicks “Back” from Step 3 (Vice-President) to Step 2 (President Details).

- Fetches previously saved **President draft data**
- Populates all fields including:
 - Basic info
 - Contact details
 - Address
 - Uploaded files
- Ensures **data persistence across steps**

This aligns with navigation behavior defined in FSD

3. Request Payload (JSON)

```
GET /api/temple-registration/step2/65fab1234
```

4. Response Payload (JSON)

```
{
  "success": true,
  "data": {
    "templeId": "65fab1234",

    "fullName": "Ramesh Sharma",
    "dob": "1985-05-10",
    "gender": "MALE",

    "address": {
      "line1": "Rajajinagar",
      "line2": "Near Orion Mall",
      "city": "Bangalore",
      "state": "Karnataka",
      "country": "India",
      "pinCode": "560010"
    },

    "mobile": "9876543210",
    "email": "ramesh@gmail.com",

    "govtIdType": "PAN",
    "govtIdNumber": "ABCDE1234F",

    "photoFile": {
      "fileId": "file_photo_123",
      "url": "https://cdn.domain.com/president-photo.jpg"
    }
  },
}
```

```

"govtIdFile": {
  "fileId": "file_id_456",
  "url": "https://cdn.domain.com/id-proof.pdf"
},

"additionalInfo": {
  "alternatePhone": "9123456780",
  "occupation": "Business",
  "organizationName": "ISKCON Org",
  "yearsOfAssociation": 10
},

"isMobileVerified": true
}
}

```

5. Client-Side Validation:

On Back Button Click

- Call API with templeId
- Populate:
 - All input fields
 - File previews (photo + ID)
 - OTP verified state

UI Behavior

- Disable form until data loads
- Pre-select dropdowns:
 - Gender
 - Govt ID Type
 - State/Country

Edge Cases

- No president data → show empty form
- Partial data → populate available fields
- File missing → show placeholder

6. Server-Side Validation:

Validation

- Validate:
 - templeId exists
 - isDeleted = false

Business Rules

- Fetch only:
 - Draft president data
- Do NOT expose:
 - Internal flags
 - Sensitive system fields

Data Aggregation

- Fetch from:
 - temples.president
 - file_metadata (for file URLs)

Security

- Prevent unauthorized access:
 - Rate limit
 - Optional session binding

8. Mongo DB JSON Collection

temples collection

```
{
  "_id": "65fab1234",
  "status": "DRAFT",

  "president": {
    "fullName": "Ramesh Sharma",
    "dob": "1985-05-10",
    "gender": "MALE",

    "address": {
      "line1": "Rajajinagar",
      "line2": "Near Orion Mall",
      "city": "Bangalore",
      "state": "Karnataka",
      "country": "India",
      "pinCode": "560010"
    },

    "mobile": "9876543210",
    "email": "ramesh@gmail.com",

    "govtIdType": "PAN",
    "govtIdNumber": "ABCDE1234F",

    "photoFileId": "file_photo_123",
    "govtIdFileId": "file_id_456",

    "isMobileVerified": true
  }
}
```

file_metadata collection

```
{
  "_id": "file_photo_123",
  "fileName": "president-photo.jpg",
  "fileType": "image/jpeg",
  "fileSize": 345678,
  "url": "https://cdn.domain.com/president-photo.jpg"
}
```

audit_logs

```
{
  "entity": "temples",
  "entityId": "65fab1234",
  "action": "FETCH_PRESIDENT_DETAILS",
  "timestamp": "2026-04-18T13:20:00Z"
}
```

9. Notes (Optional)

- Use projection to avoid heavy payload
- Add caching for smoother UX
- Normalize email before returning

API 8– Back3 Button (Fetch Vice-President Details)

1. Endpoint

- **Method:** GET

- **URL:** /api/template-registration/step3/{templateId}

2. Description

This API is triggered when the user clicks “Back” from Step 4 (Review) to Step 3 (Vice-President Details).

- Fetches previously saved **Vice-President draft data**
- Populates all fields including:
 - Basic info
 - Contact details
 - Address
 - Uploaded files
- Maintains seamless **step navigation experience**

As defined in the multi-step UX flow in FSD

3. Request Payload (JSON)

GET /api/template-registration/step3/65fab1234

4. Response Payload (JSON)

```
{
  "success": true,
  "data": {
    "templateId": "65fab1234",

    "fullName": "Suresh Verma",
    "dob": "1988-08-15",
    "gender": "MALE",

    "address": {
      "line1": "BTM Layout",
      "line2": "Stage 2",
      "city": "Bangalore",
      "state": "Karnataka",
      "country": "India",
      "pinCode": "560076"
    },

    "mobile": "9123456789",
    "email": "suresh@gmail.com",

    "govtIdType": "AADHAAR",
    "govtIdNumber": "123456789012",

    "photoFile": {
      "fileId": "file_photo_789",
      "url": "https://cdn.domain.com/vp-photo.jpg"
    },

    "govtIdFile": {
      "fileId": "file_id_999",
      "url": "https://cdn.domain.com/vp-id.pdf"
    },

    "additionalInfo": {
      "alternatePhone": "9000000000",
      "occupation": "Teacher",
      "organizationName": "ISKCON Trust",
      "yearsOfAssociation": 8
    },

    "isMobileVerified": true
  }
}
```

```
}
```

5. Client-Side Validation:

On Back Button Click

- Call API using templeId
- Populate:
 - All fields
 - Dropdown selections
 - File previews

UI Behavior

- Disable form until data loads
- Maintain:
 - OTP verified state
 - Selected ID type

Edge Cases

- No VP data → show empty form
- Partial data → fill available fields
- Missing files → show placeholder UI

6. Server-Side Validation:

Validation

- Validate:
 - templeId is valid ObjectId
 - Exists in DB
 - isDeleted = false

Business Rules

- Fetch only draft VP data
- Do NOT expose:
 - Internal flags
 - Sensitive metadata

Data Aggregation

- Source:
 - temples.vicePresident
 - file_metadata for file URLs

Security

- Prevent data scraping:
 - Rate limiting
 - Optional session binding

8. Mongo DB JSON Collection

temples collection

```
{
  "_id": "65fab1234",
  "status": "DRAFT",

  "vicePresident": {
    "fullName": "Suresh Verma",
    "dob": "1988-08-15",
    "gender": "MALE",

    "address": {
      "line1": "BTM Layout",
      "line2": "Stage 2",
      "city": "Bangalore",
      "state": "Karnataka",
```

```
"country": "India",
"pinCode": "560076"
},

"mobile": "9123456789",
"email": "suresh@gmail.com",

"govtIdType": "AADHAAR",
"govtIdNumber": "123456789012",

"photoFileId": "file_photo_789",
"govtIdFileId": "file_id_999",

"isMobileVerified": true
}
}
```

file_metadata collection

```
{
  "_id": "file_photo_789",
  "fileName": "vp-photo.jpg",
  "fileType": "image/jpeg",
  "fileSize": 298765,
  "url": "https://cdn.domain.com/vp-photo.jpg"
}
```

audit_logs

```
{
  "entity": "temples",
  "entityId": "65fabcd1234",
  "action": "FETCH_VP_DETAILS",
  "timestamp": "2026-04-18T13:30:00Z"
}
```

9. Notes (Optional)

- Keep response lightweight (projection)
- Cache response for better UX
- Normalize email before returning

API 9- Mobile Number OTP Verification

1. Endpoint

- **Method:** POST
- **URL:** /api/auth/verify-otp

2. Description

This API verifies the **OTP entered for mobile number** during:

- **President registration (Step 2)**
- **Vice-President registration (Step 3)**

It ensures:

- Mobile number is **valid and verified**
- OTP is **correct, not expired, and unused**
- Enables user to proceed to next step

This is a **mandatory security step** per onboarding flow in FSD

3. Request Payload (JSON)

```
{
  "mobile": "9876543210",
  "otp": "456789",
  "type": "REGISTRATION"
}
```

4. Response Payload (JSON)

```
{
  "success": true,
  "message": "OTP verified successfully",
  "data": {
    "mobile": "9876543210",
    "isVerified": true
  }
}
```

✗ Failure Response Example

```
{
  "success": false,
  "message": "Invalid or expired OTP"
}
```

5. Client-Side Validation:

Fields

- Mobile:
 - Required
 - 10 digit numeric
- OTP:
 - Required
 - 4–6 digit numeric

UI Behavior

- “Send OTP” button → triggers OTP send API (not covered here)
- “Verify OTP” button:
 - Enabled only when OTP entered
 - Calls verify API
- On success:
 - Lock mobile field
 - Show ✓ Verified
 - Enable Next button

Edge Cases

- OTP expired → show resend option
- Multiple wrong attempts → block temporarily
- Changing mobile → reset verification

6. Server-Side Validation:

1. Basic Validation

- Validate mobile format
- Validate OTP format

2. OTP Lookup

Find record in otp_verifications:

```
{
  mobile: "9876543210",
  otp: "456789",
  isUsed: false
}
```

3. Validation Rules

- OTP must:
 - Exist
 - Match mobile
 - Not expired (expiresAt > now)
 - Not already used

4. Update OTP

- Mark as used:

isUsed = true

5. Security Rules

- Max attempts (e.g., 5 tries)
- Block brute-force attempts
- Rate limiting (per mobile/IP)

8. Mongo DB JSON Collection

otp_verifications collection (before verification)

```
{
  "_id": "otp123",
  "mobile": "9876543210",
  "otp": "456789",
  "expiresAt": "2026-04-18T13:40:00Z",
  "isUsed": false,
  "attempts": 0,
  "createdAt": "2026-04-18T13:35:00Z"
}
```

otp_verifications collection (after verification)

```
{
  "_id": "otp123",
  "mobile": "9876543210",
  "otp": "456789",
  "expiresAt": "2026-04-18T13:40:00Z",
  "isUsed": true,
  "verifiedAt": "2026-04-18T13:36:00Z"
}
```

audit_logs

```
{
  "entity": "otp_verifications",
  "entityId": "otp123",
  "action": "OTP_VERIFIED",
  "timestamp": "2026-04-18T13:36:01Z"
}
```

9. Notes (Optional)

- OTP expiry: **5 minutes recommended**
- Store OTP hashed (security best practice)
- Use Redis for faster OTP validation (optional)
- Add resend OTP cooldown (30–60 sec)

API 10– Google Email Id Validation

1. Endpoint

- **Method:** POST
- **URL:** /api/auth/validate-email

2. Description

This API validates the **Google Email ID** entered during:

- **President registration (Step 2)**
- **Vice-President registration (Step 3)**

It ensures:

- Email belongs to **Gmail domain only**
- Email is **unique across system**
- Email is **normalized and valid**

This is a **mandatory validation rule** as defined in FSD

3. Request Payload (JSON)

```
{
  "email": "ramesh@gmail.com",
  "context": "PRESIDENT"
}
```

4. Response Payload (JSON)

```
{
  "success": true,
  "message": "Email is valid",
  "data": {
    "email": "ramesh@gmail.com",
    "isValid": true,
    "isAvailable": true
  }
}
```

✗ Failure Response Examples

Invalid Domain

```
{
  "success": false,
  "message": "Only Gmail addresses are allowed"
}
```

Duplicate Email

```
{
  "success": false,
  "message": "Email already exists"
}
```

5. Client-Side Validation:

Field Rules

- Required
- Must match:

`^[a-zA-Z0-9._%+-]+@gmail\.com$`

UI Behavior

- Trigger validation:
 - On blur (recommended)
 - OR on clicking "Validate"
- Show:
 - ✓ Valid email
 - ✗ Error message
- Disable **Next button** if invalid

Edge Cases

- Uppercase email → convert to lowercase

- Extra spaces → trim
- Rapid typing → debounce API calls

6. Server-Side Validation:

1. Normalize Email

`email = email.trim().toLowerCase()`

2. Domain Validation

- Must end with:
@gmail.com

3. Format Validation

- Use regex

4. Uniqueness Check

Check in users collection:

`db.users.findOne({ email: email, isDeleted: false })`

5. Optional Cross Validation

- Prevent same email used for:
 - President
 - Vice-President (within same temple draft)

6. Security

- Rate limiting
- Prevent enumeration attacks

8. Mongo DB JSON Collection

users collection (existing user case)

```
{
  "_id": "user123",
  "email": "ramesh@gmail.com",
  "mobile": "9876543210",
  "isDeleted": false,
  "createdAt": "2026-04-10T10:00:00Z"
}
```

audit_logs

```
{
  "entity": "users",
  "action": "EMAIL_VALIDATION_CHECK",
  "timestamp": "2026-04-18T13:50:00Z"
}
```

9. Notes (Optional)

- Add index:
users.email (unique)
- Consider email verification (future enhancement)
- Add caching for repeated validation calls
- Avoid exposing whether email exists (security hardening option)

API 11– Upload Photo (President / Vice-President)

1. Endpoint

- **Method:** POST

- **URL:** /api/files/upload/photo

2. Description

This API handles **Photo Upload** for:

- President (Step 2)
- Vice-President (Step 3)

It:

- Uploads file to **storage (S3/local/CDN)**
- Stores **ONLY metadata in MongoDB (file_metadata)**
- Returns **fileId** to be used in subsequent APIs

This aligns with file handling rules defined in FSD

3. Request Payload (JSON)

Content-Type: multipart/form-data

Field Name	Type	Required	Description
file	File	☒	Image file
module	String	☒	"PRESIDENT" / "VICE_PRESIDENT"

Sample Request

file: president-photo.jpg
module: PRESIDENT

4. Response Payload (JSON)

```
{
  "success": true,
  "message": "File uploaded successfully",
  "data": {
    "fileId": "file_photo_123",
    "fileName": "president-photo.jpg",
    "fileUrl": "https://cdn.domain.com/uploads/president-photo.jpg"
  }
}
```

✗ Failure Response

```
{
  "success": false,
  "message": "Invalid file format or size exceeded"
}
```

5. Client-Side Validation:

File Rules

- Required
- Allowed formats:
 - jpg, jpeg, png, gif, pdf
- Max size: **5MB**

UI Behavior

- Show preview after upload
- Disable Next button until upload complete
- Show progress bar

Edge Cases

- Upload interrupted
- Invalid format
- File too large

- Retry upload option

6. Server-Side Validation:

1. File Validation

- MIME types:
 - image/jpeg
 - image/png
 - image/gif
 - application/pdf
- Max size: 5MB

2. Security

- Scan file (virus/malware)
- Rename file (UUID-based)

3. Storage

- Upload to:
 - AWS S3 / Cloud Storage / Local

4. Save Metadata

```
{
  fileName,
  fileType,
  fileSize,
  url,
  uploadedBy: null
}
```

5. Response

- Return fileId

8. Mongo DB JSON Collection

file_metadata collection

```
{
  "_id": "file_photo_123",
  "fileName": "president-photo.jpg",
  "fileType": "image/jpeg",
  "fileSize": 345678,
  "url": "https://cdn.domain.com/uploads/president-photo.jpg",
  "uploadedBy": null,
  "createdAt": "2026-04-18T14:00:00Z"
}
```

audit_logs

```
{
  "entity": "file_metadata",
  "entityId": "file_photo_123",
  "action": "UPLOAD_PHOTO",
  "timestamp": "2026-04-18T14:00:01Z"
}
```

9. Notes (Optional)

- Use CDN for fast delivery
- Enable image compression
- Store thumbnails (optional)
- Add cleanup job for unused files

API 12– Upload ID Card (President / Vice-President)

1. Endpoint

- **Method:** POST
- **URL:** /api/files/upload/id-card

2. Description

This API handles **Government ID Card Upload** for:

- President (Step 2)
- Vice-President (Step 3)

It:

- Uploads ID document (PAN / Aadhaar / Passport)
- Stores **ONLY metadata in file_metadata collection**
- Returns **fileId** for linking with user draft

This is a **mandatory upload step** as per FSD validation rules

3. Request Payload (JSON)

Content-Type: multipart/form-data

Field Name	Type	Required	Description
file	File	✓	ID document
idType	String	✓	PAN / AADHAAR / PASSPORT
module	String	✓	PRESIDENT / VICE_PRESIDENT

Sample Request

file: pan-card.pdf
idType: PAN
module: PRESIDENT

4. Response Payload (JSON)

```
{
  "success": true,
  "message": "ID card uploaded successfully",
  "data": {
    "fileId": "file_id_456",
    "fileName": "pan-card.pdf",
    "fileUrl": "https://cdn.domain.com/uploads/pan-card.pdf"
  }
}
```

✗ Failure Response

```
{
  "success": false,
  "message": "Invalid file format or file too large"
}
```

5. Client-Side Validation:

File Rules

- Required
- Allowed formats:
 - PDF, JPG, PNG
- Max size: **5MB**

ID Type Rules

- Must match selected ID type:

- PAN → PAN file
- Aadhaar → Aadhaar file
- Passport → Passport file

UI Behavior

- Show uploaded file preview (or filename)
- Allow re-upload
- Disable Next until upload complete

Edge Cases

- Wrong file uploaded for ID type
- File corrupted
- Upload interrupted

6. Server-Side Validation:

1. File Validation

- MIME types:
 - application/pdf
 - image/jpeg
 - image/png
- Max size: 5MB

2. ID Type Validation

- Validate:
 - idType ∈ [PAN, AADHAAR, PASSPORT]

3. Security

- Virus scan
- Rename file (UUID)

4. Storage

- Upload to S3/CDN/local storage

5. Metadata Save

```
{
  fileName,
  fileType,
  fileSize,
  url,
  uploadedBy: null
}
```

6. Integrity Check (Recommended)

- Optional OCR validation:
 - PAN format check from file
 - Aadhaar masking check

8. Mongo DB JSON Collection

file_metadata collection

```
{
  "_id": "file_id_456",
  "fileName": "pan-card.pdf",
  "fileType": "application/pdf",
  "fileSize": 456789,
  "url": "https://cdn.domain.com/uploads/pan-card.pdf",
  "uploadedBy": null,
  "createdAt": "2026-04-18T14:10:00Z"
}
```

audit_logs

```
{
  "entity": "file_metadata",
  "entityId": "file_id_456",
  "action": "UPLOAD_ID_CARD",
  "timestamp": "2026-04-18T14:10:01Z"
}
```

9. Notes (Optional)

- Store encrypted files (sensitive data)
- Restrict public access → use signed URLs
- Enable audit tracking for compliance
- Auto-delete unused files after X hours

API 13– upload Temple Logo

1. Endpoint

- **Method:** POST
- **URL:** /api/files/upload/temple-logo

2. Description

This API handles **Temple Logo Upload** during:

- **Step 1: Temple Basic Details**

It:

- Uploads logo file to **storage (S3/CDN/local)**
- Stores **ONLY metadata in file_metadata**
- Returns **fileId** to be saved in temple record (logoFileId)

This follows file handling guidelines in FSD

3. Request Payload (JSON)

Content-Type: multipart/form-data

Field	Name	Type	Required	Description
file		File	✗	Temple logo
module		String	✓	"TEMPLE"

Sample Request

file: temple-logo.png
module: TEMPLE

4. Response Payload (JSON)

```
{
  "success": true,
  "message": "Temple logo uploaded successfully",
  "data": {
    "fileId": "file_logo_789",
    "fileName": "temple-logo.png",
    "fileUrl": "https://cdn.domain.com/uploads/temple-logo.png"
  }
}
```

✗ Failure Response

```
{
  "success": false,
```

```
"message": "Invalid file format or size exceeded"
}
```

5. Client-Side Validation:

File Rules

- Optional field
- Allowed formats:
 - jpg, jpeg, png, gif, pdf
- Max size: **5MB**

UI Behavior

- Show logo preview after upload
- Allow re-upload/change logo
- If not uploaded → proceed allowed

Edge Cases

- Upload failure → retry
- Unsupported format
- File too large

6. Server-Side Validation:

1. File Validation

- MIME types:
 - image/jpeg
 - image/png
 - image/gif
 - application/pdf
- Max size: 5MB

2. Security

- Virus scan
- Rename file (UUID)

3. Storage

- Upload to:
 - S3 / CDN / local

4. Metadata Save

```
{
  fileName,
  fileType,
  fileSize,
  url,
  uploadedBy: null
}
```

8. Mongo DB JSON Collection

file_metadata collection

```
{
  "_id": "file_logo_789",
  "fileName": "temple-logo.png",
  "fileType": "image/png",
  "fileSize": 223456,
  "url": "https://cdn.domain.com/uploads/temple-logo.png",
  "uploadedBy": null,
  "createdAt": "2026-04-18T14:20:00Z"
}
```


temples collection (reference usage)

```
{
  "_id": "65fab1234",
  "name": "ISKCON Bangalore",
  "logoFileId": "file_logo_789"
}
```

audit_logs

```
{
  "entity": "file_metadata",
  "entityId": "file_logo_789",
  "action": "UPLOAD_TEMPLE_LOGO",
  "timestamp": "2026-04-18T14:20:01Z"
}
```

9. Notes (Optional)

- Use image compression for performance
- Generate thumbnails (optional)
- Use CDN caching
- Cleanup unused logos periodically

