



SHANGHAI JILONG PLASTIC PRODUCTS CO.,LTD.
No.460 Lanxue Road, Huanglou,
Pudong Area, Shanghai, 201205, P.R.China
Tel: +86-21-58942200 Fax: +86-21-58940305/58940434
E-mail: info@jilong.com Web: www.jilong.com

© 2014 Shanghai Jilong Plastic Products Co., Ltd. All rights reserved. Printed in China.



Visit Our Website
Scan this QR code with
your smartphone to get
more information from
our website.
www.jilong.com



Pool 2015



Company Mission

During the past 20 Years more than..

1,000,000 Jilong Watercrafts


10,000,000 Jilong Pools

100,000,000 Jilong Air Beds

and **1,000,000,000** items of Jilong Fun Gear

... have been brought to gardens, houses, swimming pools, beaches, lakes and rivers in more than 50 countries around the globe, helping people to relax, to have fun - to simply have a Great Time!

Jilong – Pump up Possibilities.



Company Profile

Shanghai Jilong Plastic Products Co., Ltd. is an export orientated manufacturer of plastic leisure products with a considerable experience in R&D, high quality manufacturing and world-wide sales. Every year JILONG products reach customers in more than 50 countries in Europe, North America, Australia and Asia.

JILONG factory is equipped with its own R&D centre, where a highly professional team collaborates with foreign designers to develop new products and packages. Various technical parameters of each new product have been tested and verified by internal professional lab, such as ITS, TUV and SGS.

JILONG offers excellent quality, competitive price, OEM manufacturing, low minimum order quantities, timely delivery, product warranty and after sales service in Europe and North America. Join us in our effort to make life more fun!



PRODUCTION CAPACITY



Warehouse



Calender Machine for PVC Sheet Production



Flock Workshop



6 - Color Roller Printing Machine

Safety & Quality



Jilong products conform to all relevant safety & quality regulations and standards as below:

- REGULATION (EC) No 1907/2006 "concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)"
- DIRECTIVE 2011/65/EU "on the restriction of the use of certain hazardous substances in electrical and electronic equipment(ROHS)"
- DIRECTIVE 2012/19/EU "on waste electrical and electronic equipment (WEEE)"
- DIRECTIVE 89/686/EEC "the personal protective equipment directive"
- CPSIA "Consumer Product Safety Improvement Act of 2008"(USA regulation of consumer and children's products)
- EN16051-1 "Inflation devices and accessories for inflatable consumer products"(European standard for air valve)
- EN60335-2-41 "Safety of household and similar electrical appliances,particular requirements for pump"(European standard for water pump)
- EN71 "Safety of toys"(European standard)
- NF P90-303 Small swimming pools-Safety requirements and test methods
- NF P90-316 Domestic swimming pools for family use-Kit form swimming pools-General safety requirements and test methods
- NF P90-317 Domestic swimming pools for family use-Means of access-General safety requirements and test methods
- NF P90-318 Domestic swimming pools for family use-Filtration group and/or filtration systems Safety and performance requirements
- NF P90-319 Domestic swimming pools-Filtration groups and systems-Test method for evaluating the filtration efficiency, the retention capacity and the mechanical resistance
- ASTM F2666-2007 Standard Specification for Aboveground Portable Pools for Residential Use
- ANSI APSP-4 2007 American National Standard for Aboveground/Onground Residential Swimming Pools
- Safety Standard 2012 This standard sets out mandatory labeling requirements for portable swimming pools and the packaging of portable swimming pools

Quality Assurance



Simulate transportation test



Antirust testing



High temperature and moisture test



Tensile strength testing

Marketing & Sales

Supporting our global partners is a key priority to Jilong. Based on more than 20 years of experience in the inflatables industry, We are constantly advancing our packaging, point-of-sales systems, product manuals and other marketing and sales tools to draw in consumers from around the world, regardless of whether they are standing in a department store, a DIY shop, a sports equipment store, or just their favorite mom-and-pop shop by the beach.



Display



Brochure & Poster




Advertisement



Exhibition



Video/Youtube



After Sales Service



Find Your Way Through the Catalogue

If you would like to know which accessories come with a pool:

Refer to the tick "✓" in table, which means the item comes with the pool, if you would like to see more Standard Accessories or detailed specifications, please refer to the Standard Accessories section. “-” in table means that the Upgrade Accessories are available but need to be purchased as a stand-alone item.

If you are interested in our Pool Pieces there is no regional requirement. If you are interested in our Pools with Pumps, please find the pool set specification designated for your country or region (if your region is not covered in the catalogue, you can refer to the related regional Voltage / Safety Regulations).

Region	Voltage	Approved
 Canada	110-120v	CE/UL
 America	110-120v W/GFCI	CE/UL
 France	220-240v	CE
 Germany	12v	GS
 Europe Excluding France, Germany and Dutch	220-240v	CE

Additional Product Series

Jilong Stand Up Paddle Board Series



The Jilong folding “SUP” product line offer a wide range of inflatable Boards to all ages skill levels for fun, exercising, friendly racing.

Jilong Z-RAY boat Series




The Jilong ‘Watercraft’ product line offers professional-grade inflatable boats, paddle boards and related accessories designed for water sports and recreational activities such as fishing, kayaking, canoeing and racing.

Jilong Pool Series



The Jilong ‘Pool’ product line offers an extensive range of both stand-alone pools, as well complete pool systems that meet everyone’s needs and turn the summer into a great time for families and friends.

Jilong Fun Gear Series




The Jilong ‘Fun Gear’ product line offers a wide range of inflatable toys kids love to play with, whether at the beach, the pool or anywhere by the water.

Avenli SPA Series



The Avenli product line offer a wide range of folding SPA and accessories to bring an new wellness experience to consumers to enhance the well-being of both body and soul.

Jilong Air Bed Series



The Jilong ‘Air Bed’ product line offers a variety of comfortable, robust and easy-to-use inflatable beds, mattresses and resting chairs, created for indoor use to make guests feel at home, as well as outdoor use to enjoy on camping trips or picnics.

Table of Content

Kids Pools

- Figure Animal Pool (P8-9)
- Kids Pool (P10)
- Kids Frame Pool (P11)
- See-thru Pool (P12-13)

Marin Pools (Prompt Set Pools)

- Marin Grey (P16-19)
- Marin Blue (P20-29)

Chinook Pools (Oval Steel Frame Pools)

- Chinook Grey (P32-35)

Sirocco Pools (Round Steel Frame Pools)

- Sirocco Wooden (P36-39)
- Sirocco Blue (P40-43)

Passaat Pools

(Rectangular Steel Frame Pools)

- Passaat Grey (P44-49)
- Passaat Blue (P50-51)

Accessories

- Cleaning kit (P52)
- Maintenance kit (P53-56)
- Ladders (P56-57)
- Pool cover & ground cloth (P58-59)
- Filter pump & Sand pump (P60-61)



**KIDS POOL
CAN BE SO CUTE!**



Figure Animal Pool

Age 3+

- 175x62cm (69"x 24.5")
- Water Capacity(80%): 302GAL.1143L
- Lovely figure animal shape
- PVC Inflatable top ring
- Heavy gauge 3-layer laminated PVC wall
- Easy set up and convenient storage
- Repair Patch, Color box
- 0.013cbm/1pcs/ctn

New Product

10 Mins

Heavy Gauge PVC
Polyester Mesh

Heavy Gauge PVC
Polyester Mesh

PDQ

Item Number	PDQ Pack
JL290640N (Asst.)	0.515cbm/27pcs
Container Laoding	Weight
54 PDQ/20' 114 PDO/40'	95kg/PDQ



JL017399NPF



JL017398NPF



JL017397NPF

Kids Pool

Age 3+

JL017231NPF

5'x 15" (150x38cm)

Water Capacity(80%): 114GAL.430L

Inflatable top ring support the liner

Heavy gauge 3-layer laminated PVC walls provide lasting durability


Easy setup and convenient storage

2 colors assorted

Repair kit,Color box

Case pack: 45x38.5x29cm/0.050cbm/6pcs


Total weight: 11.6 kg (25.6 lb)



Safer: A 3-layer laminated material of a polyester mesh with heavy gauge PVC at each side is used to form a strong and super-durable wall for the pool.



2 COLOR IS OPTIONAL



Kids Frame Pool

Age 3+

JL017256NPFV01

48"x 48"x13" (122x122x33cm)

Water Capacity(90%): 105GAL.399L

Case pack: 32.5x15x120.5cm/0.059cbm/3pcs

Total weight: 9.5 kg (21 lb)

JL017257NPFV01

60"x 60"x13" (152x152x33cm)

Water Capacity(90%): 167GAL.633L

Case pack: 38.5x20x76.5cm/0.059cbm/3pcs

Total weight: 13.5 kg (29.7 lb)

Easy set up

Polyester 3-layer side wall, heavy-duty PVC bottom

Steel frame with plastic corner joint

2 color (blue, green)

Repair kit,Color box



Hexagon Frame Pool

New Product

Age 3+

JL017400NPFV01

7'x 15" (215x45cm)

Water Capacity(90%): 343GAL.1300L

Case pack: 19x13x107cm/0.027cbm/1pc

Total weight: 6.4 kg (14.1 lb)



JL017270N

8'x 20" (240x51cm)

Water Capacity(90%): 428GAL.1617L

Case pack: 21.5x14.5x118cm/0.037cbm/1pc

Total weight: 10 kg (22 lb)

Easy set up

Polyester 3-layer side wall, heavy-duty PVC bottom

Drain valve and filter connector on the wall (JL017400NPF without filter connector)

Sun shade optional

Repair kit,Color box

JL017202N

8'x 20" (240x51cm)

Water Capacity(90%): 428GAL.1617L


Case pack: 27x15.5x113cm/0.047cbm/1st

Total weight: 10 kg (22 lb)

See-thru Kids Pool

Age 3+

- Heavy gauge 3-layer laminated PVC walls provide lasting durability
- Easy setup and convenient storage
- Inflatable top ring support the liner
- See-thru Sidewall, Great Design!
- Repair Kit , Color box



Safer: A 3-layer laminated material of a polyester mesh with heavy gauge PVC at each side is used to form a strong and super-durable wall for the pool.




Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Case pack dimensions:cm	Total weight:k-g(lb)	ITEM No.
Global	6 ' x 20 " (183x50cm)	210 (790)	—	—	52x39x33 0.067cbm/4PCs	12.6 (27.7)	JL017453N
Global	8 ' x 25 " (240x63cm)	548 (2074)	—	—	26x24x35 0.022cbm/1PC	5.1 (11.2)	JL017240N
(Excluding France and Germany) 220-240V	8 ' x 25 " (240x63cm)	548 (2074)	300(1136)	①	35x26x48 0.044cbm/1ST	6.8 (15)	JL017240NG
220-240V	8 ' x 25 " (240x63cm)	548 (2074)	530(2006)	②	35x26x48 0.044cbm/1ST	6.8 (15)	JL017240NF
12V	8 ' x 25 " (240x63cm)	548 (2074)	300(1136)	①	35x26x48 0.044cbm/1ST	6.8 (15)	JL017240ND
110-120V W/GFCI	8 ' x 25 " (240x63cm)	548 (2074)	300(1136)	①	35x26x48 0.044cbm/1ST	6.8 (15)	JL017240NN
110-120V	8 ' x 25 " (240x63cm)	548 (2074)	300(1136)	①	35x26x48 0.044cbm/1ST	6.8 (15)	JL017240NC



MARIN PROMPT SET POOLS




Heavy Gauge
PVC

Polyester Mesh

Safer: A 3-layer laminated material of a polyester mesh with heavy gauge PVC at each side is used to form a strong and super-durable wall for the pool.

Prompt Set Pool is a "self-supporting" swimming pool - just inflate the top. The pool assembly is as easy as ABC. The pool can be ready to fill water in within 10-30 minutes. It is easy to disassemble and compact to store during winter season. It is not a dream to make a full use of your backyard space in different seasons. As a professional pool manufacturer JILONG offers various sizes of Prompt Set Pools, ranging from 8' to 18', to satisfy different customers' demands. Wide choice of optional accessories allows you to assemble your perfect set and makes your pool buying decision easy.



Marin Grey Prompt Set Pools

10 Mins



White Carton
Master Carton



Instruction
Manual



Repair Kit

New Product



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
(Excluding France and Germany) 220-240V	10 ' x 30 " (300x76cm)	956 (3618)	300(1136)	①	35x26x58 0.053cbm/1ST	9.3 (20.5)	JL017446NG
	12 ' x 33 " (360x83cm)	1610 (6094)			38x32x73 0.089cbm/1ST	14.5 (32)	JL017447NG
220-240V	10 ' x 30 " (300x76cm)	956 (3618)	530(2006)	②	35x26x58 0.053cbm/1ST	9.3 (20.5)	JL017446NF
	12 ' x 33 " (360x83cm)	1610 (6094)			38x32x73 0.089cbm/1ST	14.5 (32)	JL017447NF
12V	10 ' x 30 " (300x76cm)	956 (3618)	300(1136)	①	35x26x58 0.053cbm/1ST	9.3 (20.5)	JL017446ND
	12 ' x 33 " (360x83cm)	1610 (6094)			38x32x73 0.089cbm/1ST	14.5 (32)	JL017447ND
110-120V W/GFCI	10 ' x 30 " (300x76cm)	956 (3618)	300(1136)	①	35x26x58 0.053cbm/1ST	9.3 (20.5)	JL017446NN
	12 ' x 33 " (360x83cm)	1610 (6094)			38x32x73 0.089cbm/1ST	14.5 (32)	JL017447NN
110-120V	10 ' x 30 " (300x76cm)	956 (3618)	300(1136)	①	35x26x58 0.053cbm/1ST	9.3 (20.5)	JL017446NC
	12 ' x 33 " (360x83cm)	1610 (6094)			38x32x73 0.089cbm/1ST	14.5 (32)	JL017447NC

Optional Accessories



JL290460N
P52



JL290463N
P52



JL290484N
P52



JL290471N
P55



JL290468N
P55



JL290495N
P61

Marin Grey Prompt Set Pools

15 Mins



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	SAND PUMP: Gal/hr(L/hr)	Cover+Ground-cloth+Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
(Excluding France and Germany) 220-240V	15' x 42" (450x106cm)	3070 (11621)	530(2006)	②	-	√	59.5x41.5x76 0.188cbm/1ST	40 (88.2)	JL017448NG
			-	-	600(2271)		48.5x44x103 0.22cbm/1ST	40 (88.2)	JL017448-1NG
220-240V	15' x 42" (450x106cm)	3070 (11621)	530(2006)	②	-	√	47.5x47.5x93 0.21cbm/1ST	41.5 (91.5)	JL017448NF
			-	-	600(2271)		48.5x44x113 0.241cbm/1ST	41 (90.5)	JL017448-1NF
12V	15' x 42" (450x106cm)	3070 (11621)	530(2006)	②	-	√	59.5x41.5x76 0.188cbm/1ST	40 (88.2)	JL017448ND
			-	-	600(2271)		48.5x44x103 0.22cbm/1ST	40 (88.2)	JL017448-1ND
110-120V W/GFCI	15' x 42" (450x106cm)	3070 (11621)	530(2006)	②	-	√	59.5x41.5x76 0.188cbm/1ST	40 (88.2)	JL017448NN
			-	-	600(2271)		48.5x44x103 0.22cbm/1ST	40 (88.2)	JL017448-1NN
110-120V	15' x 42" (450x106cm)	3070 (11621)	530(2006)	②	-	√	59.5x41.5x76 0.188cbm/1ST	40 (88.2)	JL017448NC
			-	-	600(2271)		48.5x44x103 0.22cbm/1ST	40 (88.2)	JL017448-1NC

Optional Accessories



Marin Blue Prompt Set Pools

**10
Mins**



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Case pack di-mensions:cm	Total weight: kg(lb)	ITEM No.
Global	8 ' x 25 " (240x63cm)	548 (2074)	-	-	26x24x35 0.022cbm/1PC	5.1 (11.2)	JL010201N
	10 ' x 30 " (300x76cm)	956 (3618)	-	-	34x25x36 0.031cbm/1PC	7.5 (16.5)	JL010202N
(Excluding France and Germany) 220-240V	8 ' x 25 " (240x63cm)	548 (2074)	300(1136)	①	35x26x48 0.044cbm/1ST	6.8 (15)	JL010201NG
	10 ' x 30 " (300x76cm)	956 (3618)			35x26x58 0.053CBM/1ST	9.3 (20.5)	JL010202NG
220-240V	8 ' x 25 " (240x63cm)	548 (2074)	530(2006)	②	35x26x48 0.044cbm/1ST	8 (17.6)	JL010201NF
	10 ' x 30 " (300x76cm)	956 (3618)			35x26x58 0.053CBM/1ST	10.5 (23.1)	JL010202NF
12V	8 ' x 25 " (240x63cm)	548 (2074)	300(1136)	①	35x26x48 0.044cbm/1ST	8 (17.6)	JL010201ND
	10 ' x 30 " (300x76cm)	956 (3618)			35x26x58 0.053CBM/1ST	10.5 (23.1)	JL010202ND
110-120V W/GFCI	8 ' x 25 " (240x63cm)	548 (2074)	300(1136)	①	35x26x48 0.044cbm/1ST	8 (17.6)	JL010201NN
	10 ' x 30 " (300x76cm)	956 (3618)			35x26x58 0.053CBM/1ST	10.5 (23.1)	JL010202NN
110-120V	8 ' x 25 " (240x63cm)	548 (2074)	300(1136)	①	35x26x48 0.044cbm/1ST	8 (17.6)	JL010201NC
	10 ' x 30 " (300x76cm)	956 (3618)			35x26x58 0.053CBM/1ST	10.5 (23.1)	JL010202NC

Optional Accessories



Marin Blue Prompt Set Pools

10 Mins



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
Global	12 ' x 30 " (360x76cm)	1421 (5377)	-	-	35x30x38 0.04cbm/1PC	11 (24.3)	JL010203N
	12 ' x 36 " (360x90cm)	1758 (6654)	-	-	35x32x39 0.044cbm/1PC	12 (26.5)	JL010204N
(Excluding France and Germany) 220-240V	12 ' x 30 " (360x76cm)	1421 (5377)	300(1136)	①	35x30x62 0.065cbm/1ST	12.3 (27.1)	JL010203NG
	12 ' x 36 " (360x90cm)	1758 (6654)			35x32x64 0.071cbm/1ST	13.5 (29.8)	JL010204NG
220-240V	12 ' x 30 " (360x76cm)	1421 (5377)	530(2006)	②	35x30x62 0.065cbm/1ST	14 (30.9)	JL010203NF
	12 ' x 36 " (360x90cm)	1758 (6654)			35x32x64 0.071cbm/1ST	16 (35.3)	JL010204NF
12V	12 ' x 30 " (360x76cm)	1421 (5377)	300(1136)	①	35x30x62 0.065cbm/1ST	18 (39.7)	JL010203ND
	12 ' x 36 " (360x90cm)	1758 (6654)			35x32x64 0.071cbm/1ST	20 (44.1)	JL010204ND
110-120V W/GFCI	12 ' x 30 " (360x76cm)	1421 (5377)	300(1136)	①	35x30x62 0.065cbm/1ST	14 (30.9)	JL010203NN
	12 ' x 36 " (360x90cm)	1758 (6654)			35x32x64 0.071cbm/1ST	15 (33.1)	JL010204NN
110-120V	12 ' x 30 " (360x76cm)	1421 (5377)	300(1136)	①	35x30x62 0.065cbm/1ST	14 (30.9)	JL010203NC
	12 ' x 36 " (360x90cm)	1758 (6654)			35x32x64 0.071cbm/1ST	15 (33.1)	JL010204NC

Optional Accessories



Marin Blue Prompt Set Pools


15 Mins



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Cover+Ground-cloth+Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
Global	14 ' x 36 " (420x90cm)	2309 (8740)	-	-	-	40x40x45 0.072cbm/1PC	17.5 (38.6)	JL010207N
	15 ' x 36 " (450x90cm)	2688 (10175)	-	-	-	47.5x41.5x47 0.093cbm/1PC	21.5 (47.4)	JL010208N
(Excluding France and Germany) 220-240V	14 ' x 36 " (420x90cm)	2309 (8740)	530(2006)	②	-	40x40x70 0.112cbm/1ST	18.6 (41)	JL010207NG
	15 ' x 36 " (450x90cm)	2688 (10175)			✓	59.5x41.5x76 0.188cbm/1ST	35 (772)	JL010208NG
220-240V	14 ' x 36 " (420x90cm)	2309 (8740)	530(2006)	②	-	40x40x70 0.112cbm/1ST	19 (41.9)	JL010207NF
	15 ' x 36 " (450x90cm)	2688 (10175)			✓	47.5x47.5x93 0.21cbm/1ST	35 (77.2)	JL010208NF
12V	14 ' x 36 " (420x90cm)	2309 (8740)	530(2006)	②	-	40x40x70 0.112cbm/1ST	18.6 (41)	JL010207ND
	15 ' x 36 " (450x90cm)	2688 (10175)			✓	59.5x41.5x76 0.188cbm/1ST	42 (92.6)	JL010208ND
110-120V W/GFCI	14 ' x 36 " (420x90cm)	2309 (8740)	530(2006)	③	-	40x40x70 0.112cbm/1ST	18.6 (41)	JL010207NN
	15 ' x 36 " (450x90cm)	2688 (10175)			✓	59.5x41.5x76 0.188cbm/1ST	35 (77.2)	JL010208NN
110-120V	14 ' x 36 " (420x90cm)	2309 (8740)	530(2006)	③	-	40x40x70 0.112cbm/1ST	18.6 (41)	JL010207NC
	15 ' x 36 " (450x90cm)	2688 (10175)			✓	59.5x41.5x76 0.188cbm/1ST	35 (77.2)	JL010208NC

Optional Accessories



Marin Blue Prompt Set Pools


30 Mins



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Cover+Ground-cloth+Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
Global	15 ' x 42 " (450x106cm)	3070 (11621)	-	-	-	46.5x41.5x50 0.097cbm/1PC	23 (50.7)	JL010217N
(Excluding France and Germany) 220-240V	15 ' x 42 " (450x106cm)	3070 (11621)	530(2006)	②	✓	59.5x41.5x76 0.188cbm/1ST	40 (88.2)	JL010217NG
	15 ' x 48 " (450x122cm)	3512 (13293)	800(3028)			55.5x48x99 0.264cbm/1ST	55 (121.3)	JL017130NG
220-240V	15 ' x 42 " (450x106cm)	3070 (11621)	530(2006)	②	✓	47.5x47.5x93 0.21cbm/1ST	41.5 (91.5)	JL010217NF
	15 ' x 48 " (450x122cm)	3512 (13293)	800(3028)			55.5x48x99 0.264cbm/1ST	53.2 (117.3)	JL017130NF
12V	15 ' x 42 " (450x106cm)	3070 (11621)	530(2006)	②	✓	59.5x41.5x76 0.188cbm/1ST	40 (88.2)	JL010217ND
	15 ' x 48 " (450x122cm)	3512 (13293)	800(3028)			55.5x48x99 0.264cbm/1ST	42 (92.6)	JL017130ND
110-120V W/GFCI	15 ' x 42 " (450x106cm)	3070 (11621)	530(2006)	③	✓	59.5x41.5x76 0.188cbm/1ST	40 (88.2)	JL010217NN
	15 ' x 48 " (450x122cm)	3512 (13293)	800(3028)			55.5x48x99 0.264cbm/1ST	55 (121.3)	JL017130NN
110-120V	15 ' x 42 " (450x106cm)	3070 (11621)	530(2006)	③	✓	59.5x41.5x76 0.188cbm/1ST	40 (88.2)	JL010217NC
	15 ' x 48 " (450x122cm)	3512 (13293)	800(3028)			55.5x48x99 0.264cbm/1ST	55 (121.3)	JL017130NC

Optional Accessories



Marin Blue Prompt Set Pools

30 Mins



Specification (Global):




Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Cover+Ground-cloth+Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
(Excluding France and Germany) 220-240V	18 ' x 48 " (540x122cm)	5473 (20717)	1000(3785)	③	✓	61.5x51.5x99 0.314cbm/1ST	54.5 (120.2)	JL016085NG
220-240V	18 ' x 48 " (540x122cm)	5473 (20717)	1000(3785)	③	✓	61.5x51.5x99 0.314cbm/1ST	55.7 (122.8)	JL016085NF
12V	18 ' x 48 " (540x122cm)	5473 (20717)	1000(3785)	③	✓	61.5x51.5x99 0.314cbm/1ST	54.5 (120.2)	JL016085ND
110-120V W/GFCI	18 ' x 48 " (540x122cm)	5473 (20717)	1000(3785)	③	✓	61.5x51.5x99 0.314cbm/1ST	54.5 (120.2)	JL016085NN
110-120V	18 ' x 48 " (540x122cm)	5473 (20717)	1000(3785)	③	✓	61.5x51.5x99 0.314cbm/1ST	54.5 (120.2)	JL016085NC

Optional Accessories





SIROCCO STEEL FRAME POOLS




 Safer: A 3-layer laminated material of a polyester mesh with heavy gauge PVC at each side is used to form a strong and super-durable wall for the pool.

Oval metal frame pool provides swimming enjoyment for the whole family and friends. Quick assembly structure ensures easy pool installation. Oval shape fits narrow backyards perfectly. Various pool accessories included in certain models.

Modern and high quality Round Metal Frame Pool is a great family above-ground pool, distinguishing itself with a strong non-rusting steel frame and a durable liner. Easy to install, this pool realizes your dreams to have relaxed summer holidays with your family right in your backyard.

Rectangular Metal Frame Pool uses space more efficiently and fits narrow backyards. It allows you to enjoy a longer swimming distance, so you can race with your friends and enjoy hours of water fun. Various optional accessories available to meet requirements of different countries.



Chinook Grey Oval Steel Frame Pools

45 Mins



White Carton
Master Carton



Instruction
Manual




Repair Kit



DVD
Included

New
Product



Specification (Global):



Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	SAND PUMP:- Gal/hr(L/hr)	Cover+Ground- cloth+Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
Global	18 ' x 10 ' x 42 " (540x304x106cm)	2876 (10886)	-	-	-	-	60.5x23.5x125 0.178cbm/1PC	40.6 (89.5)	JL017449N
(Excluding France and Germany) 220-240V	18 ' x 10 ' x 42 " (540x304x106cm)	2876 (10886)	800(3028)	②	-	✓	64.5x33.5x126 0.273cbm/1ST	54.7 (120.6)	JL017449NG
220-240V	18 ' x 10 ' x 42 " (540x304x106cm)	2876 (10886)	800(3028)	②	-	✓	64.5x33.5x135 0.292cbm/1ST	58.8 (129.6)	JL017449-1NG
12V	18 ' x 10 ' x 42 " (540x304x106cm)	2876 (10886)	800(3028)	③	-	✓	64.5x33.5x126 0.273cbm/1ST	54.7 (120.6)	JL017449ND
110-120V W/GFCI	18 ' x 10 ' x 42 " (540x304x106cm)	2876 (10886)	800(3028)	③	-	✓	64.5x33.5x135 0.292cbm/1ST	58.8 (129.6)	JL017449-1NN
110-120V	18 ' x 10 ' x 42 " (540x304x106cm)	2876 (10886)	800(3028)	③	-	✓	64.5x33.5x126 0.273cbm/1ST	54.7 (120.6)	JL017449NC
			-	-	600(2271)	✓	64.5x33.5x135 0.292cbm/1ST	58.8 (129.6)	JL017449-1NC

Optional Accessories



JL290460N
P52



JL290637N
P52



JL290485N
P52



JL290471N
P55



JL290467N
P55



JL290495N
P61

Chinook Grey Oval Steel Frame Pools

45 Mins



White Carton
Master Carton



Instruction
Manual



Repair Kit



DVD
Included



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	SAND PUMP:- Gal/hr(L/hr)	Cover+Ground-cloth+Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
(Excluding France and Germany) 220-240V	20 ' x 12 ' x 48 " (610x360x122cm)	4372 (16548)	800(3028)	②	-	√	64.5x52.5x116 0.393cbm/1ST	80 (176)	JL017023NG
	20 ' x 12 ' x 48 " (610x360x122cm)	4372 (16548)	-	-	800(3028)		52.5x40.5x116 0.247cbm/ctn1 52x48x99 0.247cbm/ctn2	878 (193.6)	JL017023-1NG
	24 ' x 12 ' x 48 " (732x360x122cm)	5582 (21120)	1500(5678)	③	-		69.5x52.5x116 0.423cbm/1ST	93 (205)	JL017024NG
220-240V	20 ' x 12 ' x 48 " (610x360x122cm)	4372 (16548)	800(3028)	②	-	√	64.5x52.5x116 0.393cbm/1ST	80 (176)	JL017023NF
	20 ' x 12 ' x 48 " (610x360x122cm)		-	-	800(3028)		52.5x40.5x116 0.247cbm/ctn1 50.5x46.5x91 0.214cbm/ctn2	879 (193.8)	JL017023-1NF
12V	20 ' x 12 ' x 48 " (610x360x122cm)	4372 (16548)	800(3028)	③	-	√	64.5x52.5x116 0.393cbm/1ST	80 (176)	JL017023ND
110-120V W/GFCI	20 ' x 12 ' x 48 " (610x360x122cm)	4372 (16548)	800(3028)	③	-	√	64.5x52.5x116 0.393cbm/1ST	80 (176)	JL017023NN
110-120V	20 ' x 12 ' x 48 " (610x360x122cm)	4372 (16548)	800(3028)	③	-	√	64.5x52.5x116 0.393cbm/1ST	80 (176)	JL017023NC

Optional Accessories



JL290460N
P52



JL290637N
P52



JL290485N
P52



JL290471N
P55



JL290467N
P55



JL290495N
P61

Sirocco Wooden Round Steel Frame Pools

30 Mins



White Carton
Master Carton



Instruction
Manual



Repair Kit

New Product



Specification (Global):



Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	SAND PUMP:- Gal/hr(L/hr)	Cover	Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
(Excluding France and Germany) 220-240V	10 ' x 30 " (300x76cm)	1158 (4383)	300(1136)	①	-	√	-	36.5x27.5x124 0.125cbm/1ST	21 (46.3)	JL017452NG
	12 ' x 39 " (360x99cm)	1991 (7526)	300(1136)	①	-	√	√	46.5x42x102 0.2cbm/1ST	42.12 (92.9)	JL017261NG
	12 ' x 39 " (360x99cm)	1991 (7526)	-	-	600(2271)	√	√	55x44x104 0.252cbm/1ST	47.6 (104.9)	JL017261-1NG
220-240V	10 ' x 30 " (300x76cm)	1158 (4383)	530(2006)	②	-	√	-	36.5x27.5x124 0.125cbm/1ST	21 (46.3)	JL017452NF
	12 ' x 39 " (360x99cm)	1991 (7526)	530(2006)	②	-	√	√	46.5x42x102 0.2cbm/1ST	42.12 (92.9)	JL017261NF
	12 ' x 39 " (360x99cm)	1991 (7526)	-	-	600(2271)	√	√	55x44x104 0.252cbm/1ST	48 (105.8)	JL017261-1NF
12V	10 ' x 30 " (300x76cm)	1158 (4383)	300(1136)	①	-	√	-	36.5x27.5x124 0.125cbm/1ST	21 (46.3)	JL017452ND
	12 ' x 39 " (360x99cm)	1991 (7526)	300(1136)	①	-	√	√	46.5x42x102 0.2cbm/1ST	42.12 (92.9)	JL017261ND
	12 ' x 39 " (360x99cm)	1991 (7526)	-	-	600(2271)	√	√	55x44x104 0.252cbm/1ST	47.6 (104.9)	JL017261-1ND
110-120V W/GFCI	10 ' x 30 " (300x76cm)	1158 (4383)	300(1136)	①	-	√	-	36.5x27.5x124 0.125cbm/1ST	21 (46.3)	JL017452NN
	12 ' x 39 " (360x99cm)	1991 (7526)	300(1136)	①	-	√	√	46.5x42x102 0.2cbm/1ST	42.12 (92.9)	JL017261NN
	12 ' x 39 " (360x99cm)	1991 (7526)	-	-	600(2271)	√	√	55x44x104 0.252cbm/1ST	47.6 (104.9)	JL017261-1NN
110-120V	10 ' x 30 " (300x76cm)	1158 (4383)	300(1136)	①	-	√	-	36.5x27.5x124 0.125cbm/1ST	21 (46.3)	JL017452NC
	12 ' x 39 " (360x99cm)	1991 (7526)	300(1136)	①	-	√	√	46.5x42x102 0.2cbm/1ST	42.12 (92.9)	JL017261NC
	12 ' x 39 " (360x99cm)	1991 (7526)	-	-	600(2271)	√	√	55x44x104 0.252cbm/1ST	47.6 (104.9)	JL017261-1NC

Optional Accessories



Sirocco Wooden Round Steel Frame Pools

45 Mins



White Carton
Master Carton



Instruction
Manual



Maintenance Kit
Repair Kit



DVD
Included



Specification (Global):



Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	SAND PUMP:- Gal/hr(L/hr)	Cover+Ground-cloth+Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
(Excluding France and Germany) 220-240V	15 ' x 42 " (450x106cm)	3636 (13745)	530(2006)	②	-	√	49.5x49.5x110 0.27cbm/1ST	60 (132.3)	JL017262NG
	18 ' x 48 " (540x122cm)		-	-	600(2271)	√	54.5x49.5x113 0.305cbm/1ST	63.2 (139.3)	JL017262-1NG
	15 ' x 42 " (450x106cm)	6031 (22827)	1000(3785)	③	-	√	67.5x47.5x124 0.398cbm/1ST	81 (178.2)	JL017271NG
	18 ' x 48 " (540x122cm)		-	-	800(3785)	√	47.5x39.5x123 0.23cbm/ctn1 53x48x99 0.252cbm/ctn2	93.6 (206.4)	JL017271-1NG
	15 ' x 42 " (450x106cm)	3636 (13745)	530(2006)	②	-	√	54.5x49.5x110 0.297cbm/1ST	60 (132.3)	JL017262NF
	18 ' x 48 " (540x122cm)		-	-	600(2271)	√	54.5x49.5x113 0.305cbm/1ST	63.2 (139.3)	JL017262-1NF
220-240V	15 ' x 42 " (450x106cm)	6031 (22827)	1000(3785)	③	-	√	67.5x47.5x124 0.398cbm/1ST	82 (180.4)	JL017271NF
	18 ' x 48 " (540x122cm)		-	-	800(3785)	√	47.5x39.5x123 0.23cbm/ctn1 53x48x99 0.252cbm/ctn2	93.6 (206.4)	JL017271-1NF
	15 ' x 42 " (450x106cm)	3636 (13745)	530(2006)	②	-	√	49.5x49.5x110 0.27cbm/1ST	60 (132.3)	JL017262ND
	18 ' x 48 " (540x122cm)		-	-	600(2271)	√	54.5x49.5x113 0.305cbm/1ST	63.2 (139.3)	JL017262-1ND
	15 ' x 42 " (450x106cm)	6031 (22827)	1000(3785)	③	-	√	67.5x47.5x124 0.398cbm/1ST	81 (178.2)	JL017271ND
	18 ' x 48 " (540x122cm)		-	-	800(3785)	√	49.5x49.5x110 0.27cbm/1ST	60 (132.3)	JL017262NN
110-120V W/GFCI	15 ' x 42 " (450x106cm)	3636 (13745)	530(2006)	③	-	√	54.5x49.5x113 0.305cbm/1ST	63.2 (139.3)	JL017262-1NN
	18 ' x 48 " (540x122cm)		-	-	600(2271)	√	67.5x47.5x124 0.398cbm/1ST	81 (178.2)	JL017271NN
	15 ' x 42 " (450x106cm)	3636 (13745)	530(2006)	③	-	√	49.5x49.5x110 0.27cbm/1ST	60 (132.3)	JL017262NC
	18 ' x 48 " (540x122cm)		-	-	600(2271)	√	54.5x49.5x113 0.305cbm/1ST	63.2 (139.3)	JL017262-1NC
	15 ' x 42 " (450x106cm)	6031 (22827)	1000(3785)	③	-	√	67.5x47.5x124 0.398cbm/1ST	81 (178.2)	JL017271NC
	18 ' x 48 " (540x122cm)		-	-	800(3785)	√	47.5x39.5x123 0.23cbm/ctn1 53x48x99 0.252cbm/ctn2	93.6 (206.4)	JL017271-1NC

Optional Accessories



Sirocco Blue Round Steel Frame Pools

30 Mins



White Carton
Master Carton



Instruction
Manual



Repair Kit



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
Global	10 ' x 30 " (300x76cm)	1158 (4383)	-	-	26.5x21.5x124 0.07cbm/1PC	18.5 (40.8)	JL016026N
	12 ' x 30 " (360x76cm)	1617 (6125)	-	-	33.5x23.5x121 0.10cbm/1PC	24.5 (54)	JL017236N
(Excluding France and Germany) 220-240V	10 ' x 30 " (300x76cm)	1158 (4383)	300(1136)	①	36.5x27.5x124 0.125cbm/1ST	21 (46.3)	JL016026NG
	12 ' x 30 " (360x76cm)	1617 (6125)			37x33.5x121 0.15cbm/1ST	26.3 (58)	JL017236NG
220-240V	10 ' x 30 " (300x76cm)	1158 (4383)	530(2006)	②	36.5x27.5x124 0.125cbm/1ST	23 (50.7)	JL016026NF
	12 ' x 30 " (360x76cm)	1617 (6125)			37x33.5x121 0.15cbm/1ST	26.5 (58.4)	JL017236NF
12V	10 ' x 30 " (300x76cm)	1158 (4383)	300(1136)	①	36.5x27.5x124 0.125cbm/1ST	23 (50.7)	JL016026ND
	12 ' x 30 " (360x76cm)	1617 (6125)			37x33.5x121 0.15cbm/1ST	26.5 (58.4)	JL017236ND
110-120V W/GFCI	10 ' x 30 " (300x76cm)	1158 (4383)	300(1136)	①	36.5x27.5x124 0.125cbm/1ST	23 (50.7)	JL016026NN
	12 ' x 30 " (360x76cm)	1617 (6125)			37x33.5x121 0.15cbm/1ST	29 (63.9)	JL017236NN
110-120V	10 ' x 30 " (300x76cm)	1158 (4383)	300(1136)	①	36.5x27.5x124 0.125cbm/1ST	23 (50.7)	JL016026NC
	12 ' x 30 " (360x76cm)	1617 (6125)			37x33.5x121 0.15cbm/1ST	29 (63.9)	JL017236NC

Optional Accessories



JL290460N
P52



JL290463N
P52



JL290484N
P52



JL290471N
P55



JL290468N
P55



JL290495N
P61

Sirocco Blue Round Steel Frame Pools

45 Mins



White Carton
Master Carton



Instruction
Manual



Repair Kit



DVD
Included



Specification (Global):



Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Cover+Ground-cloth+Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM NO.
(Excluding France and Germany) 220-240V	15 ' x 36 " (450x90cm)	3212 (12157)	530(2006)	②	✓	49x46.5x126 0.29cbm/1ST	53 (116.8)	JL010135NG
	15 ' x 48 " (450x122cm)	4030 (15233)	800(3028)	②	✓	51.5x50.5x129 0.335cbm/1ST	78.6 (173.3)	JL017263NG
	18 ' x 48 " (540x122cm)	6031 (22827)	1000(3785)	③	✓	67.5x47.5x124 0.4cbm/1ST	81 (178.6)	JL016093NG
220-240V	15 ' x 36 " (450x90cm)	3212 (12157)	530(2006)	②	✓	49x46.5x126 0.29cbm/1ST	58 (127.9)	JL010135NF
	15 ' x 48 " (450x122cm)	4030 (15233)	800(3028)	②	✓	51.5x50.5x129 0.335cbm/1ST	76.9 (169.5)	JL017263NF
	18 ' x 48 " (540x122cm)	6031 (22827)	1000(3785)	③	✓	67.5x47.5x124 0.4cbm/1ST	82.2 (181.2)	JL016093NF
12V	15 ' x 36 " (450x90cm)	3212 (12157)	530(2006)	②	✓	49x46.5x126 0.29cbm/1ST	50 (110.2)	JL010135ND
	15 ' x 48 " (450x122cm)	4030 (15233)	800(3028)	③	✓	51.5x50.5x129 0.335cbm/1ST	78.6 (173.3)	JL017263ND
	18 ' x 48 " (540x122cm)	6031 (22827)	1000(3785)	③	✓	67.5x47.5x124 0.4cbm/1ST	85 (187.4)	JL016093ND
110-120V W/GFCI	15 ' x 36 " (450x90cm)	3212 (12157)	530(2006)	③	✓	49x46.5x126 0.29cbm/1ST	57 (125.7)	JL010135NN
	15 ' x 48 " (450x122cm)	4030 (15233)	800(3028)	③	✓	51.5x50.5x129 0.335cbm/1ST	78.6 (173.3)	JL017263NN
	18 ' x 48 " (540x122cm)	6031 (22827)	1000(3785)	③	✓	67.5x47.5x124 0.4cbm/1ST	85 (187.4)	JL016093NN
110-120V	15 ' x 36 " (450x90cm)	3212 (12157)	530(2006)	③	✓	49x46.5x126 0.29cbm/1ST	57 (125.7)	JL010135NC
	15 ' x 48 " (450x122cm)	4030 (15233)	800(3028)	③	✓	51.5x50.5x129 0.335cbm/1ST	78.6 (173.3)	JL017263NC
	18 ' x 48 " (540x122cm)	6031 (22827)	1000(3785)	③	✓	67.5x47.5x124 0.4cbm/1ST	85 (187.4)	JL016093NC

Optional Accessories



JL290460N
P52



JL290637N
P52



JL290485N
P52



JL290471N
P55



JL290467N
P55



JL290495N
P61

Passaat Grey Rectangular Steel Frame Pools

45 Mins



White Carton
Master Carton



Instruction
Manual



Repair Kit

New
Product



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
Global	10 ' x 6.8 ' x 276 " (300x207x70cm)	978 (3701)	-	-	33.5x21x103 0.073cbm/1PC	22 (48.5)	JL017441N
	13 ' x 6.8 ' x 315 " (394x207x80cm)	1608 (6075)	-	-	34x28.5x105 0.1cbm/1PC	29.5 (65)	JL017442N
(Excluding France and Germany) 220-240V	10 ' x 6.8 ' x 276 " (300x207x70cm)	978 (3701)	300(1136)	①	33.5x26.5x128.5 0.114cbm/1ST	24 (52.9)	JL017441NG
	13 ' x 6.8 ' x 315 " (394x207x80cm)	1608 (6075)	530(2006)	②	35.5x28x130 0.13cbm/1ST	34 (75)	JL017442NG
220-240V	10 ' x 6.8 ' x 276 " (300x207x70cm)	978 (3701)	530(2006)	②	33.5x26.5x128.5 0.114cbm/1ST	24 (52.9)	JL017441NF
	13 ' x 6.8 ' x 315 " (394x207x80cm)	1608 (6075)	530(2006)	②	35.5x28x130 0.13cbm/1ST	34 (75)	JL017442NF
12V	10 ' x 6.8 ' x 276 " (300x207x70cm)	978 (3701)	300(1136)	①	33.5x26.5x128.5 0.114cbm/1ST	26 (57.3)	JL017441ND
	13 ' x 6.8 ' x 315 " (394x207x80cm)	1608 (6075)	530(2006)	②	35.5x28x130 0.13cbm/1ST	35 (77.2)	JL017442ND
110-120V W/GFCI	10 ' x 6.8 ' x 276 " (300x207x70cm)	978 (3701)	300(1136)	①	33.5x26.5x128.5 0.114cbm/1ST	24 (52.9)	JL017441NN
	13 ' x 6.8 ' x 315 " (394x207x80cm)	1608 (6075)	530(2006)	③	34.5x28.5x141.5 0.14cbm/1ST	34 (75)	JL017442NN
110-120V	10 ' x 6.8 ' x 276 " (300x207x70cm)	978 (3701)	300(1136)	①	33.5x26.5x128.5 0.114cbm/1ST	24 (52.9)	JL017441NC
	13 ' x 6.8 ' x 315 " (394x207x80cm)	1608 (6075)	530(2006)	③	34.5x28.5x141.5 0.14cbm/1ST	34 (75)	JL017442NC

Optional Accessories




JL290460N
P52



JL290463N
P52



JL290484N
P52



JL290471N
P55



JL290468N
P55



JL290495N
P61

Passaat Grey Rectangular Steel Frame Pools

45 Mins



White Carton
Master Carton



Instruction
Manual



Repair Kit



DVD
Included

New
Product



Specification (Global):



Region	Approximate set-up dimensions	Water capaci-ty:GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	SAND PUMP:- Gal/hr(L/hr)	Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
Global	13'x6.5'x39" (400x200x99cm)	1854 (7020)	-	-	-	-	51x49x133/0.333cbm/1PC	49.6(109.3)	JL017445N
	13'x6.8"x48" (400x207x122cm)	2343 (8870)	-	-	-	-	56x36x135/0.272cbm/1PC	55(121.3)	JL017451N
(Excluding France and Germany) 220-240V	13'x6.5'x39" (400x200x99cm)	1854 (7020)	530(2006) ②	-	-	✓	51x47.5x132.5/0.32cbm/1ST	52.8(116.4)	JL017445NG
	13'x6.8"x48" (400x207x122cm)	2343 (8870)	530(2006) ②	-	600(2271)	✓	56x49x135/0.37cbm/1ST	68(149.9)	JL017451NG
220-240V	13'x6.5'x39" (400x200x99cm)	1854 (7020)	530(2006) ②	-	-	✓	51x47.5x132.5/0.321cbm/1ST	52.8(116.4)	JL017445NF
	13'x6.8"x48" (400x207x122cm)	2343 (8870)	530(2006) ②	-	600(2271)	✓	56x49x135/0.37cbm/1ST	68(149.9)	JL017451NF
12V	13'x6.5'x39" (400x200x99cm)	1854 (7020)	530(2006) ②	-	-	✓	51x47.5x132.5/0.321cbm/1ST	52.8(116.4)	JL017445ND
	13'x6.8"x48" (400x207x122cm)	2343 (8870)	530(2006) ②	-	600(2271)	✓	56x49x135/0.37cbm/1ST	68(149.9)	JL017451ND
110-120V W/GFCI	13'x6.5'x39" (400x200x99cm)	1854 (7020)	530(2006) ②	-	-	✓	51x47.5x132.5/0.321cbm/1ST	52.8(116.4)	JL017445NN
	13'x6.8"x48" (400x207x122cm)	2343 (8870)	530(2006) ②	-	600(2271)	✓	56x49x135/0.37cbm/1ST	68(149.9)	JL017451NN
110-120V	13'x6.5'x39" (400x200x99cm)	1854 (7020)	530(2006) ②	-	-	✓	51x47.5x132.5/0.321cbm/1ST	52.8(116.4)	JL017445NC
	13'x6.8"x48" (400x207x122cm)	2343 (8870)	530(2006) ②	-	600(2271)	✓	56x49x135/0.37cbm/1ST	68(149.9)	JL017451NC

Optional Accessories




JL290460N
P52




JL290465N
P52



JL290484N
P52



JL290471N
P55



JL290468N
P55



JL290495N
P61

Passaat Grey Rectangular Steel Frame Pools



White Carton
Master Carton



Instruction
Manual



Repair Kit



DVD
Included

New
Product



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	SAND PUMP:- Gal/hr(L/hr)	Cover+Ground- cloth+Ladder	Case pack dimensions:cm	Total weight:kg(lb)	ITEM No.
(Excluding France and Germany) 220-240V	18 ' x 9 ' x 48 " (540x274x122cm)	4171 (15787)	1000(3785)	③	-	✓	63.5x52.5x130 0.433cbm/1ST	110 (242.5)	JL017443NG
220-240V	18 ' x 9 ' x 48 " (540x274x122cm)	4171 (15787)	-	-	800(3785)	✓	52.5x43.5x130 0.297cbm/ctn1 53x48x99 0.252cbm/ctn2	106.7 (235.2)	JL017443-1NG
12V	18 ' x 9 ' x 48 " (540x274x122cm)	4171 (15787)	1000(3785)	③	-	✓	63.5x52.5x130 0.433cbm/1ST	110 (242.5)	JL017443NF
110-120V W/GFCI	18 ' x 9 ' x 48 " (540x274x122cm)	4171 (15787)	1000(3785)	③	-	✓	63.5x52.5x130 0.433cbm/1ST	110 (242.5)	JL017443NN
110-120V	18 ' x 9 ' x 48 " (540x274x122cm)	4171 (15787)	1000(3785)	③	-	✓	63.5x52.5x130 0.433cbm/1ST	110 (242.5)	JL017443NC

Optional Accessories



JL290460N
P52



JL290637N
P52



JL290485N
P52



JL290471N
P55



JL290467N
P55



JL290495N
P61

Passaat Blue Rectangular Steel Frame Pools

30 Mins



White Carton
Master Carton



Instruction
Manual



Repair Kit



Specification (Global):

Region	Approximate set-up dimensions	Water capacity: GAL(L)	Filter Pump: GAL/h(L/h)	Fit filter cartridge	Case pack dimensions:cm 0.096cbm/1ST	Total weight:kg(lb)	ITEM No.
Global	74 " x 50 " x 16.5 " (188x127x42cm)	298 (1125)	-	-	17.5x16.5x120 0.035cbm/1ST	8.5 (18.7)	JL017012N
	90 " x 62.6 " x 16.5 " (228x159x42cm)	340 (1287)	-	-	19.5x18.5x14 0.041cbm/1ST	11 (24.3)	JL017013N
	8.5 ' x 6 ' x 26 " (258x179x66cm)	690 (2612)	-	-	29.5x21x89 0.055cbm/1ST	17 (37.5)	JL016101N
EU (Excluding France and Germany) 220-240V	8.5 ' x 6 ' x 26 " (258x179x66cm)	690 (2612)	300(1136)	①	36.5x29.5x89 0.096cbm/1ST	17.3 (38.1)	JL016101NG
France 220-240V	8.5 ' x 6 ' x 26 " (258x179x66cm)	690 (2612)	530(2006)	②	36.5x29.5x89 0.096cbm/1ST	17.3 (38.1)	JL016101NF
Germany 12V	8.5 ' x 6 ' x 26 " (258x179x66cm)	690 (2612)	300(1136)	①	36.5x29.5x89 0.096cbm/1ST	18 (39.7)	JL016101ND
USA 110-120V W/GFCI	8.5 ' x 6 ' x 26 " (258x179x66cm)	690 (2612)	300(1136)	①	36.5x29.5x89 0.096cbm/1ST	17.3 (38.1)	JL016101NN
Canada 110-120V	8.5 ' x 6 ' x 26 " (258x179x66cm)	690 (2612)	300(1136)	①	36.5x29.5x89 0.096cbm/1ST	17.3 (38.1)	JL016101NC

Optional Accessories



JL290460N
P52



JL290463N
P52



JL290484N
P52



JL290471N
P55



JL290468N
P55



JL290495N
P61

Pool Accessories

Leaf Skimmer



JL290460N

Remove debris off pol water surface
Compatiable with 32mm telescoping aluminum shaft
Improved design for easier debris collection
Dirable mesh skimmer net
Cardboard
Case pack:48x32x36cm/24pcs/ctn
Weight:5.5kg (12lb)

Leaf Rake



JL290462N

Scoop debris from pool floor
Compatiable with 32mm telescoping aluminum shaft
Deep and durable mesh skimmer net
Cardboard
Case pack:38x38x54cm/24pcs/ctn
Weight:5.5kg (12lb)

10" Wall Brush



JL290463N

10"brush handle
Compatiable with 32mm telescoping aluminum shaft
easy to connect the pole with V-clip
Arc corner to avoid scratches
High wear-resistant PP bristles can effectively resist aging
Display carton
Case pack:27x26x27cm/12pcs/ctn
Weight:2.4kg (5.3lb)

16" Wall Brush



JL290465N

16"brush handle
Compatiable with 32mm telescoping aluminum shaft
easy to connect the pole with V-clip
Arc corner to avoid scratches
High wear-resistant PP bristles can effectively resist aging
Display carton
Case pack:44x27x27cm/12pcs/ctn
Weight:2.8kg (6.2lb)

18" Wall Brush



New Product

JL290637N

18"brush handle
Compatiable with 32mm telescoping aluminum shaft
easy to connect the pole with V-clip
Arc corner to avoid scratches
High wear-resistant PP bristles can effectively resist aging
Display carton
Case pack:49x27x30cm/12pcs/ctn
Weight:3.5kg (7.7lb)

Vacuum Head



JL290483N

Vacuum Head with Air Relief Valve
Compatiable with 32mm telescoping aluminum shaft
shaft
Cardboard
Case pack:45x33.5x24.5cm/6pcs/ctn
Weight:4.5kg (9.9lb)


Alum Pole



JL290485N

3x37"Alum Pole (total Length:111"),ribbed pole
with standard grip and lock Bulk
Ideal for attaching accessories to clean pools
Display carton
Case pack:15.5x12.7x99cm/12pcs/ctn
Weight:13kg (28.7lb)

Alum Pole




JL290484N

3x32"Alum Pole (total Length:96"),ribbed pole
with standard grip and lock Bulk
Ideal for attaching accessories to clean pools
Display carton
Case pack:17x14x123cm/12pcs/ctn
Weight:10kg (22lb)

Pool Maintenance Kit



- Whole set includes lightweight aluminium pole with interchangeable vacuum and skimmer heads.
- Polybag with head cardEXTENSIBLE



Pool Maintenance Kit

JL290490N

Floating chemical dispenser for 1-1/2" tablets
Economy leaf skimmer
Deluxe floating thermometer
3 in 1 Free Chlorine,PH,Total Alkalinity
Deluxe complete underwater vacuum cleaner with 5 sections pole of 48" and brushes
Clamshell
Case pack:55x48.5x32cm/6pcs/ctn
Weight:7kg (15.4lb)

New Product



Deluxe Vacuum System

JL290461N

Deluxe Vacuum System with additional Small Vacuum Head,
3 Adaptors and 1.5M shaft
Diameter 32 mm X 5 M hose
Removable and reusable debris and leaf bag
Two angled conversion nozzles, one with a brush
Attach to the filter pump for light cleaning your pool
Color Box
Case pack:52x44x66cm/6pcs/ctn
Weight:9.8kg (21.6lb)



Deluxe Pool Maintenance Kit

JL290488N

Super-easy assembly
Attaches to filter pump to provide a powerful light-weight vacuum system to clean pool floor and walls
Includes adjustable aluminum pole for large diameter pools
Removable and reusable debris and leaf bag
Extra long vacuum hose (3.2cm diameter)
Vacuum has a one piece cleaning head
Skimmer has a durable mesh netting
Shelf box
Case pack:114x37x66cm/6pcs/ctn
Weight:20.5kg (45.2lb)



POOL ACCESSORIES

Floating Thermometer

JL290127N
Floating design
Easy to be located & read temperature gradation
Display in Fahrenheit & Celsius
Display carton
Case pack:32x22x42cm/48pcs/ctn
Weight:3.2kg (7lb)



Pool Surface Skimmer

JL290145-1N
Wall mounter skimmer with adjustable hook can secure in pool ranged from 8' to 24'
Case pack:40.5x38x36cm/4pcs/ctn
Weight: 5kg (11lb)

JL290145N

Skimmer hanger is rest over the top beam of a frame pool with adjustable float to parallel against pool water surface
Case pack:40x38x36cm/4pcs/ctn
Weight: 5kg (11lb)

New Product




Pool Thermometer

JL290492N
This meter can test water temperature, deepest can detect four metres below water
Sender could float above the water and it is UV proof.
Receiver have three channels
Water Resistance : Water resistant, but not waterproof.
Transmit/receive range up to 100m
Operating temperature range 32°F to 122°F
Clam shell
Case pack: 61x47x51.5cm/12pcs/ctn
Weight: 7.8kg (17.2lb)



Float animal Thermometer

JL290475N
String attached to keep thermometer in place
Floating design
Easy to read temperature gradation
Displays in both Fahrenheit and Celsius
Display box
Case pack: 42.5x24.5x25cm/12pcs/ctn
weight:2kg (4.4lb)



Test Strips

JL290471N
3 in 1 Free Chlorine, PH, Total Alkalinity
The ideal solution for basic pool and spa water testing
Easy color-match system
Contains 50 test strips
1 year shelf life
Blister card package
Case pack:29x18x39cm/48pcs/ctn
Weight:2kg (4.4lb)



Pocket pH meter

JL290614N
Easy to operate
DC 3 x 1.5V (Button Battery)
Battery not included
Blister card
Case pack:47x45x26cm/100pcs/ctn
Weight:1kg (2.43lb)



Water Tester

JL290493N
Easy to read meter replaces complicated color matching systems
Electronically tests the pH and chlorine levels, providing instant, accurate results
Auto-rectification makes it easy to use
Safety measure range for Chlorine Level: 12 to 1.7 ppm
Safety measure range for PH Level: 7.2 to 7.8
Water Resistance : Water resistant, but not waterproof.
Double Blister Packing
Case pack:64.6x23.5x50cm/36pcs/ctn
Weight:8.5kg (18.7lb)



Chemical Floater



New Product

JL290467N
Dia.9" Floating Dispenser
Dispenses 3" & 4" chemical tablets
Adjustable dial to control the release of chemicals
Integrated with a thermometer
displays in both Fahrenheit and Celsius
Easy to read temperature gauge
No tablets included
Color box
Case pack:62x37x42cm/12pcs/ctn
Weight:6.5kg (14.3lb)



New Product

JL290618N
Dia.5" Floating dispenser for 1" chemical tablets
Adjustable dial to control the release of chemicals integrated with a thermometer
Displays in both Fahrenheit and Celsius
Easy to read temperature gauge
No tablets included
Color box
Case pack:39x24x26cm/24pcs/ctn
Weight:4.2kg (9.3lb)



New Product

JL290470N
7" dispenser for 3" tablets
with a sling prevent move around
Telescopic design effectively saving half packaging volume
Adjustable dial to control the release of chemicals
Case pack:53.5x36x40cm/24pcs/ctn
Weight:4.8kg (10.6lb)



New Product

POOL ACCESSORIES

Solar Energy Lamp

JL290147N
19 x 7 cm
12V , 600mAh
Super elevation bright LED
Waterproof and solar powered (solar cell board of mono crystalline or poly crystalline silicone)
Turns on automatically at night of 4 colors changing
Long Time Running
Full color box
Case pack:42.5x25x42.5cm/12pcs/ctn
Weight:4.5kg (9.9lb)



New Product

Hoses

JL290497N
3.2cm diameter
Suitable for filter pumps
5m length hose
Bulk
0.12cbm/9pcs/ctn
Weight:5kg

JL290498N
3.8cm diameter
Suitable for filter pumps
5m length hose
Bulk
0.087cbm/5pcs/ctn
Weight:5kg



New Product

2 Step Pool Ladder

- For pool wall height sized:33"(84CM)
- Package:0.114CBM/4PCS
- Coated steel frame
- Durable plastic step
- White carton



JL29R111/JL29R111F



JL29R111V01/JL29R111FV01

3 Step Pool Ladder

- For pool wall height sized:37"(90CM) / 43"(109CM)
- Package: 0.106CBM/3PCS / 0.114CBM/3PCS
- Coated steel frame
- Durable plastic step
- White carton



JL29R112/JL29R112-1



JL29R112V01/JL29R112-1V01

3 Step Pool Ladder

- For pool wall height sized under: 48"(122CM)
- Package: 0.115CBM/2PCS
- Coated steel frame
- Durable plastic step
- White carton



JL29R112-1F



JL29R112-1FV01

3 Step Ladder With Platform

- For pool wall height sized:
48"(122CM)
- Package:0.130CBM/2PCS
- Coated steel frame
- Durable plastic step
- White carton



JL29R114



JL29R114F


POOL ACCESSORIES

GROUND CLOTH	ITEM NO.	SIZE	FOR POOL	PACKAGE
Fits Both Prompt Set Pool & Round Steel Frame Pool				
	JL016123N JL016123NV01	8.8'x8.8' (270x270cm)	8' (240cm)	0.047cbm/20pcs
	JL016123-1N JL016123-1NV01	10.8'x10.8' (330x330cm)	10' (300cm)	0.034cbm/8pcs
	JL016123-2N JL016123-2NV01	12.8'x12.8' (390x390cm)	12' (360cm)	0.020cbm/6pcs
	JL016123-4N JL016123-4NV01	14.4'x14.4' (440x440cm)	14' (420cm)	0.045cbm/6pcs
	JL016123-5N JL016123-5NV01	15.7'x15.7' (478x478cm)	15' (450cm)	0.039cbm/6pcs
	JL016123-6N JL016123-6NV01	18.7'x18.7' (570x570cm)	18' (540cm)	0.059cbm/4pcs

- Durable material
- Provide extra protection for pool bottom
- Polybag with insert card

GROUND CLOTH	ITEM NO.	SIZE	FOR POOL	PACKAGE
Fits Rectangular Steel Frame Pool Only				
	JL016105N JL016105NV01	9.45'x6.8' (288x209cm)	8.5'x6'x26" (258x179x66cm)	0.118cbm/20pcs
	JL016106N JL016106NV01	10.8'x10.1' (330x309cm)	10'x6.8'x27" (300x207x70cm)	0.043cbm/12pcs
	JL016107N JL016107NV01	14'x10.1' (430x309cm)	13'x6.8'x31.5" (394x207x80cm)	0.046cbm/12pcs
	JL017244N JL017244-NV01	15.5'x8.7' (472x265cm)	13'x6.5'x39" (400x200x99cm)	0.045cbm/6pcs
	JL017244-1N JL017244-1NV01	16'x8.7' (488x265cm)	13'x6.8'x48" (400x207x122cm)	0.052cbm/6pcs
	JL016108N JL016108NV01	20.9'x11' (639x338cm)	18'x9'x48" (540x274x122cm)	0.052cbm/6pcs

- Durable material
- Provide extra protection for pool bottom
- Polybag with insert card

GROUND CLOTH	ITEM NO.	SIZE	FOR POOL	PACKAGE
Fits Oval Steel Frame Pool Only				
	JL017242N JL017242NV01	19.5'x13' (583x390cm)	18'x10'x42" (540x304x106cm)	0.040cbm/4pcs
	JL016109-1N JL016109-1NV01	20.8'x14.3' (634x435cm)	20'x12'x48" (610x360x122cm)	0.061cbm/4pcs
	JL016109-2N JL016109-2NV01	24.7'x14.3' (753x435cm)	24'x12'x48" (732x360x122cm)	0.043cbm/4pcs

POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
Fits Oval Steel Frame Pool Only				
	JL017241N JL017241NV01	19.5'x11.5' (588x348cm)	18'x10'x42" (540x304x106cm)	0.04cbm/4pcs
	JL016115-1N JL016115-1NV01	20.7'x13.2' (633x404cm)	20'x12'x48" (610x360x122cm)	0.053cbm/4pcs
	JL016115-2N JL016115-2NV01	25.4'x12.5' (774x380cm)	20'x12'x48" (610x360x122cm)	0.06cbm/4pcs

- Durable material
- Drain holes to prevent water accumulation
- Rope ties
- Color box

POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
Fits Round Steel Frame Pool only				
	JL016125N JL016125NV01	9.7' (297cm)	10' (300cm)	0.035cbm/6pcs
	JL016125-1N JL016125-1NV01	11.8' (360cm)	12' (360cm)	0.052cbm/6pcs
	JL016125-2N JL016125-2NV01	14.6' (447cm)	15' (450cm)	0.047cbm/4pcs
	JL016125-3N JL016125-3NV01	17.7' (540cm)	18' (540cm)	0.068cbm/4pcs


- Durable material
- Drain holes to prevent water accumulation
- Rope ties
- Color box

POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
Fits Rectangular Steel Frame Pool only				
	JL016111N JL016111NV01	8.5'x5.9' (258x179cm)	8.5'x6'x26" (258x179x66cm)	0.038cbm/6pcs
	JL016112N JL016112NV01	9.8'x6.8' (300x207cm)	10'x6.8'x27" (300x207x70cm)	0.044cbm/6pcs
	JL016113N JL016113NV01	12.9'x6.8' (394x207cm)	13'x6.8'x31.5" (394x207x80cm)	0.049cbm/6pcs
	JL017243N JL017243NV01	12.5'x5.8' (380x178cm)	13'x6.5'x39" (400x200x99cm)	0.038cbm/6pcs


- Durable material
- Drain holes to prevent water accumulation
- Rope ties
- Color box

POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
Fits Prompt Set Pool only				
	JL016124N JL016124NV01	8.5' (260cm)	8' (240cm)	0.033cbm/6pcs
	JL017461N JL017461NV01	10.4' (320cm)	10' (300cm)	0.038cbm/6pcs
	JL017429N JL017429NV01	17' (517cm)	18' (540cm)	0.14cbm/2pcs

- Durable material
- Drain holes to prevent water accumulation
- Rope ties
- Color box

FLOATING SOLAR POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
Fits Prompt Set Pool only				
	JL017211N JL017211NV01	6.4' (195cm)	8' (240cm)	0.05cbm/4pcs
	JL017212N JL017212NV01	8.2' (250cm)	10' (300cm)	0.072cbm/4pcs
	JL017213N JL017213NV01	10' (305cm)	12' (360cm)	0.06cbm/2pcs

- Heats water in sunshine
- Prevents heat loss
- Polybag with insert card

FLOATING SOLAR POOL COVER	ITEM NO.	SIZE	FOR POOL	PACKAGE
Fits Oval Steel Frame Pool Only				
	JL017457N JL017457NV01	16.5'x8.5' (504x260cm)	18'x10' (540x304cm)	0.086cbm/2pcs
	JL017458N JL017458NV01	17'x9.8' (522x300cm)	20'x12' (610x360cm)	0.095cbm/2pcs
	JL017459N JL017459NV01	22'x9.8' (670x300cm)	24'x12' (732x360cm)	0.122cbm/2pcs

- Heats water in sunshine
- Prevents heat loss
- Polybag with insert card

POOL ACCESSORIES

300gal Filter Pump

32mm hoses
Water flow:300gal (1136L)/hour
White box



ITEM NO.	JL29P303N	JL29P303C	JL29P303G	JL29P303D
VOLTAGE	AC110-120V	AC110-120V	AC220-240V	12V
LEAKAGE PROTECTOR	GFCI	/	/	/
APPROVED	cETLus	cETL	CE	GS
PACKAGE	0046CBM/3PCS	0046CBM/3PCS	0046CBM/3PCS	0046CBM/3PCS
REMARK	USA	CANADA	EU	GERMANY
FOR FILTER CARTRIDGE	①	②	③	④

Filter Cartridge

- Shrink wrapped with insert card
- JL290587N**
- Used for 300gal pump
- 2PC Package
- 0.034cbm/24set(48PCS)/ctn



530gal Filter Pump

32mm hoses
Water flow:530gal (2006L)/hour
White box



ITEM NO.	JL29P302N	JL29P302C	JL29P302G	JL29P302F	JL29P324D
VOLTAGE	AC110-120V	AC110-120V	AC220-240V	AC220-240V	12V
LEAKAGE PROTECTOR	GFCI	/	/	/	/
APPROVED	cETLus	cETL	CE	CE	GS
PACKAGE	0071CBM 3PCS	0071CBM 3PCS	0069CBM 3PCS	0069CBM 3PCS	0069CBM 3PCS
REMARK	USA	CANADA	EU	FRANCE	GERMANY
FOR FILTER CARTRIDGE	①	②	③	④	⑤

Filter Cartridge

- Shrink wrapped with insert card
- JL290588N**
- Used for 530 & 800 (EU) gal pump
- 0.089cbm/48pcs/ctn



800gal Filter Pump

32mm hoses
Water flow:800gal (3028L)/hour
White box



ITEM NO.	JL29P327N	JL29P327C	JL29P327G	JL29P327F	JL29P327D
VOLTAGE	AC110-120V	AC110-120V	AC220-240V	AC220-240V	12V
LEAKAGE PROTECTOR	GFCI	/	/	/	/
APPROVED	cETLus	cETL	CE	CE	GS
PACKAGE	0071CBM 3PCS	0071CBM 3PCS	0069CBM 3PCS	0069CBM 3PCS	0069CBM 3PCS
REMARK	USA	CANADA	EU	FRANCE	GERMANY
FOR FILTER CARTRIDGE	①	②	③	④	⑤

Filter Cartridge

- Shrink wrapped with insert card
- JL290589N**
- Used for 530 & 800 (USA), 1000 & 1500 (EU,UK,USA) gal pump
- 0.089cbm/32pcs/ctn



1000gal Filter Pump

32mm hoses
Water flow:1000gal (3785L)/hour
White box



ITEM NO.	JL29P301N	JL29P301C	JL29P301G	JL29P301F	JL29P325D
VOLTAGE	AC110-120V	AC110-120V	AC220-240V	AC220-240V	12V
LEAKAGE PROTECTOR	GFCI	/	/	/	/
APPROVED	cETLus	cETL	CE	CE	GS
PACKAGE	0048CBM 2PCS	0048CBM 2PCS	0048CBM 2PCS	0048CBM 2PCS	0056CBM 2PCS
REMARK	USA	CANADA	EU	FRANCE	GERMANY
FOR FILTER CARTRIDGE	①	②	③	④	⑤

Heater Pump

JL290148N
AC 220-240V, 3000W, GS/CE Approved
Max Heating Temperature: 40°C
Applicable Water Volume: 300-5000gal. (1200L-18900L)
Increased heat rate: Approx.0.5°C-15°C per hour, varied by water volume in pool and temperature of air
Recommend for 15" pool or smaller one
Compatible with filter pump with flow rate 1000gal/h or less than 1000gal/h
White Box
0.102cbm/4pcs/ctn 2.5kg (5.5lb)



Sand Filter Pump

JL29P332G/F
AC220-240V,120W, 800gal
For all 32mm diameter water hose pool

JL29P367G
AC220-240V,300W, 1500gal
For all 32mm diameter water hose pool
Flange clamp allows 360 degree rotation for easy installation
Including pressure gauge,easy read and control
For all 32mm diameter water hose pools
Do not include sand

JL29P368G
AC220-240V,300W, 1500gal
For all 38mm diameter water hose pool
Required sand size:silica sand, 0.7-1.25mm,approximately 20kgs
Case pack:45x30x40cm/1pc/ctn
Weight:6.1kg (13.5lb)

Durable and corrosion-proof filter tank
Easy operated by 6-position valve
Flange clamp allows 360 degree rotation for easy installation
Including pressure gauge, easy read and control
Do not include sand
Required sand size: silica sand, 0.7-1.25mm, approximately 20kgs
0.107cbm/1pc/ctn
White Carton



600gal Sand Filter Pump

JL29P423NG/NF/NN
Durable and corrosion-proof filter tank

Pump 600 gallons per hour

Easy operated by 6-position valve

Flange clamp allows 360 degree rotation for easy installation

Including pressure gauge,easy read and control

For all 32mm diameter water hose pools

Do not include sand

Required sand size: silica sand, 0.7-1.25mm, approximately 20kgs

0.107cbm/1pc/ctn

White Carton



New Product

Spray Brush Head

JL290495N
Easy to clean filter cartridge
Two function:brush or washing
Can be locked in auto spraying way
used with a water pipe
Clamshell
Case pack:43x32x43cm/24pcs/ctn
Weight:5kg (11lb)

