



SHANGHAI JILONG PLASTIC PRODUCTS CO.,LTD.
No.460 Lanxue Road, Huanglou,
Pudong Area, Shanghai, 201205, P.R.China
Tel: +86-21-58942200 Fax: +86-21-58940305/58940434
E-mail: info@jilong.com Web: www.jilong.com

© 2014 Shanghai Jilong Plastic Products Co., Ltd. All rights reserved. Printed in China.



Visit Our Website
Scan this QR code with
your smartphone to get
more information from
our website.
www.jilong.com



Watercarft 2015



Company Mission

During the past 20 Years more than..

1,000,000 Jilong Watercrafts


10,000,000 Jilong Pools

100,000,000 Jilong Air Beds

and **1,000,000,000** items of Jilong Fun Gear

... have been brought to gardens, houses, swimming pools, beaches, lakes and rivers in more than 50 countries around the globe, helping people to relax, to have fun - to simply have a Great Time!

Jilong – Pump up Possibilities.



Company Profile

Shanghai Jilong Plastic Products Co., Ltd. is an export orientated manufacturer of plastic leisure products with a considerable experience in R&D, high quality manufacturing and world-wide sales. Every year JILONG products reach customers in more than 50 countries in Europe, North America, Australia and Asia.

JILONG factory is equipped with its own R&D centre, where a highly professional team collaborates with foreign designers to develop new products and packages. Various technical parameters of each new product have been tested and verified by internal professional lab, such as ITS, TUV and SGS.

JILONG offers excellent quality, competitive price, OEM manufacturing, low minimum order quantities, timely delivery, product warranty and after sales service in Europe and North America. Join us in our effort to make life more fun!



PRODUCTION CAPACITY



Warehouse



Calender Machine for PVC Sheet Production




Flock Workshop




6 - Color Roller Printing Machine

Material and Technology


Our construction materials and technology that make our paddle boards, boats and kayaks durable and safe to use.




More economical: A single layer of heavy duty PVC is used to form a strong body for boats.




Anti-leakage: High frequency welding that creates an unbreakable and extra-tight seam for all inflatable boards, boats and kayaks.



Safer: A 3-layer laminated material of a polyester mesh with a heavy gauge PVC at each side is used to form a strong and super durable wall for boats.



More Solid: A multi-layer material "dropstitch" construction method allows for much higher air pressure than standard PVC material would allow for. Higher air pressure provides a more rigid floor that enhances the performance of paddle boards and boats.



Anti-corrosion: First-grade marine plywood with PU coating offers extreme protection against sunlight, salt water, chemical, and fungal attack, much better than a standard plywood.



V-Shape inflatable keel makes controlling the boat easier and allows for faster speeds.

Quality Assurance

Test 1:



Each board has passed a strict 48h tightness test before shipment



First step:
semi-24h leak detection

Second step:
finished-24h leak detection

Test 2:



Material has past three years of weathering test



Each batch of materials needs to pass a physical performance verification test



Multi Function Blade Paddle

New Product



Mode 1:
Canoe Paddle 127cm(50")



Mode 2:
Double-Blades Paddle 228cm(89.7")



JL29R136N
228cm (89.7")

- Reinforced enlarger blade
- PE bag
- Aluminum Tube
- 0.0955cbm / 10pcs / ctn



Mode 3:
SUP Paddle 182cm(71.6")



Marketing & Sales

Supporting our global partners is a key priority to Jilong. Based on more than 20 years of experience in the inflatables industry, We are constantly advancing our packaging, point-of-sales systems, product manuals and other marketing and sales tools to draw in consumers from around the world, regardless of whether they are standing in a department store, a DIY shop, a sports equipment store, or just their favorite mom-and-pop shop by the beach.



Display



Brochure & Poster



Advertisement




Exhibition



Video/Youtube

To learn more, please contact our local distributors directly.
Contact information can be found on our website: www.Jilong.com.



After Sales Service



Additional Product Series

Jilong Stand Up Paddle Board Series



The Jilong folding "SUP" product line offer a wide range of inflatable Boards to all ages skill levels for fun, exercising friendly racing.

Jilong Pool Series



The Jilong 'Pool' product line offers an extensive range of both stand-alone pools, as well complete pool systems that meet everyone's needs and turn the summer into a great time for families and friends.

Jilong Air Bed Series



The Jilong 'Air Bed' product line offers a variety of comfortable, robust and easy-to-use inflatable beds, mattresses and resting chairs, created for indoor use to make guests feel at home, as well as outdoor use to enjoy on camping trips or picnics.

Jilong Z-RAY boat Series




The Jilong 'Watercraft' product line offers professional-grade inflatable boats, paddle boards and related accessories designed for water sports and recreational activities such as fishing, kayaking, canoeing and racing.

Jilong Fun Gear Series



The Jilong 'Fun Gear' product line offers a wide range of inflatable toys kids love to play with, whether at the beach, the pool or anywhere by the water.

Avenli SPA Series



The Avenli product line offer a wide range of folding SPA and accessories to bring a new wellness experience to consumers to enhance the well-being of both body and soul.

Table of Contents



Sup Series

- PATHFINDER SUP (P10-11)
- WALLAMAN SUP (P12-13)



Kayak Series

- PVC Kayak K-I 320 (P14-15)
- PVC Cande C-I 330 (P16-17)
- L-PVC kayak Pathfinder II (P18-19)
- L-PVC kayak Pathfinder (P20-21)



Boat Series

- PVC Fishing Boat (P22-23)
- L-PVC Fishing Boat (P24-25)
- Full-Cover Fishing Boat (P26-27)



Boat Series

- L-PVC Boat (P28-29)



Boat Series

- Slatted Wooden Floor Boat (P30-31)
- Aluminum Wooden Floor Boat (P32-33)
- Air Deck Boat (P34-35)
- Inflatable Floor Boat (P36-37)

Boat Accessories

- Boat Accessories (P38-41)





Specification:

Type	Inflated Size	Pump	Paddle	Seat	Footrest	Carry Bag	NW (Lbs/Kgs)	GW (Lbs/Kgs)	Case Pack (cbm/pkg)	Model No.	Item No.
Extreme	301cmx76cmx10cm (10'x30"x4")	✓	✓	✓	✓	✓	32.4/14.7	35.1/15.9	0.093	PATHFINDER S-I 300	JL027264N
Advanced	301cmx76cmx10cm (10'x30"x4")	✓	✓	/	/	✓	30.6/13.9	33.3/15.1	0.093	PATHFINDER S-I 300	JL027265N
Standard	301cmx76cmx10cm (10'x30"x4")	/	/	/	/	✓	26.4/12	28.7/13	0.07	PATHFINDER S-I 300	JL027267N


For best performance of the SUP, JILONG recommends you choose the Set with Seat + Footrest

=220Lbs/100Kgs


=1 Adult

Air chamber: 1

Fin: 2+1



Heavy Duty PVC



Heavy Laminated PVC



Double Wall Fabric

Optional:



Paddle (JL29R135N)




Pump (JL29P407N)



Seat



Footrest



12

Specification:

Type	Inflated Size	Pump	Paddle	Seat	Footrest	Carry Bag	NW (Lbs/Kgs)	GW (Lbs/Kgs)	Case Pack (cbm/pkg)	Model No.	Item No.
Standard	330cm×76cm×10cm (11'×30"×4")	/	/	/	/	✓	276/12.5	29.6/13.5	0.07	Wallaman S-I330A	JL027333N
Standard	365cm×76cm×15cm (12'×30"×6")	/	/	/	/	✓	29/13	32/14.7	0.075	Wallaman S-I365B	JL027290N



Package :
Carton + Color stickers
Package includes:
1pc SUP + 1pc Carry bag
+ 1pc Valve wrench + 1pc Large fin



JL027333N

1 Adult + 1 Bag = 242Lbs/110Kgs

1 Adult

Air chamber: 1

Fin: 2+1


JL027290N

1 Adult + 1 Bag = 286Lbs/130Kgs

1 Adult

Air chamber: 1

Fin: 2+1



Heavy Duty PVC



Heavy Laminated PVC



Double Wall Fabric

New Product

13

PATHFINDER K-I

The PATHFINDER K-I 320 is a cost-effective Kayak of the "z-ray" series and was first released in 2013. The flexible hull design facilitates maneuvering the Kayaker and makes paddling highly convenient. The fashionable blue and white design enhances the sporty feel of the PATHFINDER K-I 320 and the unique upper and lower main chamber structure made with imported high-strength PVC ensures for a long product lifetime.



Main Features:

1. The kayak hull is flexible, fashionable, modern and sporty.
2. Features two main inflatable chambers on the hull and I-beam floor for extra security and comfort.
3. Quick inflation and deflation screw valve.
4. Made of imported heavy duty PVC.



Specification:

Inflated	Material Ga(mm)	Air Chamber	Capacity (person)	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Model No.	Item No.
128" x32" x21" (325cm x 81cmx53cm)	18(0.45)	5	2 Adults	352/160	JL29P389N	JL29R107N/2pcs	23.06/10.46	0.04/1	PATHFINDER K-I 320 2 PERSON KAYAK	JL00723IN

1 person + 1 bag = 352Lbs/160Kgs

1 person = 2 Adults

Air chamber: 5



Heavy Duty PVC

Package :


Color box+ shrink film

Package includes:

1pc kayak + 2pc seats + 2pc paddles + 1pc pump + 1pc manual



JL29P389N
Air Volume:2000cc
Pressure:2.5PSI
(18kPa)



JL29R107N
87"(221cm)

PATHFINDER C-I

PATHFINDER C-I 330 is the first 'Z-ray grand canoe.' Its wild and retro Indian-style design offers a full adventure experience on the surface of the water. This canoe has unique paddle fixtures and a super size storage bag and its double main chamber structure. It is also made from imported high-strength PVC, giving it improved safety. When used with Canoe paddles, the paddle experience can even be further enhanced!



Main Features:

1. Wild and retro Indian style.
2. Unique paddle fixture and a super-big storage bag.
3. Features two main inflatable chambers on the hull and I-beam floor for extra security and comfort.
4. Quick inflation and deflation screw valve.
5. Made of heavy duty PVC.



=364Lbs/165Kgs

=2 Adults

Air chamber: 3



Heavy Duty PVC



Package :

Color box+ shrink film

Package includes:

1pc Canoe + 2pc seats + 1pc pump + 1pc bag + 1pc manual +1pc paddle



JL29P389N
Air Volume:2000cc
Pressure:2.5PSI
(18kPa)



Carry Bag



JL29R136N
89.5"(228cm)

Specification:

Inflated	Material Ga.(mm)	Air Chamber	Capacity (person)	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Model No.	Item No.
130" x32" x21" (330cm x 81cm x53cm)	22(0.55)	3	2 Adults	364/165	JL29P389N	JL29R136N/1pc	275/125	0.057/1	PATHFINDER C-I 330 2 PERSON CANOE	JL007233N

PATHFINDER II KAYAK

Pathfinder is a basic single/double sport or/and recreational kayak, perfect if you want a canoe easy to inflate/deflate, lightweight to carry and to transport whenever you go on your weekend trips. It is made of a strong two-layer PVC which resists accidental cuts or abrasions and is easy to repair in the unlikely event of puncture. We added 2 fins to its bottom to increase kayak's stability and control.



www.tuv.com
ID 100000000



JL007205N

JL007204N


Main Features:

1. 3 Air chamber: 2 x hull, 1 x floor.
2. I-beam inflatable floor.
3. High pressure valve for quick inflation and deflation.
4. Removable heavy duty fabric seat.
5. Heavy duty paddle included.



Specification:

Inflated	Material Ga.(mm)	Air Chamber	Capacity (person)	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Model No.	Item No.
277x77x34cm (109"x30"x13.5")	24(0.60)	3	1 Adult	231/105	JL29P389NV01	JL29R118N/1pc	24.5/11	0.0534/1	PATHFINDER II 1 PERSON	JL007204N
376x77x34cm (148"x30"x13.5")	24(0.60)	3	2 Adults	374/170	JL29P389NV01	JL29R118N / 2 pc	36/16.4	0.081/1	PATHFINDER II 2 PERSON	JL007205N



Package :
Color box+ shrink film
Package includes:
Kayak + Seat + Foot pump + 1 pc Paddle+ carry bag



PATHFINDER KAYAK

Pathfinder is a basic single/double sport or/and recreational kayak, perfect if you want a canoe easy to inflate/deflate, lightweight to carry and to transport whenever you go on your weekend trips. It is made of a strong two-layer PVC which resists accidental cuts or abrasions and is easy to repair in the unlikely event of puncture. We added 2 fins to its bottom to increase kayak's stability and control.



JL000262N

JL000262-1N


Main Features:

1. 3 air chambers: 2 x hull, 1 x floor.
2. I-beam inflatable floor with drain plugs.
3. High pressure valves for quick inflation and deflation.
4. Removable fabric seat with storage pouch.
5. Adjustable foot rest.
6. Pressure gauge - optional.



Specification:

Inflated	Material Ga.(mm)	Air Chamber	Capacity (person)	Max.load Weight (lbs/kg)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Model No.	Item No.
300x90cm (118"x36")	28(0.7)	3	1 Adult	231/105	JL29P389NV01	JL29R118N/1pc	29.5/13	0.072/1	PATHFINDER 1 Person Kayak	JL000262N
400x90cm (158"x36")	28(0.7)	3	2 Adults	374/170	JL29P389NV01	JL29R118N /2pc	40/18	0.090/1	PATHFINDER 2 Person Kayak	JL000262-1N



Package :
Color box+ shrink film
Package includes:
Kayak +Seat + Foot pump+ Paddle + 2 knee braces + carry bag



FISHMAN

If you are looking for a comfortable, light and inexpensive inflatable boat to use at your cottage for fishing, sun seeking and exploring the area, Fishman is an ideal choice for you. Fishman is available in 5 sizes, so it would suit both single boat enthusiasts and families. It is easy to inflate and deflate – your boat will be ready to go within 10 minutes. Compact and lightweight it can conveniently be stored and transported in the trunk of your car. An outboard motor bracket is optional if you want to add a motor to increase the versatility of the boat.



- Main Features:**
1. 2 main chambers on hull for extra security
 2. Quick inflation & deflation screw valve
 3. All around grab rope
 4. Inflatable floor for comfort and rigidity
 5. Durable oar locks and oars holders
 6. Fishing rod holders
 7. 2 seat cushions (300/350/400 models)
 8. Additional gear pouch for storage
 9. Can be configured with electric motor(300/350/400 models)
 10. Camouflage cover is optional (300/350/400 models)



Heavy Duty PVC

Package :
Color box




JL29P386N
Two-Way Pump
2x700cc
Pressure:3.5PSI
(24kPa)



JL29P390N
Two-Way Pump
2x1200cc
Pressure:4PSI
(28kPa)



JL29R105-1N
49"(124cm)Aluminum
Oars



JL29R109-2N
49"(124cm)Plastic
Oars



JL29R127N
Motor Fitting is
Optional

Specification:

Inflated	Material Ga.(mm)	Max.Power (kw/hp)	Capacity	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	Boat Cover	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Cushion Seat	Model No.	Item No.
185x98x28cm (73"x39"x11")	16(0.40)	/	1+0	264/120	/	/	/	8/3.6	0.075/3	/	FISHMAN 100	JL007206N
218x110x36cm (86"x43"x14")	18(0.45)	/	1+1	418/190	/	/	/	103/4.7	0.066/2	/	FISHMAN 200	JL007207N
218x110x36cm (86"x43"x14")	18(0.45)	/	1+1	418/190	JL29P386N	JL29R109-2N/lpr	/	127/5.8	0.078/2	/	FISHMAN 200 SET	JL007207-1N
252x125x40cm (99"x49"x16")	20(0.50)	0.75/1	2+1	583/265	/	/	optional	178/8.1	0.046/1	2	FISHMAN 300	JL007208N
252x125x40cm (99"x49"x16")	20(0.50)	0.75/1	2+1	583/265	JL29P386N	JL29R109-2N/lpr	optional	21/9.6	0.049/1	2	FISHMAN 300 SET	JL007208-1N
305x136x42cm (120"x54"x17")	22(0.55)	0.75/1	3+1	749/340	/	/	optional	24/10.9	0.056/1	2	FISHMAN 350	JL007209N
305x136x42cm (120"x54"x17")	22(0.55)	0.75/1	3+1	749/340	JL29P390N	JL29R105-1N/lpr	optional	26/11.9	0.073/1	2	FISHMAN 350 SET	JL007209-1N
340x142x48cm (134"x56"x19")	24(0.60)	0.75/1	4+0	837/380	/	/	optional	29.4/13.3	0.063/1	2	FISHMAN 400	JL007210N
340x142x48cm (134"x56"x19")	24(0.60)	0.75/1	4+0	837/380	JL29P390N	JL29R105-1N/lpr	optional	31.5/14.3	0.081/1	2	FISHMAN 400 SET	JL007210-1N

FISHMAN II

The Fishman II series boat is a great choice for fishers and weekend-at-the-cottage lovers. It is simple and perfect for lazy boating in lakes and rivers and sun tanning, while your fishing rods are safely secured in their holders on the sides of the boat. Robust 3-ply PVC material resists cuts and abrasions, reinforced rubber strakes on the sides protect the boat from bumps and knocks. We included 3 PVC cushion seats for your comfort and a gear pouch where you can safely store whatever is needed for your fishing afternoon. It is available in 2 sizes, is easy to disassemble and lightweight to carry. An outboard motor bracket is optional if you want to add a motor to increase the versatility of the boat.




Main Features:

1. 3 Air Chambers: 2 x hull, 1 x floor.
2. I-beam inflatable floor.
3. High pressure valves for quick inflation and deflation.
4. 2 Fishing rod holders.
5. All around protective strake.
6. Pressure Gauge - optional.
7. Outboard Motor Bracket - optional.
8. Metal frame sunshade - optional.



Specification:

Inflated Exterior	Inflated Interior	Material Ga.(mm)	Max.Power (kw/hp)	Air Chamber	Capacity +	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Cushion seat	Model No.	Item No.
240x128x43cm (94"x50.5"x17")	174x59cm (69"x23")	24(0.60)	18/2.5	3	2+0	485/220	JL29P387NV01	JL29R106N/lpr	31/14.2	0.081/1	2	FISHMAN II 200	JL007238N
295x128x43cm (116"x50.5"x17")	226x59cm (89"x23")	24(0.60)	18/2.5	3	3+1	705/320	JL29P387NV01	JL29R106N/lpr	33.5/15.2	0.091/1	2	FISHMAN II 400	JL007211N
328x144x46cm (129"x57"x18")	255x69cm (100"x27")	24(0.60)	29/4.0	3	4+1	948/430	JL29P387NV01	JL29R106N/lpr	40/18	0.1/1	3	FISHMAN II 500	JL007212N



Package :

Color box+ shrink film

Package includes:

boat + seat + gear pouch + 1 pair of oars + two way pump + carry bag

Included in the box:



Carry Bag



JL29P387NV01
Two-Way Pump
2x1500cc



JL29R106N
54"(137cm)Aluminum
Oars



JL29P135N
Pressure Gauge-
Optional



JL29R115N
Motor Fitting is
Optional




FISHMAN A-III

FISHMAN A-III 250 is the grand launch of the first, full-coat enhanced 'Z-ray' fishing boat. The design is fashionable and full of sporty elements and its lightweight hull is easily folded up, meaning it can be put into the trunk or fixed on the roof of your car. This fishing boat is configured with a high density polyester jacket which provides you a better ride as well as security protection to the hull. This fishing boat applies to lake fishing, transportation and recreation and if you attach the electric motor, it will surprise you with an additional driving experience!



- Main Features:**
1. Small and foldable hull that can be easily put in the trunk or top of a car.
 2. Fishing seat, storage bag and motor hook, making fishing, leisure and transportation on lakes convenient.
 3. Highly dense terylene cover that can protect the hull better.
 4. With a bottom paved by PE boards, it is more reliable and comfortable.
 5. Quick inflation and deflation screw valve.
 6. Durable oar locks and oar holders.



Package :
(white box + color stickers) + shrink film

Package includes:
1pc PVC boat + 1pc boat cover + 2pc seats + 1set PE floor + 1pc pump + 1 pair paddle + 1pc carry bag + 1 pc electric motor(optional) + 1pc manual

Included in the box:



Carry Bag



JL29P387N
Two-Way Pump
2x1500cc



JL29R106N
54''(137cm)Aluminum
Oars



JL290561N/
JL290591N
(30Lbs)/(18Lbs)



JL29R115N
Motor Fitting
is Optional

Specification:

Inflated	Material Ga.(mm)	Capacity (person)	Max.load Weight (lbs/kg)	Pump	Oars/Unit	Electric Motor	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Model No.	Item No.
97" x53.5" x16" (246cm x 137cm x41cm)	22(0.55)	2 Adults	551/250	JL29P387N	JL29R106N/1pr	/	44/20	0144/1	FISHMAN A-III 251 FISHING BOAT	JL007235N
97" x53.5" x16" (246cm x 137cm x41cm)	22(0.55)	2 Adults	551/250	JL29P387N	JL29R106N/1pr	JL290561N	677/307	0.256/1	FISHMAN A-III 251 FISHING BOAT	JL007235-1N
97" x53.5" x16" (246cm x 137cm x41cm)	22(0.55)	2 Adults	551/250	JL29P387N	JL29R106N/1pr	JL290591N	58.8/26.7	0.205/1	FISHMAN A-III 251 FISHING BOAT	JL007235-2N



CHEYENNE III

If you need an inexpensive basic boat to use as a yacht tender or to take it with you while going camping by the lake, or for pleasure cruising, the Cheyenne III series boat is an ideal choice for you. Its composite impervious material resists accidental cuts and abrasions, reinforced rubber strakes on the sides protect the boat from bumps and knocks, and an V-shape inflatable bottom adds to the boat's stability. It comes in 3 sizes to suit both single water lovers and boating families. An outboard motor bracket is optional if you want to add a motor to increase the versatility of the boat.



Main Features:

1. 3 Air Chambers: 2 x hull, 1 x floor.
2. I-beam inflatable floor.
3. High pressure valves for quick inflation and deflation.
4. All around protective strake.
5. Inflatable keel provides added stability and directional control.
6. Pressure Gauge - optional.
7. Outboard Motor Bracket - optional.
8. Metal frame sunshade - optional.

Specification:

Inflated Exterior	Inflated Interior	Material Ga.(mm)	Max.Power (kw/hp)	Air Chamber	Capacity + 1	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Cushion seat	Model No.	Item No.
234x120x35cm (92"x47"x14")	171x49cm (67"x19")	28(0.7)	18/2.5	3	2+0	485/220	JL29P387NV01	JL29R106N/1pr	36/16.3	0.082/1	2	CHEYENNE 200	JL007111N
262x127x35cm (103"x50"x14")	196x57cm (77"x22")	28(0.7)	18/2.5	3	2+1	550/250	JL29P387NV01	JL29R106N/1pr	40/18	0.099/1	2	CHEYENNE 300	JL007112N
284x132x38cm (112"x52"x15")	216x56cm (85"x22")	28(0.7)	18/2.5	3	3+1	616/280	JL29P387NV01	JL29R106N/1pr	43/19.5	0.105/1	2	CHEYENNE 400	JL007108N



Package :
(white box + color stickers) + shrink film

Package includes:
boat + cushion seat + oars + two-way hand pump + carry bag

Included in the box:






Z-Ray 1

So, you dislike those soft boat floors, inflatable cushion seats and love motor boating? How about choosing a Z-Ray I series boat for your water adventures. Detachable slatted wooden floorboards and wooden bench seats allow you to cruise with more comfort. Its robust material resists accidental cuts and abrasions, while reinforced rubber strakes on the sides protect the boat from bumps and knocks. Moreover, we added a solid Marine Ply outboard motor transom and stainless steel towing system beneath the tube. Amazingly quick to unroll and inflate –it is ready in minutes. Available in 2 sizes.



Main Features:

- 1.3 Air Chambers:3xhull.
2. Reinforced Protective Strake.
3. Marine Ply motor transom.
4. Operable Drain valve.
5. Plywood slatted floorboards.
6. All around protective strake.
- 7.Built-in Oarlock system for easy rowing.
- 8.Seat Cushion and Storage Compartment – optional.



Specification:

Inflated Exterior	Inflated Interior	Material Ga.(mm)	Max.Power (kw/hp)	Air Chamber	Capacity	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Seat Cushion and Storage-optional	Model No.	Item No.
235x130x33cm (93"x51"x13")	150x60cm (59"x23.5")	32(0.80)	2.9/4	3	2+0	485/220	JL29P387NV01	JL29R101N/lpr	62/28	0.152/1	JL340679N	Z-ray 1200	JL007012N
270x152x42cm (106"x60"x17")	170x65cm (67"x25.5")	28(0.7)	3.7/5	3	3+0	880/400	JL29P387NV01	JL29R102N/lpr	86/39	0.172/1	JL340678N	Z-ray1 300	JL007012-1N



Package :
(white box + color stickers) + shrink film

Package includes:
boat + Two-way pump +
1 pair of oars + Pressure gauge+ carry bag

Included in the box:





Z-Ray 2

Z-Ray Aluminum Floorboard Boats offer an outstanding performance for exploring and cruising along the coast and watching the sunset. It has a strong, durable aluminum floorboard that adds extra stability, and a spacious storage compartment to store food and necessities for a half day trip. Suitable for users that require comfort and durability, but do not need to inflate or deflate the boat daily.



Main Features:

1. 4 Air chambers: 3 x hull, 1x keel.
2. V-shape inflatable keel.
3. Marine Ply motor transom.
4. Operable Drain valve.
5. Aluminum floorboards.
6. All around protective strake.
7. Built-in Oarlock system for easy rowing



Specification:

Inflated Exterior	Inflated Interior	Material Ga.(mm)	Max.Power (kw/hp)	Air Chamber	Capacity	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Seat Cushion and Storage-optional	Model No.	Item No.
270x152x42cm (106"x60"x17")	170x65cm (67"x25.5")	34(0.85)	4.4/6	3+1	3+0	880/400	JL29P387NV01	JL29R102N/lpr	141/64	0.233/1	JL340678N	Z-ray II 300	JL007013N
310x152x42cm (122"x60"x17")	210x65cm (83"x25.5")	34(0.85)	5.9/8	3+1	3+1	1100/500	JL29P387NV01	JL29R102N/lpr	150/68	0.271/1	JL340678N	Z-ray II 400	JL007013-1N
360x170x44cm (142"x67"x17")	237x81cm (93"x32")	36(0.90)	74/99	3+1	5+0	1320/600	JL29P387NV01	JL29R102N/lpr	1675/76	0.359/1	JL340677N	Z-ray II 500	JL007013-2N
420x180x44cm (166"x71"x17")	300x94cm (118"x37")	36(0.90)	22/30	3+1	7+0	1653/750	JL29P387NV01	JL29R102N/lpr	197/89.3	0.385/2	JL340677N	Z-ray II 700	JL007200N



Z-RAY 3

Z-Ray 3 series boat is a versatile inflatable boat perfect for weekends at the cottage, cruising lakes and rivers or as a yacht tender. Its high pressure Air Deck floor (super fine, 3-layer fabric/PVC Korean made material) provides rigidity to the hull and wooden benches with a cushion and storage compartment ensure the comfort of the boaters. The robust outer material resists accidental cuts and abrasions, reinforced rubber strakes on the sides protect the boat from bumps and knocks , and an inflatable keel makes controlling the boat easier. Moreover, we added a solid Marine Ply outboard motor transom and stainless steel towing system beneath the tube. It is easy to inflate and deflate and convenient enough to carry, so you can take it with you for your weekend water adventures. Available in 3 sizes, and the biggest one accommodates up to 5 people.



- Main Features:**
1. 5 Air chambers: 3 x hull, 1x keel, 1 x air deck.
 2. V-shape inflatable keel.
 3. Marine Ply motor transom.
 4. Operable Drain valve.
 5. Drop Stitch fabric Air Deck.
 6. All around protective strake.
 7. Built-in Oarlock system for easy rowing.



Specification:

Inflated Exterior	Inflated Interior	Material Ga.(mm)	Max.Power (kw/hp)	Air Chamber	Capacity 1+1	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Seat Cushion and Storage-optional	Model No.	Item No.
310x152x42cm (122"x60"x17")	210x65cm (83"x25.5")	34(0.85)	5.9/8	4+1	3+1	1100/500	JL29P387NV01	JL29R102N/lpr	84/38	0.206/1	JL340678N	Z-ray III 400	JL007014-1N
360x170x44cm (142"x67"x17")	237x81cm (93"x32")	36(0.90)	7.4/9.9	4+1	5+0	1320/600	JL29P387NV01	JL29R102N/lpr	112.4/51	0.238/1	JL340677N	Z-ray III 500	JL007014-2N



Package :
(white box + color stickers) + shrink film

Package includes:
boat+Two-way pump + 1 pair of oars + Pressure gauge + Seat Cushion + Storage Compartment + Carry

Included in the box:





Z-RAY 4

Z-Ray 4 series boat is an economic and amazingly lightweight inflatable watercraft, ideal for water loving singles and couples as a yacht tender and for cruising in calm waters. It is equipped with a solid Marine Ply outboard motor transom if you wish to add a motor and increase its speed and versatility. The rubber strakes on the sides protect the boat from bumps and knocks, and an inflatable keel adds to boat's stability. The boat has got an inflatable floor which makes it lightweight to carry. A seat cushion and storage compartment to its wooden benches are optional. It is easy to disassemble and simple for transporting and enjoying water fun anywhere you go. Available in 2 sizes.



Main Features:

1. 5 Air chambers: 3 x hull, 1 x floor .
2. V-shape inflatable keel.
3. Marine Ply motor transom.
4. Operable Drain valve.
5. All around protective strake.
6. Built-in oarlock system for easy rowing.
7. Seat Cushion and Storage Compartment - optional.

Specification:


Inflated Exterior	Inflated Interior	Material Ga.(mm)	Max.Power (kw/hp)	Air Chamber	Capacity	Max.load Weight (lbs/kgs)	Pump	Oars/Unit	GW (lbs/Kgs)	Case Pack (cbm/pkg)	Seat Cushion and Storage-optional	Model No.	Item No.
250x130x33cm (98" x51" x13")	167x60cm (65" x23.5")	28(0.7)	2/2.7	4+1	2+1	529/240	JL29P387NV01	JL29R101N/1pr	75/34	0.153/1	JL340679N	Z-ray	300 JL007015-1N



Package :
(white box + color stickers) + shrink film

Package includes:
boat,two-way pump, oars, carry bag, pressure gauge, repair kit

Included in the box:



Oars



Super Strong Aluminum Oars

Aluminum tubes Reinforced wide blade
PE bag with header card

JL29R106-1

- 51"(130cm)
- 0.103cbm/20set/ctn



JL29R106

- 54"(137cm)
- 0.146cbm/20set/ctn



Super Strong Aluminum Oars

Aluminum tubes Reinforced wide blade
PE bag with header card

JL29R101N

- 52"(132cm)
- 0.148cbm/20set/ctn



Super Strong 4 Section Oars

JL29R118N

- -Aluminum tubes
- Reinforced e
- larger blade -PE bag with header card
- 87"(221cm)
- 0.077cbm/10pcs/ctn



Single-Blade Paddle

JL29R138N

- Aluminum tubes
- Reinforced blade
- 640g/pc
- PE bag -63"(160cm)
- 0.117cbm/15pcs/ctn
- 0.090cbm/5pcs/ctn



Super Strong Aluminum Oars

Aluminum tubes Reinforced wide blade
PE bag with header card

JL29R102N

- 65"(165cm)
- 0.162cbm/20set/ctn



SUP Paddle

JL29R135-1N

- Carbon fiber tubes
- Reinforce blade
- PE bag
- 740g/pc
- 170cm-215cm(81"-85")
- 0.090cbm/15pcs/ctn



SUP Paddle

JL29R135N

- Aluminum tubes
- Reinforced blade
- PE bag
- 880g/pc
- 67"
- 85"(170cm-215cm)
- 0.090cbm/15pcs/ctn




Standard
Accessories

Deluxe Five Section Oars

Aluminum tubes PE bag with header card

JL29R107N

- 87"(221cm)
- 0.063cbm/10pc/ctn




Canoe Paddle
127cm(50")

New Product



Double-Blades
Paddle 228cm(89.7")



SUP Paddle
182cm(71.6")



Foot Pump

Inflates and deflates Hose with 3 nozzles

JL29P387N

- 16"(40cm)
- Air volume: 1500cc x 2
- 0.069cbm/6pcs/ctn

JL29P388N

- 19"(48cm)
- Air volume: 2000cc x 2
- Color box
- 0.056cbm/4pcs/ctn



Repair Kit For Z-ray Boat



JL340679N

for bench with 130cm length

(For JL007012N, JL007015N, JL007015-1N)

• 75x23x2cm (30"x9"x0.8")

• 0.086cbm/12pcs/ctn

for bench with 170cm length

(For JL007013-2N, JL007014-2N)

• 98x23x2cm (39"x9"x0.8")

• 0.11cbm/12pcs/ctn

for bench with 150cm length

(For JL007013-1N, JL007014-1N)

• 84x23x2cm (33"x9"x0.8")

• 0.095cbm/12pcs/ctn

Standard
Accessories

PATHFINDER
Kayak

FISHMAN
Boat

CHEYENNE
Boat

Z-Ray Boat

Accessories

PATHFINDER
Kayak

BOAT ACCESSORIES



Camouflage Boat Cover

- # JL340721N for Fishman 300 (0.112cbm/18pcs/ctn)
- # JL340722N for Fishman 350 (0.111cbm/16pcs/ctn)
- # JL340723N for Fishman 400 (0.100cbm/14pcs/ctn)
 - Size for Fishman boat 300,350,400
 - Camouflage print polyester 210D/AC
 - White box




Cheyenne & Fishman Boat Sunshade Set

- # JL340720N For Cheyenne Boat III
- # JL340720-1N for Fishman II
- 67"×40"×40" (170×100×100cm)
- Optional accessories
- 2 Color assorted: gray and green
- Carry bag, white box packing
- 0.091cbm/6pcs/ctn



Super Strong Aluminum Oars

- # JL29R115N (304 stainless steel)
- # JL29R126N (316 stainless steel for salt water)
 - Accessories for Cheyenne II & III series boat
 - Plastic outboard motor bracket with stainless steel fittings
 - White Box
 - 0.077cbm/8pcs/ctn



Deluxe Five Section Oars

- # JL29R127N (304 stainless steel)
 - Accessories for Fishman series boat
 - Plastic outboard motor bracket with stainless steel fittings
 - White Box
 - 0.060cbm/6pcs/ctn

Standard
Accessories



Motor

Electric
Trolling
Motor

Electric Trolling Motor

Output Power	Speeds	Thrust in (lbs/kg)	Required (Input)	Mount	Control	Gross Weight (kgs)	Item Number
312w	5 Forwards 3 Reverse	30 / 13.6	12 V	Level Lock	Tiller Twist	0m x 0.7m x8m/1	9 JL290561N
414w		40 / 18.7				0m x 0.9m x5m/1	9.8 JL290406N
636w		55 / 25.0				0m x 0.6m x8m/1	11.6 JL290407N
180w		18 / 6.7				0m x 0.7m x8m/1	3.7 JL290591N

PATHFINDER
Kayak

FISHMAN
Boat

CHEYENNE
Boat

Z-Ray Boat

Accessories