

SHANGHAI JILONG PLASTIC PRODUCTS CO.,LTD.

No.460 lanxue Road, Huanglou,

Pudong Area, Shanghai, 201205, P.R. China Tel: +86-21-58942200 Fax: +86-21-5

Fax: +86-21-58940305/58940434

E-mail: info@jilong.com Web: www.jilong.com



your smartphone to get more infomation from

www.jilong.com



Avenli offers an exclusive range of protable spas and spa accessories, and introduces a whole new wellness experience to consumers who are seeking to enhance the well-being of both body and soul.





Spas that free your mind.

Contents

Avenli Products Specification	 P4-P5
Why Choose Avenli	 P6-P9
PTC Heating Technology	 P10-P11
Efficient Filtration System	 P12
Avenli Grand-rapid Series	 P14-P19
Avenli Eco Series	 P20-P23
Avenli Accessories	 P24-P29



Life today is stressful, and finding the right balance is important. Reconnecting with nature is onwe of the best ways to do just this. Avenli helps you get back in touch with nature—whether it be waking with the birds for an energetic start to the morning or recharging while enjoying the sunset after a long, stressful day. Avenli provides you with the ideal way to discover the beauty of nature, right in your own garden.



Aven	enli Grand-rapid Series						Aven	li Eco	Series						
Photo				0		0		0	Photo						
Model	Grand-rap	oid Classic			Grand-ra	apid Deluxe			Model	Eco C	lassic		Eco	Deluxe	
Item#	JL017330NG	JL017330NN	JL017331NG	JL017331NN	JL017332NG	JL017332NN	JL017341NG	JL017341NN	ltem#	JL017294NG	JL017294NN	JL017295NG	JL017295NN	JL017296NG	JL017296NN
User Capacity			2 Adult	+ 2 Kids			4 Adult -	+ 2 Kids	User Capacity			2 Adul	t + 2 Kids		
Product Dimension	Ф70″х25″(Ф1	78cm x 65cm)	Ф71″х25″(Ф1	80cm x 65cm)	Ф71″х25″(Ф1	80cm x 65cm)	Ф79″х25″(Ф20	00cm x 65cm)	Product Dimension	Ф70″х25″(Ф1	78cm x 65cm)	Ф71″х25″(Ф1	80cm x 65cm)	Ф71″х25″(Ф18	30cm x 65cm)
Sitting Area Dimension	Ф55"х25"(Ф1	40cm x 65cm)	Ф55"х25"(Ф1	40cm x 65cm)	Ф55″х25″(Ф1	40cm x 65cm)	Ф63″х25″(Ф16	60cm x 65cm)	Sitting Area Dimension	Ф55″х25″(Ф1	40cm x 65cm)	Ф55"х25"(Ф1	40cm x 65cm)	Ф55″х25″(Ф14	10cm x 65cm)
Water Capacity	190GAI	L(720L)	190GAI	L(720L)	190GA	L(720L)	250GAL	_(940L)	Water Capacity	190GA	L(720L)	190GA	L(720L)	190GAL	(720L)
Voltage	220-240V 50Hz	110-120V 60Hz	220-240V 50Hz	110-120V 60Hz	220-240V 50Hz	110-120V 60Hz	220-240V 50Hz	110-120V 60Hz	Voltage	220-240V 50Hz	110-120V 60Hz	220-240V 50Hz	110-120V 60Hz	220-240V 50Hz	110-120V 60Hz
Heater	1940W	1320W	1940W	1320W	1940W	1320W	1940W	1320W	Heater	1540W	1240W	1540W	1240W	1540W	1240W
Air blower	500W				Air blower			5	00W		,				
System flow rate				300GA	L(1136L)/H				System flow rate		300GAL(1136L)/H				
Cord Mounted	RCD	GFCI	RCD	GFCI	RCD	GFCI	RCD	GFCI	Cord Mounted	*	GFCI	*	GFCI	*	GFCI
Max. Heat Temperature	42°C(108°F)	40°C(104°F)	42°C(108°F)	40°C(104°F)	42°C(108°F)	40°C(104°F)	42°C(108°F)	40°C(104°F)	Max. Heat Temperature	42°C(108°F)	40°C(104°F)	42°C(108°F)	40°C(104°F)	42°C(108°F)	40°C(104°F)
SPA Pool Tube Material	. ,	er + PVC			heavy duty PV0	C+ Artifical Leath	er		SPA Pool Tube Material	. ,	er + PVC		heavy duty PVC	C+ Artifical Leathe	er
Top Lid	polyester alumin	cover with um foil		Infl	atable PVC Lid +	Artifical Leather	Cover		Top Lid	polyester alumin	cover with num foil	Infla	atable PVC Lid +	Artifical Leather	Cover
Standard Accessories		2 filt	ter cartridge + re	epair kit + Manu	ıal +1 DVD(Aqua	atic Yoga DVD inc	:luded)		Standard Accessories	2 filte	er cartridge + re	pair kit + Manua	al + 1 DVD(Aqua	atic Yoga DVD inc	luded)
Net Weight	20.9Kg 28.9Kg 28.9Kg		9Kg	31.6	5Kg	Net Weight	18.	6Кд	26.	4Kg	26.4	1Kg			
Gross Weight	25.9Kg 32Kg		32	32Kg 37.2Kg		Gross Weight	21.	7Kg	30.2Kg		30.2Kg				
Package	22"x21.6"x23.6" 23"x21.6"x23.6"		23"x21.	6"x23.6"	27.7"x21.	.6"x23.2"	Package	19.6"x1	7"x22.6"	24.2"x1	7"x22.6"	24.2"x1	7"x22.6"		
Dimension	on (56cm x55cm x60cm) (66cm x55cm x60cm) (66cm x55cm x60cm) (70.5cm x			(70.5cm x55	icm x60cm)	Dimension	(50cm x43.5	cm x57.5cm)	(61.5cm x43.	5cm x57.5cm)	(61.5cm x43.5	icm x57.5cm)			
Warranty	3 month for pool, 12 month for SPA pump & relative electric appliance			Warranty	1 8	month for pool,	12 month for SF	PA pump & relati	ve electric applia	nce					
Test Certificate	CE/GS	cETLus	CE/GS	cETLus	CE/GS	cETLus	CE/GS	cETLus	Test Certificate	CE/GS	cETLus	CE/GS	cETLus	CE/GS	cETLus

Spas that free your mind.




Wellness Comfortable Portable

1.Comfortable

The Avenli Spa is an inflated tub with a padded thermal floor, which offers soft and gentle support to your body.

104 Fahrenheit degrees warm water and 88 massage bubble air jets create the ideal atmosphere to promote healing.

Just imagine soaking in your Avenli SPA with your family and friends, warm waters flowing over your shoulders and neck just like quality time flowing over your life...



2.Quick & Easy to assemble

To set up AVENLI spa is as easy as **ABC**:

Just find your favorite spot and spread out the tub (A)

Then use the bubble function to inflate up the hot tub(B)

Now connect the hot tub with the pump(C)

Within 10 minutes, hot tub is ready to fill water.

Let's do Spas that free your mind.

No tools are needed!














3. Portable Luxury

The Avenli spas are light weight, weather resistant and a compact package! Perfect to be used outdoors or inside-- easily fits through most doorways, to be placed in backyards or on decks. Imagine taking the luxury of a personal spa with you on a trip, powered by your portable pump! What a different, wonderful trip!

4. More than just a hot tub

The Avenli SPA is a year-round vocation spot aiming to reverse the trend of families physically disconnect in the internet era. It will be children's favorite place growing up, the center of birthday parties, and a space to socialize. It's a focal point for you. Just think about it - you can share the spa experience with that special someone, spend quality time with your family, or make your spa the center of attention at your next barbecue!



5.Wellness

A dip in the Avenli Spa can improve your blood circulation, reduce muscle strain and soreness, relieve tension throughout your body, promote restful sleep, help you look younger and more vigorous.



Avenli Spa introduces an Aquatic Yoga exercises vie the included free DVD.

It's a new wellness experience to consumers who are seeking to enhance the well-being of both body and soul.



Back Extension

Let's do Spas that free your mind.







Leading company in PTC heating tech

As the leading company in PTC heating tech. JILONG was the 1st company to introduce PTC (Positive Temperature Coefficient) heating technology in the portable spas field in 2010, and obtained national utility patent **No. 201020513595.8** in the same year, which was registered in more than 41 countries. The perfect performance of our products has been recognized by our global customers for years.

Longer heating life

Compared to traditional stainless steel heaters, the product lifetime of the PTC heating system is five-times longer due to a lower surface temperature (260°C) and excellent anti-scaling treatment.

Energy saving


The selected high quality Ceramic materials in the PTC structure ensure longer product life and maximum energy savings.

Advanced PTC Heating Technology (Positive Temperature Coefficient)

1

Double-insulation design:

Aluminum plate and polyimide insulating film are applied on the outside of the ceramic stone heater. Such double-insulation design can prevent electricity leakage efficiently.



5 Key safety protection designs

4

Control panel lock:

By pressing the " \bigwedge " & " \bigvee " buttons simultaneously, the control panel is locked to prevent misuse by children. To unlock the control panel, press" \bigwedge " & " \bigvee " again.

2)

Over-heating protection:

Heater will automatically shut off when temperature exceeds 45°C.

3


RCD/GFCI circuit breaker:

RCD/GFCI plug is included in pump unit. The circuit breaker can automatically shut off the power to prevent any electricity shot to the end users when electricity current exceeds the designated parameter. (Not included EU-Eco series)

5

Triple backflow-proof protection:

There are three mechanical valves designed to prevent water flow back into the working electric parts.



Three different parts of One way non-return valve

10

Spas that free your mind.

Efficient Filtration System

- **Professional** Spa filter cartridge are characterized with 150 pleats with filtration area of Grand rapid pump-- 0.35m² & ECO pump- 0.18m². The largest filtration area offers faster and cleaner water filtration efficiency.
- **High quality** non-woven PP fabrics is used as filter media, which is more durable than normal filter cartridges.
- 2 filter cartridges are included in package as free bonus.
- Smart alarm system is designed to remind end-users to change the filter cartridge on time (Only ECO pump has this alarm function).



avenli





Avenli Grand -rapid classic Series










Optional accessories:

Energy-saving		Water-treatment	t	Comfort		
		-	T		20	2
Thermal blanker See P25	Heat Saver Mat See P25	Chemical Floater See P26	Spray Brush Head See P26	Test Strips See P26	'	& Headrest P29



























Optional accessories:











1.5m drainage hose






















A+ Panel Lock/Unlock

Optional accessories:

Energy-saving		Water-treatment		Comfort		
		•	7			AT .
Thermal blanket See P25	Heat Saver Mat See P25	Chemical Floater See P26	Spray Brush Head See P26	Test Strips See P26	Cup Holder & Headrest See P29	









Aquatic Yoga DVD

1.5m drainage hose










Avenli Eco Classic Series








Optional accessories:

Energy-saving		Water-treatment	:	Comfort		
		-	T		3	9
Thermal blanket See P25	Heat Saver Mat See P25	Chemical Floater See P26	Spray Brush Head See P26	Test Strips See P26		& Headrest P29










Avenli Eco Deluxe Series




















Smart Cartridge Change Alarm System



Optional accessories :

+ Panel Lock/Unlock

Energy-saving			Water-treatment		Comfort		
				1		95	0
	Thermal blanket See P25	Heat Saver Mat See P25	Chemical Floater See P26	Spray Brush Head See P26	Test Strips See P26		& Headrest P29










Spas that free your mind.


Avenli Accessories

Energy-saving
Water-treatment
Comfort




Energy-saving

Our Avenli Spa Heat Saver Mat is ideal for those who seek just the right level of comfort, as it boosts the heat conservation properties of all Avenli Spas while also providing an additional layer of cushioning for even more comfortable relaxation.



Heat Saver Mat

- JL011455N
- 78"×78"/198×198cm
- Super durable 3 layer laminatedmaterial+ aluminum film
- Color box
- 0.05cbm/ 5pcs/ctn



Thermal blanket

Heats water in sunshine Prevents heat loss

- -SH290639N
- Ф55" / Ф140 cm
- PE
- Plastic box
- 0.017cbm/ 3pcs/ctn



Water-treatment

Filter Cartridge

- JL290124N
- (4) Filter Cartridge Number
- For Grand-rapid pump
- φ108x95mm(H)
- Shrink wrap with insert card
- 0.065cbm/48pcs/ctn
- JL290590N
- ⑤ Filter Cartridge Number
- For Eco pump
- φ104x80mm(H)
- Shrink wrap with insert card
- 0.049cbm/48pcs/ctn



Chemical Floater

Dispenses 1" chemical tablets

Adjustable dial to control the release of chemicals contractive construction

No tablets included

- JL290468N
- Dia.5" Floating chemical Dispenser
- Color box
- 0.059cbm/24pcs/ctn



Test Strips

- JL290471N
- 3 in 1 Free Chlorine,PH,Total Alkalinity
- The ideal solution for basic pool and spa water testing
- Easy color-match system
- Contains 50 test strips
- 1 year shelf life
- Blister card package0.020cbm/48pcs/ctn



Spray Brush Head

Easy to clean filter cartridge

Two function:brush or washing Can be locked in auto spraying way used with a water pipe

- JL290495N
- Clamshell
- 0.034cbm/24pcs/ctn



Water Tester

-Easy to read meter replaces complicated color matching systems.

-Electronically tests the ph and chlorine levels, providing instant, accurate results.

-Auto-rectification makes it easy to use.

-Safety measure range for Chlorine Level: 1.2 to 1.7ppm.

-Safety measure range for Ph Level: 7.2 to 7.8

-Water Resistance :Water resistant, but not waterproof.

- JL290493N
- Double Blister Packing
- 0.076cbm/36pcs/ctn



Comfort

Spa Foot Basin

When filled with cold water, our Spa Foot Basin enables the Avenli Spa to be used for hot/cold immersion therapy. Simply soak in the warm water in an Avenli Spa for around twenty seconds and then switch to the cold water in the Spa Foot Basin for around 20 seconds. Repeat this entire process 10 times in order to improve your blood circulation and boost your immune system.

- JL137205-1N
- 34"×27"×5.5"(87×68×14cm)
- 10ga.(0.25mm) PVC
- Repair patch,Color box
- 0.026cbm/12pcs/ctn



Spa Towel

- JL290593
- 31.5"×15.7" (80×40cm)
- Cotton
- Plastic box
- 0.103cbm/50pcs/ctn



Cup Holder & Headrest

Our Cup Holder and Headrest turn every Avenli Spa session into the ultimate wellness experience. With our Headrest, your head rests in a slightly elevated position, greatly improving blood circulation. At the same time, our Cup Holder ensures that your favorite drink is always within reach, which means that you can always stay fully hydrated.

- JL290410N
- TPU
- Cup holder x 2 Headrest x 1
- Cup Holder size:9.8"×8.8"×9" (16.8×24.2×24.5cm)
- Headrest size: 6.6"×9.5"×9.6"(25×22.5×23cm)
- color box
- 0.051cbm/2set/ctn






Comfort

Fitted Side Board

We understand that it's the little things that can make a big difference.

That's why we are constantly striving to offer accessories that further enhance the Avenli brand experience.







Item Number/color	JL290557N / coffee
Materialr	Metal frame and weather-proof plastic wicker materia
Size(the higher part)	56.1"×11.8"×22.6" / 142.5×30×57.5cm
Size(the shorter part)	56.1"×11.8"×11.8" / 142.5×30×30cm
Packing volume/quantity	0.15cbm/1set/ctn



Item Number/color	JL290555N / coffee
Materialr	Metal frame and weather-proof plastic wicker materia
Size(the higher part)	56.1"×11.8"×22.6" / 142.5×30×57.5cm
Size(the shorter part)	56.1"×11.8"×11.8" / 142.5×30×30cm
Packing volume/quantity	0.085cbm/1set/ctn