

Solving the Fermi paradox without assumptions*

Berezin Alexander

Abstract—This paper suggests that a universal solution to the Fermi paradox exists and can be derived directly from the definition of life and/or intelligence, therefore eliminating the need for any questionable assumptions and even for the anthropic principle. The proposed solution¹ puts an upper limit on growth of civilizations that is independent of resource availability or biological factors.

I. INTRODUCTION

It is commonly understood that infinite growth is physically impossible on a finite planet [1]. However, the known laws of physics suggest no hard limits to growth for civilizations that have the capability of interstellar travel, barring the speed of light and the total amount of accessible energy in the Universe. This is where the Fermi paradox appears.

Given even the most conservative estimations of growth rate, a civilization moderately older than humanity should have already left easily detectable traces, or even populated the entire galaxy [2]. The lack of such observations is usually explained by suggesting that either the odds of a capable enough civilization to appear are extremely low [3], or that they necessarily destroy themselves or each other [4].

This paper argues that there is, indeed, a universal internal limit to growth of civilizations, even without any external limiting factors.

II. MODEL

To begin discussing the Fermi paradox, at least one definition has to be agreed upon: usually it is either life, intelligence or civilization. However, making distinctions between these concepts may in itself be an unwarranted assumption. In principle, it is possible that some forms of life could evolve the capability of interplanetary, or even interstellar

travel without evolving civilization, or even intelligence, first. The distinction between unintelligent and intelligent organisms does not have to be discrete. Even the concept of an organism does not have to retain its meaning for alien life.

In order to discourage the reader from making assumptions based on colloquial definitions of these terms, this paper will be referring to *agents* as a generalization of all entities for which the Fermi paradox is applicable.

At least two attempts at such a generalization have been published. One is Erwin Schrodinger's "What Is Life?" [5], the other is the "Equation of intelligence" by Alexander Wissner-Gross [6].

Definition 2.1: [5] A system is considered *alive* if it can decrease or maintain its internal entropy by increasing the entropy of its surroundings.

Definition 2.2: [6] A system is considered *intelligent* if its actions aim at maximizing the future freedom of action.

Proposition 2.3: Any life that acts in a way to prolong its existence indefinitely is intelligent.

Proof: First, maximizing the future freedom of action requires the system at least to maintain its internal entropy at some marginal level. Otherwise the increase in entropy would render the system unable to perform any deliberate action, therefore, its future freedom would approach zero regardless of external conditions. This means every intelligent entity is also alive.

Second, maintaining or decreasing the internal entropy of a system requires continuous increase in its external entropy. Therefore, the system either ceases being alive once its energy reservoir is exhausted or seeks more energy in the external environment. And since any action increases entropy, seeking more energy is equivalent to maximizing future freedom of action. ■

Entities that conform to 2.1, but not to 2.2, may exist, but do not affect observations relevant for the Fermi paradox. Therefore, for the purposes of this

*This work was not supported by any organization.

¹A more colloquial name for this solution emerged during its discussion: "the **Black attractor**".

topic, the two definitions are essentially equivalent.

Let *agent* be an entity that conforms to 2.2 and, by extension, 2.1; and let *A* be the set of all possible agents. A *civilization* is then defined as an arbitrary nonempty subset of *A*.

It should be explicitly noted that 2.2 is the only premise used in the following Fermi paradox solution proposal.

III. SOLUTION

Proposition 3.1: Maximizing future freedom of action is equivalent to hoarding the greatest amount of resources.

Proof: Any action can be described as a combination of movements. Movements from lower to higher energy states² expend energy. Any theoretically possible process of energy generation expends some material resource as fuel. The amount of accessible fuel also limits the speed of space travel. Therefore, any action expends some fuel material, and maximizing the amount of fuel also maximizes the space of available actions. ■

If the most efficient reactor possible converts any matter into energy with no waste products, then the terms "fuel" and "matter" can be used interchangeably, which is how they will be used from now on in this paper. Obviously, materials have more uses than just fuel; they are required to sustain any type of growth. To account for that, let us talk about *value* of resources while keeping in mind that value correlates with physical mass.

A few more definitions should be added for readability purposes.

Definition 3.2: An agent's *weight* is the cumulative value of resources that agent controls.

Definition 3.3: An α -agent is the one who has the greatest weight in a civilization.

Proposition 3.4: Given long enough time, all available value will be controlled the α -agent.

Proof: Consider *N* agents each starting with $weight(n) = s - n * \epsilon$, where ϵ is a minor perturbation: $\epsilon \ll s$. Assume they invest all weight into obtaining more value from space and their technological solutions are equally efficient.

Reaching resources in space requires to change one's energy state. Since energy is equivalent to

value, the α -agent (with corresponding $n = 0$) will be able to perform the greatest change of energy state, and therefore gain access to the greatest amount of new value. The α -agent now has a weight proportional to s^2 , while other agents have $weight(n) \propto (s - n\epsilon)^2$. Repeating the same process will result in agent *n* on step *t* having $weight(n) \propto (s - n\epsilon)^t$.

$$\lim_{t \rightarrow \infty} \frac{s^t}{\sum_{n=0}^N (s - n\epsilon)^t} = 1$$

As $t \rightarrow \infty$, the fraction of value held by the α -agent approaches 1, even assuming completely fair competition. This means that all the available value will at some point belong to the α -agent. ■

Proposition 3.5: If the number of agents in a civilization is greater than one, they will be incentivized to centralize storage of their value.

Proof: Since the definition of agents 2.2 does not forbid them to steal from each other, such behaviour is preferable when the value obtained surpasses the value lost in the conflict (according to 3.1). Knowing this, agents will attempt to maximize the value that any other agent will lose by attacking them while minimizing their own expenditures on that task. Considering that the value spent on defence of a region of space is proportional to its surface area, while the value that can be stored inside that region is proportional to its volume, it now follows from basic geometry that the optimal way to store value is within a single spherical region. ■

Whether a civilization consisting of a single agent can evolve to a scale significant to the Fermi paradox is unclear. This paper does not cover such a possibility.

Proposition 3.6: For every civilization of more than one agent there exists an upper bound to the amount of resources it can accumulate. Attempted growth past that bound will result in a collapse into a black hole.

Proof: According to 3.4, a disproportionate amount of resources is controlled by a single agent. According to 3.5, all these resources are packed very closely. From here the problem is obvious. According to relativity, a huge mass packed densely enough produces a black hole. ■

²The "energy state" here is used in the general sense and does not imply the states are discrete.

IV. DISCUSSION

A. How does this explain the absence of von Neumann probes?

Definition 4.1: A von Neumann probe (VNP) is an entity that aims to place at least one copy of itself at the greatest number of stars in the shortest time period.

Proposition 4.2: VNPs are agents.

Proof: It is fairly obvious that reducing the time of interstellar flights requires increasing the amount of resources spent by probes. Considering that resource extraction and replication are relatively fast processes compared to interstellar flights, VNPs are incentivized to gather as much resources as possible before departing for the next star. According to 3.1, this proves their agency. ■

Therefore, VNPs face the same problem as civilizations, if they are not the same thing to begin with.

B. How does one even move such amounts of mass for such distances in order to create a black hole?

We might not know yet what technologies are going to be used for such large-scale projects; what we can say definitively, though, is that the laws of physics as we understand them are not the limitation.

C. But if the collapse is so easy to predict, and there is a sentient entity in control, that entity will not allow it.

The key point is that no agent is actually in control. Rather, the established system is in control of the agents. A more intuitive example of such a situation is the Prisoners' dilemma [7]. The same description can be applied to governments accumulating advanced weapons that can never be used, bankers' behaviour preceding a financial crash and the global response to climate change. Generally speaking, there is no basis to claim that systems consisting of rational agents also act rationally.

D. But if the collapse is so easy to predict, surely enough individuals should be able to escape it?

Correct. However, all wealth the civilization had accumulated is irreversibly destroyed. Survivors have to start from scratch. And when they finally

manage to recreate what was lost, the history will simply repeat itself.

E. In a civilization consisting of billions or trillions of individual agents, how can one of them exercise so much power without the help of others? If the agents on whom that one relies organize and stage a revolt, they should be able to divide the resources and avoid a collapse, shouldn't they?

Proposition 4.3: The probability of successful revolt against the α -agent decreases as the size of civilization (in terms of cumulative value) increases.

Proof: According to 3.4, the α parameter of resource distribution increases with size. Eventually the weight of the α -agent will surpass the sum of all other agents, at which point a successful revolt is impossible. ■

F. What if the civilization is forced to constantly spend the resources they acquire?

That would protect the civilization itself from a collapse. However, the only feasible condition that ensures such spending is a war with another civilization. Whether this is a better alternative to collapse is up to the reader to decide.

G. Assuming humanity is not the first civilization in the Milky way, should we observe multiple black holes with parameters that do not fit our models of their natural formation?

Observing black holes without prior knowledge of their location is extremely difficult. However, it is suggested in [8] that such objects might actually exist.

H. Can the black holes resulting from collapsed civilizations explain dark matter?

No. The idea of dark matter consisting of black holes is currently not considered viable [9].

V. IMPLICATIONS

A. Assuming this solution is correct, what predictions can it make concerning the future of humanity?

In the near future, private space industry should grow dramatically. It will create a huge number of jobs, but also increase income inequality even further. As already predicted in [10], just the mining

of near-Earth asteroids can bring unprecedented profit in minerals that are rare in Earth's crust, but abundant in smaller celestial bodies. That capital can then be invested into even more ambitious projects requiring permanent settlements in outer space, such as building solar reflectors in Earth's L1 point to decrease temperature and mitigate climate change; setting up high-powered lasers to propel interstellar spacecraft [11] or even curing aging as an indirect result of modifying humans for long-term exposure to microgravity and radiation [12]. Slowly but inevitably, engineering challenges that seem insurmountable today will become real targets; challenges such as gathering enough resources to collapse into a black hole.

B. How can a civilization escape its collapse?

Two ways have been suggested in IV-E and IV-F. The third solution might come from the fact that it is theoretically possible for few civilizations to overcome their economic incentives. Even if they themselves survive, other uncontrollably expanding civilizations still endanger their existence. The best solution for them is then to forcibly constrain younger civilizations, implementing something akin to "the Zoo hypothesis" [13].

REFERENCES

- [1] Donella H. Meadows, Jrgen Randers, and Dennis L. Meadows. *The limits to growth: the 30-year update*. Chelsea Green Publishing Company, White River Junction, Vt, 2004.
- [2] F. Valdes and R. A. Freitas, Jr. Comparison of reproducing and nonreproducing starprobe strategies for galactic exploration. *Journal of the British Interplanetary Society*, 33:402–406, November 1980.
- [3] Peter Ward. *Rare earth : why complex life is uncommon in the universe*. Copernicus, New York, 2000.
- [4] G. D. Brin. The Great Silence - the Controversy Concerning Extraterrestrial Intelligent Life. *Quarterly Journal of the Royal Astronomical Society*, 24:283–309, September 1983.
- [5] Erwin Schrödinger. *What is life? the physical aspect of the living cell ; with, Mind and matter ; & Autobiographical sketches*. Cambridge University Press, Cambridge ; New York, 1992.
- [6] A. D. Wissner-Gross and C. E. Freer. Causal Entropic Forces. *Physical Review Letters*, 110(16), April 2013.
- [7] W. Poundstone. *Prisoner's Dilemma*. Oxford paperbacks. Oxford University Press, 1993.
- [8] B.P. Abbott *et al.* and LIGO Scientific Collaboration and Virgo Collaboration. Observation of Gravitational Waves from a Binary Black Hole Merger. *Physical Review Letters*, 116(6), February 2016.
- [9] Miguel Zumalacregui and Uro Seljak. Limits on Stellar-Mass Compact Objects as Dark Matter from Gravitational Lensing of Type Ia Supernovae. *Physical Review Letters*, 121(14), October 2018.
- [10] J.S. Lewis. *Mining the Sky: Untold Riches from the Asteroids, Comets, and Planets*. Helix books. Addison-Wesley Publishing Company, 1996.
- [11] Philip Lubin. A roadmap to interstellar flight. *arXiv preprint arXiv:1604.01356*, 2016.
- [12] Gianni Biolo, Martina Heer, Marco Narici, and Felice Strollo. Microgravity as a model of ageing. *Current Opinion in Clinical Nutrition & Metabolic Care*, 6(1):31–40, 2003.
- [13] John A. Ball. The zoo hypothesis. *Icarus*, 19(3):347 – 349, 1973.