

SECTION 39

1. $x^2 - 2x - 1$
3. $x^2 - 2x + 2$
5. $x^{12} + 3x^8 - 4x^6 + 3x^4 + 12x^2 + 5$
7. $\text{Irr}(\alpha, \mathbb{Q}) = x^4 - \frac{2}{3}x^2 - \frac{62}{9}$; $\deg(\alpha, \mathbb{Q}) = 4$
9. Algebraic, $\deg(\alpha, F) = 2$
11. Transcendental
13. Algebraic, $\deg(\alpha, F) = 2$
15. Algebraic, $\deg(\alpha, F) = 1$
17. $x^2 + x + 1 = (x - \alpha)(x + 1 + \alpha)$
23. a. T c. T e. F g. F i. F
25. b. $x^3 + x^2 + 1 = (x - \alpha)(x - \alpha^2)[x - (1 + \alpha + \alpha^2)]$
27. The polynomial $\text{irr}(\alpha, F)$ is a generator of the principal ideal of all polynomials in $F[x]$ that have α as a zero. Therefore, irr is the monic polynomial of **minimum degree** that has α as a zero. Also, $\text{irr}(\alpha, F)$ is the only **irreducible** monic polynomial that has α as a zero.

SECTION 40

1. $2, \{1, \sqrt{2}\}$
3. $4, \{1, \sqrt{3}, \sqrt{2}, \sqrt{6}\}$
5. $6, \{1, \sqrt{2}, \sqrt[3]{2}, \sqrt{2}(\sqrt[3]{2}), (\sqrt[3]{2})^2, \sqrt{2}(\sqrt[3]{2})^2\}$
7. $2, \{1, \sqrt{6}\}$
9. $9, \{1, \sqrt[3]{2}, \sqrt[3]{4}, \sqrt[3]{3}, \sqrt[3]{6}, \sqrt[3]{12}, \sqrt[3]{9}, \sqrt[3]{18}, \sqrt[3]{36}\}$
11. $2, \{1, \sqrt{2}\}$
13. $2, \{1, \sqrt{2}\}$
19. a. F c. F e. F g. F i. F
23. *Partial answer:* Extensions of degree 2^n for $n \in \mathbb{Z}^+$ are obtained.

SECTION 41

All odd-numbered answers require proofs and are not listed here.

SECTION 42

1. Yes
3. Yes
5. 6
7. 0

SECTION 43

1. $\sqrt{2}, -\sqrt{2}$
3. $3 + \sqrt{2}, 3 - \sqrt{2}$
5. $\sqrt{2} + i, \sqrt{2} - i, -\sqrt{2} + i, -\sqrt{2} - i$
7. $\sqrt{1 + \sqrt{2}}, -\sqrt{1 + \sqrt{2}}, \sqrt{1 - \sqrt{2}}, -\sqrt{1 - \sqrt{2}}$
9. $\sqrt{3}$
11. $-\sqrt{2} + 3\sqrt{5}$
13. $-\sqrt{2} + \sqrt{45}$
15. $\sqrt{3} \pm \sqrt{5}$
17. $\mathbb{Q}(\sqrt{2}, \sqrt{3}, \sqrt{5})$
19. $\mathbb{Q}(\sqrt{3}, \sqrt{10})$
21. \mathbb{Q}
25. a. $3 - \sqrt{2}$
- b. They are the same maps.
39. Yes

SECTION 44

1. 2
3. 4
5. 2
7. 1
9. 2
11. $\sqrt{2} \rightarrow \sqrt{2}, \sqrt{3} \rightarrow \sqrt{3}, \sqrt{5} \rightarrow \sqrt{5}$; and $\sqrt{2} \rightarrow \sqrt{2}, \sqrt{3} \rightarrow -\sqrt{3}, \sqrt{5} \rightarrow -\sqrt{5}$
13. $\sqrt{2} \rightarrow \sqrt{2}, \sqrt{3} \rightarrow \sqrt{3}, \sqrt{5} \rightarrow -\sqrt{5}$; $\sqrt{2} \rightarrow \sqrt{2}, \sqrt{3} \rightarrow -\sqrt{3}, \sqrt{5} \rightarrow \sqrt{5}$;
 $\sqrt{2} \rightarrow -\sqrt{2}, \sqrt{3} \rightarrow \sqrt{3}, \sqrt{5} \rightarrow \sqrt{5}$; $\sqrt{2} \rightarrow -\sqrt{2}, \sqrt{3} \rightarrow -\sqrt{3}, \sqrt{5} \rightarrow -\sqrt{5}$
15. There are six extensions. One for each of the combinations where $\sqrt{3}i$ maps to $\pm\sqrt{3}i$ and $\sqrt[3]{2}$ maps to one of $\alpha_1, \alpha_2, \alpha_3$.

17. a. $\mathbb{Q}(\pi^2)$ b. $\sqrt{\pi}$ can map to either $\pm\sqrt{\pi}i$.

19. $1 \leq [E : F] \leq n!$

21. Let $F = \mathbb{Q}$ and $E = \mathbb{Q}(\sqrt{2})$. Then

$$f(x) = x^4 - 5x^2 + 6 = (x^2 - 2)(x^2 - 3)$$

has a zero in E , but does not split in E .

SECTION 45

1. $\alpha = \sqrt[6]{2} = 2/(\sqrt[3]{2}\sqrt{2})$, $\sqrt{2} = (\sqrt[6]{2})^3$, $\sqrt[3]{2} = (\sqrt[6]{2})^2$. (Other answers are possible.)

3. $\alpha = \sqrt{2} + \sqrt{5}$, $\sqrt{2} = \frac{1}{6}\alpha^3 - \frac{11}{6}\alpha$, $\sqrt{5} = \frac{17}{6}\alpha - \frac{1}{6}\alpha^3$. (Other answers are possible.)

7. $f(x) = x^4 - 4x^2 + 4 = (x^2 - 2)^2$. Here $f(x)$ is not an irreducible polynomial. Every irreducible factor of $f(x)$ has zeros of multiplicity 1 only.

SECTION 46

1. 4 3. 8 5. 4 7. 2

9. The group has two elements, the identity automorphism ι of $\mathbb{Q}(i)$ and σ such that $\sigma(i) = -i$.

11. b. Let $\alpha_1 = \sqrt[3]{5}$, $\alpha_2 = \sqrt[3]{5} \frac{-1 + i\sqrt{3}}{2}$, and $\alpha_3 = \sqrt[3]{5} \frac{-1 - i\sqrt{3}}{2}$.

The maps are

ι , where ι is the identity map;

ρ , where $\rho(\alpha_1) = \alpha_2$ and $\rho(i\sqrt{3}) = i\sqrt{3}$;

ρ^2 , where $\rho^2(\alpha_1) = \alpha_3$ and $\rho^2(i\sqrt{3}) = i\sqrt{3}$;


μ , where $\mu(\alpha_1) = \alpha_1$ and $\mu(i\sqrt{3}) = -i\sqrt{3}$;

$\mu\rho$, where $\mu\rho(\alpha_1) = \alpha_3$ and $\mu\rho(i\sqrt{3}) = -i\sqrt{3}$;


$\mu\rho^2$, where $\mu\rho^2(\alpha_1) = \alpha_2$ and $\mu\rho^2(i\sqrt{3}) = -i\sqrt{3}$.

c. S_3 . The notation in (a) was chosen to coincide with the standard notation for $D_3 \simeq S_3$.

d.



Group diagram



Field diagram

13. The splitting field of $(x^3 - 1) \in \mathbb{Q}[x]$ is $\mathbb{Q}(i\sqrt{3})$, and the group is cyclic of order 2 with elements: ι , where ι is the identity map of $\mathbb{Q}(i\sqrt{3})$, and σ , where $\sigma(i\sqrt{3}) = -i\sqrt{3}$.

15. a. F c. T e. T g. F i. F

25. Partial answer: $G(K/(E \vee L)) = G(K/E) \cap G(K/L)$

SECTION 47

3. $\mathbb{Q}(\sqrt[4]{2}, i): \sqrt[4]{2} + i, x^8 + 4x^6 + 2x^4 + 28x^2 + 1;$
 $\mathbb{Q}(\sqrt[4]{2}): \sqrt[4]{2}, x^4 - 2;$
 $\mathbb{Q}(i\sqrt[4]{2}): i(\sqrt[4]{2}), x^4 - 2;$
 $\mathbb{Q}(\sqrt{2}, i): \sqrt{2} + i, x^4 - 2x^2 + 9;$
 $\mathbb{Q}(\sqrt[4]{2} + i(\sqrt[4]{2})): \sqrt[4]{2} + i(\sqrt[4]{2}), x^4 + 8;$
 $\mathbb{Q}(\sqrt[4]{2} - i(\sqrt[4]{2})): \sqrt[4]{2} - i(\sqrt[4]{2}), x^4 + 8;$
 $\mathbb{Q}(\sqrt{2}): \sqrt{2}, x^2 - 2;$
 $\mathbb{Q}(i): i, x^2 + 1;$
 $\mathbb{Q}(i\sqrt{2}): i\sqrt{2}, x^2 + 2;$
 $\mathbb{Q}: 1, x - 1$

5. The group is cyclic of order 5, and its elements are

| | ι | σ_1 | σ_2 | σ_3 | σ_4 |
|---------------------------|---------------|----------------------|------------------------|------------------------|------------------------|
| $\sqrt[5]{2} \rightarrow$ | $\sqrt[5]{2}$ | $\zeta(\sqrt[5]{2})$ | $\zeta^2(\sqrt[5]{2})$ | $\zeta^3(\sqrt[5]{2})$ | $\zeta^4(\sqrt[5]{2})$ |

where $\sqrt[5]{2}$ is the real 5th root of 2.

7. The splitting field of $x^8 - 1$ over \mathbb{Q} is the same as the splitting field of $x^4 + 1$ over \mathbb{Q} , so a complete description is contained in Example 47.7. (This is the easiest way to answer the problem.)
9. a. $s_1^2 - 2s_2$ b. $\frac{s_1 s_2 - 3s_3}{s_3}$

SECTION 48

3. a. 16 b. 400 c. 2160
5. 3^0
7. a. T c. F e. T g. T i. F
9. $\Phi_1(x) = x - 1$
 $\Phi_2(x) = x + 1$
 $\Phi_3(x) = x^2 + x + 1$
 $\Phi_4(x) = x^2 + 1$
 $\Phi_5(x) = x^4 + x^3 + x^2 + x + 1$
 $\Phi_6(x) = x^2 - x + 1$

SECTION 49

1. No. Yes, K is an extension of \mathbb{Z}_2 by radicals.
3. a. T c. T e. T g. T i. F ($x^3 - 2x$ over \mathbb{Q} gives a counterexample.)

APPENDIX

1. $\begin{bmatrix} 2 & 1 \\ 2 & 7 \end{bmatrix}$ 3. $\begin{bmatrix} -3+2i & -1-4i \\ 2 & -i \\ 0 & -i \end{bmatrix}$
5. $\begin{bmatrix} 5 & 16 & -3 \\ 0 & -18 & 24 \end{bmatrix}$ 7. $\begin{bmatrix} 1 & -i \\ 4-6i & -2-2i \end{bmatrix}$
9. $\begin{bmatrix} 8 & -8i \\ 8i & 8 \end{bmatrix}$ 11. $\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$ 13. -48

This page is intentionally left blank

Index

- Abel, Niels Henrik, 21, 150, 191, 385
- Abelian extension, 370
- Abelian group(s), 20
 - finitely-generated, fundamental theorems of, 92, 93
 - free, 167
 - torsion free, 96, 119
- Absolute value, 34
- Action
 - faithful, 133
 - on a group, 132
 - transitive, 133
- Addition
 - modulo 2π , 37
 - modulo c , 33
 - modulo n , 32, 65
- Additive identity, 14
- Adjoining elements to field, 321
- Al-Tusi Sharaf al-Din, 224
- Algebra
 - fundamental theorem of, 257, 324
 - group, 261
- Algebraic closure, 324
- Algebraic closure of F in E , 323
- Algebraic element over F , 313
- Algebraic extension, 319
- Algebraic integer, 378
- Algebraic number, 314
- Algebraic number theory, 294
- Algebraic variety, 298
- Algebraically closed field, 323, 327
- Alphabet, 172
- Alternating group on n letters, 84
- Antisymmetric law, 324
- Arc
 - of a digraph, 72
 - of a graph, 308
- Arithmetic, fundamental theorem of, 280
- Artin, Emil, 225
- Ascending central series, 163
- Ascending chain condition, 278, 286
- Aschbacher, Michael, 127
- Associates, 276
- Associative operation, 13, 20
- Automorphism, 341
 - of a field, 345
 - Frobenius, 349
 - of a group, 68, 118
 - group of, 345
 - inner, 118
- Axiom of choice, 324, 325
- Axis of reflection, 105
- Banach, Stefan, 268
- Basis
 - for a finitely-generated abelian group, 176
 - for a free abelian group, 167
- Gröbner, 305
- for an ideal, 298
- for a vector space, 270
- Bessy, Bernard Frenicle de, 201
- Betti number, 92
- Bijection, 4
- Binary operation, 11
- Bit, 237
- Bit errors, 239
- Blip group, 177
- Bloom, David M., 82
- Blop group, 177
- Boolean ring, 194
- Bourbaki, Nicholas, 4, 177, 326
- Brahmagupta, 288
- Burnside, William, 127, 152
- Burnside's formula, 141
- Cancellation laws, 23, 196
- Cardano, Girolamo, 224, 385
- Cardinality, 3, 4
- Cartesian product, 2, 88
- Cauchy Augustin-Louis, 42
- Cauchy's theorem, 136
- Cayley, Arthur, 72, 81, 178
- Cayley digraph, 72
- Cayley's theorem, 79
- Cell, 5
- Center of a group, 60, 128, 163
- Chain(s), 324
- Chain condition,
 - ascending, 278, 286
 - descending, 286
- Characteristic of a ring, 198
- Chief series, 161
- Class
 - equivalence, 7
 - residue modulo n , 6
- Class equation, 156
- Closed interval, 8
- Closed set under an operation, 12, 37
- Closure, algebraic, 323
- Code, 238
 - polynomial, 241
- Code word, 238
- Codomain, 3
- Coefficients
 - of a polynomial, 219
 - torsion, 93, 96
- Coloring of graph, 308
- Commensurable numbers, 223
- Commutative operation, 13
- Commutative ring, 189
- Commutator, 120, 128
- Commutator subgroup, 120, 128
- Comparable elements, 324
- Complex number, 3, 33
 - absolute value of, 34
 - multiplication of, 34
- Composition, function, 12, 14
 - associativity of, 14
- Composition series, 161
- Congruence modulo n , 6
- Conjugate elements over F , 345
- Conjugate subgroups, 119, 120
- Conjugation, 118
- Conjugation isomorphism, 345

- Consequence, 179
- Constant polynomial, 219
- Constructible number, 329
- Constructible polygon, 380
- Content of a polynomial, 237, 281
- Contraction, elementary, 173
- Correction of bit errors, 239
- Correspondence, one-to-one, 4
- Coset, 97
 - double, 104
 - left, 98
 - right, 100
- Coset group, 97
- Crelle, August, 21
- Cycle(s), 44
 - disjoint, 44, 45
 - k -, 44
- Cyclic extension, 371
- Cyclic group, 56, 61
 - elementary properties of, 61
 - finite, subgroups of, 66
 - structure of, 64
- Cyclic linear code, 238
- Cyclic subgroup, 55, 61
- Cyclotomic extension, 378
- Cyclotomic polynomial, 234, 378

- Decomposable group, 93
- Decryption, 205
- Dedekind, Richard, 191, 244
- Definitions, 1
- Degree
 - of α over F , 315
 - of an extension, 319
 - of a polynomial, 219
- Derivative, 340
- Descartes, Rene, 218
- Descending chain condition, 286
- Detection of bit error, 239
- Determinant of a square matrix, 28
- Diagonal matrix, 28
- Diagram, subgroup, 53
- Digraph, 72
 - arc of, 72
 - vertex of, 72
- Dihedral group, 46
- Dimension of a vector space over F , 272
- Direct product, 89
 - external, 91
 - internal, 91
 - of rings, 187
- Direct sum, 89
 - of vector spaces, 274
- Dirichlet, Peter Lejeune, 191
- Discrete frieze group, 107
- Discriminant of a polynomial, 378
- Disjoint cycles, 44, 45
- Disjoint sets, 5
- Disjoint union of G -sets, 140
- Distance between two strings, 238
- Distributive law, 185
- Division algorithm
 - for \mathbb{Z} , 62
 - for $F[x]$, 228, 286, 300
- Division ring, 190
- Divisor, 276, 300
 - greatest common, 63, 281
 - of a polynomial, 234
 - of zero, 194
- Domain
 - Euclidean, 286
 - of a function, 3
 - integral, 196
 - principal ideal, 276
 - unique factorization, 276
- Double coset, 104
- Doubling the cube, 332

- Edges of graph, 308
- Eisenstein criterion, 233
- Element(s), 1
 - adjoining to field, 321
 - algebraic over F , 313
 - comparable, 324
 - conjugate over F , 345
 - equivalent, 212
 - fixed, 342
 - idempotent, 19, 31, 193, 199
 - identity, 14, 20
 - inverse of, 20
 - irreducible, 276
 - maximal, 325
 - nilpotent, 193, 250
 - orbit of, 82, 135
 - order of, 61
 - prime, 280
 - primitive, 360
 - separable over F , 359
 - transcendental over F , 313
- Elementary contraction, 173
- Elementary symmetric function, 372
- Empty set, 1
- Empty word, 172
- Encryption, 205
 - RSA, 206
- Endomorphism, 258
- Equation, class, 156
- Equivalence class, 7
- Equivalence relation, 6
- Equivalent elements, 212
- Errors, bit, 239
- Escher M. C., 109
- Euclid, 201, 288
- Euclidean algorithm, 288
- Euclidean domain, 286
- Euclidean norm, 286
- Euler, Leonard, 21, 34, 202, 381
- Euler formula, 34
- Euler phi-function, 105, 202
- Euler's theorem, 202
- Evaluation homomorphism, 120, 189, 221
- Even permutation, 83
- Extension(s), 311
 - abelian, 370
 - algebraic, 319
 - cyclic, 371
 - cyclotomic, 378
 - degree of, 319
 - finite, 319
 - finite normal, 362
 - join of, 371
 - of a map, 351
 - by radicals, 384
 - separable, 347, 359
 - simple, 315
- Extension field, 311
- External direct product, 91

- Factor, 276, 300
 - of a polynomial, 300
- Factor group, 113, 115
- Factor theorem, 229
- Faithful action, 133
- Feit, Walter, 127, 152
- Fermat, Pierre de, 201
- Fermat prime, 381
- Fermat's last theorem, 277
- Fermat's $p = a^2 + b^2$ theorem, 295
- Fermat's theorem, 200
 - Euler's generalization of, 202
- Ferrari, Lodovico, 385
- Ferro, Scipione del, 385
- Field, 190
 - adjoining elements to, 321
 - algebraic closure of, 323
 - algebraic closure in E , 323
 - algebraically closed, 323, 327
 - extension of, 311
 - fixed, 365
 - Galois, 335
 - intermediate, 344
 - perfect, 359
 - prime, 254
 - of quotients, 211, 215
 - of rational functions, 221
 - separable extension of, 359
 - simple extension of, 315
 - skew, 190
 - splitting, 347, 349, 353
 - strictly skew, 190
 - subfield of, 190
 - tower of, 311
- Field extension, 311
 - simple, 315
- Finite-basis condition, 286
- Finite extension, 319
 - degree of, 319
- Finite generating set, 286
- Finite group, 25
- Finite presentation, 179
- Finite-dimensional vector space, 269
- Finitely-generated group, 71
- Fixed elements, 342
- Fixed field, 365
- Fixed point, 110
- Free abelian group, 167
 - basis for, 167
 - rank of, 168
- Free generators, 174
- Free group, 173
 - rank of, 174
- Frey, Gerhard, 277
- Frieze group, 107

- Frobenius, Georg, 150
- Frobenius automorphism, 349
- Frobenius homomorphism, 249
- Function(s), 3
 - codomain of, 3
 - composite, 12, 14
 - composition of, 12, 14
 - domain of, 3
 - elementary symmetric, 372
 - Euler phi-, 105, 202
 - image of A under, 78
 - inverse of, 4
 - one-to-one, 4
 - onto, 4
 - phi-, 105, 202
 - polynomial on F , 227
 - range of, 3
 - rational, 221
 - symmetric, 372
 - trap door, 206
 - two-to-two, 9
- Fundamental homomorphism
 - theorem, 117, 247
- Fundamental theorem of algebra, 257, 324
- Fundamental theorem of arithmetic, 280
- Fundamental theorem of
 - finitely-generated abelian groups, 170
 - invariant factor version of, 93
 - primary factor version of, 92
- G -set(s), 132
 - applications to counting, 140
 - applications to finite groups, 136
 - disjoint union of, 140
 - isomorphic, 139
 - orbits of, 135
 - sub-, 139
 - transitive, 133
- Gallian, Joseph A., 108
- Galois, Evariste, 162, 191, 337, 379
- Galois field, 335
- Galois group, 362
- Galois theory, 341
 - main theorems of, 364
- Gauss, Carl F., 21, 92, 292, 334, 337, 379
- Gauss's lemma, 282
- Gaussian integer, 216, 292
- Gaussian norm, 292
- General linear group, 22
- General polynomial of degree n , 372
- Generating set, 70, 71
- Generator(s), 56, 61, 70, 71
 - for a presentation, 179
 - free, 174
 - of a group, 56, 61
 - of a principal ideal, 254
 - relation on, 75, 179
 - for a vector space, 269
- Glide reflection, 106
 - nontrivial, 108
- Graph, 308
- Grassmann, Hermann, 268
- Greatest common divisor, 63, 281
- Griess, Robert L. Jr., 127
- Gröbner basis, 305
- Group(s), 20
 - abelian, 20
 - alternating on n letters, 84
 - ascending central series of, 163
 - automorphism of, 68, 118
 - of automorphisms, 345
 - blip, 177
 - blow, 177
 - center of, 60, 128, 163
 - commutator in a, 120
 - of cosets, 97
 - cyclic, 56, 61
 - decomposable, 93
 - dihedral, 46
 - direct product of, 89
 - direct sum of, 89
 - discrete frieze, 107
 - elementary properties of, 23
 - endomorphism of, 258
 - factor, 115
 - finite, 25
 - finitely-generated, 71
 - free, 173
 - free on A , 173
 - free abelian, 167
 - frieze, 107
 - Galois, 362
 - general linear, 22
 - generator(s) of, 56, 61, 70, 71
 - indecomposable, 93
 - inner automorphism of, 118
 - isomorphic, 25, 26
 - Klein 4-, 53
 - notation and terminology, 39
 - octic, 182
 - order of, 41
 - p -, 137
 - permutation, 41, 77, 79
 - plane crystallographic, 108
 - of a polynomial, 365
 - presentation of, 178, 179
 - quaternion, 183
 - quotient, 115
 - regular representation of, 80
 - series of, 157
 - simple, 126
 - solvable, 163
 - special linear, 115
 - subgroup of, 52
 - symmetric on n letters, 43
 - of symmetries, 105
 - torsion, 119
 - torsion free, 119
 - wallpaper, 108
- Group action, 132
- Group algebra, 261
- Group homomorphism, 77
- Group ring, 261
- Group table, 25
 - properties of, 27
- Hamilton, Sir William Rowan, 262, 268
- Hamming distance, 238
- Hamming weight, 238
- Hilbert, David, 186
- Hilbert basis theorem, 299
- Hölder, Otto, 162, 178
- Homomorphism, 113, 188
 - evaluation, 120, 189, 221
 - Frobenius, 249
 - fundamental theorem for, 117, 247
 - group, 77
 - kernel of, 78, 188, 247
 - projection, 246
 - of a ring, 188, 245
- Homomorphism property, 26
- Ideal(s), 244
 - ascending chain condition for, 278, 286
 - basis for, 298
 - descending chain condition for, 286
 - finite-basis condition for, 286
 - improper, 251
 - left, 258
 - maximal, 251
 - maximum condition for, 286
 - minimum condition for, 286
 - nilradical of, 250
 - prime, 252
 - principal, 254
 - product of, 258
 - proper nontrivial, 251
 - quotient of, 258
 - radical of, 250
 - right, 258
 - sum of, 257
 - trivial, 251
- Idempotent element, 19, 31, 193, 199
- Identity element, 14, 20
 - left, 25
- Image
 - of A , 78
 - inverse, 78
 - under a map, 78
- Imaginary number, 34
- Improper ideal, 251
- Improper subgroup, 52, 59
- Improper subset, 2
- Indecomposable group, 93
- Indeterminate, 218
- Index of a subgroup, 99
- Induced operation, 12, 114
- Infinite order, 61
- Infinite set, 4
- Information rate, 238
- Injection, 4
- Injection map, 4, 214
- Inner automorphism, 118
- Integer(s), 2
 - algebraic, 378
 - Gaussian, 216, 292
 - rational, 292
 - relatively prime, 64