

- [1956] Hall M., An algorithm for distinct representatives. *Amer. Math. Monthly* **63** (1956), 716–717. [189]
- [1935] Hall P., On representation of subsets. *J. Lond. Mat. Sc.* **10** (1935), 26–30. [110]
- [1950] Halmos P.R. and H.E. Vaughan, The marriage problem. *Amer. J. Math* **72** (1950), 214–215. [120]
- [1981] Hammer P.L. and B. Simeone, The splittance of a graph. *Combinatorica* **1** (1981), 275–284 (also Dept. Comb. Opt., Univ. Waterloo, CORR 77-39 (1977)). [345]
- [1983] Hammersley J., The friendship theorem and the love problem. In *Surveys in Combinatorics*. (ed. E.K. Lloyd), *Lond. Math. Soc. Lec. Notes* **82** Cambridge Univ. Press (1983), 31–54. [466]
- [1962a] Harary F., The maximum connectivity of a graph. *Proc. Nat. Acad. Sci. U.S.A.* **48** (1962), 1142–1146. [151, 159]
- [1962b] Harary F., The determinant of the adjacency matrix of a graph. *SIAM Review* **4** (1962), 202–210. [454]
- [1969] Harary F., *Graph Theory*. Addison-Wesley, Reading MA (1969). [252, 299]
- [1977] Harary F., D.F. Hsu, and Z. Miller, The biparticity of a graph. *J. Graph Th.* **1** (1977), 131–133. [422]
- [1993] Harary F. and P.C. Kainen, The cube of a path is maximal planar. *Bull. Inst. Combin. Appl.* **7** (1993), 55–56. [271]
- [1964] Harary F. and Y. Kodama, On the genus of an  $n$ -connected graph. *Fund. Math.* **54** (1964), 7–13. [160]
- [1965] Harary F. and C.St.J.A. Nash-Williams, On eulerian and hamiltonian graphs and line graphs. *Canad. Math. Bull.* **8** (1965), 701–710. [295]
- [1966] Harary F. and G. Prins, The block-cutpoint-tree of a graph. *Publ. Math. Debrecen* **13** (1966), 103–107. [160]
- [1973] Harary F. and A.J. Schwenk, The number of caterpillars. *Discr. Math.* **6** (1973), 359–365. [94]
- [1974] Harary F. and A.J. Schwenk, The communication problem on graphs and digraphs. *J. Franklin Inst.* **297** (1974), 491–495. [422]
- [1966] Harper L.J., Optimal numberings and isoperimetric problems on graphs. *J. Comb. Th.* **1** (1966), 385–393. [390]
- [1995] Hartman C.M., A short proof of a theorem of Giles, Trotter, and Tucker. unpublished note (1995). [342]
- [1997] Hartman C.M., *Extremal problems in graph theory*. Ph.D. Thesis, University of Illinois (1997). [284]
- [1996] Hartsfield N., A.K. Kelmans and Y.Q. Shen, On the Laplacian polynomial of a  $K$ -cube extension. *Proc. 27th S.E. Intl. Conf. Graph Th. Comb. Comp. (Baton Rouge, 1996)*, *Congr. Num.* **119** (1996), 73–77. [463]
- [1955] Havel V., A remark on the existence of finite graphs (Czech.). *Časopis Pěst. Mat* **80** (1955), 477–480. [45, 52]
- [1998] Haynes T.W., S.T. Hedetniemi and P.J. Slater, *Fundamentals of domination in graphs*. Marcel Dekker, Inc. (1998). [116]
- [1985] Hayward R.B., Weakly triangulated graphs. *J. Comb. Th. (B)* **39** (1985), 200–208. [334]
- [1890] Heawood P.J., Map-colour theorem. *Q. J. Math.* **24** (1890), 332–339. [257, 268]
- [1898] Heawood P.J., On the four-colour map theorem. *Q. J. Math.* **29** (1898), 270–285. [271]
- [1969] Hedetniemi S., On partitioning planar graphs. *Canad. Math. Bull.* **11** (1969), 203–210. [270]

- [1969] Heesch H., Untersuchungen zum Vierfarbenproblem. Num. 810/810a/810b B.I. Hochschulschriften. Bibliographisches Institut (1969). [259]
- [1990] Hendry G.R.T., Extending cycles in graphs. *Discr. Math.* **85** (1990), 59–72. [231]
- [1873] Hierholzer C., Über die Möglichkeit, einen Linienzug ohne Wiederholung und ohne Unterbrechnung zu umfahren. *Math. Ann.* **6** (1873), 30–32. [26, 30]
- [1989] Hilton A.J.W., Two conjectures on edge colouring. *Discr. Math.* **74** (1989), 61–64. [278]
- [1941] Hitchcock F.L., The distribution of a product from several sources to numerous facilities. *J. Math. Phys.* **20** (1941), 224–230. [130]
- [1995] Hochberg R., C.J.H. McDiarmid, and M. Saks, On the bandwidth of triangulated triangles. *14th Brit. Comb. Conf. (Keele, 1993)*, *Discr. Math.* **138** (1995), 261–265. [391]
- [1958] Hoffman A.J., *Théorie des Graph* (ed. by ) C. Berge (1958), 80. [317]
- [1960] Hoffman A.J., On the exceptional case in the characterization of the arcs of a complete graph. *IBM J. Res. Dev.* **4** (1960), 487–496. [285]
- [1963] Hoffman A.J., On the polynomial of a graph. *Amer. Math. Monthly* **70** (1963), 30–36. [461]
- [1964] Hoffman A.J., On the line-graph of the complete bipartite graph. *Ann. Math. Statist.* **35** (1964), 883–885. [285]
- [1993] Holton D.A. and J. Sheehan, *The Petersen Graph*. Cambr. Univ. Pr. (1993). [13]
- [1981] Holyer I., The NP-completeness of edge-coloring. *SIAM J. Computing* **10** (1981), 718–720. [278, 439, 505]
- [1972] Holzmänn C.A. and F. Harary, On the tree graph of a matroid. *SIAM J. Appl. Math.* **22** (1972), 187–193. [376]
- [1973] Hopcroft J. and R.M. Karp, An  $O(n^{2.5})$  algorithm for maximum matching in bipartite graphs. *SIAM J. Computing* **2** (1973), 225–231. [132]
- [1974] Hopcroft J. and R.E. Tarjan, Efficient Planarity Testing. *J. Assoc. Comp. Mach.* **21** (1974), 549–568. [252]
- [1982] Horton J.D., On two-factors of bipartite regular graphs. *Discr. Math.* **41** (1982), 35–41. [292]
- [1976] Huang H.-C., *Investigations on combinatorial optimization*. Ph.D. Thesis, School of Organization and Management, Yale University (1976). [337]
- [1952] Huffman D.A., A method for the construction of minimum redundancy codes. *Proc. Inst. Rail. Engin.* **40** (1952), 1098–1011. [101–103, 106]
- [1995] Hutchinson J.P., Problem 10478. *Amer. Math. Monthly* **102** (1995), 746 (solution **105** (1998), 274–275). [271]
- [1973] Ingleton A.W. and M.J. Piff, Gammoids and transversal matroids. *J. Comb. Th. (B)* **15** (1973), 51–68. [377]
- [1975] Isaacs R., Infinite families of nontrivial trivalent graphs which are not Tait colorable. *Amer. Math. Monthly* **82** (1975), 221–239. [306, 317]
- [1991] Isaak G. and B. Tesman, The weighted reversing number of a digraph. *Proc. 22nd Southeastern Conf., Congr. Num.* **83** (1991), 115–124. [66]
- [1978] Itai A. and Rodeh M., Covering a graph by circuits. In *Automata, Languages and Programming, Lect. Notes in Comp. Sci* **62**. Springer-Verlag (1978), 289–299. [317, 318]
- [1980] Jackson B., Hamilton cycles in regular 2-connected graphs. *J. Comb. Th. (B)* **29** (1980), 27–46. [292]
- [1991] Jacobson M.S., F.R. McMorris, H.M. Mulder, Tolerance Intersection Graphs. In *Proc. Kalamazoo 1988*. (ed. Y. Alavi, G. Chartrand, O.R. Oellerman and A.J. Schwenk) Wiley (1991), 705–724. [346]

- [1978] Jaeger F., Sur certaines valuations des hypergraphes d'intervalles. *C. R. Acad. Sci. Paris Sér. A-B* **287** (1978), A487–A489. [317]
- [1979] Jaeger F., Flows and generalized coloring theorems in graphs. *J. Comb. Th. (B)* **26** (1979), 205–216. [312]
- [1988] Jaeger F., Nowhere-zero flow problems. In *Selected Topics in Graph Theory 3*. (eds. L.W. Beineke and R.J. Wilson) Academic Press (1988), 71–95. [312, 317]
- [2000] Janson S., T. Łuczak, and A. Ruciński, *Random Graphs*. Wiley-Interscience (2000). [426]
- [1993] Janssen J.C.M., The Dinitz Problem is solved for rectangles. *Bull. Amer. Math. Soc.* **29** (1993), 243–249. [410]
- [1930] Jarník V., O jistém problému minimálním. *Acta Societatis Scientiarum Natur. Moraviae* **6** (1930), 57–63. [97, 104]
- [1997] Jeurissen R., "Sinks in digraphs", posted on GRAPHNET, Oct 7, 1997 (response to question of A. Hobbs and L. Anderson) [449]
- [1869] Jordan C., Sur les assemblages de lignes. *J. Reine Angew. Math.* **70** (1869), 185–190. [72, 78, 393]
- [1965] Jung H.A., Anwendung einer Methode von K. Wagner bei Färbungsproblemen für Graphen. *Math. Ann.* **161** (1965), 325–326. [213]
- [1985] Jünger M., G. Reinelt, and W.R. Pulleyblank, On partitioning the edges of graphs into connected subgraphs. *J. Graph Th.* **9** (1985), 539–549. [424]
- [1996] Kahn J., Asymptotically good listcolorings. *J. Comb. Th. (A)* **73**(1996), 1–59. [410]
- [1967] Kalbfleisch J.G., Upper bounds for some Ramsey numbers. *J. Comb. Th.* **2** (1967), 35–42. [384]
- [2001] Kaneko A., A. Kelmans and T. Nishimura, On packing 3–vertex paths in a graph. *J. Graph Th.* (to appear). [173]
- [1983] Kano M. and A. Sakamoto, Ranking the vertices of a weighted digraph using the length of forward arcs. *Networks* **13** (1983), 143–151. [66]
- [1960] Kantorovich L.V., Mathematical methods in the organization and planning of production (in Russian, 1939, Leningrad State Univ.). *Management Science* **6** (1960), 366–422. [130]
- [1977] Kapoor S.F., A.D. Polimeni, and C.E. Wall, Degree sets for graphs. *Fund. Math.* **95** (1977), 189–194. [52]
- [1995] Karger D.R., P.N. Klein, and R.E. Tarjan, A randomized linear-time algorithm to find minimum spanning trees. *J. Assoc. Comp. Mach.* **42** (1995), 321–328. [97]
- [1972] Karp R.M., Reducibility among combinatorial problems. In *Complexity of Computer Computations*. (ed. R.E. Miller and J.W. Thatcher) Plenum Press (1972), 85–103. [500, 502, 503, 506]
- [1965] Kelmans A.K., The number of trees in a graph, I. *Automat. Remote Control* **26** (1965), 2118–2129. [94, 463]
- [1966] Kelmans A.K., The number of trees in a graph, II. *Automat. Remote Control* **27** (1966), 233–241. [463]
- [1967a] Kelmans A.K., Connectivity of probabilistic networks. *Automat. Remote Control* **28** (1967), 98–116. [93]
- [1967b] Kelmans A.K., The properties of the characteristic polynomial of a graph (Russian)., *Cybernetics* **4** Izdat. "Énergija" (1967), 27–41. [463]
- [1980] Kelmans A.K., Concept of a vertex in a matroid and 3-connected graphs. *J. Graph Th.* **4** (1980), 13–19. [251, 365, 376]
- [1981a] Kelmans A.K., The concept of a vertex in a matroid, the nonseparating cycles of a graph and a new criterion for graph planarity.. In *Algebraic methods in graph theory, Vol. I, II*. (ed. L. Lovász, V.T. Sós), Proc. Colloq. (Szeged, 1978) *Coll. Math. Soc. János Bolyai* **25**, North-Holland (1981), 345–388. [256]

- [1981b] Kelmans A.K., A new planarity criterion for 3-connected graphs. *J. Graph Th.* **5** (1981), 259–267. [251]
- [1983] Kelmans A.K., On existence of given subgraphs in a graph (Russian). In *Algoritmy Diskret. Optim. Primen. v Vychisl. Syst.*. Yaroslav. Gos. Univ. (1983), 3–20. [252]
- [1984a] Kelmans A.K., Problem. In *Finite and Infinite Sets*. (ed. A. Hajnal, L. Lovász, V.T. Sós), Proc. 6th Hung. Comb. Colloq. (Eger 1981) *Coll. Math. Soc. János Bolyai* **37**, Elsevier (1984), 882. [252]
- [1984b] Kelmans A.K., A strengthening of the Kuratowski planarity criterion for 3-connected graphs. *Discr. Math.* **51** (1984), 215–220. [252]
- [1987] Kelmans A.K., A short proof and a strengthening of the Whitney 2-isomorphism theorem on graphs. *Discr. Math.* **64** (1987), 13–25. [365]
- [1988] Kelmans A.K., Matroids and the theorems of Whitney on 2-isomorphism and planarity of graphs (English transl.). *Uspekhi Mat. Nauk* **43** (1988), 199–200, *Russian Math. Surveys* **43** London Math. Soc (1988), 239–241. [365]
- [1992] Kelmans A.K., Spanning trees of extended graphs. *Combinatorica* **12** (1992), 45–51. [93]
- [1993] Kelmans A.K., Graph planarity and related topics. In *Graph Structure Theory (Seattle, WA, 1991)*. (ed. N. Robertson and P. Seymour) *Contemp. Math.* **147**, Amer. Math. Soc. (1993), 635–667. [251]
- [1998] Kelmans A.K., On homotopy of connected graphs having the same degree function. RUTCOR Research Report, Rutgers University 39-98 (1998). [77]
- [2000] Kelmans A.K., On convex embeddings of planar 3-connected graphs. *J. Graph Th.* **33** (2000), 120–124. [248]
- [1974] Kelmans A.K. and V.M. Chelnokov, A certain polynomial of a graph and graphs with an extremal number of trees. *J. Comb. Th. (B)* **16** (1974), 197–214. [463]
- [1879] Kempe A.B., On the geographical problem of four colours. *Amer. J. Math.* **2** (1879), 193–200. [258]
- [1992] Kierstead H.A., Long stars specify  $\chi$ -bounded classes. In *Sets, graphs and numbers*. (ed. G. Halász, L. Lovász, D. Miklós and T. Szőnyi), Proc. Colloq. (Budapest, 1991) *Coll. Math. Soc. János Bolyai* **60**, North-Holland (1992), 421–428. [206]
- [1997] Kierstead H.A., Classes of graphs that are not vertex Ramsey. *SIAM J. Discr. Math.* **10** (1997), 373–380. [206]
- [1990] Kierstead H.A. and S.G. Penrice, Recent results on a conjecture of Gyárfás. *Proc. 21th S.E. Intl. Conf. Graph Th. Comb. Comp.* **79** (1990), 182–186. [206]
- [1994] Kierstead H.A. and S.G. Penrice, Radius two trees specify  $\chi$ -bounded classes. *J. Graph Th.* **18** (1994), 119–129. [206]
- [1996] Kierstead H.A. and V. Rödl, Applications of hypergraph coloring to coloring graphs not inducing certain trees. *Discr. Math.* **150** (1996), 187–193. [206]
- [1975] Kilpatrick P.A., *Tutte's first colour-cycle conjecture*. Ph.D. Thesis, Cape Town (1975). [312]
- [1995] Kim J.H., The Ramsey number  $R(3, t)$  has order of magnitude  $t^2 / \log t$ . *Random Structures Algorithms* **7** (1995), 173–207. [385]
- [1981] Kimble R.J. Jr. and A.J. Schwenk, On universal caterpillars. In *The theory and applications of graphs*. Wiley (1981), 437–447. [94]
- [1847] Kirchhoff G., Über die Auflösung der Gleichungen, auf welche man bei der Untersuchung der linearen Verteilung galvanischer Ströme geführt wird. *Ann. Phys. Chem.* **72** (1847), 497–508. [85]
- [1856] Kirkman T.P., On the representation of polyhedra. *Philos. Trans. Roy. Soc. London Ser. A* **146** (1856), 413–418. [286]

- [1970] Kleitman D.J., The crossing number of  $K_{5,n}$ . *J. Comb. Th.* **9** (1970), 315–323. [264, 272]
- [1980] Kleitman D.J. and J.B. Shearer, Further gossip problems. *Discr. Math.* **30** (1980), 151–156. [408]
- [1991] Kleitman D.J. and D.B. West, Spanning trees with many leaves. *SIAM J. Discr. Math.* **4** (1991), 99–106. [123]
- [1989] Klotz W., A constructive proof of Kuratowski's theorem. *Ars Combinatoria* **28** (1989), 51–54. [255]
- [1976] Knuth D.E., *Mariages Stables*. Les Presses de l'Univ. de Montréal (1976). [132]
- [1996] Kochol M., Snarks without small cycles. *J. Comb. Th. (B)* **67** (1996), 34–47. [306]
- [1996] Komlós J. and E. Szemerédi, Topological cliques in graphs II. *Combin. Probab. Comput.* **5** (1996), 79–90. [214]
- [1916] König D., Über Graphen und ihre Anwendung auf Determinantentheorie und Mengenlehre. *Math. Ann.* **77** (1916), 453–465. [115, 227, 276]
- [1931] König D., Graphen und Matrizen. *Math. Lapok* **38** (1931), 116–119. [112, 368]
- [1936] König D., *Theorie der endlichen und unendlichen Graphen*. Akademische Verlagsgesellschaft (1936) (reprinted Chelsea 1950). [25, 95]
- [1947] Koopmans T.C., Optimum utilization of the transportation system. *Proc. Intl. Stat. Conf. Washington*, (1947), see also *Econometrica* **17** (1949). [130]
- [1979] Kotzig A., 1-Factorizations of cartesian products of regular graphs. *J. Graph Th.* **3** (1979), 23–34. [284]
- [1943] Krausz J., Démonstration nouvelle d'une théorème de Whitney sur les réseaux (Hungarian). *Mat. Fiz. Lapok* **50** (1943), 75–89. [280]
- [1975] Krishnamoorthy M.S., An NP-hard problem in bipartite graphs. *SIGACT News* **7** (1975), 26. [505]
- [1989] Kriz I., A hypergraph-free construction of highly chromatic graphs without short cycles. *Combinatorica* **9** (1989), 227–229. [206, 429]
- [1956] Kruskal J.B. Jr., On the shortest spanning subtree of a graph and the traveling salesman problem. *Proc. Am. Math. Soc.* **7** (1956), 48–50. [95–97, 104, 498]
- [1989] Kubicka E. and A.J. Schwenk, An introduction to chromatic sums. *Proc. ACM Computer Science Conference*, Louisville, Kentucky, (1989), 39–45. [204]
- [1955] Kuhn H.W., The Hungarian method for the assignment problem. *Naval Research Logistics Quarterly* **2** (1955), 83–97. [127]
- [1999] Kündgen A., Art galleries with interior walls. *Discrete & Comp. Geom.* **22** (1999), 249–258. [271]
- [1986] Kung J.P.S., Strong maps. In *Theory of Matroids*. (ed. N. White) Cambridge Univ. Press (1986), 224–252. [376]
- [1930] Kuratowski K., Sur le problème des courbes gauches en topologie. *Fund. Math.* **15** (1930), 271–283. [246–252, 256, 365]
- [1953] Landau H.G., On dominance relations and the structure of animal societies, III: The condition for score structure. *Bull. Math. Biophys.* **15** (1953), 143–8. [62, 65]
- [1980] Laskar R. and D. Shier, On chordal graphs. *Proc. 11th S.E. Intl. Conf. Graph Th. Comb. Comp., Congr. Num.* **29** (1980), 579–588. [225]
- [1971] Las Vergnas M., Sur une propriété des arbres maximaux dans un graphe. *C.R. Acad. Sci. Paris Ser. A-B* **272** (1971), 1297–1300. [298]
- [1975] Las Vergnas M., A note on matchings in graphs. *Cahiers Centre Etudes Recherche Opér.* **17** (1975), 257–260. [147]
- [1976] Lawler E.L., *Combinatorial Optimization: Networks and Matroids*. Holt, Rinehart, and Winston (1976). [145, 369]

- [1978] Lawrence J., Covering the vertex set of a graph with subgraphs of smaller degree. *Discr. Math.* **21** (1978), 61–68. [204]
- [1973] Lawrence S.L., Cycle-star Ramsey numbers. *Notices Amer. Math. Soc.* **20** (1973), A-420 (Notice #73T-157). [395]
- [1957] Lazarsen T., *Independence functions in algebra*. Thesis, U. London (1957). [375]
- [1966] Lederberg J., Systematics of organic molecules, graph topology and Hamiltonian circuits (Instrumentation Res. Lab. Rept.). Stanford Univ. 1040 (1966). [316]
- [1964] Lehman A., A solution of the Shannon switching game. *J. Soc. Indust. Appl. Math.* **12** (1964), 687–725. [360, 366, 374]
- [1974] Lehot P.G.H., An optimal algorithm to detect a line-graph and output its root graph. *J. Assoc. Comp. Mach.* **21** (1974), 569–575. [282]
- [1983] Leighton F.T., *Complexity Issues in VLSI: optimal layouts for the shuffle-exchange graph and other networks*. Foundations of Computing MIT Press (1983). [264]
- [1962] Lekkerkerker C.G. and J.Ch. Boland, Representation of a finite graph by a set of intervals on the real line. *Fund. Math.* **51** (1962), 45–64. [346]
- [1973] Lick D.R., Characterizations of  $n$ -connected and  $n$ -line-connected graphs. *J. Comb. Th. (B)* **14** (1973), 122–124. [174]
- [1970] Lick D.R. and A.T. White,  $k$ -degenerate graphs. *Canad. J. Math.* **22** (1970), 1082–1096. [202]
- [1973] Lin S. and B.W. Kernighan, An effective heuristic algorithm for the traveling-salesman problem. *Oper. Res.* **21** (1973), 498–516. [497]
- [1976] Linial N., A lower bound for the circumference of a graph. *Discr. Math.* **15** (1976), 297–300. [417, 418]
- [1988] Little C.H.C., W.T. Tutte and D.H. Younger, A theorem on integer flows. *Second International Conference on Combinatorial Mathematics and Computing (Canberra, 1987)*, *Ars Combinatoria* **26** (1988), 109–112. [318]
- [1997] Liu J. and H. Zhou, Maximum induced matchings in graphs. *Discr. Math.* **170** (1997), 277–281. [121]
- [1995] Locke S.C., Problem 10447. *Amer. Math. Monthly* **102** (1995), 360. [66]
- [1966] Lovász L., On decomposition of graphs. *Stud. Sci. Math. Hung.* **1** (1966), 237–238. [203]
- [1968a] Lovász L., On chromatic number of finite set-systems. *Acta Math. Acad. Sci. Hung.* **19** (1968), 59–67. [206, 429]
- [1968b] Lovász L., On covering of graphs. In *Theory of Graphs*. Proc. Tihany 1966 (ed. P. Erdős and G. Katona) Academic Press (1968), 231–236. [414]
- [1972a] Lovász L., Normal hypergraphs and the perfect graph conjecture. *Discr. Math.* **2** (1972), 253–267. [226, 320, 322]
- [1972b] Lovász L., A characterization of perfect graphs. *J. Comb. Th. (B)* **13** (1972), 95–98. [226, 322, 334, 335]
- [1975] Lovász L., Three short proofs in graph theory. *J. Comb. Th. (B)* **19** (1975), 269–271. [137, 197]
- [1976] Lovász L., On two minimax theorems in graph theory. *J. Comb. Th. (B)* **21** (1976), 96–103. [405]
- [1979] Lovász L., *Combinatorial Problems and Exercises*. Akademiai Kiado and North-Holland (1979). [94, 173, 175, 395]
- [1983] Lovász L., Perfect graphs. In *Selected Topics in Graph Theory, 2*. (ed. L.W. Beineke and R.J. Wilson) Academic Press (1983), 55–87. [330]
- [1980] Lovász L., J. Nešetřil, and A. Pultr, On a product dimension of graphs. *J. Comb. Th. (B)* **28** (1980), 47–67. [399, 400, 422]

- [1986] Lovász L. and M.D. Plummer, *Matching Theory* (*Ann. Discr. Math.* **29**). Akademiai Kiado and North Holland (1986). [120, 368]
- [1994] Lu X., A Chvátal-Erdős type condition for Hamiltonian graphs. *J. Graph Th.* **18** (1994), 791–800. [298]
- [1996] Lu X., On avoidable and unavoidable trees. *J. Graph T.* **22** (1996), 335–46. [190]
- [1986] Lubotzky A., R. Phillips, and P. Sarnak, Explicit expanders and the Ramanujan conjectures. In *Proc. 18th ACM Symp. Theory of Comp.*. ACM Press (1986), 240–246. [464]
- [1988] Lubotzky A., R. Phillips, and P. Sarnak, Ramanujan graphs. *Combinatorica* **8** (1988), 261–277. [206]
- [1995] Mabry R., Bipartite graphs and the Four-color Theorem. *Bull. ICA* **14** (1995), 119–112. [270]
- [1936] MacLane S., Some interpretations of abstract linear dependence in terms of projective geometry. *Amer. J. Math.* **58** (1936), 236–240. [349, 360]
- [2001] Maddox R.B., The superregular graphs (Solution to Problem 6617). *Amer. Math. Monthly* (1996). [470]
- [1967] Mader W., Homomorphieeigenschaften und mittlere Kantendichte von Graphen. *Math. Ann.* **174** (1967), 265–268. [213, 214]
- [1971] Mader W., Minimale  $n$ -fach kantenzusammenhängende Graphen. *Math. Ann.* **191** (1971), 21–28. [175]
- [1973] Mader W., 1-Faktoren von Graphen. *Math. Ann.* **201** (1973), 269–282.. [146]
- [1978] Mader W., A reduction method for edge-connectivity in graphs. *Ann. Discr. Math.* **3** (1978), 145–164. [175]
- [1998] Mader W.,  $3n - 5$  edges do force a subdivision of  $K_5$ . *Combinatorica* **18** (1998), 569–595. [214, 256]
- [1991] Mahadev N.V.R., F.S. Roberts, and P. Santhanakrishnan, 3-choosable complete bipartite graphs. DIMACS Tech. Report 91–62 (1991). [409]
- [1907] Mantel W., Problem 28, soln. by H. Gouwentak, W. Mantel, J. Teixeira de Mattes, F. Schuh and W.A. Wythoff. *Wiskundige Opgaven* **10** (1907), 60–61. [41]
- [1959] Marcus M. and R. Ree, Diagonals of doubly stochastic matrices. *Quart. J. Math.* **2** (1959), 295–302. [121]
- [1973] Margulis G.A., Explicit constructions of concentrators. *Problems of Information Transmission* **9** (1973), 325–332. [463]
- [1988] Margulis G.A., Explicit constructions of concentrators. *Problems of Information Transmission* **24** (1988), 39–46. [464]
- [1984] Markossian S.E. and I.A. Karapetian, On critically imperfect graphs. In *Prikladnaia Matematika*. (ed. R.N. Tonoian) Erevan Univ. (1984), . [122]
- [1999] Markus L.R., Disjoint cycles in planar and triangle-free graphs. *J. Comb. Math. & Comb. Comput.* **31** (1999), 177–182. [256]
- [1972] Mason J.H., On a class of matroids arising from paths in graphs. *Proc. Lond. Math. Soc.* (3) **25** (1972), 55–74. [377]
- [1978] Matthews K.R., On the Eulericity of a graph. *J. Graph Th.* **2** (1978), 143–8. [317]
- [1984] Matthews M.M. and D.P. Sumner, Hamiltonian results in  $K_{1,3}$ -free graphs. *J. Graph Th.* **8** (1984), 139–146. [297]
- [1968] Matula D.W., A min-max theorem for graphs with application to graph coloring. *SIAM Review* **10** (1968), 481–482. [202]
- [1972] Matula D.W., The employee party problem. *Not. A.M.S.* **19** (1972), A-382. [440]
- [1973] Matula D.W., An extension of Brooks' Theorem. Center for Numerical Analysis, University of Texas–Austin 69 (1973). [204]
- [1980] Maurer S., The king chicken theorems. *Math. Mag.* **53** (1980), 67–80. [63, 65]

- [1980] Maurer S., I. Rabinovitch, and W.T. Trotter Jr., Large minimal realizers of a partial order II. *Discr. Math.* **31** (1980), 297–314. [66]
- [1989] McCuaig W. and B. Shepherd, Domination in graphs with minimum degree two. *J. Graph Th.* **13** (1989), 749–762. [117]
- [1972] McDiarmid C.J.H., The solution of a timetabling problem. *J. Inst. Math. Applies.* **9** (1972), 23–34. [285]
- [1994] McGuinness S., The greedy clique decomposition of a graph. *J. Graph Th.* **18** (1994), 427–430. [397]
- [1991] McKay B.D. and S.P. Radziszowski, The first classical Ramsey number for hypergraphs is computed. Proc. 2nd Symp. Disc. Alg. (San Francisco), ACM-SIAM (1991), 304–308. [384]
- [1995] McKay B.D. and S.P. Radziszowski,  $R(4, 5) = 25$ . *J. Graph Th.* **19** (1995), 309–322. [384]
- [1992] McKay B.D. and K.M. Zhang, The value of the Ramsey number  $R(3, 8)$ . *J. Graph Th.* **16** (1992), 99–105. [384]
- [1984] McKee T.A., Recharacterizing Eulerian: intimations of new duality. *Discr. Math.* **51** (1984), 327–242. [34]
- [1993] McKee T.A., How chordal graphs work. *Bull. ICA* **9** (1993), 27–39. [327, 328]
- [1971] Melnikov L.S. and V.G. Vizing, Solution to Toft's problem (Russian). *Diskret. Analiz.* **19** (1971), 11–14. [344]
- [1927] Menger K., Zur allgemeinen Kurventheorie. *Fund. Math.* **10** (1927), 95–115. [167–175]
- [1973] Meyniel H., Une condition suffisante d'existence d'un circuit Hamiltonien dans un graph oriente. *J. Comb. Th. (B)* **14** (1973), 137–147. [294, 420]
- [1976] Meyniel H., On the perfect graph conjecture. *Discr. Math.* **16** (1976), 339–342. [330, 341, 348]
- [1987] Meyniel H., A new property of critical imperfect graphs and some consequences. *Europ. J. Comb.* **8** (1987), 313–316. [348]
- [1980] Micali S. and V.V. Vazirani, an  $O(\sqrt{|V|} \cdot |E|)$  algorithm for finding maximum matching in general graphs. In *Proc. 21th IEEE Symp. Found. Comp. Sci.*. ACM (1980), 17–27. [145]
- [1981] Miller Z., The bandwidth of caterpillar graphs. Proc. 12th Southeastern Conf., *Congr. Num.* **33** (1981), 235–252. [396]
- [1962] Minty G.J., A theorem on  $n$ -coloring the points of a linear graph. *Amer. Math. Monthly* **69** (1962), 623–624. [203]
- [1966] Minty G.J., On the axiomatic foundations of the theories of directed linear graphs, electrical networks and network programming. *J. Math. Mech.* **15** (1966), 485–520. [375]
- [1971] Mirsky L., *Transversal theory* (Mathematics in Science and Engineering, Vol. 75). Academic Press (1971). [111, 368]
- [1967] Mirsky L. and H. Perfect, Applications of the notion of independence to combinatorial analysis. *J. Comb. Th.* **2** (1967), 327–357. [353]
- [1996] Mirzakhani M., A small non-4-choosable planar graph. *Bull. Inst. Combin. Appl.* **17** (1996), 15–18. [412, 424]
- [2001] Molloy M. and B. Reed, Near-optimal list colourings. *Random Structures & Algs.* (to appear). [410]
- [1963] Moon J.W., On the line-graph of the complete bigraph. *Ann. Math. Statis.* **34** (1963), 664–667. [285]
- [1965a] Moon J.W., On a problem of Ore. *Math. Gaz.* **49** (1965), 40–41. [297]
- [1965b] Moon J.W., On the diameter of a graph. *Michigan Math. J.* **12** (1965), 349–351. [79]



- [1965c] Moon J.W., On the number of complete subgraphs of a graph. *Canad. Math. Bull.* **8** (1965), 831–834. [217]
- [1966] Moon J.W., On subtournaments of a tournament. *Canad. Math. Bull.* **9** (1966), 297–301. [299]
- [1969] Moon J.W., The number of labeled  $k$ -trees. *J. Comb. Th.* **6** (1969), 196–199. [346]
- [1970] Moon J.W., *Counting Labeled Trees*. Canad. Math. Congress (1970). [81]
- [1961] Moser L. and W. Moser, Problem and solution P10. *Canad. Math. Bull.* **4** (1961), 187–189. [201]
- [1969] Mowshowitz A., The group of a graph whose adjacency matrix has all distinct eigenvalues. In *Proof Techniques in Graph Theory*. (ed. F. Harary) Acad. Press (1969), 109–110. [470]
- [1957] Munkres J., Algorithms for the assignment and transportation problems. *J. Soc. Indust. Appl. Math.* **5** (1957), 32–38. [127]
- [1955] Mycielski J., Sur le coloriage des graphes. *Coll. Math.* **3** (1955), 161–162. [205]
- [1972] Myers B.R. and R. Liu, A lower bound on the chromatic number of a graph. *Networks* **1** (1972), 273–277. [216]
- [1960] Nash-Williams C.St.J.A., On orientations, connectivity and odd-vertex-pairings in finite graphs. *Canad. J. Math.* **12** (1960), 555–567. [166, 174–175]
- [1961] Nash-Williams C.St.J.A., Edge-disjoint spanning trees in finite graphs. *J. Lond. Math. Soc.* **36** (1961), 445–450. [73, 80, 166, 312, 372]
- [1964] Nash-Williams C.St.J.A., Decomposition of finite graphs into forests. *J. Lond. Math. Soc.* **39** (1964), 12. [79, 372]
- [1966] Nash-Williams C.St.J.A., An application of matroids to graph theory. In *Theory of Graphs*. (Intl. Sympos., Rome) Dunod (1966), 263–265. [370]
- [1988] Nemhauser G.L. and L.A. Wolsey, *Integer and combinatorial optimization*. Wiley (1988). [355]
- [1979] Nešetřil J. and V. Rödl, A short proof of the existence of highly chromatic hypergraphs without short cycles. *J. Comb. Th. (B)* **27** (1979), 225–227. [206, 429]
- [1953] von Neumann J., A certain zero-sum two-person game equivalent to the optimal assignment problem. *Contributions to the Theory of Games II* (ed. H.W. Kuhn), *Ann. Math. Studies* **28** Princeton Univ. Press (1953), 5–12. [120]
- [2000] Niessen T. and J. Kind, The Round-Up Property of the Fractional Chromatic Number for Proper Circular Arc Graphs. *J. Graph Th.* **33** (2000), 256–267. [217]
- [1990] Niessen T. and L. Volkmann, Class 1 conditions depending on the minimum degree and the number of vertices of maximum degree. *J. Graph Th.* **14** (1990), 225–246. [279]
- [1991] Nilli A., On the second eigenvalue of a graph. *Discr. Math.* **91** (1991), 207–210. [464]
- [1956] Nordhaus E.A. and J.W. Gaddum, On complementary graphs. *Amer. Math. Monthly* **63** (1956), 175–177. [202]
- [1959] Norman R.Z. and M. Rabin, Algorithm for a minimal cover of a graph. *Proc. Amer. Math. Soc.* **10** (1959), 315–319. [122]
- [1995] O'Donnell P., The choice number of  $K_{6,q}$ . (1995). [409]
- [1988] Olariu S., No antitwins in minimal imperfect graphs. *J. Comb. Th. (B)* **45** (1988), 255–257. [348]
- [1989] Olariu S., The strong perfect graph conjecture for pan-free graphs. *J. Comb. Th. (B)* **47** (1989), 187–191. [341]
- [1969] Olaru E., Über die Überdeckung von Graphen mit Cliques. *Wiss. Z. Tech. Hochsch. Ilmenau* **15** (1969), 115–121. [330]

- [1951] Ore O., A problem regarding the tracing of graphs. *Elemente der Math.* **6** (1951), 49–53. [77]
- [1955] Ore O., Graphs and matching theorems. *Duke Math. J.* **22** (1955), 625–639. [121, 368]
- [1960] Ore O., Note on Hamilton circuits. *Am. Mat. Monthly* **67** (1960), 55. [289, 417–8]
- [1961] Ore O., Arc coverings of graphs. *Ann. Mat. Pura Appl.* **55** (1961), 315–321. [297]
- [1962] Ore, O., *Theory of graphs* (American Mathematical Society Colloquium Publications, Vol. XXXVIII). American Mathematical Society (1962). [116, 122]
- [1963] Ore O., Hamiltonian connected graphs. *J. Math. Pures Appl.* **42** (1963), 21–27. [297]
- [1967a] Ore O., *The four-colour problem*. Academic Press (1967). [258, 285]
- [1967b] Ore O., On a graph theorem of Dirac. *J. Comb. Th.* **2** (1967), 35–42. [298]
- [1997] Pach J. and G. Tóth, Graphs drawn with few crossings per edge. *Combinatorica* **17** (1997), 427–439. [264]
- [1974] Padberg M.W., Perfect zero-one matrices. *Math. Prog.* **6** (1974), 180–196. [335–7]
- [1985] Palmer E.M., *Graphical Evolution: An Introduction to the Theory of Random Graphs*. Wiley (1985). [426, 436, 440, 450]
- [1973] Palumbiny D., On decompositions of complete graphs into factors with equal diameters. *Boll. Un. Mat. Ital.* (4) **7** (1973), 420–428. [424]
- [1982] Papadimitriou C.H. and K. Steiglitz, *Combinatorial Optimization: Algorithms and Complexity*. Prentice Hall (1982) reprint Dover, 1998. [180, 355]
- [1976] Parthasarathy K.R. and G. Ravindra, The strong perfect graph conjecture is true for  $K_{1,3}$ -free graphs. *J. Comb. Th. (B)* **21** (1976), 212–223. [341–343]
- [1979] Parthasarathy K.R. and G. Ravindra, The validity of the strong perfect graph conjecture for  $K_4 - e$ -free graphs. *J. Comb. Th. (B)* **26** (1979), 98–100. [341]
- [1975] Payan C., Sur le nombre d'absorption d'un graphe simple. Proc. Colloque sur la Théorie des Graphes (Paris, 1974), Cahiers Centre Études Recherche Opér. **17** (1975), 307–317. [117]
- [1984] Peck G.W., A new proof of a theorem of Graham and Pollak. *Discr. Math.* **49** (1984), 327–328. [459]
- [1992] Peled U., Problem 10197. *Amer. Math. Monthly* **99** (1992), 162. [1992]
- [1975] Penaud J.G., Une propriété de bicoloration des hypergraphes planaires. Proc. Colloque sur la Théorie des Graphes (Paris, 1974), Cahiers Centre Études Recherche Opér. **17** (1975), 345–349. [315]
- [1997] Perkovic L. and B. Reed, Edge coloring regular graphs of high degree. *Graphs & combinatorics (Marseille, 1995)*, *Discr. Math.* **165/166** (1997), 567–578. [279]
- [1969] Petersdorf M. and H. Sachs, Spektrum und Automorphismengruppe eines Graphen. In *Combinatorial Theory and its Applications, III*. North-Holland (1969), 891–907. [470]
- [1891] Petersen J., Die Theorie der regulären Graphen. *Acta Math.* **15** (1891), 193–220. [139, 140, 147]
- [1898] Petersen J., Sur le Théorème de Tait. *L'Intermédiaire des Mathématiciens* **5** (1898), 225–227. [139, 276]
- [1973] Pinsker M., On the complexity of a concentrator. *7th International Teletraffic Conference Stockholm* (1973), 318/1–318/4. [463]
- [1977] Pippenger N., Superconcentrators. *SIAM J. Computing* **6** (1977), 298–304. [463]
- [2001] Plantholt M., The overfull conjecture for graphs with high minimum degree. (to appear). [279]

- [1975] Plesník J., Critical graphs of given diameter. *Acta Fac. Rerum Natur. Univ. Comenian. Math.* **30** (1975), 71–93. [160]
- [1968] Plummer M.D., On minimal blocks. *Trans. Amer. Math. Soc.* **134** (1968), 85–94. [175]
- [1963] Pósa L., On circuits of finite graphs. *Magyar Tud. Akad. Mat. Kutató Int. Kozl.* **8** (1963), 355–361. [217]
- [1957] Prim R.C., Shortest connection networks and some generalizations. *Bell Syst. Tech. J.* **36** (1957), 1389–1401. [97, 104]
- [1995] Pritikin D., A Prüfer-style bijection proving that  $\tau(K_{n,n}) = n^{(2n-2)}$ . Proc. 25th Southeastern Conf. (1994), *Congr. Num.* **104** (1995), 215–216. [93]
- [1918] Prüfer H., Neuer Beweis eines Satzes über Permutationen. *Arch. Math. Phys.* **27** (1918), 742–744. [81–83, 92–93]
- [1957] Rado R., Note on independence functions. *Proc. Lond. Math. Soc.* **7** (1957), 300–320. [354]
- [1995] Radziszowski S.P., Small Ramsey numbers. *Electronic J. Comb. Dynamic Survey* **1** [384]
- [1930] Ramsey F.P., On a Problem of Formal Logic. *Proc. Lond. Math. Soc.* **30** (1930), 264–286. [380, 381]
- [1982] Ravindra G., Meyniel graphs are strongly perfect. *J. Comb. Th. (B)* **33** (1982), 187–190. [330]
- [1967] Ray-Chaudhuri D.K., Characterization of line graphs. *J. Comb. Th.* **3** (1967), 201–214. [283]
- [1975] Read R.C., Review. *Math. Rev.* **50** (1975), review #6906. [230]
- [1934] Rédei L., Einkombinatorischer Satz. *Acta Litt. Szeged* **7**(1934), 39–43. [200, 299]
- [1987] Reed B., A semistrong perfect graph theorem. *J. Comb. Th. (B)* **43** (1987), 223–240. [344]
- [1996] Reed B., Paths, stars and the number three. *Combin. Probab. Comput.* **5** (1996), 277–295. [117]
- [1998] Reed B.,  $\omega$ ,  $\Delta$ , and  $\chi$ . *J. Graph Th.* **27** (1998), 177–212. [199]
- [1999] Reed B., A strengthening of Brooks' theorem. *J. Comb. Th. (B)* **76** (1999), 136–149. [199]
- [1946] Rees D., Note on a paper by I.J. Good. *J. Lond. Mat. Sc.* **21** (1946), 169–172. [65]
- [1959] Rényi A., Some remarks on the theory of trees. *Magyar Tud. Akad. Mat. Kut. Int. Közl.* **4** (1959), 73–85. [92]
- [1966] Rényi A., New methods and results in combinatorial analysis, I (Hungarian). *Magyar Tud. Akad. Mat. Fiz. Oszt. Közl.* **16** (1966), 77–105. [93]
- [1985] Reznick B., P. Tiwari, and D.B. West, Decomposition of product graphs into complete bipartite subgraphs. *Discr. Math.* **57** (1985), 179–183. [459]
- [1985] Richards D. and A.L. Liestman, Finding cycles of a given length. *Ann. Discr. Math.* **27** (1985), 249–256. [505]
- [1993] Richter R.B., Problem 10330. *Amer. Math. Monthly* **100** (1993), 796 (solution **103** (1996)), 700–701. [216]
- [1964] Ringel G., Problem 25. In *Theory of Graphs and Its Applications (Proc. Symp. Smolenice 1963)*. Czech. Acad. Sci. (1964), 162. [87]
- [1974] Ringel G., *Map color theorem. Die Grundlehren der mathematischen Wissenschaften, Band 209* Springer-Verlag (1974). [269]
- [1968] Ringel G. and J.W.T. Youngs, Solution of the Heawood map-coloring problem. *Proc. Nat. Acad. Sci. U.S.A.* **60** (1968), 438–445. [269]
- [2000] Rizzo R., A short proof of König's Theorem. *J. Graph Th.* **33** (2000), 138–9. [113]

- [1939] Robbins H.E, A theorem on graphs, with an application to a problem in traffic control. *Amer. Math. Monthly* **46** (1939), 281–283. [165]
- [1968] Roberts F.S., *Representations of Indifference relations*. Ph.D. Thesis, Department of Mathematics, Stanford Univ. (1968). [346]
- [1978] Roberts F.S., *Graph Theory and Its Applications to the Problems of Society (CBMS-NSF Monograph 29)*. SIAM Publications (1978). [130, 328]
- [1996] Robertson N., D.P. Sanders, P.D. Seymour and R. Thomas, Efficiently four-coloring planar graphs. In *Proc. 28th ACM Symp. Theory of Comp.*. ACM Press (1996), 571–575. [260]
- [2001] Robertson N., D.P. Sanders, P.D. Seymour and R. Thomas, Every 2-connected cubic graph with no Petersen minor is 3-edge-colorable. (to appear). [304, 305]
- [1985] Robertson N. and P.D. Seymour, Graph minors—a survey. *Surveys in combinatorics 1985 (Glasgow, 1985)*, *London Math. Soc. Lecture Note Ser.* **103** Cambridge Univ. Press (1985), 153–171. [269]
- [1993] Robertson N., P.D. Seymour, and R. Thomas., Hadwiger’s conjecture for  $K_6$ -free graphs. *Combinatorica* **13** (1993), 279–361. [213]
- [1967] Rosa A., On certain valuations of the vertices of a graph. In *Theory of Graphs (Intl. Symp. Rome 1966)*. Gordon and Breach, Dunod (1967), 349–355. [88]
- [1976] Rose D., R.E. Tarjan, and G.S. Lueker, Algorithmic aspects of vertex elimination on directed graphs. *SIAM J. Computing* **5** (1976), 266–283. [325]
- [1971] Rosenfeld M., On the total coloring of certain graphs. *Israel J. Math.* **9** (1971), 396–402. [411]
- [1964] Rota G.C., On the foundations of combinatorial theory I. *Z. Wahrsch. Verw. Gebiete* **2** (1964), 340–368. [355, 360]
- [1991] Rotman J.J., Problem E3462. *Amer. Math. Monthly* **98** (1991), 645. [64]
- [1967] Roy B., Nombre chromatique et plus longs chemins d’un graphe. *Rev. Francaise Automat. Informat. Recherche Opérationnelle sér. Rouge* **1** (1967), 127–132. [196]
- [1985] Ruciński A. and A. Vince, Balanced graphs and the problem of subgraphs of random graphs. *Congr. Num.* **49** (1985), 181–190. [450]
- [1957] Ryser H.J., Combinatorial properties of matrices of zeros and ones. *Canad. J. Math.* **9** (1957), 371–377. [65, 185, 190]
- [1964] Ryser H.J., Matrices of zeros and ones in combinatorial mathematics. In *Recent Advances Matrix Theory*. (Madison, 1963) U. Wisc. Press (1964), 103–124. [65]
- [1977] Saaty T.L. and P.C. Kainen, *The Four-Color Problem*. McGraw-Hill (1977) (reprinted by Dover, 1986). [258]
- [1967] Sachs H., Über Teiler, Faktoren und charakteristische Polynome von Graphen II. *Wiss. Z. Techn. Hochsch. Ilmenau* **13** (1967), 405–412. [445]
- [1970] Sachs H., On the Berge conjecture concerning perfect graphs. In *Combinatorial Structures and Their Applications*. (ed. R. Guy, H. Hanani, N.W. Sauer, J. Schönheim) Gordon and Breach (1970), 377–384. [330]
- [1997] Saclé J.-F. and Woźniak M., The Erdős-Sós conjecture for graphs without  $C_4$ . *J. Comb. Th. (B)* **70** (1997), 367–372. [70]
- [1976] Sahni S. and T. Gonzalez, P-complete approximation problems. *J. Assoc. Comp. Mach.* **23** (1976), 555–565. [497]
- [1969] Schäuble M., Bemerkungen zur Konstruktion dreikreisfreier  $k$ -chromatischer Graphen. *Wiss. Zeitschrift TH Ilmenau* **15** (1969), 59–63. [215]
- [1990] Scheinerman E.R., On the interval number of random graphs. *Discr. Math.* **82** (1990), 105–109. [451]
- [1990] Schnyder W., Embedding planar graphs on the grid. In *Proc. 1st ACM-SIAM Sympos. Discrete Algorithm.* (1990), 138–148. [251]