

- Schooten, F. v. (1659). *Geometria à Renato Des Cartes*. Louis and Daniel Elzevir, Amsterdam.
- Schwarz, H. A. (1870). Über einen Grenzübergang durch alternirendes verfahren. *Vierteljahrsch. Natur. Ges. Zürich*, **15**, 272–286. In his *Mathematische Abhandlungen* 2: 133–143.
- Schwarz, H. A. (1872). Über diejenigen Fälle, in welchen die Gaussche hypergeometrische Reihe eine algebraische Function ihres vierten Elementes darstellt. *J. reine und angew. Math.*, **75**, 292–335. In his *Mathematische Abhandlungen* 2: 211–259.
- Scott, J. F. (1952). *The Scientific Work of René Descartes (1596–1650)*. Taylor and Francis, Ltd., London.
- Seifert, H. and Threlfall, W. (1934). *Lehrbuch der Topologie*. Teubner, Leipzig. English translation *A Textbook of Topology*, Academic Press, New York, 1980.
- Shelah, S. (1984). Can you take Solovay's inaccessible away? *Israel J. Math.*, **48**(1), 1–47.
- Shen, K.-S., Crossley, J. N., and Lun, W.-C. (1999). *The Nine Chapters on the Mathematical Art. Companion and Commentary*. Oxford University Press, Oxford.
- Shirley, J. W. (1983). *Thomas Harriot: a Biography*. The Clarendon Press Oxford University Press, New York.
- Siegel, C. L. (1969). *Topics in Complex Function Theory. Vol. I: Elliptic Functions and Uniformization Theory*. Wiley-Interscience (a Division of John Wiley & Sons), New York-London-Sydney. Translated from the original German by A. Shenitzer and D. Solitar. Interscience Tracts in Pure and Applied Mathematics, no. 25.
- Sluse, R. F. (1673). A method of drawing tangents to all geometrical curves. *Phil. Trans.*, **7**, 5143–5147.
- Smith, D. E. (1959). *A Source Book in Mathematics*. Dover Publications Inc., New York. 2 vols.
- Solovay, R. M. (1970). A model of set-theory in which every set of reals is Lebesgue measurable. *Ann. of Math. (2)*, **92**, 1–56.
- Srinivasiengar, C. N. (1967). *The History of Ancient Indian Mathematics*. The World Press Private, Ltd., Calcutta.

- Stäckel, P. (1901). Die Entdeckung der nichteuklidischen Geometrie durch Johann Bolyai. *Mat.-natur. ber. Ungarn. Budapest*, **17**, 1–19.
- Stäckel, P. (1913). *Wolfgang und Johann Bolyai. Geometrische Untersuchungen*. Teubner, Leipzig.
- Sternberg, S. (1969). *Celestial Mechanics. Part I*. W. A. Benjamin, Inc., New York-Amsterdam. Mathematics Lecture Note Series: XXII.
- Stevin, S. (1586). *De Weeghdaet*. Christoffel Plantijn, Leyden.
- Stillwell, J. (1982). The word problem and the isomorphism problem for groups. *Bull. Amer. Math. Soc. (N.S.)*, **6**(1), 33–56.
- Stillwell, J. (1993). *Classical Topology and Combinatorial Group Theory*, 2nd ed. Springer-Verlag, New York.
- Stillwell, J. (1996). *Sources of Hyperbolic Geometry*. American Mathematical Society, Providence, RI.
- Stirling, J. (1717). *Lineae tertii ordinis Newtonianae*. Edward Whistler, Oxford.
- Strubecker, K. (1964). *Differentialgeometrie I, II, III*. Walter de Gruyter, Berlin.
- Struik, D. (1969). *A Source Book of Mathematics 1200–1800*. Harvard University Press, Cambridge.
- Szabó, I. (1977). *Geschichte der mechanischen Prinzipien und ihrer wichtigsten Anwendungen*. Birkhäuser Verlag, Basel. Wissenschaft und Kultur, 32.
- Tartaglia, N. (1546). *Quesiti et Inventioni Diverse*. Facsimile of 1554 edition, edited by A. Masotti, by Ateneo di Brescia, Brescia.
- Taton, R. (1951). *L'oeuvre mathématique de G. Desargues*. Presses universitaires de France, Paris.
- Taurinus, F. A. (1826). *Geometriae prima elementa*. Cologne.
- Taylor, B. (1713). De motu nervi tensi. *Phil. Trans*, **28**, 26–32.
- Taylor, B. (1715). *Methodus incrementorum directa et inversa*. William Innys, London.
- Thurston, W. P. (1997). *Three-dimensional Geometry and Topology. Vol. 1*. Princeton University Press, Princeton, NJ. Edited by Silvio Levy.
- Tietze, H. (1908). Über die topologische Invarianten mehrdimensionaler Mannigfaltigkeiten. *Monatsh. Math. Phys.*, **19**, 1–118.

- Torricelli, E. (1643). *De solido hyperbolico acuto*. Partial English translation in Struik (1969).
- Torricelli, E. (1644). *De dimensione parabolae*.
- Torricelli, E. (1645). *De infinitis spirabilis*. Reprint edited by E. Carruccio, Domus Galiaeana, Pisa 1955.
- Truesdell, C. (1954). *Rational fluid mechanics, 1687–1765*. Orell Füssli, Zürich. Leonhardi Euleri Opera Omnia, Series secunda, Vol. XII: IV–CXXV.
- Truesdell, C. (1960). *The rational mechanics of flexible or elastic bodies, 1638–1788*. Orell Füssli, Zürich. Leonhardi Euleri Opera Omnia, Series secunda, Vol. XI, sectio secunda.
- Turing, A. (1936). On computable numbers, with an application to the Entscheidungsproblem. *Proc. Lond. Math. Soc., ser. 2*, **42**, 230–265.
- Turnbull, H. W. (1939). *James Gregory (1638–1675)*. University of St. Andrews James Gregory Tercentenary, St. Andrews. G. Bell and Sons, London.
- Turnbull, H. W. (1960). *The Correspondence of Isaac Newton, Vol. II: 1676–1687*. Cambridge University Press, New York.
- Ulam, S. (1930). Zur Masstheorie in der allgemeinen Mengenlehre. *Fund. Math.*, **15**, 140–150.
- van Dalen, D. and Monna, A. (1972). *Sets and Integration. An Outline of the Development*. Wolters-Noordhoff Publishing, Groningen.
- van der Waerden, B. (1976). Pell's equation in Greek and Hindu mathematics. *Russ. Math. Surveys*, **31**(5), 210–225.
- van der Waerden, B. L. (1949). *Modern Algebra*. Frederick Ungar, New York.
- van der Waerden, B. L. (1954). *Science Awakening*. P. Noordhoff Ltd., Groningen. English translation by Arnold Dresden.
- van der Waerden, B. L. (1983). *Geometry and Algebra in Ancient Civilizations*. Springer-Verlag, Berlin.
- van Heijenoort, J. (1967). *From Frege to Gödel. A Source Book in Mathematical Logic, 1879–1931*. Harvard University Press, Cambridge, Mass.
- Vandermonde, A.-T. (1771). Mémoire sur la résolution des equations. *Hist. Acad. Roy. Sci.*

- Viète, F. (1579). *Universalium inspectionium ad canonem mathematicum liber singularis*.
- Viète, F. (1591). De aequationum recognitione et emendatione. In his *Opera*, 82–162. English translation in Viète (1983).
- Viète, F. (1593). Variorum de rebus mathematicis responsorum libri octo. In his *Opera*, 347–435.
- Viète, F. (1615). Ad angularium sectionum analyticen theoremata. In his *Opera*, 287–304.
- Viète, F. (1983). *The Analytic Art*. The Kent State University Press, Kent, OH. Nine studies in algebra, geometry and trigonometry from the *Opus Restitutae Mathematicae Analyseos, seu Algebra Nova*, translated by T. Richard Witmer.
- Vitali, G. (1905). *Sul problema della misura dei gruppi di punti di una retta*. Bologna.
- von Neumann, J. (1923). Zur Einführung der transfiniten Zahlen. *Acta lit. acad. sci. Reg. U. Hungar. Fran. Jos. Sec. Sci.*, **1**, 199–208. English translation in van Heijenoort (1967) 347–354.
- von Staudt, K. G. C. (1847). *Geometrie der Lage*. Bauer und Raspe, Nurnberg.
- Vrooman, J. R. (1970). *René Descartes. A Biography*. Putman, New York.
- Wagon, S. (1985). *The Banach-Tarski Paradox*. Cambridge University Press, Cambridge. With a foreword by Jan Mycielski.
- Wallis, J. (1655a). *Arithmetica infinitorum*. *Opera* 1, 355–478.
- Wallis, J. (1655b). De sectionibus conicis. *Opera* 1, 291–354.
- Wallis, J. (1657). *Mathesis universalis*. *Opera* 1, 11–228.
- Wallis, J. (1659). Tractatus duo. Prior, de cycloide. Posterior, de cissoid. *Opera* 1: 489–569.
- Wallis, J. (1663). De postulato quinto; et definitione quinta Lib. 6 Euclidis. *Opera* 2: 669–678.
- Wallis, J. (1673). On imaginary numbers. From his *Algebra*, Vol. 2. In Smith (1959) 1: 46–54.
- Wallis, J. (1696). Autobiography. *Notes and Records, Roy. Soc. London*, **25**, (1970), 17–46.

- Wantzel, P. L. (1837). Recherches sur les moyens de reconnaître si un problème de géométrie peut se résoudre avec la règle et le compas. *J. Math.*, **2**, 366–372.
- Weber, H. (1892). Leopold von Kronecker. *Jahresber. Deutsch. Math. Verein.*, **2**, 19.
- Weeks, J. R. (1985). *The Shape of Space*. Marcel Dekker Inc., New York.
- Weierstrass, K. (1863). Vorlesungen über die Theorie der elliptischen Funktionen. *Mathematische Werke* 5.
- Weierstrass, K. (1874). *Einleitung in die Theorie der analytischen Funktionen*. Summer Semester 1874. Notes by G. Hettner. Mathematisches Institut der Universität Göttingen.
- Weierstrass, K. (1884). Zur Theorie der aus n Haupteinheiten gebildeten complexen Größen. *Göttingen Nachrichten*, pages 395–414. In his *Mathematische Werke* 2: 311–332.
- Weil, A. (1975). Introduction to Kummer (1975).
- Weil, A. (1976). *Elliptic Functions According to Eisenstein and Kronecker*. Springer-Verlag, Berlin. Ergebnisse der Mathematik und ihrer Grenzgebiete, Band 88.
- Weil, A. (1984). *Number Theory. An Approach through History, from Hammurapi to Legendre*. Birkhäuser Boston Inc., Boston, MA.
- Wessel, C. (1797). Om Directionens analytiske Betegning, et Forsøg anvendt fornemmelig til plane og sphæriske Polygoners Opløsning. *Danske Selsk. Skr. N. Samml.*, **5**. English translation in Smith (1959), vol. 1, 55–66.
- Westfall, R. S. (1980). *Never at Rest*. Cambridge University Press, Cambridge. A biography of Isaac Newton.
- Whitehead, A. N. and Russell, B. (1910). *Principia Mathematica*. Cambridge University Press, Cambridge. 3 vols. 1910, 1912, 1913.
- Whiteside, D. T. (1961). Patterns of mathematical thought in the later seventeenth century. *Arch. History Exact Sci.*, **1**, 179–388 (1961).
- Whiteside, D. T. (1964). Introduction to *The Mathematical Works of Isaac Newton*. Vol. I. Johnson Reprint Corp., New York, 1964.
- Whiteside, D. T. (1966). Newton's marvellous year: 1666 and all that. *Notes and Records, Roy. Soc. Lond.*, **21**, 32–41.

- Wiles, A. (1995). Modular elliptic curves and Fermat's last theorem. *Ann. of Math.* (2), **141**(3), 443–551.
- Woodin, W. H. (1999). *The Axiom of Determinacy, Forcing Axioms, and the Nonstationary Ideal*. Walter de Gruyter & Co., Berlin.
- Wright, L. (1983). *Perspective in Perspective*. Routledge and Kegan Paul, London.
- Wussing, H. (1984). *The Genesis of the Abstract Group Concept*. MIT Press, Cambridge, MA. Translated from the German by Abe Shenitzer.
- Yáng Huí (1261). *Compendium of analyzed mathematical methods in the "Nine Chapters"*.
- Zermelo, E. (1904). Beweis dass jede Menge wohlgeordnet werden kann. *Math. Ann.*, **59**, 514–516. English translation in van Heijenoort (1967).
- Zeuthen, H. G. (1903). *Geschichte der Mathematik im 16. und 17. Jahrhundert*. Teubner, Leipzig. Johnson Reprint Corp., New York, 1977.
- Zhū Shijié (1303). *Siyuan yujian*. French translation in Hoe (1977).

Index

Abel

- and elliptic functions, 222
- and modular functions, 97
- and the quintic, 96
- concept of genus, 226
- faulty solution of quintic, 225
- field concept, 422
- lemniscate division theorem, 224
- life story, 224

Abel's theorem, 226, 230

acceleration, 232

Adams, 235

addition of points

- on elliptic curve, 307

addition theorem, 209, 217

- and addition of points, 307
- for arcsine integral, 220
- for elliptic integral, 220
- for exponential function, 295
- for lemniscatic integral, 220
- for lemniscatic sine, 224
- for sine, 217

additive inverse

- property, 386

Adyan, 450

affinity, 372

al-Haytham, 149

al-Khazin, 383

al-Khwārizmī, 82

- solution of quadratic, 88

al-Kuji, 29

Alberti, 120

algebra, 82

- and analytic geometry, 83

and polynomial equations, 83

origin of word, 82

algebraic

curve, 34, 107

real, 271

function

fractional power series, 180

power series, 174

geometry, 31

origin, 83

integer, 409

rational, 410

number theory, 404

numbers, 404

form countable set, 456, 459

topology, 453

algorithm

Euclidean, 41

origin of word, 82

theory, 450

analysis situs *see* topology 431

analytic geometry, 12, 104

and algebra, 83

and foundations, 115

and projective geometry, 114, 129

discovery, 105

anamorphosis, 123

angle division, 93

and complex numbers, 262

de Moivre formula, 95

Leibniz formula, 95

Newton formula, 95

Viète formulas, 94

angular defect, 331, 341

- on pseudosphere, 342
- angular excess, 329
 - additive property, 331
 - measures area, 329
- anthypharesis, 44
 - and continued fractions, 46
- antipodal point, 136
- Apéry, 185
- Apollonius
 - and conic sections, 104
 - epicycles, 33
 - four-line problem, 106
 - theorem on dodecahedron, 24
 - theory of conics, 29
 - theory of irrationals, 90
- arc length, 106, 315
 - and elliptic integrals, 215
 - of catenary, 322
 - of cycloid, 318
 - of lemniscate, 216
 - of logarithmic spiral, 317
 - of semicubical parabola, 318
- Archimedes
 - and geometric series, 170
 - and mechanics, 64
 - and Pell's equation, 46
 - and volume of sphere, 150
 - area of parabola, 61
 - cattle problem, 46
 - hydrostatics, 231
 - life story, 64
 - Method*, 53, 64, 149
 - and statics, 231
 - results on the sphere, 61
 - on gravestone, 65
 - spiral, 150, 236
 - statics, 231
- area
 - and angular excess, 329
 - of circle, 56
 - of cyclic quadrilateral, 80
 - of hyperbola, 63
 - of hyperbolic circle, 342
 - of logarithmic spiral, 317
 - of parabola, 61
 - of polygons
 - by dissection, 58
 - of sphere, 61
 - of triangle, 56
 - Heron formula, 80
 - proportional to square, 57
- Argand, 267
- Aristotle
 - Prior Analytics*, 11
 - and motion, 233
 - version of Zeno, 51
- arithmetic-geometric mean, 188, 222
 - and Gauss, 222
 - and Lagrange, 223
- arithmetization, 115
- Artin
 - Emil, 430
 - Michael, 430
- Âryabhata, 70
- associative law, 386
- asymptotic lines, 339
- axiom of choice, 462
 - and continuous functions, 464
 - consistency, 478
 - implies well-ordering, 462
 - in measure theory, 462
 - independence, 478
 - statement, 462
- axioms, 17
 - choice, 462
 - for fields, 386, 422
 - for groups, 361
 - for projective planes, 398
 - for rings, 386, 422
 - in Euclid's *Elements*, 18
 - large cardinal, 462
 - of infinity, 474
 - of set theory, 458, 462, 463, 474
 - parallel, 338
 - Peano, 426
- Bachet

- Diophantus*, 198
 - edition of Diophantus, 50
 - stated four-square theorem, 39, 387
- Banach, 463
- Banach–Tarski theorem, 463
- Barrow, 164
- Bartels, 334
- Beeckman, 113
 - and frequency, 242
 - how he met Descartes, 118
- Beltrami, 291, 325
 - conformal models, 348
 - half-space model, 350
 - hyperbolic plane, 342
 - projective model, 344
- Berkeley, 53
- Bernays, 473
- Bernoulli
 - Daniel, 189
 - derived Boyle’s law, 254
 - Hydrodynamica*, 246
 - life story, 252
 - solution of wave equation, 244
 - definition of geodesic, 326
 - family, 248
 - Jakob, 168
 - and elliptic integrals, 215
 - and logarithmic spiral, 319, 321
 - Ars conjectandi*, 250
 - countable additivity, 461
 - found brachistochrone, 239
 - introduced catenary, 237
 - lemniscate, 32, 216
 - life story, 249
 - Johann, 168
 - and $\sum 1/n^2$, 178
 - and complex logarithms, 294
 - and complex numbers, 262
 - and tractrix, 321
 - found catenary, 237
 - introduced brachistochrone, 239
 - life story, 250
 - stole Daniel’s hydrodynamics, 255
 - taught Euler, 188
 - taught l’Hôpital, 251
 - Nicholas, 189, 250
 - trials, 250
- Bertrand, 440
- Bessel, 223, 299
- Betti, 291
- Bézout’s theorem, 111, 114
 - and fundamental theorem of algebra, 271, 278
 - homogeneous formulation, 138
 - implies Pascal’s theorem, 140
 - stated by Newton, 113
- Bhâskara I, 71
 - introduced term “pulverizer”, 71
- Bhâskara II, 74
 - cyclic process, 75
 - life story, 81
 - Līlāvati*, 81
- binomial
 - coefficient, 176, 192
 - as number of combinations, 195
 - divisibility property, 196
 - sum property, 195
 - series, 176
 - theorem, 154, 174
 - and Fermat’s little theorem, 197
 - and interpolation, 175
- Birkhoff, 453
- Bolyai
 - Farkas, 336
 - father of János, 357
 - studied with Gauss, 357
 - János
 - hyperbolic geometry, 343
 - life story, 357
- Bolzano, 267
 - intermediate value theorem, 267

- Bombelli, 258
- Bonnet, 327
- Boole, 470
- Borel, 460
- Bosse, 126, 142
- Boyle, 250
 - law, 254
- brachistochrone, 239
- Brahana, 436
- Brahmagupta
 - and Pell's equation, 45
 - area of cyclic quadrilateral, 80
 - composition, 73
 - definition of a mathematician, 73
 - identity, 72
 - life story, 80
 - method for Pell equation, 73
 - quadratic formula, 87
 - rational triangles, 77
- branch point, 282
 - Neumann picture, 283
- Briggs, 177
- Bring, 96
- Brouncker, 154
 - and Pell's equation, 43
 - continued fraction, 154
- Brunelleschi, 120
- calculus, 105, 146
 - and combinatorics, 147
 - and differential geometry, 315
 - and interpolation, 176
 - and mechanics, 146, 231
 - and method of exhaustion, 146
 - and tangents, 146
 - fundamental theorem, 159
 - of Leibniz, 159
 - of Newton, 147, 155
 - priority dispute, 159
- calculus of variations
 - and brachistochrone, 239
 - and isoperimetric problem, 251
- Cantor, 244
- continuum hypothesis, 458
 - defined $\aleph_0, \aleph_1, \aleph_2, \dots$, 458
 - discovered uncountability, 456
 - first uncountability proof, 458
 - limit point operation, 456
 - ordinal generating operations, 457
 - theory of sets, 426
 - transcendental numbers, 459
- Cardano, 91
 - and complex numbers, 94, 258
 - cryptography, 101
 - life story, 100
 - published Tartaglia's solution, 99
 - quarrel with Tartaglia, 99, 101
 - solution of cubic, 92
- cardinality, 457
- cardinals, 457
 - $\aleph_0, \aleph_1, \aleph_2, \dots$, 458
 - large, 462, 463
 - uncountable, 458
- cardioid, 35
- Cassini, 32, 246
- Cassini oval, 32
- catenary, 236
 - and tractrix, 318, 321
 - arc length, 322
- cattle problem, 46
- Cauchy
 - advised by Lagrange, 313
 - and permutation groups, 367
 - complex function theory, 247
 - integral theorem, 299
 - life story, 312
 - neighbor of Laplace, 313
 - notation for identity, 367
 - notation for inverse, 367
 - polygonal number theorem, 39, 314
 - polyhedron theorem, 313
 - studied Laplace and Lagrange, 313
 - theory of elasticity, 314
- Cauchy–Riemann equations, 296

- Cavalieri
 - and volume of sphere, 150
 - integration formula, 149
 - method of indivisibles, 149
- Cayley
 - abstract group concept, 367
 - and projective geometry, 372
 - matrices for quaternions, 392
 - numbers, 394
 - permutation group theorem, 367
 - projective model, 346
 - rediscovered octonions, 393
- celestial mechanics, 234
 - named by Laplace, 235
 - of Poincaré, 236
- Chinese remainder theorem, 67, 69, 192
- choice function, 462
- chord-tangent construction, 6, 48, 207
- Church, 468
- circle division, 26, 224, 420
- circular functions
 - and complex logarithms, 294
 - and complex numbers, 262
 - and cubic equations, 93
 - and elliptic functions, 213
 - and the circle, 213
 - partial fraction series, 303
- circumradius, 22
- cissoid, 31
 - cusp, 108
- Clairaut, 246
- class field theory, 428
- class number, 416
 - formula, 425
- classification of surfaces, 434
- Clebsch, 207, 215
 - addition of points, 307
- Cohen, 458, 478
- coincident points, 276
- Colburn, 400
- combinatorics, 146
- common notions, 18
 - and equivalence relations, 19, 373
- commutative law, 386
- commutative ring, 386
- complex curves, 276
 - and Newton–Puiseux theory, 286
 - as Riemann surfaces, 281
 - topology, 285
- complex functions, 247, 293
 - and differentiability, 296
 - and integration, 299
 - as power series, 296
 - real and imaginary parts, 295
- complex numbers
 - absolute value, 384
 - multiplicative property, 384
 - and angle addition, 385
 - and angle division, 262
 - and circular functions, 262
 - and cubic equations, 94, 257
 - and elliptic functions, 213, 222
 - and quadratic equations, 257
 - conjugate, 266
 - early observations, 382
 - geometric properties, 266
 - geometric representation
 - by Argand, 268
 - by Cotes, 263
 - by Wessel, 268
 - Hamilton definition, 384
 - in algebra, 256
 - multiplication, 383
- composition
 - Brahmagupta, 73
 - Diophantus, 74
 - of forces, 233
 - of functions, 361
 - of Pythagorean triples, 418
- computability, 466
 - and diagonal argument, 465
 - by Turing machine, 466
 - in groups, 469
 - of functions, 466
 - of real numbers, 469