

- complex, 299
 - and Riemann surfaces, 302
 - in “closed form”, 159, 215
 - of algebraic functions, 147
- intermediate value theorem, 267
- interpolation, 174
 - and calculus, 176
 - and Taylor’s theorem, 175
 - Gregory–Newton formula, 175
- intersections
 - and Bézout’s theorem, 113
 - and fundamental theorem of algebra, 277
 - and roots, 29, 111, 276
 - multiplicity, 276
 - of real algebraic curves, 271
- invariants, 427
 - king of, 427
- inverse
 - additive, 422
 - Cauchy notation, 367
 - function, 157
 - in group theory, 361, 367
 - mod p , 362
 - multiplicative, 386, 422
 - square law, 164
- involute, 320
- irrational, 3, 11
- irrationality of $\sqrt{2}$, 3
- irrationals
 - Dedekind construction, 54
 - Euclid’s theory, 90
 - quadratic, 90
- isometric surfaces, 323
- isomorphic groups, 368
- isoperimetric problem, 251
- Jacobi
 - and chord-tangent construction, 207
 - and elliptic curves, 305
 - and elliptic functions, 222
 - and modular functions, 97
 - Fundamenta nova*, 222
 - life story, 228
 - studied Euler, 228
 - theta functions, 39, 223
 - tried to solve quintic, 228
- Jade Mirror*, 85, 86
- Jia Xiàn, 193
- Jordan, 366
 - measure, 460
- Kac, 92
- Kaestner, 321, 335
- Kelvin, 290
- Kepler
 - and projective lines, 136
 - Astronomia nova*, 234
 - elliptical orbits, 234
 - introduced term “focus”, 30
 - planetary spheres, 21
- kernel, 423
- Klein
 - and modular functions, 223
 - and the quintic, 97
 - and uniformization, 309
 - Erlanger Programm, 372
 - hyperbolic tessellations, 448
 - named hyperbolic geometry, 342
- Koebe, 309
- Kolmogorov, 461
- Kronecker
 - and algebraic integers, 409
 - and rational functions, 183
 - famous saying, 422
- Kummer
 - and algebraic integers, 409
 - and Fermat’s last theorem, 199
 - and prime factorization, 411
 - ideal numbers, 411, 420
- Lagrange
 - and algebraic numbers, 405
 - and conformal mapping, 297
 - and epicycles, 33
 - and the agM, 223
 - and the discriminant, 427

- celestial mechanics, 312
- equivalence of forms, 416
- four-square theorem, 39, 387
- life story, 310
- Mécanique analytique*, 311
- protégé of d'Alembert, 275
- proved two-square theorem, 419
- theorem on Pell's equation, 46, 75
- theory of equations, 364
 - studied by Galois, 378
- theory of quadratic forms, 419
- Lamé, 199, 421
- Lambert
 - and conformal mapping, 297
 - imaginary sphere, 342
 - introduced hyperbolic functions, 342
 - spherical geometry, 341
- Landau, 90
- Laplace, 312
 - explained secular variation, 235
 - Mécanique céleste*, 235
 - protégé of d'Alembert, 275
- large cardinals, 462
- lattice of periods, 305
 - shape, 308
- Laurent, 301
- Lavoisier, 312
- law of large numbers, 250
- least upper bound
 - of ordinals, 457
 - property of \mathbb{R} , 455
- Lebesgue, 460
- Legendre
 - and elliptic integrals, 221
 - and Fermat's last theorem, 199
 - and volume of pyramid, 59
- Leibniz
 - and *Acta Eruditorum*, 168
 - and formal logic, 469
 - and function concept, 159
 - and integral calculus, 209
 - and interpolation, 176
 - and Pascal's triangle, 168
 - calculus, 159
 - combinatorics, 167
 - first publication on calculus, 159
 - found brachistochrone, 239
 - found catenary, 237
 - integral sign, 159
 - life story, 166
 - logic, 167
 - proof of Fermat's little theorem, 197
 - solution by radicals, 95
- Leibniz–de Moivre formula, 95
 - and logarithms, 294
- lemniscate
 - and elastica, 240
 - arc length, 216
 - as spiric section, 32
 - division, 224
 - Abel's theorem, 224
 - doubling the arc, 217
 - of Bernoulli, 216
- lemniscatic
 - integral, 216
 - addition theorem, 220
 - sine, 222
 - addition theorem, 224
 - derivative, 223
 - period, 222
- Leonardo, 123
- Leverrier, 235
- Levi ben Gershon, 192
 - and permutations, 364
- l'Hôpital
 - found brachistochrone, 239
 - taught by Johann Bernoulli, 251
- limaçon, 143
- limit
 - and completed infinite, 52
 - of a sequence, 51
 - point, 456
 - rotation, 347

- Lindemann, 26, 172
- line at infinity, 126
 - as antipodal point pairs, 136
- linear
 - equations
 - Chinese method, 84
 - Cramer's rule, 85
 - Diophantine, 43, 70
 - Gaussian elimination, 84
 - in the *Nine Chapters*, 84
 - fractional transformations, 309
 - as rigid motions, 356
 - groups of, 370
 - independence, 423
 - recurrence relation, 181
 - for rational function, 183
- Liouville
 - and elliptic integrals, 216
 - and half-plane model, 349
 - published Galois' works, 381
- Listing, 436
- Liu Hui, 84
- Lobachevsky
 - hyperbolic geometry, 343
 - hyperbolic volumes, 344
 - life story, 359
 - supervised by Bartels, 359
 - taught by Bartels, 334
- logarithm
 - basic property, 63
 - complex, 252, 262, 294
 - and circular functions, 294
 - infinitely many values, 294
 - geometric definition, 63
 - tables, 177
- logic, 454
- Maclaurin, 114
- Magnus, 376
- Markov, 450
- mathematics, 15
- Matiyasevich, 6, 43
- Maxwell, 247
 - equations, 402
- measure, 459
 - and probability, 461
- Borel, 460
- countable additivity, 461
- Jordan, 460
- Lebesgue, 460
- zero, 460
- mechanics, 231
 - and integration, 233
 - before calculus, 231
 - calculus, 146
 - celestial, 234
 - in Archimedes, 64
 - quantum, 231
- Menaechmus, 28
 - and conic sections, 28, 104
 - construction of $\sqrt[3]{2}$, 104
 - duplication of the cube, 29
- Mengoli, 177
- Mercator, 156
 - power series for log, 174
 - projection, 297
- Mersenne, 124
 - and Descartes, 118
 - primes, 40
 - vibration law, 242
- Merton acceleration theorem, 232
- method of exhaustion, 12, 35, 55
 - and approximation, 56
 - and area of parabola, 63
 - avoids limits, 57
 - generalizes theory of proportions, 55
 - in Euclid, 56
- method of finding 1, 69, 76
- metric, 291
- Minding, 324
 - hyperbolic trigonometry, 342
- Minkowski, 427
- Möbius
 - and cross-ratio, 127
 - and homogeneous coordinates, 134

- and surface topology, 287
 - and transformations, 129
- band, 137
 - and nonorientable surfaces, 435
- classification of surfaces, 435
- groups of transformations, 371
- modular functions, 97, 223
 - and lattice shape, 309, 421
 - and quadratic integers, 421
 - and the quintic, 97
 - periodicity, 310
- Mordell, 199
 - theorem, 49
- multinomial coefficient, 197
- multinomial theorem, 197
- multiplicative inverse, 386
- multiplicative property, 393
 - of absolute value, 386
 - for complex numbers, 384
 - for octonions, 393
 - for quaternions, 389
 - of norm, 393, 408
- multiplicity, 276
 - and Bézout's theorem, 278
- mystic hexagram, 140
- Neil, 106, 318
- Neptune, 235
- Neumann
 - and Riemann mapping theorem, 298
- Newton
 - algebra of infinite series, 156
 - and Bézout's theorem, 113
 - and Diophantus' method, 6, 48
 - and fractional power series, 180
 - and interpolation, 176
 - calculus, 147, 155, 233
 - classification of cubics, 110, 132
 - curvature formula, 320
 - De analysi*, 156
 - De methodis*, 156
 - De motu*, 165
 - defined tractrix, 318
 - despised Euclid at first, 163
 - first law, 233
 - formula for $\sin n\theta$, 95
 - found brachistochrone, 239
 - impressed by Descartes, 163
 - introduced curvature, 163
 - inverse square law, 234
 - law of cooling, 245
 - law of gravitation, 16, 29
 - life story, 163
 - Principia*, 164, 234
 - proved spirals transcendental, 236
 - second law, 233
 - sine series, 158
 - study of fluids, 245
- Newton–Puiseux theory
 - and algebraic curves, 286
 - and branch points, 282
 - and complex functions, 301
- Newton–Puiseux theory, 181
- Niceron, 124
 - chair, 124
- Nielsen, 449
- Nine Chapters*, 84
- Noether
 - Emmy, 423
 - life story, 429
 - schon bei Dedekind, 430
 - student of Gordan, 429
 - theorem on invariants, 429
 - Max, 429
- nonconstructibility
 - of $\sqrt[3]{2}$, 90
 - due to Wantzel, 90
 - Landau proof, 90
- noneuclidean geometry, 18, 105, 338
 - and linear fractional transformations, 310
 - and negative curvature, 325
 - and pseudosphere, 325
 - in Saccheri, 340
- nonmodularity, 199
- norm, 393

- and prime factorization, 410
 - multiplicative property, 408
 - of algebraic integers, 406, 423
 - of Gaussian integer, 406
- normal subgroup, 365, 423
- Novikov, 469
- number
 - algebraic, 404
 - definition, 404
 - cardinal *see* cardinals 457
 - complex, 256
 - constructible, 27
 - hypercomplex, 382
 - ideal, 411
 - irrational, 3, 10
 - and theory of proportions, 54
 - Dedekind construction, 54
 - negative, 422
 - ordinal *see* ordinals 456
 - pentagonal, 39
 - perfect, 40, 196
 - polygonal, 38
 - prime, 39
 - rational, 5
 - real, 267
 - tetrahedral, 196
 - transcendental, 26, 459
 - triangular, 39, 196
- octahedron, 21
 - symmetry group, 369
- octonions, 393
 - as pairs of quaternions, 395
 - diagram for multiplication, 394
 - Dickson formula for product, 394
 - discovered by Graves, 393
 - rediscovered by Cayley, 393
- orbit, 372
- ordered pair, 14
- ordinals, 456
 - and well-ordering, 462
 - generating operations, 457
 - ordered by \in , 457
 - uncountable, 457
- von Neumann, 457
- Oresme, 104, 171
 - and harmonic series, 171
 - coordinates, 105, 232
 - series summation, 171
- orientability, 435
- Ostrogradsky, 300
- Ostrowski, 270
- Pappus' theorem
 - and algebra, 397, 428
 - special case of Pascal's, 141
- parabola, 28
 - and suspension bridge, 237
 - area of segment, 61
 - as trajectory, 232
 - cartesian, 113
 - point at infinity, 131
 - semicubical, 106, 111, 318
- parallel axiom, 18, 338
 - alternatives, 339
 - and angle sum, 340
 - and Pythagoras' theorem, 341
 - equivalents of, 338
 - Euclid's version, 338
 - fails in negative curvature, 346
- parameterization
 - by circular functions
 - of circle, 214
 - by elliptic functions
 - given by Clebsch, 215
 - known to Jacobi, 215
 - of cubic curves, 207, 213
 - by rational functions, 204
 - fails for $y^2 = 1 - x^4$, 210
 - of circle, 205
 - of folium, 205
 - of curves $y^2 = p(x)$, 214
- Paris–Harrington theorem, 474
- Pascal
 - calculating machine, 143
 - Essay on Conics*, 139
 - Etienne, 143
 - and the limaçon, 143

- life story, 143
- scientific work, 144
- supported Desargues, 142
- theorem, 139
 - generalizes Pappus', 141
 - Plücker proof, 140
- triangle, 145, 192, 195
 - in China, 192
 - in Leibniz, 168
- Pauli matrices, 392
- \wp -function, 221
- Peacock, 385
- Peano arithmetic, 472
- Peano axioms, 426
- Pell's equation, 43, 83
 - and algebraic numbers, 404
 - and Archimedes, 46
 - and Brahmagupta, 45
 - and Brouncker, 43
 - and continued fractions, 46
 - and Lagrange, 46
 - in Bhāskara II, 74
 - in Brahmagupta, 72
 - in India, 67
- pendulum, 215
 - clocks, 238
 - cycloidal, 238
 - and involute, 321
 - ordinary, 238
- pentagon, 24
 - construction, 27
- periodicity
 - double, 302
 - of complex exponential, 295
 - of modular function, 310
- permutation, 364
 - even, 366
 - group, 365
 - Cayley's theorem, 367
- Perrault, 143
- Perseus, 32
- perspective, 120
 - Alberti's veil method, 120
 - depiction of tiled floor, 122
- π , 26, 66
 - Brouncker formula, 154
 - infinite series, 154
 - transcendence, 26, 172
 - Viète formula, 153
 - Wallis formula, 153
- Plato, 4
- Plimpton 322, 3, 4
 - and complex numbers, 385
 - and Pythagorean triples, 3
- Plücker
 - homogeneous coordinates, 134
 - proof of Pascal's theorem, 140
- Plutarch, 65
- Poincaré
 - and elliptic curves, 305
 - and elliptic functions, 207
 - and Euler characteristic, 433
 - and noneuclidean geometry, 310, 452
 - and rational points, 49
 - and uniformization, 309
 - celestial mechanics, 236
 - conjecture, 453
 - created algebraic topology, 453
 - defined fundamental group, 449
 - formulas for hyperbolic motions, 354
 - group theory, 372
 - hyperbolic tessellations, 448
 - last theorem, 453
 - life story, 450
 - theory of differential equations, 452
- point
 - antipodal, 136
 - as ordered pair, 14
 - at infinity, 114, 125
 - belonging to curve, 135
 - homogeneous coordinates, 134
 - in Desargues, 126
 - in Kepler, 126

- on projective line, 126, 136
- Pólya, 439
- polygonal
 - number theorem, 39
 - numbers, 38
- polyhedron
 - formulas, 432
 - nonrigid, 314
 - regular, 20
 - rigid if convex, 313
- polynomial
 - homogeneous, 135
 - monic, 409
- polynomial equations, 82
 - and elimination, 84
 - and intersections of curves, 85
 - in the *Jade Mirror*, 85
 - in several variables, 84
- Poncelet, 126
- Post, 466
 - on meaning and truth, 475
 - version of Gödel's theorem, 471
 - before Gödel, 472
- potential, 246
 - field, 246
 - theory, 256
- power series, 173
 - and calculus, 147
 - for algebraic functions, 174
 - for complex functions, 296
 - from Cauchy's theorem, 301
 - for cosine, 297
 - for exponential function, 157, 296
 - for log, 174
 - for sine, 158
 - fractional, 179, 301
 - in Lagrange, 312
 - Laurent, 301
- prime
 - divisor property, 40, 42
 - factorization, 42
 - Gaussian, 406
- primes, 39
 - and sums of squares, 419
 - in arithmetic progressions, 244
 - infinitely many, 39, 185
 - Mersenne, 40
 - and perfect numbers, 40
 - of form $2^{2^h} + 1$, 37
- Principia*
 - of Newton *see* Newton
 - Principia* 234
 - of Whitehead and Russell, 429, 470
- priority dispute
 - Newton–Leibniz, 159, 166, 252, 255
 - over hydrodynamics, 255
 - over isoperimetric problem, 251
- probability theory, 250
 - and generating functions, 181
 - and measure, 461
 - and Pascal's triangle, 195
 - Cardano, 101
 - Kolmogorov, 461
- projectiles, 99
- projective
 - completion, 136
 - of \mathbb{C} , 279
 - of \mathbb{R} , 279
 - geometry, 114, 120, 125
 - and analytic geometry, 114
 - line
 - and great circle, 136
 - as infinite circle, 126
 - as projective completion, 136
 - complex, 279
 - real, 279
 - model, 344, 346
 - plane
 - and algebra, 397
 - curves on, 136
 - finite, 398
 - is nonorientable, 436
 - not a sphere, 136

- real, 136
 - sphere model, 279
 - transformations, 346, 362, 372
- pseudosphere, 318, 322
 - and angular defect, 342
 - and horocycles, 347
 - by revolving tractrix, 324
 - constant negative curvature, 324
 - Gaussian curvature, 326
 - geodesics, 327, 352
 - has hyperbolic trigonometry, 342
 - mapped into half-plane, 351
 - principal curvatures, 326
- Ptolemy, 33
 - Almagest*, 33
 - epicycles, 33, 234
- Puiseux, 181
- pulverizer, 46, 71
- Pythagoras
 - and harmony, 10
 - life story, 15
 - theorem of, 1
- Pythagoras' theorem, 1
 - and definition of distance, 116
 - and distance, 13
 - and Hobbes, 17
 - and parallel axiom, 341
 - converse, 2
 - in Asia, 66
 - proof, 8
- Pythagorean triples, 3
 - and divisibility, 5
 - composition of, 418
 - formula, 3
 - in Diophantus, 7
 - in Euclid, 4
 - in Babylon, 3, 10
 - in Plimpton 322, 3
 - of rational functions, 210
 - rational, 6
- Pythagoreans, 15
 - and "all is number", 16
 - vibrating string, 241
- Qin Jiushao, 69
- quadratic
 - equations, 86
 - and complex numbers, 257
 - in al-Khwārizmī, 88
 - in Babylon, 86
 - in Brahmagupta, 87
 - in Euclid, 87
 - forms, 106
 - class number, 416, 425
 - equivalence, 419
 - Gauss theory, 425
 - Lagrange theory, 419
 - formula, 82
 - integers, 420
 - irrationals, 90
- quantum theory, 231, 392
- quartic equations, 96
- quaternions, 388
 - and rotations, 391
 - and spherical trigonometry, 391
 - and vector analysis, 403
 - conjugate, 393
 - fundamental formula, 388
 - matrix representation, 392
 - product, 389
- quintic equations, 96
 - and group theory, 365
- \mathbb{R} , 455
 - completeness property, 455
 - least upper bound property, 455
 - measurability of subsets, 462
 - implies large cardinals, 463
 - uncountability, 455
 - measure theory proof, 461
 - well-ordering, 462
- radical, 364
- Raleigh, 332
- Ramsey, 474
- rational
 - box, 81
 - field, 422
 - function

- parameterization, 204
- numbers, 5, 12
 - field of, 422
 - form countable set, 456
- points, 6
 - on curve of degree 2, 204
 - on curve of genus > 1 , 199
 - on curve of genus 0, 204
 - on curve of genus 1, 207
 - on the circle, 6
- Pythagorean triples, 6
- right triangles, 78, 200
- solutions, 6
- triangles, 77
 - Brahmagupta formula, 77
- recurrence relations
 - and $\sqrt{2}$, 44, 52
 - linear, 181
- regular
 - polygon, 21
 - polyhedra, 20
 - and finite groups, 21
 - and Galois theory, 21
 - symmetry groups, 368
 - theory of Theaetetus, 35
- relativity, 231, 402
- residue class, 362, 426
- resultant, 114, 138
 - as a determinant, 139
- rhumb line, 317
- Ribet, 200
- Richard, 378
- Riemann
 - and double periodicity, 223, 303
 - and Euler characteristic, 433
 - and foundations of geometry, 290, 337
 - complex function theory, 247
 - distance formula, 350
 - friend of Dedekind, 424
 - functional equation for $\zeta(s)$, 185
 - hypothesis, 185, 292
 - integral, 459
 - life story, 288
 - mapping theorem, 298
 - read Euler and Legendre, 288
 - surface, 281, 287, 435
 - and complex integration, 302
 - is orientable, 436
 - taught Dedekind, 291
 - tessellations, 355
 - theory of elliptic functions, 303
 - zeta function, 185
- rigid motions, 325
 - as linear fractional transformations, 356
 - group of, 352
 - of Euclidean plane, 352
 - of hyperbolic plane, 346, 347, 372
 - of hyperbolic space, 356
 - of sphere, 353
 - of tessellation, 448
- ring, 422
 - commutative
 - with unit, 386, 410
 - of integers, 422
 - theory, 404
- Roberval, 106, 149
- Rodrigues, 391
- rope stretching, 2
- roses of Grandi, 109
- rotation, 347
- Rousseau, 274
- Ruffini, 96
- ruler and compass construction, 25
 - of points, 89
 - of regular 17-gon, 26
 - of regular pentagon, 27
 - of square root, 25
- Russell, 36, 429, 470
- Saccheri, 339
- saddle, 324
- Salmon, 308
- Schwarz

- and Riemann mapping theorem, 298
 - and universal covering, 444
 - tessellations, 355
- Scipione del Ferro, 91, 97
- secular variation, 235
- Seifert and Threlfall, 449
- separation of variables, 245
- set theory, 54, 455
 - and completed infinite, 54
 - and Fourier series, 241, 244
 - and large cardinals, 463
- sets, 454
 - and mathematical objects, 426, 470
 - and real numbers, 455
 - Borel, 460
 - countable, 456
 - nonmeasurable, 463
 - recursively enumerable, 471
 - uncountable, 458
- sheets, 282
- side and diagonal numbers, 44, 74
- similarity, 372
- Sluse, 151
- solid angle, 439
- solution by radicals, 96
- space of n dimensions, 291
- sphere
 - tessellations, 353
 - volume and area, 61
- spherical geometry, 341
 - imaginary, 342
 - triangles, 341
- spira, 32
- spiral
 - equiangular, 316
 - is transcendental, 236
 - logarithmic, 316
 - area, 317
 - is own involute, 321
 - self-similarity, 319
 - of Archimedes, 150, 236
 - spiral sections, 32
 - squaring the circle, 25, 172, 315
 - statics
 - and Archimedes, 231
 - Steiner, 290
 - stereographic projection, 280
 - and conformal models, 348
 - conformality
 - due to Harriot, 297
 - due to Ptolemy, 297
 - Stevin, 233
 - Stirling, 110
 - Suiseth, 171
 - sums of squares, 39, 418
 - and primes, 419
 - eight, 395
 - four, 387
 - rational, 390
 - three, 387
 - two, 383
 - Sun Zi, 68
 - surface
 - closed, 435
 - compact, 435
 - covering, 443
 - curvature, 322
 - nonorientable, 435
 - normal form, 435
 - of constant curvature, 324, 442
 - Hilbert theorem, 324
 - orientable, 435
 - Riemann, 302, 435
 - suspension bridge, 237
 - symmetry, 364, 368
 - and groups, 368
 - geometric, 371
 - in equivalence relation, 20, 373
 - of polyhedra, 368
 - of tessellations, 367
 - tangent method
 - of Diophantus, 48, 151
 - of Fermat, 150
 - of Hudde and Sluse, 151, 152