

interested mainly in offering a concrete counterpart of abstract geometry; however, we do not wish to omit a declaration that the validity of the new order of concepts does not depend on the possibility of such a counterpart.

In the second paper, Beltrami vindicates this ringing endorsement of Riemann's ideas with whole families of models of non-Euclidean geometry in any number of dimensions. Among them is the half-plane model used in this chapter, and its generalization to three dimensions, the "half-space model." The half-space model has

- "points" that are the points  $(x, y, z) \in \mathbb{R}^3$  with  $z > 0$ ,
- "lines" that are the vertical Euclidean half lines in  $\mathbb{R}^3$  and the vertical semicircles with centers on the plane  $z = 0$ ,
- "planes" that are the vertical Euclidean half planes in  $\mathbb{R}^3$  and hemispheres with centers on  $z = 0$ .

It turns out that non-Euclidean distance on a plane  $z = a$  is a constant multiple of Euclidean distance. This surprising result gives probably the simplest proof of a result first discovered by Friedrich Wachter, a member of Gauss's circle, in 1816: *Three-dimensional non-Euclidean geometry contains a model of the Euclidean plane.*

Another model of the hyperbolic plane, discovered by Beltrami, is the *conformal disk model*. It is like the half plane in being angle-preserving, but unlike it in being finite. Its "points" are the interior points of the unit disk (the points  $z$  with  $|z| < 1$ , if we work in the plane of complex numbers), and its "lines" are circular arcs perpendicular to the unit circle. Figure 8.19, which is the original M. C. Escher picture *Circle Limit I*, can be viewed as a picture of the conformal disk model. The fish are arranged along "lines," and they are all of the same hyperbolic length. As mentioned in connection with Figure 8.10, the transformed *Circle Limit I*, the function

$$z \mapsto \frac{1 - zi}{z - i}$$

maps the conformal disk model onto the half-plane model.

It should be stressed that *all models of non-Euclidean geometry, in a given dimension, are isomorphic to the half-space model.* For example, models of the non-Euclidean plane satisfy Hilbert's axioms (Section 2.9)



Figure 8.19: The conformal disk model

with the parallel axiom replaced by the non-Euclidean parallel hypothesis. And Hilbert in his *Grundlagen* showed that the “lines” satisfying these axioms have “ends” that behave like the points of  $\mathbb{RP}^1$ . Thus, any non-Euclidean plane is essentially the same as the half plane discussed in this chapter, so we can call it *the* non-Euclidean plane or *the* hyperbolic plane.

### Non-Euclidean reality

In Beltrami’s original model, the open disk in which “lines” are line segments ending on the unit circle, isometries map Euclidean lines to Euclidean lines, and so they are projective maps. For this reason, the model is often called the *projective disk*. It can also be constructed by methods of projective geometry, and indeed this is essentially what Cayley did in 1859. The first to connect all the dots between projective and non-Euclidean geometry was Klein in 1871. An English translation of his paper may be found in *Sources of Hyperbolic Geometry*. Although Klein had only to fill a few technical gaps, it was he who first made the important conceptual point that *a model of non-Euclidean geometry ensures that the non-Euclidean parallel hypothesis is not contradictory. Hence, Euclid’s parallel axiom does not follow from his other axioms.*

In 1872, Klein also made the great advance of linking geometries to groups of transformations. This link gives a deeper reason for the presence of non-Euclidean geometry in projective geometry: The real projective line and the non-Euclidean plane have isomorphic groups of transformations.

The group of the non-Euclidean plane was first described explicitly by the French mathematician Henri Poincaré in 1882, along with its interpretation as the group of Möbius transformations of the half plane. The relevant parts of his work may also be found in *Sources of Hyperbolic Geometry*. Poincaré became interested in non-Euclidean geometry when he noticed that some functions of a complex variable have *non-Euclidean periodicity*.

An ordinary periodic function, such as  $\cos x$ , has *Euclidean periodicity* in the sense that its values repeat when  $x$  undergoes the Euclidean translation  $x \mapsto x + 2\pi$ . A complex function can have non-Euclidean periodicity, and one example is the *modular function*  $j(z)$ . Its definition is too long to explain here, but its periodicity is simple: The values of  $j(z)$  repeat under the Möbius transformations  $z \mapsto z + 1$  and  $z \mapsto -1/z$ . As we know, these are isometries of the half plane. If one applies them over and over, to the lines  $x = 0$ ,  $x = 1$ , and the unit semicircle, they produce the non-Euclidean regular tessellation shown in Figure 8.20.




Figure 8.20: The modular tessellation

The modular function and its periodicity were already part of mathematical reality, having been known to Gauss and others since early in the 19th century. But Poincaré was the first to see its non-Euclidean symmetry. He used non-Euclidean geometry to study large classes of functions whose behavior had until then seemed intractable. Poincaré was also the first to view the half plane as an extension of the real projective line, as we have

done in this chapter. In fact, he went much further, noticing that the half-space model of non-Euclidean space is a natural extension of the *complex* projective line  $\mathbb{CP}^1 = \mathbb{C} \cup \{\infty\}$ .

Just as the real projective line  $\mathbb{R} \cup \{\infty\}$  comes with the linear fractional transformations

$$x \mapsto \frac{ax+b}{cx+d}, \quad \text{where } a, b, c, d \in \mathbb{R} \text{ and } ad - bc \neq 0,$$

the complex projective line  $\mathbb{C} \cup \{\infty\}$  comes with the linear fractional transformations

$$z \mapsto \frac{az+b}{cz+d}, \quad \text{where } a, b, c, d \in \mathbb{C} \text{ and } ad - bc \neq 0.$$

And just as the linear fractional transformations of  $\mathbb{R} \cup \{\infty\}$  extend to Möbius transformations of the half plane, the linear fractional transformations of  $\mathbb{C} \cup \{\infty\}$  extend to Möbius transformations of the *half space*, for which there is likewise an invariant non-Euclidean distance, and the non-Euclidean “lines” and “planes” mentioned above.

It is a great advantage to have a concept of distance, even if the distance is non-Euclidean and one needs an extra dimension to acquire it. By passing to the third dimension, Poincaré could understand transformations of  $\mathbb{C}$  whose behavior is almost incomprehensible when viewed in the plane. Understanding comes by viewing these transformations as compressed versions of isometries of non-Euclidean space, which behave quite simply (like isometries of the half plane). Thus, expanding from a projective line to a non-Euclidean space is not just an interesting theoretical possibility—it is sometimes the best way to understand the mysteries of projection.

# References

- Artmann, B.: *Euclid: The Creation of Mathematics*,  
Springer-Verlag, 1999.
- Behnke, H. *et al.*: *Fundamentals of Mathematics, Volume II. Geometry*,  
MIT Press, 1974.
- Brieskorn, E. and Knörrer, H.: *Plane Algebraic Curves*,  
Birkhäuser, 1986.
- Cayley, A.: *Mathematical Papers*,  
Cambridge University Press, 1889–1898.
- Coxeter, H. S. M.: *Introduction to Geometry*,  
Wiley, 1969.
- Descartes, R.: *The Geometry*,  
Dover, 1954.
- Ebbinghaus, H.-D. *et al.*: *Numbers*,  
Springer-Verlag, 1991.
- Euclid: *The Thirteen Books of Euclid's Elements*,  
Edited by Sir Thomas Heath, Cambridge University Press, 1925.  
Reprinted by Dover, 1954.
- Euclid: *Elements*,  
Edited by Dana Denmore, Green Lion Press, 2002.
- Gauss, C. F.: *Disquisitiones generales circa superficies curvas*,  
Parallel Latin and English text in Dombrowski, P.: *150 Years after  
Gauss' "Disquisitiones generales circa superficies curvas,"*  
Société Mathématique de France, 1979.
- Hartshorne, R.: *Geometry: Euclid and Beyond*,  
Springer-Verlag, 2000.

- Hilbert, D.: *Foundations of Geometry*,  
Open Court, 1971.
- Hilbert, D. and Cohn-Vossen, S.: *Geometry and the Imagination*,  
Chelsea, 1952.
- Kaplansky, I.: *Linear Algebra and Geometry, a Second Course*,  
Allyn and Bacon, 1969.
- McKean, H. and Moll, V.: *Elliptic Curves*,  
Cambridge University Press, 1997.
- Pappus of Alexandria: *Book 7 of the Collection*, Parts 1 and 2,  
Edited with translation and commentary by Alexander Jones,  
Springer-Verlag, 1986.
- Saccheri, G.: *Euclides ab omni naevo vindicatus*,  
English translation, Open Court, 1920.
- Snapper, E. and Troyer, R. J.: *Metric Affine Geometry*,  
Academic Press, 1971.  
Reprinted by Dover, 1989.
- Stillwell, J.: *Geometry of Surfaces*,  
Springer-Verlag, 1992.
- Stillwell, J.: *Sources of Hyperbolic Geometry*,  
American Mathematical Society, 1996.
- Veblen, O. and Young, J. W.: *Projective Geometry*,  
Ginn and Company, 1910.
- Wright, L.: *Perspective in Perspective*,  
Routledge and Kegan Paul, 1983.

# Index

- 1-sphere, 158
- 120-cell, 173
- 2-sphere, 155
- 24-cell, 166, 173
- 3-sphere, 167
- 600-cell, 173
- addition
  - algebraic properties, 42
  - commutative law, 68
  - of area, 27
  - of lengths, 3, 42
  - of ordered pairs, 65
  - of ordered triples, 68
  - of vectors, 66
  - projective, 129
  - vector, 66, 172
    - parallelogram rule, 67
- affine
  - geometry, 150
    - theorems of, 150
  - map, 170
  - transformation, 150
  - view of cube, 172
- Alberti, Leon Battista, 90
- alternativity, 140
- angle, 43
  - alternate interior, 22
  - and inner product, 68
  - and slope, 55
  - bisection, 6, 7
  - congruence, 44
  - division
    - faulty, 9
  - in a circle, 36
  - in a semicircle, 36, 79
  - in half plane, 176, 186
  - infinitesimal view, 187
  - of regular  $n$ -gon, 23
  - right, 1
  - sum
    - and area, 190
    - of convex  $n$ -gon, 23
    - of quadrilateral, 23
    - of triangle, 22
  - vertically opposite, 27
- antipodal
  - map, 156
  - point, 156, 168
- Archimedean axiom, 45
- area, 26
  - and angle sum, 190
  - as rectangle, 28
  - equality
    - Greek concept, 28
    - Euclid's concept, 27
    - Euclid's theory of, 42
    - non-Euclidean, 189
    - of geodesic triangle, 204
    - of parallelogram, 29
    - of spherical triangle, 190
    - of triangle, 29
- arithmetic
  - axioms for, 43
  - of segments, 42
  - projective, 128
- arithmetization, 46, 117
- Artmann, Benno, 18
- ASA, 20, 24, 56

- and existence of parallels, 22
- associative law
  - for projective addition
    - and scissors theorem, 136
  - for projective multiplication
    - and Desargues theorem, 136
  - of multiplication, 117
- axiom
  - Archimedean, 45
  - Dedekind, 45
  - Desargues, 117
  - of circle intersection, 45
  - of unique line, 22
    - in  $\mathbb{R}^2$ , 50
  - Pappus, 117
  - parallel, 5, 20, 21
    - and foundations of geometry, 174
    - in  $\mathbb{R}^2$ , 50
    - modern, 22
  - Playfair's, 22
  - SAS, 24
- axioms
  - congruence, 24, 44
  - construction, 2, 5
  - Euclid's, 47
    - model of, 50
  - field, 87, 113, 117, 120
  - for arithmetic, 43
  - for non-Euclidean plane, 209
  - for projective geometry, 43
  - geometric, 5
  - Hilbert, 42, 47, 86, 87
    - list of, 43
  - incidence, 42, 43, 95
  - order, 42, 44
  - projective plane, 94
    - models of, 95
  - vector space, 86
- barycenter, 72
- Beltrami, Eugenio, 206
  - models of non-Euclidean plane, 208
  - theorem on constant curvature, 206
- betweenness, 43
- bisection
  - of angle, 6, 7
  - of line segment, 6
- Blake, William, 3
- Bolyai, Janos, 204
- Brieskorn, Egbert, 63
- $\mathbb{C}$ , 85
  - as a field, 114
  - as a plane, 85
- Cauchy–Schwarz inequality, 80
  - algebraic proof, 82
- Cayley, Arthur, 137
  - and quaternions, 173
  - discovery of octonions, 141
  - invariant length, 206
  - projective disk, 210
- center of mass, 72
- centroid, 71
  - as intersection of medians, 72
  - as vector average, 72
  - of tetrahedron, 74
- circle
  - angles in, 36
  - equation of, 52
  - intersection axiom, 45
  - non-Euclidean, 196
- Cohn-Vossen, Stefan, 19
- coincidence, 121
  - Desargues, 121
  - in projective arithmetic, 128, 133
  - in tiled floor, 122
  - Pappus, 121
- common notions, 26
- commutative law, 68
  - for projective addition
    - and Pappus, 135
  - for projective multiplication
    - and Pappus, 134
  - for vector addition, 68
  - of multiplication, 117
    - fails for quaternions, 137
- compass, 1
  - and projective addition, 129



- axiom, 2
- completeness of line, 45
- complex conjugation, 178
- concurrence
  - of altitudes, 75
  - of medians, 73
  - of tetrahedron, 74
  - of perpendicular bisectors, 77
- configuration
  - Desargues, 13
  - little Desargues, 119
  - Pappus, 12
- congruence, 43
  - of triangles, 24
  - axioms, 24, 44
  - of angles, 44
  - of line segments, 44
- constructibility, 46
  - algebraic criterion, 55
- constructible
  - figures, 1
  - numbers, 45
  - operations, 41
- construction
  - axioms, 2, 5
  - bisection, 6
  - by straightedge alone, 88
    - of tiling, 92
  - by straightedge and compass, 1
  - equilateral triangle, 42
  - of irrational length, 11
  - of parallel, 8
  - of perpendicular, 7
  - of product of lengths, 10
  - of quotient of lengths, 10
  - of regular  $n$ -gon, 5
  - of regular 17-gon, 19
  - of regular pentagon, 18, 41
  - of regular polyhedra, 18
  - of right-angled triangle, 37
  - of square, 9
    - of given area, 33, 38
    - of square root, 38, 40
    - of square tiling, 9
- coordinates, 46
  - and Pappus theorem, 115
  - homogeneous, 98
  - in a field, 116
  - in Pappian planes, 120
  - in projective geometry, 117
  - of a point in the plane, 47
- cosine, 56
  - and inner product, 77
  - formula for inner product, 78, 86
  - function, 77
  - rule, 75, 78
    - and Pythagorean theorem, 79
- costruzione legittima*, 90
- Coxeter, Harold Scott Macdonald, 19
- $\mathbb{CP}^1$  and half-space model, 212
- $\mathbb{CP}^2$ , 98
- $\mathbb{CP}^3$ , 99
- cross-ratio, 64, 108, 143
  - as defining invariant, 110
  - as fundamental invariant, 112
  - determination of fourth point, 110
  - group, 113
  - in half plane, 176, 191
  - invariance
    - discovered by Desargues, 115
  - is it visible?, 109
  - on non-Euclidean line, 192
  - preserved by linear fractional functions, 108
  - preserved by projection, 108
  - transformations of, 113
- cube, 18, 163
  - affine view, 172
  - of a sum, 29
- curvature of space, 206
- curvature of surface, 204
- curve
  - algebraic, 63
  - equidistant, 196
  - of degree 1, 63
  - of degree 2, 63

- Dürer, Albrecht, 89  
 Dedekind axiom, 45  
 Densmore, Dana, 18  
 Desargues, Girard  
   configuration, 13  
   and involutions, 199  
   and the cross-ratio, 115  
   configuration  
     spatial, 141  
   theorem, 12, 42, 115  
     and associative multiplication, 136, 140  
     as an axiom, 117  
     converse, 125  
     fails in Moulton plane, 121  
     fails in  $\mathbb{OP}^2$ , 141  
     holds in  $\mathbb{HP}^2$ , 138  
     in space, 141  
     little, 119  
     projective, 119  
     vector version, 71  
 Descartes, René, 46  
   *Géométrie*, 16, 41, 46  
   constructible operations, 41, 55  
 determinant, 107, 148  
   multiplicative property, 160  
 dilation, 67, 68  
   and scalar multiplication, 67  
   matrix representation, 150  
 direction, 69  
   and parallel lines, 69  
   relative, 69  
 distance  
   great-circle, 155  
   in  $\mathbb{R}^2$ , 51  
   in  $\mathbb{R}^3$ , 81  
   in  $\mathbb{R}^n$ , 81  
   non-Euclidean, 191  
   on y-axis, 193  
 distributive law, 138  
   and Pappus theorem, 139  
 dividing by zero, 106  
 dodecahedron, 18  
 Einstein, Albert, 87  
 equation  
   homogeneous, 98  
   linear, 50  
   of circle, 52  
   of line, 49  
   of non-Euclidean line, 180  
 equidistant  
   curves, 196  
   line, 52, 76  
     is perpendicular bisector, 76  
   point, 53  
   set  
     in  $\mathbb{R}^3$ , 156  
     in  $\mathbb{S}^2$ , 156  
 Erlanger Programm, 64  
 Escher, Maurits, 194, 209  
 Euclid, 1  
   and non-Euclidean geometry, 203  
   common notions, 26  
   concept of equal area, 27  
   construction  
     axioms, 2, 95  
     of equilateral triangle, 4, 6  
     of regular pentagon, 41  
   *Elements*, 1, 3, 4, 17  
   Heath translation, 17  
   geometric axioms, 5  
   proofs of Pythagorean theorem, 32, 38  
   statement of parallel axiom, 21  
   theory of area, 42  
 Euclidean  
   geometry, 1, 43  
   3-dimensional, 68  
   and inner product, 68  
   and linear algebra, 64  
   and numbers, 43  
   and parallel axiom, 20  
   group, 145  
   in vector spaces, 68  
   model of, 47  
   oriented, 145

- via straightedge and compass, 1
  - inner product, 82
  - plane, 45, 46
  - space, 80
- Fano plane, 115
- Fermat, Pierre de, 46
- field, 113
  - axioms, 87, 113, 117, 120
    - as coincidences, 133
    - in  $\mathbb{R}^n$ , 162
  - $\mathbb{C}$ , 114
  - $\mathbb{F}_2$ , 114
  - finite, 114
  - of rational numbers, 114
  - $\mathbb{R}$ , 114
  - with absolute value, 172
- foundations of geometry, 3, 12, 174, 177
- gaps, 45, 47, 114
- Gauss, Carl Friedrich, 204
  - and modular function, 211
  - construction of 17-gon, 19
  - Disquisitiones generales*, 204
- generating transformations, 103
  - are products of reflections, 183
  - of half plane, 179
  - of  $\mathbb{RP}^1$ , 178
  - preserve cross-ratio, 108
- geodesic, 204
- geometry
  - affine, 150
  - algebraic, 63
  - arithmetization of, 46
  - Cartesian, 46
  - coordinate, 46
  - differential, 174
  - Euclidean, 1, 20, 43, 143
    - 3-dimensional, 68
    - and inner product, 68
    - and linear algebra, 64
    - in vector spaces, 68
    - plane of, 45
  - foundations of, 3, 12, 174, 177
  - hyperbolic, 143, 203
  - Klein's concept, 143
  - $n$ -dimensional, 68
  - non-Euclidean, 1, 143
    - and parallel axiom, 174
  - origin of word, 170
  - projective, 43, 87, 143
    - as geometry of vision, 88
  - spherical, 154, 174
    - is non-Euclidean, 174
  - vector, 65, 143
- glide reflection, 60
- Graves, John, 141
- great circle, 155
  - reflection in, 156
- group
  - abstract, 168
  - continuous, 170
  - cyclic, 162
  - isomorphism, 169
  - of isometries, 64
  - of transformations, 64, 113, 143, 144, 168
  - theory, 64
- $\mathbb{H}$ , 137
- half plane, 175
  - generating transformations of, 179
  - isomorphic to  $\mathbb{RP}^1$ , 194
  - tilings, 188
- half space, 209
  - and  $\mathbb{CP}^1$ , 212
- Hamilton, William Rowan, 137
  - and rotations of  $\mathbb{R}^3$ , 173
  - search for number systems, 172
- Harriot, Thomas, 190
- Hartshorne, Robin, 18, 43, 56
  - on the cross-ratio, 108
- Harunobu, Suzuki, 170
- Hessenberg, Gerhard, 140
- hexagon, 5
  - regular, 5
    - construction, 6
  - tiling, 6

- perspective view, 94
- Hilbert, David, 19, 140
  - axioms, 42, 86, 87
    - for non-Euclidean plane, 209
    - list of, 43
  - constructed non-Pappian plane, 140
  - Grundlagen*, 42, 140, 210
  - segment arithmetic, 42
  - theorem on negative curvature, 206
- homogeneous coordinates, 98
- horizon, 89, 100
- horocycle *see* limit circle 198
- $\mathbb{HP}^2$ , 138
  - satisfies Desargues, 138
  - violates Pappus, 138
- hyperbolic
  - geometry, 143, 203
  - plane, 210
    - uniqueness, 210
- icosahedron, 18
- identity function, 144
- incidence, 42, 95
  - axioms, 43, 95
  - in projective space, 99
  - theorem, 118
- infinity, 2
  - line at, 92, 100
  - point at, 92
  - projection from, 101
- inner product, 65
  - algebraic properties, 75
  - and cosine, 77
  - and Euclidean geometry, 68
  - and length, 65, 75
  - and perpendicularity, 75
  - cosine formula, 78, 86
  - in  $\mathbb{R}^2$ , 74
  - $\mathbb{R}^n$ , 81
  - positive definite, 82
- intersection, 53
  - of circles, 4, 5, 54
    - axiom, 45
  - of lines, 54
- invariant, 64, 110
  - fundamental, 112
  - length in half plane, 176
  - of group of transformations, 143
  - of isometry group, 143, 145
  - of projective transformations, 143
- inversion in a circle, 179
- involution, 199
- irrational
  - length, 11, 28
  - number  $\sqrt{2}$ , 16, 17, 47
- isometry, 57
  - and motion, 57
  - composite, 144
  - group, 64
  - of half plane, 196
  - of non-Euclidean space, 212
  - of  $\mathbb{R}^2$ , 61, 144
  - of  $\mathbb{R}^3$ , 155
  - of  $\mathbb{S}^2$ , 155
  - reason for name, 58
- isomorphism, 169
  - between geometries, 194
  - between models, 209
- isosceles triangle theorem, 24
- Joyce, David, 18
- Kaplansky, Irving, 87
- Klein, Felix, 64, 143
  - and projective disk, 210
  - and the parallel axiom, 210
  - and transformation groups, 143, 211
  - concept of geometry, 143
- Knörrer, Horst, 63
- law of cosines, 75
- length
  - addition, 3, 42
  - and inner product, 65, 68, 75
  - division, 10
  - in  $\mathbb{R}^2$ , 51
  - irrational, 11, 28
  - multiplication, 10, 42

- non-Euclidean, 176
  - product
    - and Thales' theorem, 10
  - rational, 11
  - subtraction, 3
- limit circle, 198
- limit rotation, 198
- line, 2
  - as fixed point set, 183
  - at infinity, 92, 100
  - broken, 120
  - completeness of, 45
  - defined by linear equation, 50
  - equation of, 49
  - equidistant, 52, 76
    - is perpendicular bisector, 76
  - non-Euclidean, 176
    - is infinite, 195
  - number, 47
  - of Moulton plane, 120
  - perpendicular, 7
  - projective, 97
    - algebraic definition, 107
    - modelled by circle, 97, 101
    - projection of, 101
  - real, 97
  - segment, 2, 43
    - bisection, 6
    - congruence of, 44
    - $n$ -section, 8
  - slope of, 48
- linear
  - algebra, 64, 65
  - equation, 50
  - independence, 69
  - transformation, 143, 146
    - inverse, 148
    - matrix representation, 148
    - preserves parallels, 147
    - preserves straightness, 147
    - preserves vector operations, 146
- linear fractional functions, 104
  - are realized by projection, 104
  - behave like matrices, 107
  - characterization, 111
  - defining invariant of, 110
  - generators of, 108
  - on real projective line, 107
  - orientation-preserving, 182
  - preserve cross-ratio, 108
- linear fractional transformations *see* linear fractional functions 104
- lines
  - asymptotic, 203
  - parallel, 1, 21
    - and direction, 69
- little Desargues theorem, 119
  - and alternative multiplication, 140
  - and projective addition, 129
  - and tiled-floor coincidence, 123
  - fails in Moulton plane, 121
  - implies little Pappus, 135
- little Pappus theorem, 135
- Lobachevsky, Nikolai Ivanovich, 204
  - hyperbolic formulas, 205
- logic, 5
- magnification *see* dilation 13
- matrix, 83
  - determinant of, 148
  - of linear fractional function, 107
  - of linear transformation, 147
  - product, 148
  - rotation, 83
- McKean, Henry, 63
- medians, 72
  - concurrence of, 73
- midpoint, 71
- Minding, Ferdinand, 205
- Minkowski space, 87
- Möbius transformations, 182
  - and cross-ratio, 192
  - generating, 179
  - preserve angle, 186
  - preserve non-Euclidean lines, 184
  - restriction to  $\mathbb{RP}^1$ , 182
- model

- of Euclid's axioms, 50
  - of Euclidean plane geometry, 47
  - of non-Euclidean geometry, 204, 206
  - of non-Euclidean plane, 209
  - of non-Euclidean space, 209
  - of projective line, 97
  - of projective plane, 95
  - of the line, 47
- modular function, 211
- Moll, Victor, 63
- motion, 24, 46, 56
  - is an isometry, 57
- Moufang, Ruth, 140
  - and  $\mathbb{H}\mathbb{P}^2$ , 141
  - and little Desargues theorem, 140
  - and  $\mathbb{O}\mathbb{P}^2$ , 141
- Moulton plane, 120, 141
  - lines of, 120
  - violates converse Desargues, 128
  - violates little Desargues, 121
  - violates tiled-floor coincidence, 124
- Moulton, Forest Ray, 128
- multiplication
  - algebraic properties, 42
  - associative law, 117
  - commutative law, 117
  - noncommutative, 137, 162
  - of lengths, 42
  - projective, 130
- Newton, Isaac, 3
- non-Euclidean
  - area, 189
  - circle, 196
  - distance, 191
    - is additive, 193
    - on y-axis, 193
  - geometry, 1, 143
    - and parallel axiom, 174
    - models of, 204, 206
  - length, 176
  - lines, 46, 176
    - are infinite, 195
    - equations of, 180
    - invariance, 184
    - uniqueness, 177
    - violate parallel axiom, 176
  - parallel hypothesis, 203
  - periodicity, 211
  - plane, 64
    - axioms, 209
    - from projective line, 174
    - uniqueness, 210
  - rotation, 196
  - space, 209, 212
    - isometries of, 212
  - symmetry, 211
  - translation, 196
  - triangle, 188
- non-Pappian plane, 138, 141
  - of Hilbert, 140
- numbers, 1
  - as coordinates, 46
  - complex, 84
    - and non-Euclidean plane, 174
    - and rotation, 84
  - constructible, 45
  - irrational, 47
  - $n$ -dimensional, 172
  - nonconstructible, 45
    - found by Wantzel, 55
  - prime, 5, 19
  - rational, 47
  - real, 45, 47
    - as vectors, 66
- $\mathbb{O}$ , 141
- octahedron, 18, 173
- octonion projective plane, 141
  - discovered by Moufang, 141
  - satisfies little Desargues, 141
  - violates Desargues, 141
- octonion projective space
  - does not exist, 142
- octonions, 141
- $\mathbb{O}\mathbb{P}^2$ , 141
  - satisfies little Desargues, 141
  - violates Desargues, 141

- order, 42
  - axioms, 44
- ordered  $n$ -tuple, 68
- ordered pair, 48
  - addition, 65
  - as vector, 65
  - scalar multiple, 65
- ordered triple, 68
- origin, 47
- Pappus, 24
  - configuration, 12
    - labeled by vectors, 71
  - theorem, 12, 42, 65
    - and commutative multiplication, 134, 140
    - and coordinates, 115
    - and distributive law, 139
    - and projective addition, 132
    - as an axiom, 117
    - fails in  $\mathbb{H}\mathbb{P}^2$ , 138
    - implies Desargues, 140
    - projective version, 118
    - vector version, 70
- parallel
  - construction, 8
  - lines, 1, 21
    - and ASA, 22
    - have same slope, 50
    - in projective plane, 95
- parallel axiom, 20, 21, 42
  - and foundations of geometry, 174
  - and non-Euclidean geometry, 174
  - does not follow
    - from other axioms, 210
  - equivalents, 203
  - Euclid's statement, 21
  - fails for non-Euclidean lines, 176
  - independent of the others, 177
  - Playfair's statement, 22
- parallelogram, 25
  - area of, 29
  - diagonals bisect, 26
  - vector proof, 72
- opposite sides are equal, 25
  - rule, 67
- pentagon
  - regular, 18
    - construction of, 41
- perpendicular, 7
  - bisector, 76
  - construction of, 7
- perspective, 88
  - drawing, 89
  - view of equally-spaced points, 91
  - view of  $\mathbb{R}\mathbb{P}^2$ , 100
  - view of tiling, 88
    - by straightedge alone, 92
- $\pi$ , 45
- plane
  - hyperbolic, 210
  - Moulton, 120
  - non-Euclidean, 64, 174
  - non-Pappian, 138, 141
  - number, 47
  - of Euclidean geometry, 45
  - Pappian, 119
  - projective, 94
  - real number, 45
  - real projective, 95
- Playfair, John, 22
- Poincaré, Henri, 211
- point at infinity, 92
- polygon
  - regular, 5
  - squaring, 38
- polyhedra
  - regular, 18
- polytope, 166
- positive definite, 82
- postulates *see* axioms 2
- product
  - as group operation, 168
  - of functions, 168
  - of lengths
    - as rectangle, 16, 28
    - by straightedge and compass, 10

- of matrices, 148
  - of rotations, 157, 159
- projection, 100
  - axonometric, 171
  - from finite point, 102
  - from infinity, 101
    - in Japanese art, 170
  - is linear fractional, 104
  - of projective line, 101
  - preserves cross-ratio, 108
- projective
  - addition, 129
  - arithmetic, 128
  - Desargues configuration, 119
  - disk, 210
  - distortion, 102
  - geometry, 43, 87
    - and non-Euclidean plane, 174
    - as geometry of vision, 88
    - axioms, 43
    - coordinates in, 117
    - reason for name, 100
  - line
    - algebraic definition, 107
    - real, 97
  - little Desargues configuration, 119
  - multiplication, 130
  - Pappus configuration, 118
  - plane, 94
    - axioms, 94
    - complex, 98
    - extends Euclidean plane, 96
    - Fano, 115
    - $\mathbb{FP}^2$ , 113
    - model of axioms, 95
    - octonion, 141
    - quaternion, 138
    - real, 95
  - plane axioms
    - models of, 99
  - planes, 117
  - reflection, 182
  - space, 99
    - 3-dimensional, 99
    - complex, 99
    - incidence properties, 99
    - real, 99, 141
    - three-dimensional, 167
  - transformations, 151
    - as linear transformations, 151
    - of  $\mathbb{RP}^1$ , 106, 184
- pseudosphere *see* tractroid 205
- Pythagorean theorem, 20
  - and distance in  $\mathbb{R}^2$ , 51
  - and distance in  $\mathbb{R}^3$ , 81
  - and cosine rule, 79
  - Euclid's first proof, 32
  - Euclid's second proof, 38
  - in  $\mathbb{R}^2$ , 51
- Pythagoreans, 11
- quaternion projective plane, 138
  - satisfies Desargues, 138
- quaternions, 137
  - and the fourth dimension, 172
  - as complex matrices, 137, 159
  - noncommutative multiplication, 137, 162
  - opposite, 162
  - represent rotations, 159
- quotient of lengths, 10
- $\mathbb{R}$ , 47
  - as a field, 114
  - as a line, 47
- $\mathbb{R}^2$ , 45
  - as a field, 172
  - as a plane, 48
  - as a vector space, 66
  - distance in, 51
  - isometry of, 61, 144
- $\mathbb{R}^3$ , 95
  - regular polyhedra in, 173
  - rotation of, 156
- $\mathbb{R}^4$ , 172
  - regular polytopes in, 173
- rational



- length, 11
- numbers, 47
- ray, 43
- rectangle, 21
  - as product of lengths, 16
- reflection
  - and Möbius transformations, 182
  - as linear transformation, 149
  - by generating transformations, 183
  - fixed point set is a line, 183
  - in a circle, 182
  - in a sphere, 182
  - in great circle, 156
  - in unit circle, 179
  - of half plane, 178
  - of  $\mathbb{R}^2$ 
    - in  $x$ -axis, 60
    - in any line, 60
  - ordinary, 183
  - projective, 182
- regular
  - 17-gon, 19
  - hexagon, 5
  - $n$ -gon, 162
  - pentagon, 18
  - polygon, 5
  - polyhedra, 18, 163
  - polytopes, 166
    - discovered by Schlafli, 173
- relativity, 87
- rhombus, 26
  - has perpendicular diagonals, 26
    - vector proof, 76
- Riemann, Bernhard, 206
- right angle, 1
- $\mathbb{R}^n$ , 68
  - as a Euclidean space, 81
  - as a vector space, 68
- rotation
  - and complex numbers, 84
  - and multiplication by  $-1$ , 68
  - as linear transformation, 149
  - as product of reflections, 60
  - group of sphere, 157
  - limit, 198
  - matrix, 83
  - non-Euclidean, 196
  - of  $\mathbb{R}^2$ , 57, 59
  - of  $\mathbb{R}^3$ , 156, 159
  - of  $\mathbb{S}^1$ , 158
  - of  $\mathbb{S}^2$ , 157, 159
  - of tetrahedron, 163
  - $\mathbb{RP}^1$ , 107, 151
    - as boundary of half plane, 175
    - isomorphic to half plane, 194
  - $\mathbb{RP}^2$ , 95, 151
  - $\mathbb{RP}^3$ , 99, 167
    - and geometry of the sphere, 99
    - as a group, 168
  - $\mathbb{S}^1$ , 158
    - as a group, 169
    - rotation of, 158
  - $\mathbb{S}^2$ , 155
    - isometry of, 155
    - noncommuting rotations, 159
    - rotation of, 157
  - $\mathbb{S}^3$ , 167
    - as a group, 169
  - Saccheri, Girolamo, 203
  - SAS, 20, 56
    - statement, 24
  - scalar multiple, 66
  - scalar product *see* inner product 74
  - Schläfli, Ludwig, 173
  - scissors theorem, 126
    - and Desargues theorem, 126
    - and projective multiplication, 130, 132
  - little
    - and little Desargues, 128
    - fails in Moulton plane, 128
- semicircle
  - angle in, 36, 79
  - as non-Euclidean line, 176
- sine, 56
- slope, 48

- and angle, 55
  - and perpendicularity, 56
  - infinite, 49
  - reciprocal, 153
  - relative, 56
- Snapper, Ernst, 87
- space
  - 3-dimensional, 68
  - curved, 206
  - Desargues theorem in, 141
  - Euclidean, 81
  - half, 209
    - Möbius transformations of, 212
  - $n$ -dimensional, 68
  - non-Euclidean, 209, 212
    - isometries of, 212
  - projective, 99
    - complex, 99
    - $n$ -dimensional, 141
    - real, 99
  - rotations of, 159
  - vector, 86
    - real, 67
- sphere
  - 0-dimensional, 184
  - 1-dimensional, 158, 167
  - 2-dimensional, 155, 167
  - 3-dimensional, 167
  - in  $\mathbb{R}^3$ , 154
- spherical
  - geometry, 154
    - lines of, 155
  - triangle, 188, 190
- square, 18
  - construction, 9
  - diagonal of, 15
  - of a sum, 27
  - tiling
    - construction, 9
- square root, 38
  - construction, 40
- squaring
  - a polygon, 38
  - the circle, 38, 45
- SSS, 24
- straightedge, 1
  - axioms, 2
- surface
  - curvature of, 204
  - incomplete, 205
  - of constant curvature, 204
- tetrahedron, 18, 74, 163
  - centroid of, 74
  - rotations of, 163
    - as quaternions, 165
- Thales, 8
  - theorem on right angles, 36
- Thales theorem, 8, 20, 65
  - and product of lengths, 10
  - and quotient of lengths, 11
  - converse, 11
  - proof, 34
  - vector version, 70
- theorem
  - Desargues, 12, 42, 115
    - converse, 125
    - projective, 119
    - vector version, 71
  - intermediate value, 202
  - isosceles triangle, 24
  - little Desargues, 119
    - fails in Moulton plane, 121
  - on concurrence of altitudes, 75
  - on concurrence of medians, 73
  - Pappus, 12, 42, 65
    - and coordinates, 115
    - little, 135
    - projective version, 118
    - vector version, 70
  - Pythagorean, 20
    - and cosine rule, 79
    - Euclid's first proof, 32
    - Euclid's second proof, 38
  - scissors, 126
  - Thales, 8, 20, 65
    - proof, 34