

SSM agent status

 DHMC is not enabled and IAM instance profile is not attached

DHMC setup

Modify IAM role 

To connect to an instance using SSM Session Manager, you can either set up SSM permissions by default for all instances in your account using the default host management configuration (DHMC), or link an IAM role with required permissions to this instance. [Learn more](#) 

Ping status  Offline	Last ping time -	Session Manager connection status  Not connected	Agent version -
Latest error messages 2026/06/12 10:42:56Z: SSM Agent unable to acquire credentials: <error>no valid credentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 882788449037			

Session Manager usage:

EC2 Instance Connect

SSM Session Manager

SSH client

EC2 serial console

Instance ID

 i-08eef999e44c6199c (123)

Connection type

☒ Connect using a Public IP

Connect using a public IPv4 or IPv6 address

☐ Connect using a Private IP

Connect using a private IP address and a VPC endpoint

☒ Public IPv4 address

 43.204.109.49

Run 'docker --help' for more information

khushjain251104@cloudshell:~ (cr7siuu)\$ docker ps

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
37aa734c2d9d	nginx	"/docker-entrypoint..."	4 minutes ago	Up 4 minutes	0.0.0.0:80->80/tcp	my-nginx

khushjain251104@cloudshell:~ (cr7siuu)\$

```
khushjain251104@cloudshell:~ (cr7siuu) $ sudo docker run --name my-nginx -p 80:80 -d nginx
37aa734c2d9d2076655bc3f69f3f7d7d603c7da054166158395def3e9bf76b30
khushjain251104@cloudshell:~ (cr7siuu) $ docker ls
docker: unknown command: docker ls

Run 'docker --help' for more information
khushjain251104@cloudshell:~ (cr7siuu) $ docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS        PORTS                NAMES
37aa734c2d9d   nginx     "/docker-entrypoint..." 4 minutes ago  Up 4 minutes  0.0.0.0:80->80/tcp    my-nginx
khushjain251104@cloudshell:~ (cr7siuu) $ sudo docker volume create studentdata
studentdata
khushjain251104@cloudshell:~ (cr7siuu) $ sudo docker run -it --name student-container -v studentdata:/data ubuntu bash
Unable to find image 'ubuntu:latest' locally
latest: Pulling from library/ubuntu
6f5c5aa4e145: Pull complete
1c24335ddd46: Pull complete
9bcf140d7f0f: Download complete
Digest: sha256:f3d28607ddd78734bb7f71f117f3c6706c666b8b76cbff7c9ff6e5718d46ff64
Status: Downloaded newer image for ubuntu:latest
^[[B^[[B^[[B^[[Broot@fc86ffb06ecd:/# echo "Name: Your Name, Roll Number: Your Roll Number" > /data/info.txt
root@fc86ffb06ecd:/# cat /data/info.txt
Name: Your Name, Roll Number: Your Roll Number
root@fc86ffb06ecd:/#
```

```
root@fc86ffb06ecd:/# cat /data/info.txt
Name: Your Name, Roll Number: Your Roll Number
root@fc86ffb06ecd:/# mkdir exam-task && cd exam-task
root@fc86ffb06ecd:/exam-task# cat <<EOF > Dockerfile
FROM alpine:latest
CMD ["echo", "Cloud Computing Practical Exam Completed Successfully"]
EOF
root@fc86ffb06ecd:/exam-task# sudo docker build -t exam-success .
bash: sudo: command not found
root@fc86ffb06ecd:/exam-task# cat <<EOF > Dockerfile
FROM alpine:latest
CMD ["echo", "Cloud Computing Practical Exam Completed Successfully"]
EOF
root@fc86ffb06ecd:/exam-task# []
```

```
CLOUD SHELL
Terminal (cr7siuu) x + ▾
Open editor

-u, --user string      Username or UID (format: <name|uid>[:<group|gid>])
--users string        User namespace to use
--uts string          UTS namespace to use
-v, --volume list      Bind mount a volume
--volume-driver string Optional volume driver for the container
--volumes-from list    Mount volumes from the specified container(s)
-w, --workdir string    Working directory inside the container

khushjain251104@cloudshell:~ (cr7siuu) $ sudo ss -tulpn | grep :80
tcp    LISTEN 0      4096      0.0.0.0:*      0.0.0.0:*      users:(("docker-proxy",pid=2617,fd=8))
tcp    LISTEN 0      4096      0.0.0.0:8080   0.0.0.0:*      users:(("docker-proxy",pid=2845,fd=8))
khushjain251104@cloudshell:~ (cr7siuu) $ ^C
khushjain251104@cloudshell:~ (cr7siuu) $ sudo docker ps
CONTAINER ID   IMAGE     COMMAND                  CREATED        STATUS        PORTS                    NAMES
bf7c520521d0   nginx    "/docker-entrypoint..." 2 minutes ago Up 2 minutes   0.0.0.0:8080->80/tcp      my-nginx-v2
56605e1a358b   nginx    "/docker-entrypoint..." 7 minutes ago Up 7 minutes   0.0.0.0:80->80/tcp      suspicious_noether
khushjain251104@cloudshell:~ (cr7siuu) $ # Force stop and remove the container (replace 'my-nginx' with the actual container name if different)
sudo docker rm -f my-nginx
my-nginx
khushjain251104@cloudshell:~ (cr7siuu) $ sudo docker rm -f $(sudo docker ps -aq)
bf7c520521d0
56605e1a358b
f58a00622eb9
e778c6c6b711
khushjain251104@cloudshell:~ (cr7siuu) $ sudo docker run --name my-nginx -p 80:80 -d nginx
37aa734c2d9d2076655bc3f69f3f7d7d603c7da054166158395def3e9bf76b30
khushjain251104@cloudshell:~ (cr7siuu) $
```