



中山大學  
SUN YAT-SEN UNIVERSITY

# Long Title Here

Presenter Name<sup>1</sup> author<sup>2</sup><sub>1</sub> author<sup>2</sup><sub>3</sub>

<sup>1</sup>School of Computer Science, Fudan University, Shanghai, China

<sup>2</sup>Shanghai Key Laboratory of Data Science, Shanghai, China

March 4, 2023

# Agenda

1 SectionName

2 Examples

3 Q&A



# Frame title here (optional)

Frame subtitle here (also optional)

whatever you want to say  
中文支持 ok



# Agenda

## 1 SectionName

## 2 Examples

- itemize
- enumerate
- columns
- images
- animation
- cite
- block
- equation
- algorithm
- code
- tikz

# itemize

The main contribution of our work is to propose a xxxx

- point one
  - **Point1.1**
  - something about point 1
  - **Point1.2**
  - something about point 2
  - **Point1.3**
  - something about point 3
- point two
- point three
- point four

# enumerate

- ① First,
- ② Second,



# columns

0.7 textwidth



**PLACEHOLDER**

0.3 textwidth




**PLACEHOLDER**

# images



# PLACEHOLDER





- **Point1**

- something about point 1

- **Point2**

- something about point 2

- **Point3**

- something about point 3



- **Point1**

- something about point 1

- **Point2**

- something about point 2

- **Point3**

- something about point 3

placeholder

- **Point1**

- something about point 1

- **Point2**

- something about point 2

- **Point3**

- something about point 3



# cite

- First you need to put all your reference into the bib file like reference.bib
- Then you can cite like this Author (year) -> Jia u. a. (2014)
- footnote cite seems not good...If you find better way to call footnote, please issue for me.
- footnote <sup>1</sup>

---

<sup>1</sup>(Jia, Shelhamer, Donahue, Karayev, Long, Girshick, Guadarrama und Darrell, 2014).

# block

## Block Title

Anything you want to emphasize

# equation

$$\Sigma + \epsilon + \alpha + \beta + \Theta \quad (1)$$

# algorithm

---

## Algorithm 1: Algorithm Title

---

### Input:

Variables one, *one*

Variables two, *two*

### Output:

Output, *out*

1 **foreach** *condition* **do**

2 |    *loop*

3 **end**

4 **if** *condition* **then**

5 |    *process*

6 **end**

7 **if** *condition* **then**

8 |    *process*

9 **else**

0 |    *else process*

1 **end**

---

- Detail for your algorithm

# source code

```
int main()  
{  
    printf("Hello World!");  
    return 0;  
}
```

you should pass the option fragile to the frame environment.



# tikz plot inplace




Figure: place some explanation here

# Agenda

- 1 SectionName
- 2 Examples
- 3 Q&A



# Thanks Q&A



Long Title Here

Presenter Name<sup>1</sup> author2<sup>1</sup> author3<sup>2</sup>

<sup>1</sup>School of Computer Science, Fudan University, Shanghai, China

<sup>2</sup>Shanghai Key Laboratory of Data Science, Shanghai, China

March 4, 2023

# References

[Jia u. a. 2014] JIA, Yangqing ; SHELHAMER, Evan ; DONAHUE, Jeff ; KARAYEV, Sergey ; LONG, Jonathan ; GIRSHICK, Ross ; GUADARRAMA, Sergio ; DARRELL, Trevor: Caffe: Convolutional Architecture for Fast Feature Embedding. In: *arXiv preprint arXiv:1408.5093* (2014)

