FUNtasia Audio

VST3 / WINDOWS - v1.2.2

FUN Sampler

User Manual

One sample. Intuitive performance and editing.



WHAT YOU WILL LEARN

Loading audio / MIDI ROOT and pitch / Loops and waveforms / POGO / Presets / Saving and restoring in a DAW

2026.11.02 | Windows / Studio One user-tested build

A compact, hands-on guide to FUN Sampler.

Let's make some sound

Get started in three steps

THE INTERFACE



1 Load sample

2 Waveform / S-E

3 Playback

4 MIDI ROOT

5 AMP ADSR

6 POGO

01 LOAD SAMPLE

Choose a WAV, AIFF or FLAC file. Its waveform appears after loading.

02 Set MIDI ROOT

Default: C3 (MIDI 60). Choose the key that plays the original pitch.

03 Play MIDI or AUDITION

Send notes from the DAW, or use AUDITION for a quick preview.

Loading a sample

One audio file at a time

SUPPORTED FORMATS

WAV

Waveform audio

AIFF

.aif / .aiff

FLAC

Lossless audio

HOW TO LOAD

- Click LOAD SAMPLE at the top and select an audio file.
- You can also drop a file from Windows File Explorer onto the plugin.
- If multiple files are dropped, the first supported audio file is chosen.

LOAD LIMITS

Duration	Up to five minutes (300 seconds)
Channels	Mono or stereo
Memory	Decoded PCM data must not exceed 512 MiB
Invalid files	Loading is rejected; the prior sample remains

USING AUDITION

Click AUDITION for a short preview without a MIDI input. Since v1.2.1, it follows the current MIDI ROOT. With TRANSPOSE and FINE at zero, the sample plays at its original pitch.

Playback and looping

The PLAYBACK / LOOP area beneath the waveform

TRIGGER - when does playback stop?

ONE-SHOT	Starts on Note On. Note Off does not stop playback.
GATE	Note Off enters the AMP RELEASE stage. Default mode.
LOOP	Repeatedly plays the region between S and E markers.

OTHER PLAYBACK SETTINGS

DIRECTION	FORWARD / REVERSE: choose playback direction
VOICES	MONO / POLY 32: one or up to 32 simultaneous notes
LOOP ENTRY	FILE START / LOOP START: where a loop begins
LOOP RELEASE	EXIT LOOP / RELEASE IN LOOP: behavior after Note Off
XFADE ms	Blend loop boundaries; 0-500 ms, default 10 ms

REMEMBER

LOOP ENTRY, LOOP RELEASE and XFADE apply when TRIGGER is set to LOOP. When checking a reverse loop, confirm the S/E marker positions first.

Editing the waveform

Zoom, pan and move the S/E markers directly

WHAT ARE S AND E?

S means START and E means END. In LOOP mode, these markers define the repeated region. Positions are stored in original sample-frame units.

MOUSE CONTROLS

Drag S / E	Move the start or end position
Shift + drag inside region	Move both markers without changing length
Mouse wheel	Zoom horizontally around the pointer
Shift + wheel	Pan horizontally
Right / middle drag	Pan horizontally
Right-click	Marker, zoom and reset-all menu
FIT / ZOOM S/E	Show entire file / selected region
+ / -	Zoom around the display center
SNAP ON/OFF	Toggle zero-crossing snap while dragging

NUMERIC ENTRY / SAMPLES / ms

Enter values in START/END under the waveform. SAMPLES refers to source sample frames; ms shows time. Numeric entry is independent of SNAP. S and E keep at least a one-sample gap.

Pitch, gain and ADSR

Hold Shift while dragging bottom knobs for 1/10 sensitivity

PITCH / LEVEL

MIDI ROOT	0-127 / C3 (MIDI 60)
TRANSPOSE	-48 to +48 st / 0
FINE	-100 to +100 ct / 0
GAIN	-60 to +12 dB / 0 dB

AMP ENVELOPE

ATTACK	0-30 s / 0
DECAY	0-30 s / 0.10
SUSTAIN	0-1 / 1.00
RELEASE	0-30 s / 0.10

ABOUT MIDI ROOT

v1.2.2 displays note names such as C3, D3 and F#3. Double-click its value to type a note name or MIDI note number. FUN Sampler uses C3 = MIDI 60.

FINE ADJUSTMENT WITH SHIFT

- Normal drag: 100% sensitivity. Shift + drag: 10% sensitivity.
- Press or release Shift mid-drag without an abrupt parameter jump.
- Applies to the eight knobs from MIDI ROOT to RELEASE, plus POGO - not the XFADE slider.

MIDI ROOT sets the reference pitch for incoming MIDI notes, so this adjustment can be made inside the plugin without DAW transposition.

Add movement with POGO

A brief pitch gesture at the start of each note

HOW POGO WORKS

POGO applies a pitch offset at MIDI Note On, then returns to the normal pitch in about 180 ms. At 0% it has no effect. It is also automatable in a DAW.

-100%	Begin -24 semitones; return in about 180 ms
0%	No effect; use MIDI ROOT / TRANSPOSE / FINE
+100%	Begin +24 semitones; return in about 180 ms

SOUND DESIGN IDEAS

01 **Kick / percussion**

Add a quick downward pitch attack using positive POGO.

02 **Voices / FX**

Create a rising pitch jump with negative POGO.

03 **Loop material**

Add movement at a loop's first attack.

TIP

Shift + drag POGO for 1/10 sensitivity. Double-click the knob to reset it to zero. Changes during playback are smoothed over about 5 ms.

Using presets

FACTORY offers templates; USER saves the audio too

IN THE PRESETS BROWSER

- Filter by ALL / FACTORY / USER and enter a search keyword.
- Click a result to load it. Use Up/Down and Enter during search.
- An asterisk (*) means parameters changed since selection or save.

FACTORY VS USER

FACTORY	Eight sound-design templates; current audio and S/E markers stay loaded.
USER	.funpreset stores parameters, markers and compressed audio data.

MAIN COMMANDS

SAVE / SAVE AS	Overwrite / save as new (prompts may appear)
LOAD FILE	Open an external .funpreset file
REFRESH / FOLDER	Refresh results / open User Preset folder
DELETE	Move a managed User Preset to Trash after confirmation

EIGHT FACTORY PRESETS

INIT - CLEAN / ONE SHOT - SNAP / TIGHT GATE / LOOP TEXTURE / REVERSE CLOUD / POGO UP / POGO DOWN / SOFT BLOOM

Save, automate, troubleshoot

Resume later with your sample and settings intact

SAVING WITH YOUR DAW PROJECT

FUN Sampler includes losslessly compressed sample PCM in the plugin state. Saving and reopening your project restores audio, S/E markers and parameters. Keep a separate backup of important original samples.

DAW AUTOMATION

MIDI ROOT, TRANSPOSE, FINE, GAIN, ADSR and POGO are automatable. LOOP START and LOOP END are also exposed as 0-100% automation values, and marker edits can be recorded.

QUICK TROUBLESHOOTING

No sound	Check loaded file, MIDI note, GAIN and TRIGGER. Try AUDITION.
Wrong pitch	Check MIDI ROOT / TRANSPOSE / FINE and DAW octave labels.
No loop	Set TRIGGER to LOOP and check a playable S/E range.
Drop fails	Drop an audio file from Explorer, not a DAW clip/event.

v1.2.2 TEST NOTES (2026-11-02)

The user reported Windows / Studio One passes for MIDI ROOT, Shift handling, repeated insertion, Undo/Redo and project save/restore. pluginval Strictness 5: SUCCESS; Steinberg VST3 Validator: 47 passed / 0 failed.
These results apply to the tested conditions, not every DAW or setup.