
FUNtasia Audio

SOFTWARE / AUDIO

FUN DC Filter

USER MANUAL

Precision DC and subsonic cleanup for music production



A transparent, zero-latency, first-order high-pass filter.

VST3 | MONO / STEREO | ZERO LATENCY | 9 GUI THEMES

v1.1.1 / ENGLISH

© 2026 FUNtasia Audio

01 Getting started

Insert FUN DC Filter into a track, bus or master chain when you want to remove DC offset and unnecessary subsonic energy.

01 INSERT

Place the plugin before stages that might amplify inaudible low-frequency energy.

02 SET CUTOFF

Start around 3–5 Hz and increase only as far as the material needs.

03 COMPARE

Toggle ACTIVE and listen at matched monitoring level.

THE INTERFACE AT A GLANCE

CUTOFF	Sets the high-pass cutoff: 1.0–100.0 Hz in 0.1 Hz steps. Default: 5.0 Hz.
VALUE FIELD	Double-click the frequency readout for direct numeric entry.
QUICK SELECT	3 Hz, 5 Hz and 10 Hz buttons jump to useful starting points.
ACTIVE	ON applies the filter; OFF passes the dry signal. Switching is smoothed.
FREQUENCY RESPONSE	Displays the calculated frequency response, not a live spectrum analyzer.
THEME SELECTOR	Select one of nine appearances; visual preference is independent of audio.


PRACTICAL START

3 Hz: extremely subtle cleanup. 5 Hz: balanced default. 10 Hz: stronger subsonic reduction; verify kick and bass by ear.

02 Reading the frequency response

The curve shows how much the first-order high-pass attenuates each frequency at the selected cutoff.

THEORETICAL MAGNITUDE RESPONSE · CUTOFF 5 Hz



At the cutoff frequency, a first-order high-pass is approximately −3 dB. Below it, attenuation increases by about 6 dB per octave.

HORIZONTAL AXIS

Frequency (Hz), logarithmic; overview from 1 to 200 Hz.

VERTICAL AXIS

Filter gain in dB (not dBFS). 0 dB means unity gain.

CURVE / DOT

The curve and marker follow CUTOFF; there is no audio FFT readout.

HOW IT PROCESSES AUDIO

A first-order topology-preserving-transform (TPT) high-pass runs independently on the left and right channels. It is minimum-phase: frequencies around the cutoff also experience phase shift. CUTOFF changes and ACTIVE transitions are smoothed over approximately 15 ms. No lookahead, no added latency.

03 Working in your DAW

Use the filter for quiet technical cleanup while preserving musically important fundamentals.

01 TRACKS & BUSES

Insert before compression, limiting or saturation if downstream processing reacts to unwanted subsonic energy.

02 KICK & BASS

Begin at 3–5 Hz. If you raise CUTOFF above 10 Hz, A/B the fundamental and low-end impact carefully.

03 AUTOMATION

The host can automate CUTOFF and ACTIVE. Theme selection is a GUI setting, not an automation parameter.

04 PROJECT RECALL

Saved projects restore CUTOFF, ACTIVE and the instance’s own theme. Different open instances remain independent.

GLOBAL GUI THEME · NEW IN v1.1.1

A manual theme choice becomes the per-user default for subsequently created plugin instances. It does not change other instances that are already open.

When loading a saved DAW project, its stored theme takes precedence. Loading a project does not rewrite the global preference. Legacy projects without theme data open in Original Sage.

Original Sage · Charcoal · Deep Brown · Lapis Lazuli · Lavender · Coral Red · Mikan Orange · Sakura Pink · Aquamarine

04 Specifications & help

TECHNICAL SPECIFICATIONS

Filter	1st-order TPT high-pass · approximately 6 dB/oct
Cutoff	1.0–100.0 Hz · 0.1 Hz increments · default 5.0 Hz
Default state	ACTIVE ON · Original Sage if no user preference exists
Quick-select frequencies	3 Hz · 5 Hz · 10 Hz
Transitions	~15 ms coefficient / ACTIVE smoothing
Audio buses	Mono in/out or stereo in/out; independent L/R processing
Processing precision	32-bit float and 64-bit double
Reported latency / tail	0 samples / 0 seconds
GUI	Resizable, 2:1 aspect ratio; default 616 × 308 px
Host automation	CUTOFF and ACTIVE; theme is GUI-only

TROUBLESHOOTING & LISTENING NOTES

- The sound loses low-end weight
  Lower CUTOFF; compare ACTIVE ON/OFF, especially on kick and bass.
- The graph does not move with audio
  Expected: it is the theoretical filter curve, not a spectrum analyzer.
- A new instance has a different color
  The last manually chosen theme is used for new instances; saved projects retain their own theme.
- A theme is not remembered after restart
  Check user-folder write permission; the current session can still use the selected theme.

WINDOWS VST3 VALIDATION · 2026-11-09

pluginval strictness level 10: SUCCESS · Steinberg Validator: 537 passed / 0 failed. These results do not imply exhaustive testing in every DAW.