



1. Устанавливаем bulma
2. Меняем файл webpack.config.js:



The screenshot shows the Visual Studio Code editor with the file explorer on the left and the editor window in the center. The file explorer shows the project structure with folders like 'assets', 'bulma', 'dist', 'node\_modules', 'src', 'templates', and 'macros'. The editor window displays the 'webpack.config.js' file with the following code:

```
1 const path = require('path');
2 const MiniCssExtractPlugin = require('mini-css-extract-plugin')
3
4 module.exports = {
5   entry: './src/index.js',
6   output: {
7     path: path.resolve(__dirname, 'dist'),
8     filename: 'js/bundle.js'
9   },
10  module: {
11    rules: [
12      {
13        test: /\.scss$/,
14        use: [
15          MiniCssExtractPlugin.loader,
16          {
17            loader: 'css-loader'
18          },
19          {
20            loader: 'sass-loader',
21            options: {
22              sourceMap: true,
23              // options...
24            }
25          }
26        ]
27      }
28    ]
29  },
30  plugins: [
31    new MiniCssExtractPlugin({
32      filename: '../assets/static/fqm.css'
33    })
34  ]
35 }
```

2. Далее чтобы стиль сохранялся в папку assets/static в файл fqm.scc, меняем файл mystiles.scss



The screenshot shows the Visual Studio Code editor with the file explorer on the left and the editor window in the center. The file explorer shows the project structure with folders like 'assets', 'bulma', 'dist', 'node\_modules', 'src', 'templates', and 'macros'. The editor window displays the 'mystiles.scss' file with the following code:

```
1
2 body {
3   font-family: "Comic Sans MS", cursive;
4 }
5
```

The status bar at the bottom shows the file path: 'PS C:\Users\ignev\OneDrive\Рабочий стол\учеба\РПТУ\Компьютерный практикум\Portfolio'.


### 3. Запускаем билд проекта

```
PS C:\Users\gnev\OneDrive\Рабочий стол\учеба\РГПУ\Компьютерный практикум\Portfolio\bulma> npm run build

> 0.0.1@0.0.1 build
> webpack --mode production

asset js/bundle.js 349 bytes [compared for emit] [minimized] (name: main)
asset ../assets/static/fqm.css 44 bytes [emitted] (name: main)
Entrypoint main 393 bytes = ../assets/static/fqm.css 44 bytes js/bundle.js 349 bytes
orphan modules 2.77 KiB (javascript) 937 bytes (runtime) [orphan] 7 modules
runtime modules 274 bytes 1 module
cacheable modules 77 bytes (javascript) 43 bytes (css/mini-extract)
./src/index.js 27 bytes [built] [code generated]
./src/mystyles.scss 50 bytes [built] [code generated]
css ./node_modules/css-loader/dist/cjs.js!./node_modules/sass-loader/dist/cjs.js??ruleSet[1].rules[0].use[2]!./src/mystyles.scss 43 bytes [built] [code generated]
webpack 5.90.3 compiled successfully in 465 ms
PS C:\Users\gnev\OneDrive\Рабочий стол\учеба\РГПУ\Компьютерный практикум\Portfolio\bulma>
```


### 4. После запуска появляется css файл с нашим шаблоном



### 5. Подключаем стиль к своему проекту в layout.html

```
7 <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap"
8 <link rel="stylesheet" href="{{ '/static/fqm.css' | url }}">
```

### 6. Так шрифты на сайте выглядели до bulma



## 7. Так сайт выглядит после bulma

