

to run a command as administrator (user root), use "sudo <command> ".
See "man sudo_root" for details.

demo@demo-VirtualBox:~\$



INICIACIÓN BÁSICA A LA LÍNEA DE COMANDOS

Fundamentos esenciales para dominar la terminal Linux



Modalidad

PRÁCTICA



Duración

4 MÓDULOS



Nivel

BÁSICO

ARRANQUE DEL ORDENADOR



UEFI

Firmware de inicialización del hardware



BOOT MANAGER

Selecciona el sistema operativo a iniciar



KERNEL

Núcleo del sistema operativo Linux



MÓDULOS

Controladores de hardware y servicios




SHELL

Interfaz de línea de comandos

Linux Boot Process Explained

ByteByteGo



SHELLS EN LINUX

SHELLS MÁS COMUNES

BASH

Shell por defecto

ZSH

Shell avanzado

FISH

Friendly interactive

DASH

Shell POSIX

ACCESO CON TECLAS DE FUNCIÓN

Consolas virtuales: **Ctrl + Alt + F1-F6**


Interfaz gráfica: **Ctrl + Alt + F7**

EN VIRTUALBOX

Host Key + F1 → Terminal 1

Host Key + F2 → Terminal 2

Host Key = Ctrl derecho (por defecto)




INICIO DE SESIÓN Y ESTRUCTURA DE COMANDOS

→ PROCESO DE LOGIN


```
Ubuntu 22.04 LTS usuario tty1
usuario login: miusuario
Password: [no se muestra]
```

i Por seguridad, la contraseña no se muestra al escribirla. Esto evita revelar su longitud.

<> ESTRUCTURA DE UN COMANDO



```
ls -l /home [Enter]
```



COMANDOS BÁSICOS Y EJEMPLOS

COMANDOS ESENCIALES

MAN

Manual de comandos

```
man ls
```

MORE/LESS

Ver contenido archivos

```
less archivo.txt
```

CD

Cambiar directorio

```
cd /home
```

LS

Listar contenido

```
ls -la /var
```

DIRECTORIOS BÁSICOS DE LINUX

- /bin
- /etc
- /home
- /var
- /usr
- /tmp
- /opt

EJEMPLOS PRÁCTICOS

```
$ ls -la /home/usuario
$ cd /etc && ls -l
$ man cd
$ less /var/log/syslog
```

BASIC LINUX COMMANDS

FILES & NAVIGATING

```
ls - directory listing (list all files/folders on current dir)
ls -l - formatted listing
ls -la - formatted listing including hidden files
cd dir - change directory to dir (dir will be directory name)
cd - - change to parent directory
cd ./dir - change to dir in parent directory
cd - - change to home directory
pwd - show current directory
mkdir dir - create a directory dir
rm file - delete file
rm -f dir - force remove file
rm -r dir - delete directory dir
rm -rf dir - remove directory dir
rm -rf / - launch some nuclear bombs targeting your system
cp file1 file2 - copy file1 to file2
mv file1 file2 - rename file1 to file2
mv file1 dir/file2 - move file1 to dir as file2
touch file - create or update file
cat file - output contents of file
cat > file - write standard input into file
cat >> file - append standard input into file
tail -f file - output contents of file as it grows
```

NETWORKING

```
ping host - ping host
whois domain - get whois for domain
dig domain - get DNS for domain
dig -x host - reserve lookup host
wget file - download file
wget -c file - continue stopped download
wget -r url - recursively download files from url
curl url - outputs the webpage from url
curl -o meh.html url - writes the page to meh.html
ssh user@host - connect to host as user
ssh -p port user@host - connect using port
ssh -D user@host - connect & use bind port
```

PROCESSES

```
ps - display currently active processes
ps aux - detailed outputs
kill pid - kill process with process id (pid)
killall proc - kill all processes named proc
```

SYSTEM INFO

```
date - show current date/time
uptime - show uptime
whoami - who you're logged in as
w - display who is online
cat /proc/cpuinfo - display cpu info
cat /proc/meminfo - memory info
free - show memory and swap usage
du - show directory space usage
du -sh - displays readable sizes in GB
df - show disk usage
uname -a - show kernel config
```

COMPRESSING

```
tar cf file.tar files - tar files into file.tar
tar xf file.tar - untar into current directory
tar tf file.tar - show contents of archive

options:
c - create archive
t - table of contents
x - extract
z - use zip/gzip
f - specify filename
j - bzip2 compression
w - ask for confirmation
k - do not overwrite
T - files from file
v - verbose
```

PERMISSIONS

```
chmod octal file - change permissions of file

4 - read (r)
2 - write (w)
1 - execute (x)

order: owner/group/world

chmod 777 - rwx for everyone
chmod 755 - rw for owner, rx for group world
```

SOME OTHERS

```
grep pattern files - search in files for pattern
grep -r pattern dir - search for pattern recursively in dir
locate file - find all instances of file
whereis app - show possible locations of app
man command - show manual page for command
```