TRACEFOLD

Answers you can trace.

Local, source-grounded document intelligence



Powered by Microsoft Foundry Local

THE TRUST GAP

Private documents deserve verifiable answers.

A conventional document assistant can fail in three ways at once.

01 **PRIVATE**

Files and prompts can leave the device.

02 **PLAUSIBLE**

Unsupported claims can still sound convincing.

03 **OPAQUE**

Users cannot inspect the proof behind an answer.

Tracefold answers locally, refuses weak evidence, and opens every citation.

LOCAL RAG ARCHITECTURE

Every answer stays local — and the proof stays attached.

One deterministic pipeline from source file to validated citation.




The query path remains on localhost; model download is the only first-run network dependency.

PRODUCT DEMO

A useful answer becomes trustworthy when the proof opens.


01 INDEX LOCAL SOURCES



8 DOCUMENTS · 53 PASSAGES

“I’ll arrive after 20:00.
What should I do?”

02 ASK – THEN OPEN THE PROOF



Open citation [1] → exact file, chunk, similarity score, and stored passage.

RELEASE EVIDENCE

Trust is measured, not assumed.


Real Foundry Local run · 8 answerable + 4 unanswerable cases

12/12
release cases passed

100%
Hit@5 · source coverage
citation validity · safe refusal

95.56 ms
warm retrieval p95

Qwen2.5 7B + Qwen3 Embedding
Apple M1 Pro, 16 GB · 17 July 2026




WHY TRACEFOLD

Local by design. Verifiable by default.

Tracefold turns the assignment's RAG pipeline into a product people can trust.

- **LOCAL MODELS** Documents and prompts stay on the device.
- **EVIDENCE GATE** Weak retrieval stops generation before it can guess.
- **OPEN CITATIONS** Every answer links back to an exact stored passage.
- **REPRODUCIBLE EVAL** Targets and measured results remain visibly separate.



Answers you can trace.