

#1.1 - Register with empty credential:

Description: Tests whether an empty credential is rejected.

Pre-conditions: -

Post-conditions: -

Data required: -

#1.2 - Register with existing credentials:

Description: Tests whether an existing user trying to register rejected.

Pre-conditions: User with given email exists.

Post-conditions: -

Data required: email(existing)

#1.3 - Correct register:

Description: Register with correct credentials.

Pre-conditions: -

Post-conditions: -

Data required: email, password, username

#2.1 - Login with empty credential:

Description: Tests whether an empty credential is rejected.

Pre-conditions: -

Post-conditions: -

Data required: -

#2.2 - Login with wrong credential:

Description: Tests whether wrong credential is rejected.

Pre-conditions: User with given credentials doesn't exist.

Post-conditions: -

Data required: email, password

#2.3 - Login with correct credential:

Description: Tests whether a correct credential is accepted.

Pre-conditions: User with given credentials exist

Post-conditions: -

Data required: email, password

#2.1 - Login with empty credential:

Description: Tests whether an empty credential is rejected.

Pre-conditions: -

Post-conditions: -

Data required: email, password

#3.1 - Change Profile Picture - Valid Image:

Description: Tests whether the actors can change their profile pictures with valid images.

Pre-conditions: Actor must be logged in.

Post-conditions: -

Data required: picture

#3.2 - Change Profile Picture - Invalid Image:

Description: Tests whether the actors can change their profile pictures with invalid images.

Pre-conditions: Actor must be logged in.

Post-conditions: -

Data required: picture(invalid)

#3.3 - Change Email Address - Valid Input:

Description: Tests whether the actors can change their email addresses with valid inputs.

Pre-conditions: Actor must be logged in.

Post-conditions: -

Data required: email(valid)

#3.4 - Change Email Address - Invalid Input:

Description: Tests whether the actors can change their email addresses with invalid inputs.

Pre-conditions: Actor must be logged in.

Post-conditions: -

Data required: email(invalid)

#3.5 - Change Name and Surname:

Description: Test whether the actors can change their name and surname.

Pre-conditions: Actor must be logged in.

Post-conditions: -

Data required: name, surname

#4.1 - Add a New Product - Valid Input:

Description: Tests that an actor can successfully add a new product with valid information.

Pre-conditions: -

Post-conditions: -

Data required: product name & description & category & picture

#4.3 - Update Existing Product - Change Description:

Description: Tests that the actor receives a confirmation prompt before deleting a product.

Pre-conditions: Actor has at least one product on ShopSmart.

Post-conditions: -

Data required: product name | description | category | picture

#4.3 - Delete Product - Confirmation Required:

Description: Tests that the actor receives a confirmation prompt before deleting a product.

Pre-conditions: Actor has at least one product on ShopSmart.

Post-conditions: -

Data required: -

#4.4 - Add a New Product - Missing Required Field:

Description: Tests that the system prevents adding a new product with a missing required field.

Pre-conditions: -

Post-conditions: -

Data required: product name | description | category | picture

#5.1 - Add Empty Review Test:

Description: Tests whether an empty review is rejected.

Pre-conditions: User is logged in.

Post-conditions: -

Data required: -

#5.2 - Add Review Test:

Description: Tests whether a valid review can be created or not.

Pre-conditions: User is logged in.

Post-conditions: Product gets another review.

Data required: text

#5.3 - Add Duplicate Review Test:

Description: Tests whether a duplicate review is rejected or not.

Pre-conditions: User is logged in.

Post-conditions: -

Data required: text

#5.4 - Edit Review Test:

Description: Tests whether a review can be edited or not.

Pre-conditions: User is logged in.

Post-conditions: Review is updated.

Data required: text

#5.5 - Edit Others' Review Test:

Description: Test whether others' reviews can be edited or not from a non-administrator account.

Pre-conditions: User is logged in & User is not admin

Post-conditions: -

Data required: text

#5.6 - Edit Others' Review as Admin Test:

Description: Tests whether others' review can be edited from an administrator account.

Pre-conditions: An Admin user is logged in

Post-conditions: Review Updated

Data required: text

#5.7 - Delete Review Test:

Description: Tests whether a review can be deleted or not.

Pre-conditions: User is logged in.

Post-conditions: Review is deleted.

Data required: email, password

#5.8 - Delete Others' Review Test:

Description: Tests whether others' review can be deleted or not from a non-administrator account.

Pre-conditions: User is logged in & User is not admin

Post-conditions: -

Data required: -

#5.9 - Delete Others' Review As Admin Test:

Description: Tests whether others' reviews can be deleted from an administrator account.

Pre-conditions: An admin user is logged in.

Post-conditions: Review is deleted

Data required: email, password

#6.1 - Add empty topic:

Description: Tests whether an empty topic is rejected.

Pre-conditions: Actor is authenticated.

Post-conditions: -

Data required: -

#6.2 - Add valid topic:

Description: Tests whether a valid topic is accepted.

Pre-conditions: Actor is authenticated.

Post-conditions: -

Data required: title, text

#6.3 - Edit topic with unauthorized actor:

Description: Tests whether an unauthorized user can edit the topic.

Pre-conditions: Topic must exist & Actor is unauthorized.

Post-conditions: -

Data required: -

#7.1 - Add empty entry:

Description: Tests whether an empty entry is rejected.

Pre-conditions: Topic must exist & Actor is authenticated

Post-conditions: -

Data required: -

#7.2 - Add valid entry:

Description: Tests whether a valid entry is accepted.

Pre-conditions: Topic must exist. Actor is authenticated.

Post-conditions: -

Data required: message, reply_to

#7.3 - Edit entry with unauthorized actor:

Description: Tests whether an entry can be edited by unauthorized actor.

Pre-conditions: Topic must exist & Actor is authenticated but not authorized.

Post-conditions: -

Data required: message, reply_to

#7.4 - Edit entry with authorized actor:

Description: Tests whether an entry can be edited by authorized actor.

Pre-conditions: Topic must exist & Actor is authenticated and authorized.

Post-conditions: -

Data required: message

#7.5 - Delete entry with unauthorized actor:

Description: Tests whether an entry can be deleted by unauthorized actor.

Pre-conditions: Topic must exist & Actor is authenticated, but not authorized.

Post-conditions: -

Data required: -

#7.6 - Delete entry with authorized actor:

Description: Tests whether an entry can be deleted by authorized actor.

Pre-conditions: Topic must exist & Actor is authenticated and authorized.

Post-conditions: -

Data required: -

#8.1 - Give Upvote to a Review:

Description: Tests whether the actors can give upvote reaction to reviews.

Pre-conditions: Actor must be logged in and must be a user.

Post-conditions: -

Data required: -

#8.2 - Give Downvote to a Review:

Description: Tests whether the actors can give downvote reaction to reviews.

Pre-conditions: Actor must be logged in and must be a user.

Post-conditions: -

Data required: -

#8.3 - Undo Upvote from a Review:

Description: Tests whether the actors can undo upvote reaction from a reviews.

Pre-conditions: Actor must be logged in and must be a user.

Post-conditions: -

Data required: -

#8.4 - Undo Downvote from a Review:

Description: Tests whether the actors can undo downvote reaction from reviews.

Pre-conditions: Actor must be logged in and must be a user.

Post-conditions: -

Data required: -

#8.5 - Revert Upvote to a Downvote:

Description: Tests whether the actors can revert previously given reactions.

Pre-conditions: Actor must be logged in and must be a user.

Post-conditions: -

Data required: -

#8.6 - Revert Downvote to a Upvote:

Description: Tests whether an empty credential is rejected.

Pre-conditions: Actor must be logged in and must be a user.

Post-conditions: -

Data required: -

#9.1 - Share Review On Valid Platform:

Description: Tests actor can successfully share their product review on a supported social media platform.

Pre-conditions: The customer has a connected social media account for a platform supported by ShopSmart.

Post-conditions: -

Data required: -

#9.2 - Share Review - No Connected Social Media Account:

Description: Tests the behavior when a customer attempts to share a review without a connected social media account.

Pre-conditions: -

Post-conditions: -

Data required: -

#9.3 - Share Review - Canceled During Sharing:

Description: Tests the functionality if an actor cancels the sharing process midway.

Pre-conditions: -

Post-conditions: -

Data required: -

#10.1 - Empty Search Test:

Description: Tests whether an empty search is correctly rejected or not.

Pre-conditions: -

Post-conditions: -

Data required: -

#10.2 - Basic Search Test:

Description: Tests whether a basic search with just a name query works.

Pre-conditions: -

Post-conditions: -

Data required: query

#10.3 - Basic Filter Search Test:

Description: Tests whether a basic search with just filters works.

Pre-conditions: -

Post-conditions: -

Data required: rating_filter_min, rating_filter_max, category_filter

#10.4 - Full Search Test:

Description: Tests whether search with a name query and filters works.

Pre-conditions: -

Post-conditions: -

Data required: query, category_filter

#11.1 - Empty email field for password reset request:

Description: Tests whether empty email field is accepted when sending password reset request.

Pre-conditions: Actor is unauthenticated

Post-conditions: -

Data required: -

#11.2 - Valid email field for password reset request:

Description: Tests whether valid email field is accepted when sending password reset request.

Pre-conditions: Actor is unauthenticated.

Post-conditions: -

Data required: -

#11.3 - Revert Downvote to a Upvote:

Description: Tests whether invalid email field is accepted when sending password reset request.

Pre-conditions: Actor is unauthenticated.

Post-conditions: -

Data required: -

#12.1 - Add product to wishlist:

Description: Tests adding a new product to wishlist.

Pre-conditions: Product must exist. Actor is authenticated.

Post-conditions: -

Data required: product_id

#12.2 - Add already existing product to wishlist:

Description: Tests adding already existing product to wishlist.

Pre-conditions: Product must exist and must be added to wishlist. Actor is authenticated.

Post-conditions: -

Data required: product_id

#12.3 - Remove product from wishlist:

Description: Tests removing existing product from wishlist.

Pre-conditions: Product must exist. Actor is authenticated.

Post-conditions: -

Data required: product_id

#12.4 - Remove non-existing product from wishlist:

Description: Tests deleting non-existing product from wishlist.

Pre-conditions: Product must exist. Actor is authenticated.

Post-conditions: -

Data required: product_id

#13.1 - Analytics Page with No Products:

Description: Tests the view when there are no products to be shown in analytics page.

Pre-conditions: Actor must be logged in and must be a merchant without any products

Post-conditions: -

Data required: -

#13.2 - Analytics Page:

Description: Tests the view when there are products to be shown in analytics page.

Pre-conditions: Actor must be logged in and must be a merchant with products

Post-conditions: -

Data required: -

#14.1 - Answer a Simple Question:

Description: Tests that the ChatBot can understand and respond to a simple question.

Pre-conditions: -

Post-conditions: -

Data required: message

#14.2 - Unrecognized Input - Rephrasing:

Description: Tests the chatbot's behavior when it encounters an unclear or ambiguous question.

Pre-conditions: -

Post-conditions: -

Data required: message

#14.3 - Follow-Up Question:

Description: Tests how the chatbot handles a follow-up question from the customer related to the initial response.

Pre-conditions: The actor is already interacting with the chatbot. The chatbot has provided an answer to the actor's initial question

Post-conditions: -

Data required: message

#14.4 - Emoji and Special Character Support:

Description: Tests whether the ChatBot can handle customer inputs containing emojis and special characters.

Pre-conditions: -

Post-conditions: -

Data required: message

#14.5 - Offensive Language Detection:

Description: Tests ChatBot's ability to detect and respond to offensive language

Pre-conditions: -

Post-conditions: -

Data required: message

#14.6 - Ending the Chat:

Description: Tests that an actor can end the chat interaction with the ChatBot

Pre-conditions: The actor is currently interacting with the ChatBot.

Post-conditions: -

Data required: -

#15.1 - Add Empty Reply Test:

Description: Tests whether an empty reply is rejected.

Pre-conditions: Merchant is logged in.

Post-conditions: -

Data required: -

#15.2 - Add Reply Test:

Description: Tests whether a valid reply can be created or not.

Pre-conditions: Merchant is logged in.

Post-conditions: -

Data required: reply

#15.3 - Add Duplicate Reply Test:

Description: Tests whether a duplicate reply is rejected or not.

Pre-conditions: Merchant is logged in.

Post-conditions: -

Data required: -

#15.4 - Add Reply To Others' Test:

Description: Tests whether a reply to other merchants' product reviews are rejected or not.

Pre-conditions: Merchant is logged in.

Post-conditions: -

Data required: -

#15.5 - Edit Reply Test:

Description: Tests whether a reply can be edited or not.

Pre-conditions: Merchant is logged in.

Post-conditions: -

Data required: text

#15.6 - Edit Others' Reply Test:

Description: Tests whether other merchants' replies can be edited or not.

Pre-conditions: Merchant is logged in.

Post-conditions: -

Data required: -

#15.7 - Edit Others' Reply As Admin Test:

Description: Tests whether other merchants' replies can be edited from an administrator account.

Pre-conditions: Admin is logged in

Post-conditions: -

Data required: text

#15.8 - Delete Reply Test:

Description: Tests whether a reply can be deleted or not.

Pre-conditions: Merchant is logged in.

Post-conditions: -

Data required: -

#15.9 - Delete Others' Reply Test:

Description: Tests whether other merchants' replies can be deleted or not.

Pre-conditions: Merchant is logged in.

Post-conditions: -

Data required: -

#15.10 - Delete Others' Reply As Admin Test:

Description: Tests whether merchants' replies can be deleted as an administrator.

Pre-conditions: Admin is logged in.

Post-conditions: -

Data required: -