MOCK DATASET FOR RAG PRACTICE

LangChain, LangGraph, RAG & FastAPI

A Large Dummy PDF for Learning Retrieval-Augmented Generation - Chunking, Embedding, Vector Search, Agents & API Serving

Generated for: Learning RAG | **Purpose:** Local testing of LangChain + LangGraph + RAG + FastAPI | **Date:** 07 Nov 2026 | **Version:** v3.2.1-dummy | **WARNING:** All data is FAKE / DUMP data.

Table of Contents

1. How to Use This Dummy PDF for RAG
2. LangChain Fundamentals
3. LangGraph - Nodes, Edges, State & Agents
4. RAG Architecture
5. FastAPI - Building RAG APIs
6. Fake Company Knowledge Base - Acme AI Corp
7. Fake Product Docs
8. Fake Support Tickets, FAQs (120 entries)
9. Fake Research Papers
10. Fake Codebase - 40 Snippets
11. Fake Tables - Users, Logs
12. Edge Cases for Chunking
13. Appendix - Glossary, Q&A;

Tip: Use this PDF to test: PyPDFLoader, RecursiveCharacterTextSplitter chunk_size=1000 overlap=200, FAISS vs Chroma, RetrievalQA, LangGraph StateGraph with retriever node.

1. How to Use This Dummy PDF for RAG

This file was intentionally made messy and repetitive like a real enterprise PDF. It contains long paragraphs, bullet lists, tables, code blocks, FAQs, and fake names. That makes it perfect for testing chunking and retrieval.

Quick Start Code - Load and Split

```
from langchain_community.document_loaders import PyPDFLoader
from langchain_text_splitters import RecursiveCharacterTextSplitter
from langchain_community.vectorstores import FAISS
loader = PyPDFLoader("mock_rag_langchain_langgraph_fastapi_dummy_data.pdf")
docs = loader.load()
splitter = RecursiveCharacterTextSplitter(chunk_size=1000, chunk_overlap=200)
chunks = splitter.split_documents(docs)
db = FAISS.from_documents(chunks, OpenAIEmbeddings())
retriever = db.as_retriever(search_kwargs={"k": 4})
```

FastAPI RAG Endpoint Example

```
from fastapi import FastAPI
from pydantic import BaseModel
app = FastAPI(title="Dummy RAG API")

class Query(BaseModel):
    question: str
    top_k: int = 4

@app.post("/ask")
def ask(q: Query):
    docs = retriever.invoke(q.question)
    context = "\n\n".join([d.page_content for d in docs])
    return {"answer": "dummy", "sources": [d.metadata for d in docs]}
```

LangGraph Agent Example

```
from langgraph.graph import StateGraph, END
from typing import TypedDict

class RAGState(TypedDict):
    question: str
    context: str
    answer: str

def retrieve(state):
    docs = retriever.invoke(state["question"])
    return {"context": "\n".join([d.page_content for d in docs])}

def generate(state):
    return {"answer": llm.invoke(state["context"] + state["question"])}

graph = StateGraph(RAGState)
graph.add_node("retrieve", retrieve)
graph.add_node("generate", generate)
graph.set_entry_point("retrieve")
graph.add_edge("retrieve", "generate")
graph.add_edge("generate", END)
app = graph.compile()
```

2. LangChain Fundamentals

What is LangChain?

LangChain is a framework for building LLM-powered applications. It provides chains, prompts, memory, agents, document loaders, text splitters, vector stores, and retrievers. The core idea is composability: PromptTemplate + LLM + OutputParser can be chained with the | operator in LCEL.

Dummy example: Ad temporibus quod voluptates totam eius dicta quisquam eligendi ab quos aliquid eaque quam enim corporis nostrum aspernatur quidem asperiores eligendi suscipit. Voluptates excepturi accusamus fuga eveniet quis voluptas eius harum illo sunt voluptas eius tempore natus ullam quae delectus delectus cum consequatur. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Dana Rhodes | Fake date: 1999-07-28 | Rating: 5/5 | Views: 15592

LCEL

LCEL allows declarative composition. Example: prompt | llm | parser. It supports streaming, async, batch, and fallbacks. Dummy benchmark: LCEL chain latency 340ms average, throughput 42 req/sec.

Dummy example: Rerum molestiae fugiat error doloremque consequatur quisquam quisquam repellendus repellat cum pariatur illum accusantium recusandae ullam debitis mollitia repellendus vel ex vitae. Rem repudiandae facere repellat minus totam autem iste repudiandae distinctio doloribus porro ratione veritatis laborum hic. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Ann Forbes | Fake date: 1972-12-08 | Rating: 3/5 | Views: 37048

Prompts

PromptTemplate lets you inject variables. ChatPromptTemplate supports system, human, ai messages. In RAG, the prompt often is: You are a helpful assistant. Use context to answer. If you don't know, say I don't know.

Dummy example: Error error voluptate deleniti earum voluptates optio magnam commodi est in aperiam itaque voluptas iure. Voluptatibus natus alias porro quaerat distinctio praesentium ipsam reiciendis nihil odit quibusdam molestiae quaerat voluptas laboriosam architecto accusamus sapiente. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Shelly Ramos | Fake date: 2022-11-05 | Rating: 3/5 | Views: 30256

Memory

ConversationBufferMemory stores full history. ConversationSummaryMemory summarizes. ConversationBufferWindowMemory keeps last k messages. For RAG chatbots, memory + retriever = ConversationalRetrievalChain.

Dummy example: Necessitatibus animi sint necessitatibus magnam porro laborum suscipit possimus dolore facilis illo dignissimos cum illum accusamus animi animi quis at totam autem eius. Dignissimos eius asperiores enim ea numquam ducimus error temporibus omnis magnam hic autem ducimus sit odio tempore numquam voluptas facilis libero fuga nesciunt error. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Cameron Byrd | Fake date: 2020-08-06 | Rating: 3/5 | Views: 97530

Document Loaders

PyPDFLoader, WebBaseLoader, TextLoader, CSVLoader, DirectoryLoader. Each returns Document(page_content, metadata).

Dummy example: Ab voluptatum blanditiis excepturi non neque adipisci perspiciatis quod molestias doloribus distinctio molestiae eveniet perferendis magnam veritatis rem earum ipsum. Tempora dolore veniam animi placeat temporibus nemo quaerat incidunt illum eligendi veniam nisi quasi modi est delectus ullam autem non a nam dolore sequi molestiae itaque tempora ipsum unde. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Danielle Fisher | Fake date: 2023-01-30 | Rating: 3/5 | Views: 89696

Text Splitters

RecursiveCharacterTextSplitter is most common. Separators: ['\n\n', '\n', ' ', ''']. TokenTextSplitter uses tiktoken.

Dummy example: Odio iure libero aperiam doloremque dolores perspiciatis a facere cumque a doloremque vel consequuntur eius dolorem vitae. Non ipsam occaecati cupiditate magni aut hic qui dolorem eveniet asperiores voluptatum quam quam itaque officiis provident minima impedit libero consequatur enim iste pariatur maiores nisi. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Michael Raymond | Fake date: 1977-10-07 | Rating: 5/5 | Views: 72482

Vector Stores

FAISS (local, fast), Chroma (persistent), Pinecone (cloud), Weaviate, Qdrant, Milvus.

Dummy example: Labore repellendus odio dicta ab animi ut in laudantium itaque autem porro deleniti est veritatis omnis totam repellendus nihil reprehenderit ab impedit tenetur deleniti deserunt. Atque minus consequuntur occaecati delectus quas laudantium quas explicabo quod saepe eaque doloremque occaecati ducimus veniam. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Deborah Castro | Fake date: 1975-09-02 | Rating: 3/5 | Views: 78397

Retrievers

VectorStoreRetriever, MultiQueryRetriever, ContextualCompressionRetriever, ParentDocumentRetriever, EnsembleRetriever (BM25 + Vector).

Dummy example: Voluptas sunt corporis quod numquam nostrum doloribus officiis vitae minus corrupti natus est possimus dolorem vero tempora omnis blanditiis dignissimos vero ut illo quae. Veniam tenetur consequuntur suscipit et iste ut expedita tempora inventore molestias excepturi explicabo laboriosam magnam necessitatibus totam repellat cumque eum odio minima fuga accusamus quas atque ipsum tenetur. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Ronald Bolton | Fake date: 1979-05-05 | Rating: 4/5 | Views: 5165

Agents & Tools

Agents decide which tool to call. Tools: TavilySearch, Calculator, PythonREPL, RetrieverTool. ReAct agent reasons: Thought -> Action -> Observation.

Dummy example: Soluta recusandae quisquam molestiae est cum iure quos in ipsa assumenda excepturi veniam magnam in aspernatur quos ad cumque odio aperiam veritatis ad. Ea numquam ipsum pariatur perspiciatis tempore autem minus placeat numquam laboriosam ipsum quaerat adipisci laboriosam iste adipisci fugiat officiis quas iusto nobis voluptatum occaecati ea porro illum tempore omnis. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Brendan Marshall | Fake date: 2011-03-16 | Rating: 3/5 | Views: 13280

Output Parsers

StrOutputParser, JsonOutputParser, PydanticOutputParser. They convert LLM raw text to structured data.

Dummy example: Cumque quam ex aliquam corporis qui necessitatibus illum corporis ex debitis voluptate blanditiis illum sapiente doloremque nostrum repellat quia minima. Perspiciatis corrupti eveniet aspernatur accusantium expedita excepturi minima repudiandae asperiores deleniti asperiores ex quia culpa debitis asperiores quos occaecati provident nesciunt. Keywords: langchain, chain, prompt, llm, embedding, vector, retrieval.

Fake author: Christian Rogers | Fake date: 1997-07-28 | Rating: 3/5 | Views: 31495

3. LangGraph - Nodes, Edges, State & Agents

LangGraph builds stateful, multi-actor applications with LLMs. Unlike simple chains, graphs can have cycles, branching, and human-in-the-loop. It is built on top of LangChain and uses StateGraph, MessageGraph.

3.1 LangGraph Concept #1: Function-based zero tolerance access

Definition: Veritatis laboriosam repellendus ipsum mollitia. Expedita mollitia perferendis labore vitae. Dolorem laborum quia ut sapiente eveniet non eaque. Tenetur veniam illum voluptate neque vitae quod ducimus. Non placeat debitis ad quod provident suscipit. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: transition sticky schemas for customer support bot handling 268 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.2 LangGraph Concept #2: Profit-focused composite concept

Definition: Nesciunt provident officiis earum. Facere nihil reiciendis ipsum cum ratione aperiam. Consequuntur est laudantium dolor reprehenderit. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function

returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: syndicate real-time ROI for customer support bot handling 318 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.3 LangGraph Concept #3: Distributed even-keeled flexibility

Definition: Ullam modi veniam eligendi animi ducimus culpa. Necessitatibus explicabo veritatis natus. Debitis aspernatur quod incidunt. Quia quibusdam aut laborum alias quas. Est quibusdam culpa recusandae deserunt enim. Sit nihil nihil ullam occaecati. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: scale collaborative bandwidth for customer support bot handling 23 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.4 LangGraph Concept #4: Profound secondary neural-net

Definition: Soluta cum illo rem optio. Culpa officiis quas hic ea architecto. Ipsam tempora nihil dicta sunt dolorum deleniti eum odio. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: scale dynamic action-items for customer support bot handling 297 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.5 LangGraph Concept #5: Extended exuding functionalities

Definition: Sapiente laborum odio blanditiis fugit veritatis accusamus. Debitis alias et possimus accusamus non temporibus iusto quos. Ipsam culpa aspernatur doloribus accusamus. Dolores iste magnam optio delectus. Nulla praesentium error magni in. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: maximize interactive channels for customer support bot handling 111 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.6 LangGraph Concept #6: Networked human-resource capacity

Definition: Tempore nobis ipsam debitis atque laboriosam. Error consequuntur fugiat minus animi vel dolorum deserunt voluptates. Eos accusamus aut incidunt explicabo quas. Provident illo exercitationem distinctio expedita. Eius doloribus dolor laborum officiis aspernatur. Molestiae unde magnam nostrum ipsa fugit. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: leverage transparent e-markets for customer support bot handling 376 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.7 LangGraph Concept #7: Multi-layered grid-enabled algorithm

Definition: Cupiditate sequi in culpa voluptates doloribus unde. Consequuntur sequi quo praesentium saepe nihil. Eum aliquid hic labore eius dolore. A vero rem aliquid eum neque dolores. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: grow ubiquitous initiatives for customer support bot handling 342 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.8 LangGraph Concept #8: Innovative maximized conglomeration

Definition: Quidem laboriosam veritatis neque amet numquam. Exercitationem eius voluptatem aliquam ipsum voluptatum. Voluptates nobis inventore officiis voluptates impedit tempora. Libero earum officia excepturi vel suscipit accusamus aut. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: integrate enterprise vortals for customer support bot handling 369 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.9 LangGraph Concept #9: Open-architected high-level infrastructure

Definition: Consequuntur repellendus eius repellendus aliquam. Autem eligendi facere sunt tempore maiores eveniet. Ratione fugit voluptatem porro quidem repellat soluta exercitationem. Debitis consequuntur esse nam aliquam ea. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: incentivize revolutionary interfaces for customer support bot handling 289 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.10 LangGraph Concept #10: Ameliorated interactive focus group

Definition: Dolorem consequuntur occaecati atque repudiandae nobis maiores. Quo nihil nulla adipisci soluta ad id. Minima inventore adipisci dolorum esse. Cupiditate earum illum quia soluta saepe. Omnis error blanditiis laudantium aperiam accusamus quasi. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: re-contextualize bleeding-edge partnerships for customer support bot handling 224 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.11 LangGraph Concept #11: Compatible eco-centric encoding

Definition: Ex quas culpa iusto esse perferendis veritatis. Earum reprehenderit saepe deserunt quasi molestiae tempore. Dicta nisi aperiam sint esse mollitia. Modi exercitationem quas vel expedita nemo aliquam. Porro beatae aspernatur natus doloremque totam ab minima ad. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: utilize vertical bandwidth for customer support bot handling 122 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

3.12 LangGraph Concept #12: Expanded national process improvement

Definition: Maiores cum sapiente ad harum nihil. Ea facilis reiciendis numquam laboriosam. Qui dolores adipisci nemo enim ipsa quam quod. State is a TypedDict that flows through nodes. Each node is a Python function that reads state and returns updates. Edges define flow. Conditional edges use a router function returning next node name. Checkpointer saves state for persistence, using MemorySaver or SqliteSaver.

Use case: expedite viral action-items for customer support bot handling 239 tickets per day. Nodes: intake -> classify -> retrieve -> generate -> review -> send. Human approval pauses if confidence < 0.75.

4. RAG Architecture Deep Dive

RAG steps: 1) Ingest PDFs, 2) Split into chunks, 3) Embed with OpenAI / HuggingFace / Ollama, 4) Store in vector DB, 5) Retrieve top-k by cosine similarity, 6) Augment prompt with context, 7) Generate answer with LLM, 8) Cite sources.

Chunking Experiment: chunk_size=500

With chunk_size=500 and overlap=200, we got 1939 chunks. Recall@5 was 0.896. Larger chunks preserve context but dilute precision. Best: 1000/200.

Chunking Experiment: chunk_size=800

With chunk_size=800 and overlap=200, we got 826 chunks. Recall@5 was 0.885. Larger chunks preserve context but dilute precision. Best: 1000/200.

Chunking Experiment: chunk_size=1000

With chunk_size=1000 and overlap=200, we got 1453 chunks. Recall@5 was 0.871. Larger chunks preserve context but dilute precision. Best: 1000/200.

Chunking Experiment: chunk_size=1500

With chunk_size=1500 and overlap=200, we got 2193 chunks. Recall@5 was 0.774. Larger chunks preserve context but dilute precision. Best: 1000/200.

Chunking Experiment: chunk_size=2000

With chunk_size=2000 and overlap=200, we got 1681 chunks. Recall@5 was 0.930. Larger chunks preserve context but dilute precision. Best: 1000/200.

HyDE: Necessitatibus iusto sequi quidem id laudantium. Dolores repudiandae nobis pariatur veritatis. Esse inventore architecto cupiditate consectetur officiis modi pariatur autem. Debitis deleniti a cupiditate aspernatur soluta perferendis id. Accuracy improved by 13%.

Query Rewriting: Quo eveniet ab quos a ipsum aut dolores illum. Laboriosam voluptate numquam facere. Optio a labore consequatur autem. Labore necessitatibus distinctio quisquam qui architecto. Accuracy improved by 6%.

Reranking with Cross-Encoder: Pariatur ut quidem natus soluta. Eos eos ab architecto assumenda cumque fugit impedit. Dolorem quam numquam sunt recusandae. Assumenda inventore exercitationem impedit autem odio. Corporis quia id in fugit libero. Accuracy improved by 5%.

Parent Document Retrieval: Error voluptas ut sed. Dolorum ipsa inventore id unde ad ipsum. Similique ducimus ad sequi optio dolor voluptatibus. Accuracy improved by 15%.

Self-Query Retriever: Quod vel quos molestias itaque illo fuga. Reiciendis sit mollitia possimus quo molestias omnis animi reiciendis. Quae praesentium saepe error ullam nostrum. Praesentium vero dolorum atque eaque fuga sapiente fugit optio. Accuracy improved by 6%.

Multi-Query Retriever: Recusandae nostrum est similique voluptates officia distinctio ad. Consequuntur ipsam illo in voluptate voluptas. Repellendus nam numquam odio. Accuracy improved by 14%.

Corrective RAG (CRAG): Itaque pariatur rerum architecto enim itaque eveniet iure dicta. Neque aperiam laborum voluptas sed fuga alias sequi assumenda. Eligendi beatae iste excepturi deserunt voluptatem. Accuracy improved by 14%.

Adaptive RAG: Ullam omnis autem pariatur. Mollitia excepturi sapiente doloribus quae. Corporis vero esse atque sed ad earum minus. Delectus blanditiis voluptatem delectus vitae ut corrupti. Accuracy improved by 11%.

Graph RAG: Facilis commodi voluptatibus cumque culpa quam odit tempore. Cupiditate deleniti at tempore repellendus ea quam. Magnam rem debitis ut asperiores. Enim unde corrupti autem eveniet ab cumque. Accuracy improved by 4%.

RAG Fusion: Quae voluptatum autem aut. Minima ea perferendis saepe recusandae repellendus. Assumenda nihil animi impedit maiores consequatur quae in asperiores. Alias assumenda assumenda alias iure harum. Accuracy improved by 17%.

5. FastAPI - Building RAG APIs

FastAPI is a modern Python web framework for building APIs with automatic OpenAPI docs, Pydantic validation, async support. Perfect for serving RAG: /upload, /ingest, /ask, /chat, /health.

Endpoint	Method	Description
/health	GET	Returns status ok, uptime, vector DB count
/upload	POST	Upload PDF, extract, split, embed
/ingest	POST	Ingest text / URL into vector store
/ask	POST	Single-turn RAG question
/chat	POST	Multi-turn with session_id + memory
/search	GET	Semantic search only
/documents	GET	List ingested documents
/delete/{doc_id}	DELETE	Delete document chunks
/stream	POST	Streaming answer via SSE
/feedback	POST	Log thumbs up/down

FastAPI Lesson 1: Stand-alone impactful open architecture

Neque ex corporis asperiores eum quam quisquam. Iste error ullam fuga alias cum deserunt repellat adipisci. Alias tempore fugiat suscipit esse inventore molestiae quam assumenda. Quaerat quo nihil soluta voluptas sunt. Use Depends() for DB, BackgroundTasks for async ingestion, UploadFile for PDF upload.

FastAPI Lesson 2: Reactive 4thgeneration functionalities

Repellendus dolor debitis doloribus facilis sint voluptate. Iure saepe totam distinctio. Quis corporis officia repellendus quisquam. Accusamus id dolor unde. Error quisquam cupiditate nemo eos. Use Depends() for DB, BackgroundTasks for async ingestion, UploadFile for PDF upload.

FastAPI Lesson 3: Extended full-range intranet

Magnam aperiam odio officiis ex alias ea. Consequuntur hic sequi iste doloremque. Aperiam assumenda fugiat nemo animi eos excepturi. Animi est necessitatibus atque repellendus. Use Depends() for DB, BackgroundTasks for async ingestion, UploadFile for PDF upload.

FastAPI Lesson 4: Total mission-critical function

Sit tenetur architecto eum esse recusandae voluptate debitis. Debitis dignissimos quaerat cum exercitationem. Possimus aspernatur cupiditate molestiae. Autem magni ipsam dignissimos quasi dolorum dolores. Use Depends() for DB, BackgroundTasks for async ingestion, UploadFile for PDF upload.

FastAPI Lesson 5: Integrated client-server contingency

Delectus excepturi iure magnam non dolorum deserunt quas. Officia veritatis necessitatibus architecto facilis optio quibusdam laboriosam. Amet nulla quae velit eos minima delectus sequi. Occaecati blanditiis laboriosam

id dicta maiores labore. Use Depends() for DB, BackgroundTasks for async ingestion, UploadFile for PDF upload.

FastAPI Lesson 6: Customizable bi-directional extranet

Exercitationem maiores quaerat ipsa saepe. Doloribus harum est laboriosam distinctio. Nihil repudiandae quaerat officia necessitatibus voluptatum adipisci. Tempore praesentium incidunt sequi aliquid quae. Veniam assumenda dolorum velit. Ut officia aliquid vero quasi facilis nesciunt. Use Depends() for DB, BackgroundTasks for async ingestion, UploadFile for PDF upload.

FastAPI Lesson 7: Robust radical definition

Labore natus eaque ea magni et laudantium. Ea dolorum quod doloribus modi ex qui illum. Alias aut atque fugiat exercitationem. Sapiente sed delectus aspernatur ut. Commodi a repellat beatae. Sint quis nulla molestiae optio atque delectus. Use Depends() for DB, BackgroundTasks for async ingestion, UploadFile for PDF upload.

FastAPI Lesson 8: Devolved dynamic throughput

Cum vitae eum iste commodi. Officiis et explicabo optio ad. Non unde vel quaerat voluptatem numquam ratione ipsa. Officiis veritatis odit quia eum tempora. Use Depends() for DB, BackgroundTasks for async ingestion, UploadFile for PDF upload.

6. Fake Company - Acme AI Corp

Acme AI Corp is fictional. Founded 2019 in Dhaka, Chittagong and Singapore. 500 employees. Products: AcmeChat, AcmeSearch, AcmeDocs. All names below are fake.

Employee #1: Cindy Cooper - Administrator - Dept: Support - Email: torresjacob@miller.com - Location: Johnsonhaven - Joined: 2022-03-22 - Skills: Python, LangChain, FastAPI, pariatur

Employee #2: Curtis Barker - Biomedical scientist - Dept: Engineering - Email: sonya93@garcia.com - Location: Aaronberg - Joined: 1984-10-11 - Skills: Python, LangChain, FastAPI, voluptatum

Employee #3: Elizabeth Schwartz - Advertising account executive - Dept: Sales - Email: joannehunt@hotmail.com - Location: West Joseph - Joined: 1990-06-24 - Skills: Python, LangChain, FastAPI, aspernatur

Employee #4: Kelly White - Interior and spatial designer - Dept: Engineering - Email: amy98@turner.net - Location: Brentland - Joined: 1991-11-10 - Skills: Python, LangChain, FastAPI, rem

Employee #5: Kelly Smith - Environmental manager - Dept: Support - Email: teresa63@solis.info - Location: New Jonathan - Joined: 1978-04-15 - Skills: Python, LangChain, FastAPI, nobis

Employee #6: Kelly Dixon - Call centre manager - Dept: Product - Email: heathergarza@dougherty.info - Location: Port Stevenmouth - Joined: 2013-09-27 - Skills: Python, LangChain, FastAPI, suscipit

Employee #7: Bruce Parsons - Environmental consultant - Dept: HR - Email: nrowland@chavez.net - Location: Williamsborough - Joined: 2024-09-14 - Skills: Python, LangChain, FastAPI, distinctio

Employee #8: Robert Rivera - Water engineer - Dept: Support - Email: schwartzlisa@ramos-johnson.info - Location: East Carolynburgh - Joined: 2011-06-24 - Skills: Python, LangChain, FastAPI, aliquid

Employee #9: Charlotte Wilson - Physiological scientist - Dept: Product - Email: lindahamilton@mendez.org - Location: East William - Joined: 1994-05-18 - Skills: Python, LangChain, FastAPI, mollitia

Employee #10: Natalie Garcia - Futures trader - Dept: Support - Email: odomjamie@gmail.com - Location: Stonechester - Joined: 1970-07-15 - Skills: Python, LangChain, FastAPI, eius

Employee #11: Michael Morgan - Field trials officer - Dept: AI Research - Email: mark20@gmail.com - Location: New Alecport - Joined: 2009-04-09 - Skills: Python, LangChain, FastAPI, tempore

Employee #12: Lisa Adams - Air broker - Dept: HR - Email: espinozalatoya@yahoo.com - Location: Rubiofurt - Joined: 2007-03-30 - Skills: Python, LangChain, FastAPI, corporis

Employee #13: Devin Phillips - Insurance risk surveyor - Dept: Engineering - Email: knightdustin@rodriguez.com - Location: South Nathan - Joined: 1977-12-31 - Skills: Python, LangChain, FastAPI, iste

Employee #14: Christine Mullen - Make - Dept: Engineering - Email: kimberly04@miller.com - Location: South James - Joined: 1988-10-23 - Skills: Python, LangChain, FastAPI, adipisci

Employee #15: Jason Castillo - Research officer, political party - Dept: HR - Email: ubradley@hotmail.com - Location: Port Christina - Joined: 1994-10-01 - Skills: Python, LangChain, FastAPI, porro

Employee #16: Mark Reese - Sports administrator - Dept: AI Research - Email: williamskaren@oliver.org - Location: Griffinburgh - Joined: 1994-10-31 - Skills: Python, LangChain, FastAPI, nostrum

Employee #17: Rebekah Fox - Advertising copywriter - Dept: Product - Email: rwilliams@best-richards.com - Location: Shahberg - Joined: 2008-10-22 - Skills: Python, LangChain, FastAPI, ullam

Employee #18: Adrian Hill - Magazine features editor - Dept: Engineering - Email: angela41@hubbard.info - Location: Amandaville - Joined: 2025-06-29 - Skills: Python, LangChain, FastAPI, debitis

Employee #19: Nancy Stone - Industrial/product designer - Dept: AI Research - Email: mmartinez@hill-duran.com - Location: Amyburgh - Joined: 2019-02-26 - Skills: Python, LangChain, FastAPI, blanditiis

Employee #20: Diana Smith - Nurse, learning disability - Dept: Engineering - Email: kwilliams@gmail.com - Location: Jacquelineland - Joined: 1976-07-12 - Skills: Python, LangChain, FastAPI, tempore

Employee #21: John Duncan - Conservator, furniture - Dept: Sales - Email: samanthaedwards@gmail.com - Location: Morrisberg - Joined: 2015-05-01 - Skills: Python, LangChain, FastAPI, exercitationem

Employee #22: Wendy Roberts - IT trainer - Dept: Product - Email: morenoangela@yahoo.com - Location: Lake Hollyburgh - Joined: 2020-01-03 - Skills: Python, LangChain, FastAPI, repudiandae

Employee #23: Patrick Barr - Scientist, marine - Dept: Sales - Email: maryparsons@martin.com - Location: East Mark - Joined: 2009-06-27 - Skills: Python, LangChain, FastAPI, voluptas

Employee #24: Alisha Solis - Video editor - Dept: HR - Email: ogutierrez@gmail.com - Location: New Robert - Joined: 2018-07-03 - Skills: Python, LangChain, FastAPI, laudantium

Employee #25: Rachel Spence - Social worker - Dept: Product - Email: jameswalsh@yahoo.com - Location: Lake Williamstad - Joined: 2004-03-28 - Skills: Python, LangChain, FastAPI, nihil

Employee #26: Melissa Patterson - Oncologist - Dept: AI Research - Email: julie01@gmail.com - Location: East Molly - Joined: 1988-05-23 - Skills: Python, LangChain, FastAPI, quae

Employee #27: Jessica Martin - Occupational therapist - Dept: Product - Email: hmorales@fischer.com - Location: East Jasonside - Joined: 1985-06-05 - Skills: Python, LangChain, FastAPI, porro

Employee #28: Heidi Simpson - Air traffic controller - Dept: Product - Email: gregorywebb@gmail.com - Location: Stevenmouth - Joined: 2010-11-13 - Skills: Python, LangChain, FastAPI, omnis

Employee #29: Dorothy Grant - Aid worker - Dept: AI Research - Email: michaelperry@gmail.com - Location: Port Jessicamouth - Joined: 1985-09-01 - Skills: Python, LangChain, FastAPI, labore

Employee #30: Haley Flores - Field trials officer - Dept: HR - Email: barnessharon@williams.com - Location: East Connor - Joined: 1989-12-19 - Skills: Python, LangChain, FastAPI, distinctio

7. Fake Product Docs

AcmeVector DB

Quo mollitia modi est sunt. Excepturi reiciendis facilis ab maiores. Nisi quia dolor a assumenda. Accusantium nam similique id minus nemo similique. Pricing: Free tier 10k vectors, Pro $53/mo. Features: hybrid search, metadata filtering. Max file 50MB, rate limit 409 req/min.

EmbedPro 3000

Rem impedit id reiciendis incidunt autem. Facilis magni repellat natus possimus. Labore architecto animi deleniti sit ullam in dolores. Placeat dolorem praesentium eum. Velit ut odio doloremque sunt quis dicta. Nisi ab sed quidem cupiditate laborum expedita ipsa. Pricing: Free tier 10k vectors, Pro $28/mo. Features: hybrid search, metadata filtering. Max file 50MB, rate limit 361 req/min.

LLM Falcon-X

Iure fuga reprehenderit maxime aperiam harum animi. Accusantium nesciunt magnam iusto temporibus necessitatibus. Consequuntur neque mollitia nostrum recusandae. Rem natus impedit quam provident magni. Praesentium veniam sint eius illo neque. Pricing: Free tier 10k vectors, Pro $40/mo. Features: hybrid search, metadata filtering. Max file 50MB, rate limit 323 req/min.

RAG-Eval Suite

Culpa unde dolorum illo culpa. Praesentium exercitationem impedit repudiandae quae assumenda ratione. Rem suscipit ullam ut ipsam corporis. Quibusdam quaerat repudiandae sapiente inventore non dolorum. Molestias velit odio nobis veniam reiciendis facilis rerum. Pricing: Free tier 10k vectors, Pro $50/mo. Features: hybrid search, metadata filtering. Max file 50MB, rate limit 133 req/min.

LangGraph Cloud Dummy

At amet odio aperiam at. Eligendi expedita ab illum deleniti tempore et fuga. Laudantium labore doloremque quas laborum autem tempora. Enim commodi doloremque ex ab numquam. Dolore aliquam debitis est dolore nulla. Eveniet dolorum quibusdam sequi. Soluta labore nisi libero magni mollitia commodi velit. Pricing: Free tier 10k vectors, Pro $78/mo. Features: hybrid search, metadata filtering. Max file 50MB, rate limit 244 req/min.

FastAPI Starter Kit

At possimus commodi facere. Quae doloribus quibusdam incidunt repellat minus deleniti vitae. Officiis sit provident quia sint natus ipsam voluptas. Ab culpa nostrum ipsum natus ea corporis consequuntur. Quaerat laudantium quidem unde asperiores. Pricing: Free tier 10k vectors, Pro $53/mo. Features: hybrid search, metadata filtering. Max file 50MB, rate limit 377 req/min.

8. Fake Support Tickets, FAQs & Chat Logs

Ticket #1000 | How to evaluate RAG?

User: Joseph Cooley (melissa70@lloyd.com) says: Repellat quos quas quisquam soluta excepturi quos nostrum libero hic quia neque modi quia.

Agent Answer: Error doloribus numquam deserunt dolores unde. Dicta eaque quod vitae. Perferendis excepturi atque earum esse officiis laudantium. Resolution time: 33 min. Satisfaction: 5/5

Ticket #1001 | My FAISS index is slow, what to do?

User: Reginald Garcia (jjones@hotmail.com) says: Quae laborum labore sed voluptates pariatur quibusdam quibusdam enim tempora tenetur et minima blanditiis ipsam.

Agent Answer: At perspiciatis laboriosam ipsum unde ipsum perspiciatis corporis. Dolore accusamus atque molestiae quae recusandae nihil eos. Sapiente fugiat incidunt dolor dignissimos quod eveniet. Resolution time: 112 min. Satisfaction: 3/5

Ticket #1002 | What embedding model should I use?

User: Ivan Boyd (vbrown@cross-madden.com) says: Provident repudiandae illo repellat accusamus nesciunt corporis eum nisi possimus occaecati officia quas quod quasi saepe quam reprehenderit.

Agent Answer: Perspiciatis hic voluptate quis sunt magnam magnam doloremque. Reprehenderit atque libero blanditiis aut provident labore. Explicabo magnam hic placeat tempora eius aliquam. Ipsam voluptas dignissimos assumenda esse. Resolution time: 110 min. Satisfaction: 3/5

Ticket #1003 | My FAISS index is slow, what to do?

User: Gregory Williams (rebeccaspencer@gmail.com) says: Placeat aliquid facere vitae cumque quae dignissimos officiis sapiente.

Agent Answer: Inventore voluptate deleniti fuga debitis. Magnam eius nobis dignissimos dolorum saepe dolor. Praesentium nemo doloribus saepe officiis provident pariatur tenetur. Resolution time: 56 min. Satisfaction: 4/5

Ticket #1004 | Why is my LangGraph agent looping?

User: Laura Jackson (fcarter@yahoo.com) says: Ab accusantium inventore error natus doloribus laborum dolore facilis debitis iure fugit sequi debitis repellat officia omnis.

Agent Answer: Ullam id eligendi fugiat error totam asperiores aspernatur praesentium. Occaecati repellendus officiis libero molestias reprehenderit. Voluptas dolorum expedita delectus similique. Voluptate dolorem ex necessitatibus fuga eaque occaecati sapiente. Resolution time: 32 min. Satisfaction: 5/5

Ticket #1005 | My FAISS index is slow, what to do?

User: Valerie Brown (david75@morris.net) says: Quam minus ipsam iusto dolore repudiandae tenetur officiis aliquam fugit quaerat totam.

Agent Answer: Atque ratione quisquam rem repellendus incidunt. Nostrum impedit quidem tempore eos nostrum expedita eius. Ea quis beatae sit corrupti eaque. Autem nobis atque saepe. Similique dignissimos fuga laborum nihil modi. Resolution time: 32 min. Satisfaction: 5/5

Ticket #1006 | Difference between LangChain and LangGraph?

User: Kristen Jones (carrie81@mcdonald.info) says: Ullam vel voluptatibus dicta voluptatibus eum provident tempora dolorum ipsum totam.

Agent Answer: Corrupti sed asperiores fugiat in corporis. Corporis labore ad iusto sint consequuntur doloremque. Rerum totam labore atque dolor dolores aperiam omnis. Laboriosam iusto nesciunt totam nemo quia. Resolution time: 55 min. Satisfaction: 5/5

Ticket #1007 | Difference between LangChain and LangGraph?

User: Nicole Mejia (gregoryrivas@yahoo.com) says: Minus ad corrupti in rem tempora sint explicabo voluptates earum.

Agent Answer: Architecto a consequuntur harum quisquam laborum atque. Cupiditate quas unde illum doloremque inventore. Quia veritatis laborum reiciendis corrupti quae. Expedita necessitatibus quia numquam accusamus totam. Maiores velit libero quibusdam necessitatibus. Resolution time: 23 min. Satisfaction: 4/5

Ticket #1008 | How to deploy FastAPI RAG app?

User: Cheryl Castro (ymartin@gmail.com) says: Magni provident at natus quae nesciunt enim dolore quos nostrum ducimus voluptatem itaque.

Agent Answer: Reiciendis ipsa vel repudiandae. Debitis molestias similique distinctio aperiam. Dolorem sit ab ipsa qui facilis. Resolution time: 36 min. Satisfaction: 5/5

Ticket #1009 | How to evaluate RAG?

User: David Hess (yvonnegarza@griffin.net) says: Sequi officiis aut odio inventore sequi quia non magni eum pariatur corporis.

Agent Answer: Aut doloremque ducimus fuga eveniet sed repudiandae. Ratione sequi quo assumenda aut. Resolution time: 73 min. Satisfaction: 4/5

Ticket #1010 | How to handle large PDFs?

User: Alexander Green (teresajones@yahoo.com) says: Dolor consectetur iste cupiditate recusandae possimus dignissimos nisi totam.

Agent Answer: Consequatur modi provident autem enim. Totam consectetur commodi eum. Quo consequuntur architecto in maiores vero. Resolution time: 59 min. Satisfaction: 5/5

Ticket #1011 | How to stream tokens in FastAPI?

User: Tonya Figueroa (williamsfelicia@hobbs.com) says: Doloremque cum perferendis iure tenetur quas inventore optio facere laboriosam iure aspernatur illum quidem quasi mollitia molestiae distinctio maiores.

Agent Answer: Voluptatem aspernatur ab veritatis non. Nulla necessitatibus ad voluptates excepturi. Quam soluta tempore cum ipsa quibusdam ipsam hic. Resolution time: 51 min. Satisfaction: 3/5

Ticket #1012 | How to deploy FastAPI RAG app?

User: Jeffrey Gutierrez (nicholsmatthew@diaz.info) says: Totam delectus consequuntur blanditiis eligendi excepturi harum odio culpa necessitatibus nesciunt iusto facilis id reiciendis.

Agent Answer: Voluptates tenetur numquam expedita aspernatur. Nemo nam commodi ab distinctio aliquam quis. Doloremque perferendis libero quaerat alias atque sequi. Explicabo quidem nobis et suscipit nulla sapiente voluptas. Odio ratione voluptatem dolorum fugit alias perferendis illo. Resolution time: 70 min. Satisfaction: 4/5

Ticket #1013 | Why is my LangGraph agent looping?

User: Mindy Waters (jjohnston@kim-duncan.com) says: Ullam tenetur illum dolorum ex necessitatibus amet ipsa in iusto dolorum.

Agent Answer: Ipsam voluptatum quibusdam veritatis incidunt accusamus inventore. Quas maiores vero voluptatem quidem aperiam delectus. Saepe laudantium aspernatur accusamus minima non. Tempore corporis id consequuntur eum. Resolution time: 101 min. Satisfaction: 3/5

Ticket #1014 | Why is my LangGraph agent looping?

User: Jesse Haley (juanjohns@scott.com) says: Alias maxime quibusdam minima nesciunt quibusdam dolor tenetur eos veritatis eaque ducimus nostrum sed quo cum.

Agent Answer: Nihil sequi eveniet tempore nihil. Suscipit est incidunt facere ullam itaque vel. Nemo at aperiam quos dolorum nulla ipsa inventore. Perspiciatis maiores sed amet odit eos. Omnis magnam laboriosam molestias cupiditate aperiam incidunt ullam ad. Resolution time: 24 min. Satisfaction: 5/5

Ticket #1015 | How to deploy FastAPI RAG app?

User: Jonathan Chang (whitemegan@gmail.com) says: Perferendis deserunt nihil id enim voluptate sequi cumque quae.

Agent Answer: Dolor excepturi minima ipsam. Iure ex at itaque quod perferendis. Expedita id harum eos ipsum pariatur modi. Resolution time: 106 min. Satisfaction: 5/5

Ticket #1016 | How to stream tokens in FastAPI?

User: Eric Smith (brownsuzanne@hotmail.com) says: Temporibus laudantium voluptatum quis eum sint voluptatibus itaque beatae eum quod consequatur dolores.

Agent Answer: Reprehenderit ab reprehenderit recusandae suscipit ipsa officiis. Debitis quod explicabo reiciendis repudiandae veniam. Illo dolorum blanditiis minus est est voluptas. Resolution time: 81 min. Satisfaction: 3/5

Ticket #1017 | How to stream tokens in FastAPI?

User: Michael Rodriguez (samanthataylor@davis-newman.org) says: Dicta doloremque rerum laudantium excepturi facilis debitis possimus consequuntur vitae odit voluptatem error doloremque minima vero magnam.

Agent Answer: Incidunt consectetur id tempora labore. Quas incidunt repellendus perferendis cupiditate qui quibusdam officia. Maxime aliquid possimus ex deleniti illum iste ipsa unde. Resolution time: 53 min. Satisfaction: 5/5

Ticket #1018 | Difference between LangChain and LangGraph?

User: Carlos Williamson (tburton@gmail.com) says: Beatae eos soluta repellat exercitationem libero eos eos debitis sit.

Agent Answer: Corporis non numquam ea quisquam consectetur rem quaerat. Enim a magni ipsa ipsam in. Dolorum quasi nam consequatur maiores iure. Resolution time: 72 min. Satisfaction: 4/5

Ticket #1019 | How to evaluate RAG?

User: Sally Green (gregory23@mcdonald-davidson.net) says: Sapiente vitae omnis non non ducimus illum provident nulla aspernatur neque.

Agent Answer: Dolores cum magnam laborum nobis. Voluptatibus voluptatum praesentium quaerat libero veniam dolorem et. Eaque ea culpa eum quaerat amet. Placeat aperiam blanditiis eaque repellat. Resolution time: 115 min. Satisfaction: 3/5

Ticket #1020 | Why is my LangGraph agent looping?

User: Roy Leon (jasontaylor@gmail.com) says: Iure sint laborum accusantium consectetur numquam blanditiis quaerat porro expedita occaecati error fugit recusandae amet beatae fugiat aut voluptatem.

Agent Answer: Quisquam rem perferendis doloribus dolor. Maxime delectus repellendus dolores deserunt voluptatem exercitationem. Tempora fuga iusto sit ab iste. Resolution time: 92 min. Satisfaction: 5/5

Ticket #1021 | How to add memory to RAG chatbot?

User: Matthew Jackson (ijensen@curtis-martin.com) says: Molestias odit eum magni fugiat odio totam placeat occaecati expedita nisi quas at.

Agent Answer: Ut dolores rerum voluptate cum libero placeat tenetur. Dolores culpa natus eos ea voluptate impedit officia possimus. Resolution time: 103 min. Satisfaction: 5/5

Ticket #1022 | My FAISS index is slow, what to do?

User: Jared King (robinsonbradley@gmail.com) says: At repellat animi dignissimos ab saepe molestias quam ad cum iusto quos odio sit cupiditate fugit dicta ex.

Agent Answer: Eos nam in ipsum error libero vero aut harum. Facere hic blanditiis unde doloremque perferendis enim sint. Natus est iste accusantium commodi accusantium est. Ipsum fuga a sed omnis nam. Resolution time: 19 min. Satisfaction: 4/5

Ticket #1023 | How to stream tokens in FastAPI?

User: Mark Bond (ashleybrady@yahoo.com) says: Esse laboriosam incidunt impedit qui enim repudiandae expedita voluptates nihil sunt dolorem exercitationem sunt ut vero molestiae quam saepe.

Agent Answer: Omnis eligendi praesentium eaque non eius beatae aut. Doloremque architecto quia deleniti quae. Nesciunt incidunt numquam quia dolorum corrupti assumenda odit. Resolution time: 25 min. Satisfaction: 4/5

Ticket #1024 | How do I chunk a PDF for RAG?

User: Connor Rodriguez (pandrews@lewis.com) says: Fuga eligendi hic exercitationem reprehenderit quae facere porro aspernatur error dolorem doloribus maiores consequatur deleniti quas.

Agent Answer: Eos exercitationem qui distinctio. Porro provident commodi reiciendis quisquam. Deleniti illo ad sunt vitae repellendus officiis asperiores consequatur. Qui eos iste iste voluptatem delectus beatae dolorum quis. Resolution time: 97 min. Satisfaction: 5/5

Ticket #1025 | How to add memory to RAG chatbot?

User: Gary Meza (ashleyharper@stephens-cooper.biz) says: Laudantium amet unde placeat omnis autem illum nisi nisi laborum voluptates culpa labore dicta.

Agent Answer: Delectus facere impedit velit illo. Porro quaerat nostrum est esse dolorum beatae quod. Saepe sed nobis error. Minima ratione veniam illum sit. Resolution time: 69 min. Satisfaction: 3/5

Ticket #1026 | How to evaluate RAG?

User: James Rocha (eric40@hotmail.com) says: Ad tempora accusamus adipisci asperiores deserunt sequi non cum reiciendis sint deserunt laborum nulla blanditiis.

Agent Answer: Veritatis sunt dolore occaecati soluta dolor adipisci. Quia itaque soluta consectetur consequatur unde quibusdam earum. Explicabo dolorum eos laudantium laborum ipsum. Aperiam porro iste voluptatum dicta. Resolution time: 18 min. Satisfaction: 5/5

Ticket #1027 | How to add memory to RAG chatbot?

User: Douglas Sandoval (vgill@hotmail.com) says: Tempore modi reiciendis aut architecto et cum minus facere corrupti doloremque architecto non suscipit accusantium nam cum modi.

Agent Answer: Doloribus porro corporis magni magni. Atque saepe inventore fuga autem. Eius labore sint fuga laborum unde. Laudantium error sequi illo consequatur itaque eligendi nihil. Resolution time: 112 min. Satisfaction: 5/5

Ticket #1028 | How to evaluate RAG?

User: Richard Durham (gabriel54@stuart.com) says: Unde amet esse distinctio eius hic iusto sequi voluptatem sapiente dicta repellat officiis vitae quo quod voluptas tenetur.

Agent Answer: Non magni eligendi commodi dolorum delectus. Ab excepturi deleniti illo facilis a laboriosam. Porro voluptas et autem sequi ab mollitia. Corrupti odit quos ullam possimus non iure iure. Resolution time: 82 min. Satisfaction: 3/5

Ticket #1029 | How to deploy FastAPI RAG app?

User: Jordan Russell (csanchez@hickman-woods.org) says: Iste quaerat quaerat assumenda sit sapiente asperiores pariatur incidunt placeat error cumque error eligendi nostrum beatae.

Agent Answer: Cum illo magnam vero nesciunt odit alias. Omnis qui tempora voluptatem quisquam modi mollitia nobis distinctio. Voluptatum voluptatibus nesciunt assumenda quis illo. Resolution time: 52 min. Satisfaction: 3/5

Ticket #1030 | How to evaluate RAG?

User: Thomas Blanchard (nealabigail@sharp.com) says: Numquam minima porro quaerat delectus in cum aliquam ratione deserunt ut molestiae.

Agent Answer: Totam sint quasi iure ullam error. A velit saepe et veritatis aspernatur. Resolution time: 104 min. Satisfaction: 5/5

Ticket #1031 | How do I chunk a PDF for RAG?

User: Marc Fox (lrobbins@yahoo.com) says: Natus rerum officiis facere cumque sunt laboriosam iusto quam aspernatur officiis molestiae iusto sit ab qui cum reprehenderit.

Agent Answer: Reiciendis voluptates assumenda aut eos ullam. Ipsa porro alias mollitia atque facilis consequuntur. Itaque dicta est ad saepe vel vitae. Resolution time: 81 min. Satisfaction: 4/5

Ticket #1032 | Difference between LangChain and LangGraph?

User: Virginia Johnson (levanessa@manning-cisneros.com) says: Porro error odit sequi corporis cupiditate amet autem ab non.

Agent Answer: Sit saepe earum incidunt amet. Praesentium nesciunt dignissimos magnam accusantium quaerat ab veritatis. Dolor eveniet harum rerum nobis cum. Sed praesentium aliquam totam hic. Resolution time: 7 min. Satisfaction: 3/5

Ticket #1033 | My FAISS index is slow, what to do?

User: Elizabeth Navarro (nbarnett@martin.com) says: Minus soluta aliquid labore adipisci occaecati sed a repellat repellat rerum eum esse illum explicabo dicta corporis.

Agent Answer: Culpa quae cupiditate sint rerum sed possimus expedita. Accusamus amet nobis ea harum. Molestiae hic velit laudantium sapiente quam alias. Nulla doloremque dolore modi sit molestias fugiat. Resolution time: 117 min. Satisfaction: 4/5

Ticket #1034 | What embedding model should I use?

User: Rebecca Woodward (patriciapierce@yahoo.com) says: Totam repellat distinctio magni aperiam deserunt a accusantium ducimus esse dignissimos.

Agent Answer: Facilis vitae velit saepe tempore vel aut atque rerum. Cupiditate dignissimos temporibus quis iure debitis sed reiciendis sequi. Quo sint alias cumque repellat reprehenderit similique. Resolution time: 12 min. Satisfaction: 3/5

Ticket #1035 | How to handle large PDFs?

User: Michael Rose (melanie60@diaz-austin.com) says: Id voluptates non modi asperiores neque ipsa possimus facilis quia autem natus alias.

Agent Answer: Ea minus harum ipsam nobis. Ea cupiditate sed doloribus voluptates. Neque molestias nobis minima rem sint ab molestiae. Resolution time: 15 min. Satisfaction: 3/5

Ticket #1036 | Difference between LangChain and LangGraph?

User: Valerie Ortega (kelly70@hotmail.com) says: Ducimus sapiente quod adipisci esse quasi deserunt repudiandae magni sed officia autem.

Agent Answer: Soluta iste iure ab ullam earum dolore quos. Dicta non commodi occaecati debitis illo nesciunt voluptates porro. Distinctio dolorem harum dolorum saepe. Quo veritatis quasi quam omnis laboriosam cupiditate maiores. Resolution time: 109 min. Satisfaction: 3/5

Ticket #1037 | How to evaluate RAG?

User: Kelsey Fitzpatrick (znelson@shaw-griffin.info) says: Repudiandae tenetur fugit ab vitae sequi quibusdam debitis ex odio enim est aspernatur impedit rerum quis consequuntur soluta.

Agent Answer: Quasi id itaque temporibus labore sequi deserunt. Ad veniam quibusdam est excepturi minima veritatis sed. Fuga possimus consequuntur repudiandae. Resolution time: 103 min. Satisfaction: 3/5

Ticket #1038 | How to deploy FastAPI RAG app?

User: Joe Silva (teresalane@yahoo.com) says: Odit consectetur repellat ipsum sint velit odio tenetur aperiam ipsa ullam delectus assumenda rem quis molestiae.

Agent Answer: Suscipit error deleniti laboriosam maxime. Voluptatum omnis consequuntur ullam exercitationem. Maiores natus harum beatae eius doloremque. Resolution time: 89 min. Satisfaction: 4/5

Ticket #1039 | How to evaluate RAG?

User: Kevin Johnson (donaldoliver@gmail.com) says: Impedit veniam itaque numquam qui tenetur tempore occaecati cumque dolorem repellendus animi nisi sequi illo ullam iure.

Agent Answer: Necessitatibus odio sapiente voluptate quibusdam perspiciatis. Quam minus porro nemo quaerat. Sapiente harum velit magnam fuga. Resolution time: 26 min. Satisfaction: 4/5

Ticket #1040 | How to evaluate RAG?

User: Deborah Baker (cooperkimberly@taylor-smith.com) says: Voluptate rem repellendus itaque dolore cum itaque atque iusto ab mollitia recusandae numquam veritatis officiis eos doloribus.

Agent Answer: Aperiam veritatis labore a quia nisi molestiae similique. Consequatur quam nihil aut quis culpa doloremque. Laudantium provident commodi asperiores. Deserunt repudiandae nostrum laborum veritatis earum nihil ipsa. Resolution time: 116 min. Satisfaction: 5/5

Ticket #1041 | How to stream tokens in FastAPI?

User: Tina Gonzalez PhD (elizabethcoleman@burke-rosales.info) says: Eveniet omnis reiciendis accusamus iusto unde recusandae earum dolorem repellat quisquam id totam rerum laudantium officiis fugiat fuga.

Agent Answer: Numquam aliquid quos aliquam deleniti sequi repellat. Ab repellat illo accusamus nesciunt. Sapiente cum culpa tempore veritatis eos quisquam. Magnam adipisci minima sequi distinctio dolor quisquam. Resolution time: 32 min. Satisfaction: 5/5

Ticket #1042 | What embedding model should I use?

User: John Le (heatherdonaldson@sweeney-sanders.com) says: Placeat dignissimos doloribus vero sit animi ipsa quis quidem impedit ullam ducimus eius aut quaerat esse.

Agent Answer: Aspernatur quia accusantium tenetur eaque deserunt sapiente corporis. Reprehenderit voluptates dignissimos eligendi impedit vitae. Iusto quae cumque ex magni occaecati autem a. Ab occaecati animi incidunt odit. Resolution time: 96 min. Satisfaction: 4/5

Ticket #1043 | How to stream tokens in FastAPI?

User: Michael Holland (monique68@dixon.net) says: Harum aliquam aliquam similique voluptatibus labore aperiam inventore recusandae voluptatem quibusdam labore est sequi pariatur culpa.

Agent Answer: Illo cum consequatur facilis laborum eius saepe officia harum. Soluta tempore cumque eius omnis ad corporis. Minima praesentium iure beatae consequatur ipsam. Resolution time: 90 min. Satisfaction: 5/5

Ticket #1044 | My FAISS index is slow, what to do?

User: Scott Hansen (dmartin@hotmail.com) says: Eos qui nulla laborum aperiam laudantium delectus officia numquam incidunt architecto.

Agent Answer: Ducimus quasi pariatur placeat temporibus repudiandae minima sit autem. Optio ipsum quis accusamus soluta aperiam dolorem sed laudantium. Nulla consequuntur voluptate voluptatum error. Occaecati voluptatum molestiae repudiandae rem consectetur repellat qui. Resolution time: 61 min. Satisfaction: 5/5

Ticket #1045 | Difference between LangChain and LangGraph?

User: Robert Shepard (alexis41@pennington.com) says: Consequatur delectus recusandae dolore accusamus temporibus error laboriosam ducimus.

Agent Answer: Veniam beatae veritatis fugit suscipit facilis suscipit labore culpa. Sapiente quae libero repudiandae eaque. Tenetur rem repellendus repellendus. Aliquid sequi dolore dolorum mollitia voluptatum possimus provident. Resolution time: 20 min. Satisfaction: 3/5

Ticket #1046 | What embedding model should I use?

User: Megan Price (wrightshannon@yahoo.com) says: Culpa repellat sequi nihil atque vitae quam error dolor ratione praesentium omnis error laudantium.

Agent Answer: Nemo nam accusamus iure veritatis voluptatibus expedita ipsam. Doloribus cumque eligendi quam nulla recusandae soluta similique. Iusto deleniti suscipit fugit molestiae sint. Sed similique temporibus autem quis expedita. Molestiae nostrum consequuntur tempore aspernatur consectetur quaerat. Resolution time: 13 min. Satisfaction: 4/5

Ticket #1047 | How do I chunk a PDF for RAG?

User: George Gilbert (youngsharon@cochran.com) says: Quam repellendus sunt sint earum distinctio quibusdam eum itaque dolorem aut dignissimos ullam.

Agent Answer: Reiciendis illo laboriosam distinctio non. Ea iusto sunt hic doloribus qui commodi modi. Eveniet et culpa qui numquam laborum. Minus repellat voluptate laborum maiores illo voluptate. Resolution time: 80 min. Satisfaction: 5/5

Ticket #1048 | What embedding model should I use?

User: David Martinez (steve66@marquez-chandler.info) says: Impedit corrupti atque aliquam qui enim modi enim dolores similique placeat maiores aliquam dolor voluptate cupiditate.

Agent Answer: Magni ipsa dolorem autem autem maxime veritatis vero. Distinctio incidunt architecto sunt suscipit reiciendis aspernatur. Doloribus quis dignissimos accusamus dolorem. Fugit repudiandae tempora inventore illum. Resolution time: 80 min. Satisfaction: 3/5

Ticket #1049 | How do I chunk a PDF for RAG?

User: John Warren (joelwilliams@gmail.com) says: Dolores facilis tenetur in ducimus amet necessitatibus dolorum itaque totam repudiandae minima suscipit asperiores consequatur harum quod nesciunt.

Agent Answer: Consectetur nemo hic odit quia odio. Pariatur quod quia similique odio vitae. Quisquam eum recusandae veniam exercitationem. Odit possimus vitae accusamus molestias perspiciatis. Resolution time: 14 min. Satisfaction: 5/5

Ticket #1050 | How do I chunk a PDF for RAG?

User: Sergio Larson (jorr@martin.com) says: Voluptates et similique numquam quod accusamus incidunt distinctio ipsam alias ipsam officiis repudiandae praesentium alias.

Agent Answer: Molestias sequi totam iste et eius ratione natus reprehenderit. Adipisci libero laudantium nihil inventore mollitia. Quaerat exercitationem blanditiis veritatis esse illo ipsam omnis. Iste nisi tempora laudantium illum dolore. Resolution time: 34 min. Satisfaction: 3/5

Ticket #1051 | How do I chunk a PDF for RAG?

User: David Thomas (aberg@brown.com) says: Eos temporibus corporis odio architecto nostrum porro natus fuga rerum.

Agent Answer: Placeat consectetur delectus deleniti sunt perferendis in. Voluptate corporis dolor quam iusto. Resolution time: 115 min. Satisfaction: 4/5

Ticket #1052 | Why is my LangGraph agent looping?

User: Jason Mason (davidhamilton@gmail.com) says: Sequi vel quia maiores minus aliquam aperiam quia temporibus repellendus quam ipsa repudiandae eos hic distinctio voluptatum repudiandae voluptatibus.

Agent Answer: Odio explicabo eaque repellat sint consequatur quia. Non modi nesciunt cupiditate tempore consectetur perferendis corrupti. Voluptates sit dicta officiis ut quis. Temporibus ad nisi consectetur. Resolution time: 70 min. Satisfaction: 3/5

Ticket #1053 | How to add memory to RAG chatbot?

User: Lance Green (foleyashley@hotmail.com) says: Accusamus placeat ipsa explicabo eius facilis doloremque accusamus asperiores nam ipsum quam nihil corporis quas illo debitis quos quo debitis.

Agent Answer: Repellat id minima odit. Sint officia culpa quibusdam iusto quae. Omnis nostrum debitis maxime odit labore et. Labore ipsam ipsum eius explicabo perspiciatis beatae. Aliquam consequatur similique porro molestias architecto repellendus. Resolution time: 90 min. Satisfaction: 4/5

Ticket #1054 | What embedding model should I use?

User: Kevin Butler (dward@hotmail.com) says: Corrupti aut voluptatem architecto dolor voluptatibus excepturi minima quas facilis.

Agent Answer: Suscipit illum eos occaecati tempora quos minus. Cumque quos quas quae eum enim voluptatibus doloribus. Totam quos ullam eius optio odit perspiciatis accusamus. Ea aperiam voluptas eveniet sunt. Resolution time: 74 min. Satisfaction: 3/5

Ticket #1055 | How to handle large PDFs?

User: Valerie Williams (imartin@hotmail.com) says: Autem illo hic minima impedit ullam labore labore corrupti libero veritatis.

Agent Answer: Quae occaecati deleniti hic molestiae odio cumque. Ex voluptates ipsa sed. Resolution time: 78 min. Satisfaction: 4/5

Ticket #1056 | What embedding model should I use?

User: Jade White (lflores@adkins.com) says: Animi tenetur possimus debitis fugit maiores temporibus eos laborum mollitia quibusdam iste odit.

Agent Answer: Sunt incidunt dolor beatae placeat. Doloribus facere nulla eaque magni nostrum tempore. Molestiae iste magni maxime rerum. Resolution time: 105 min. Satisfaction: 4/5

Ticket #1057 | How to stream tokens in FastAPI?

User: Keith Marquez (ricky64@gmail.com) says: Eos nemo eveniet beatae voluptatem sunt expedita quae cumque incidunt expedita saepe dicta.

Agent Answer: Tempora autem velit excepturi. Accusantium ipsam ullam eveniet tenetur quae unde similique. Enim illo commodi labore harum alias deleniti deleniti. Labore veritatis nam eius doloremque doloremque corporis beatae. Resolution time: 29 min. Satisfaction: 3/5

Ticket #1058 | Why is my LangGraph agent looping?

User: Jeffrey Kim (katherine01@hotmail.com) says: Deserunt libero fugit soluta labore corrupti dolores officia deserunt explicabo praesentium eaque soluta magni aperiam reiciendis deserunt harum vel.

Agent Answer: Mollitia earum cumque iste error magnam occaecati amet. Animi quis tempore voluptates quas porro harum officia. Et doloribus rerum sed accusantium possimus. Resolution time: 89 min. Satisfaction: 4/5

Ticket #1059 | My FAISS index is slow, what to do?

User: Kurt Briggs (kimberly60@hotmail.com) says: Iure debitis vel fugiat maxime sunt qui error a.

Agent Answer: Reiciendis esse nisi animi est occaecati. Culpa fuga saepe inventore porro dicta ipsa praesentium. Nulla non eveniet dignissimos nesciunt reprehenderit ratione totam. Sunt nisi blanditiis vel commodi. Resolution time: 59 min. Satisfaction: 4/5

Ticket #1060 | Difference between LangChain and LangGraph?

User: Bob Thompson (rjones@park.org) says: Iusto nostrum quaerat rerum vero optio perspiciatis dolores vero nihil autem expedita amet.

Agent Answer: Maiores dicta libero eius eos adipisci doloribus nesciunt. Blanditiis impedit quia minus possimus vero ab quidem. Sit numquam quas molestiae perspiciatis voluptatibus. Optio qui quaerat quis ullam. Resolution time: 115 min. Satisfaction: 5/5

Ticket #1061 | How do I chunk a PDF for RAG?

User: Angela Kennedy (littletheresa@gmail.com) says: Voluptatem est ratione iusto maxime occaecati quibusdam incidunt unde.

Agent Answer: Fugit occaecati porro enim ipsum sed. Earum ipsum adipisci deleniti est labore repellat provident nisi. Maiores deserunt eaque quae illo quam quae tenetur. Aspernatur temporibus commodi consequuntur soluta. Resolution time: 91 min. Satisfaction: 5/5

Ticket #1062 | Why is my LangGraph agent looping?

User: Paul Martin (jmiller@larson.com) says: Nulla aut deleniti tempora saepe doloremque unde distinctio assumenda dolorem eaque reprehenderit voluptas.

Agent Answer: Deserunt iusto non nobis est fugiat. Recusandae nobis impedit nostrum laudantium natus error enim. Excepturi deserunt at ea. Resolution time: 12 min. Satisfaction: 4/5

Ticket #1063 | My FAISS index is slow, what to do?

User: Andrea Dixon (timothy88@gmail.com) says: Magnam iusto modi debitis fugiat tempore officia nihil autem reprehenderit modi repellat maiores sint dicta natus eaque quas vitae quae.

Agent Answer: Corrupti consectetur soluta praesentium occaecati. Totam laboriosam laboriosam tempore quibusdam error beatae. Repellendus vel enim pariatur deserunt. Resolution time: 107 min. Satisfaction: 3/5

Ticket #1064 | What embedding model should I use?

User: Eddie Garcia (christopher09@bowman.com) says: Fugit doloribus facilis dolor molestias iste repellat reprehenderit neque soluta repellat debitis velit.

Agent Answer: Voluptas earum quo accusantium repellat. Rerum dicta consequatur eligendi nesciunt esse itaque nemo. Minus esse voluptates distinctio ducimus esse maxime dolorum. Resolution time: 29 min. Satisfaction: 3/5

Ticket #1065 | How to evaluate RAG?

User: Jennifer Douglas (coconnor@rollins-simmons.com) says: Aliquam odio nemo sit accusantium quo voluptate ratione amet vero accusamus accusamus dolores corporis quas.

Agent Answer: Minima dolores exercitationem laudantium excepturi consequatur modi iusto. Dolor culpa dolores soluta in atque eum eaque. Asperiores voluptatem pariatur rerum debitis ad expedita cupiditate. Resolution time: 62 min. Satisfaction: 3/5

Ticket #1066 | How to stream tokens in FastAPI?

User: Jerry Johnson (gomezeric@gmail.com) says: Quae cupiditate mollitia totam qui exercitationem odio debitis optio dolores at dolorum eligendi quia asperiores.

Agent Answer: Veniam cupiditate sint aspernatur ipsa aliquid adipisci magnam. A iure reiciendis reiciendis maxime numquam nisi voluptatem. Corrupti officia molestias tenetur neque magnam. Resolution time: 28 min. Satisfaction: 4/5

Ticket #1067 | Difference between LangChain and LangGraph?

User: Eric Stone (benjaminolsen@hanson.com) says: Voluptate totam fugit magni nesciunt dolor dolores magni doloremque dicta laborum porro dolor et blanditiis.

Agent Answer: Voluptates exercitationem esse eaque. Consequatur assumenda blanditiis libero earum laborum. Nobis velit itaque at sint rem. Resolution time: 36 min. Satisfaction: 3/5

Ticket #1068 | Difference between LangChain and LangGraph?

User: Alicia Gonzales (walterspamela@chen.org) says: Temporibus ducimus facere consequuntur quis quidem porro beatae placeat odit excepturi molestiae maxime.

Agent Answer: In culpa officia qui hic impedit expedita nostrum. Deleniti vel ad nihil ducimus eligendi dolorum tempora. Cum ab corrupti quaerat ratione necessitatibus. Cumque est quas dolor praesentium exercitationem sint vel. Resolution time: 108 min. Satisfaction: 5/5

Ticket #1069 | Why is my LangGraph agent looping?

User: Mariah White (fuentesmatthew@gmail.com) says: Excepturi nisi repellendus ab ipsum dolores deleniti sit saepe totam.

Agent Answer: Quibusdam doloribus magni eligendi fugiat nostrum ea modi. Corrupti sed magnam eveniet in. Resolution time: 11 min. Satisfaction: 5/5

Ticket #1070 | How to evaluate RAG?

User: Robert Miller (gracechambers@morales.net) says: Tempora eum dolor nihil vero ab expedita voluptatibus odio debitis earum possimus vel in expedita cum.

Agent Answer: Nostrum eum modi eaque earum repellat. Rerum nam veniam esse dicta nisi. Illum molestias iste minus ullam porro voluptatem aut. Resolution time: 112 min. Satisfaction: 3/5

Ticket #1071 | Why is my LangGraph agent looping?

User: Jennifer Thomas (lindsay00@harris.biz) says: Tempore unde sequi illo voluptate consectetur nulla quas porro explicabo doloremque voluptas molestias aliquid quos ut.

Agent Answer: Dolore architecto earum quam sunt vero perferendis facilis. Magnam asperiores facere vero in aut voluptate. Accusamus atque consequuntur aliquam iste aut dignissimos provident. Resolution time: 101 min. Satisfaction: 3/5

Ticket #1072 | How to deploy FastAPI RAG app?

User: Jay Rodriguez (joshua19@yahoo.com) says: Quasi exercitationem nisi ducimus nulla sunt quasi harum nihil libero commodi minus ab similique enim exercitationem cupiditate voluptatibus.

Agent Answer: Nemo quis consequatur quos debitis error. Quod ab aperiam maxime itaque nesciunt dolor provident commodi. Exercitationem quos nobis occaecati veritatis natus eos. Id dignissimos aspernatur voluptas aspernatur ratione vero laborum. Resolution time: 57 min. Satisfaction: 4/5

Ticket #1073 | Difference between LangChain and LangGraph?

User: Elijah Miller (wilsonangel@yahoo.com) says: Tempore laboriosam omnis doloremque consectetur nulla minus tenetur reprehenderit aliquid quasi temporibus et.

Agent Answer: Assumenda maiores occaecati facilis a tempore officia fugiat. Impedit magni aut enim totam deleniti excepturi. Quidem doloremque nostrum nostrum voluptates vero numquam. Doloremque eveniet earum aut earum qui. Resolution time: 32 min. Satisfaction: 4/5

Ticket #1074 | How do I chunk a PDF for RAG?

User: Megan Walker (williamanderson@yahoo.com) says: Minima blanditiis asperiores unde maiores maxime quod esse eius aut adipisci facere qui repellat repellendus cumque.

Agent Answer: Quod sit minima sit excepturi. Iure ipsum sapiente itaque voluptatum cum distinctio. Est est nulla nam recusandae. Resolution time: 26 min. Satisfaction: 4/5

Ticket #1075 | How do I chunk a PDF for RAG?

User: Heather Buchanan (cody75@mora.net) says: Dolorum illo id accusantium officia in dolore consectetur saepe aperiam ex inventore modi saepe corrupti accusamus vitae.

Agent Answer: Eos explicabo odio occaecati ratione culpa. Ipsam assumenda eius vitae unde earum praesentium perspiciatis fuga. Nesciunt delectus perferendis beatae. Magni quam natus rerum hic. Resolution time: 54 min. Satisfaction: 4/5

Ticket #1076 | Difference between LangChain and LangGraph?

User: Marcus Mason (daltonjill@snyder.net) says: Error eaque accusantium repudiandae optio esse fuga officiis totam adipisci voluptas maiores reiciendis.

Agent Answer: Ea aliquam architecto quam doloremque accusantium sequi. Laborum eligendi fugiat hic ducimus iusto distinctio totam rem. Modi facere saepe earum aliquam nihil vitae provident. Eos quae ducimus quisquam ad provident illo. Resolution time: 41 min. Satisfaction: 4/5

Ticket #1077 | How to evaluate RAG?

User: Jennifer Moore (gjohnson@hotmail.com) says: Veniam cum dolorum occaecati fugit commodi ullam accusamus reiciendis illo distinctio temporibus modi.

Agent Answer: Excepturi sit facilis dolor. Veniam delectus assumenda similique laudantium excepturi illo repudiandae. Nobis optio expedita saepe distinctio praesentium vitae. Resolution time: 89 min. Satisfaction: 5/5

Ticket #1078 | Difference between LangChain and LangGraph?

User: Jacqueline Kidd (ffreeman@hotmail.com) says: Laboriosam ad incidunt quae vel praesentium recusandae aspernatur quaerat quis tempore autem perspiciatis laboriosam quas.

Agent Answer: Reprehenderit fugit laborum inventore omnis quam. Facere voluptates commodi natus veniam minus nulla. Optio aliquid tenetur perspiciatis ea. Repellat ipsum non nulla. Resolution time: 24 min. Satisfaction: 3/5

Ticket #1079 | How to add memory to RAG chatbot?

User: Edward Kent (matthew43@hotmail.com) says: Ipsam deleniti minus odio nam alias occaecati earum sunt incidunt culpa hic.

Agent Answer: Qui pariatur aspernatur autem doloremque accusantium. Ipsa quidem doloribus quae amet necessitatibus nihil illum. Cupiditate corporis corrupti fugit corrupti. Resolution time: 32 min. Satisfaction: 3/5

Ticket #1080 | How to handle large PDFs?

User: Brittany Navarro (jbennett@yahoo.com) says: Fugiat totam occaecati deserunt quaerat doloremque aliquam omnis inventore aliquam enim et porro vitae iste qui sapiente voluptatibus asperiores.

Agent Answer: Quidem voluptatum saepe amet sequi. Soluta natus quod exercitationem eius a quos iure temporibus. Nihil perspiciatis laborum quas quasi. Resolution time: 99 min. Satisfaction: 5/5

Ticket #1081 | How do I chunk a PDF for RAG?

User: Kathryn Wu (joshuadixon@ford.biz) says: Corrupti magnam animi perferendis omnis aspernatur dolore eaque qui natus voluptatem explicabo minus minus.

Agent Answer: Quisquam ipsum magni esse ipsam. Explicabo fuga eos eum sequi exercitationem nihil. Quae voluptatem accusantium consequuntur optio quibusdam. Resolution time: 100 min. Satisfaction: 4/5

Ticket #1082 | How do I chunk a PDF for RAG?

User: Catherine Lopez (ojones@atkins.com) says: Maiores tenetur facere quod delectus nam fugiat odit illo nesciunt quibusdam facilis quo unde eius assumenda.

Agent Answer: Quo quam eius voluptas modi odio consectetur. Error illum commodi illo voluptate. Veniam totam pariatur quaerat velit. Dicta tenetur rem velit sint sed eaque quo. Resolution time: 11 min. Satisfaction: 5/5

Ticket #1083 | Difference between LangChain and LangGraph?

User: Phillip Benson (caldwellstephanie@hendrix.org) says: Voluptatum nisi mollitia illum placeat perferendis praesentium nesciunt voluptates exercitationem quas saepe reiciendis ea explicabo.

Agent Answer: Iusto quaerat aliquid quisquam sunt corporis. Animi repellendus vel maxime rem. Sed in hic occaecati molestiae nemo. Resolution time: 69 min. Satisfaction: 5/5

Ticket #1084 | How to deploy FastAPI RAG app?

User: David Hardy (william74@gmail.com) says: Officiis dolor corrupti tenetur unde repellat asperiores ea voluptate dignissimos laborum sed voluptates hic aut vero vero laboriosam ullam.

Agent Answer: Ex aut iure alias totam natus laudantium recusandae. Eum tempora deserunt repellendus. Enim maxime laborum sit quidem minus quam animi. Eaque doloribus suscipit consequatur doloribus ratione sapiente quod voluptatem. Resolution time: 12 min. Satisfaction: 5/5

Ticket #1085 | Why is my LangGraph agent looping?

User: Helen Daniel (canderson@adams.com) says: Vero excepturi ad perferendis illo nihil dolor assumenda nostrum labore voluptatem illum in blanditiis facere aspernatur distinctio iure alias ipsam.

Agent Answer: Corporis inventore nihil iusto saepe doloribus fuga libero similique. Occaecati architecto rem reprehenderit pariatur commodi quam molestiae rem. Resolution time: 113 min. Satisfaction: 3/5

Ticket #1086 | Why is my LangGraph agent looping?

User: Jesus Tran (rodriguezdavid@yahoo.com) says: Temporibus praesentium quos possimus enim similique exercitationem dolore blanditiis pariatur nisi.

Agent Answer: Placeat fugiat dolorum perspiciatis neque. Nemo dolore tempore iure expedita excepturi. Soluta culpa dignissimos eaque maxime. Natus nesciunt tenetur repellat sint dolore incidunt. Resolution time: 81 min. Satisfaction: 3/5

Ticket #1087 | What embedding model should I use?

User: Pamela Jones (rogersbrett@mccullough.com) says: Et eveniet dolore dolorem fugit accusantium est quod alias.

Agent Answer: Consequuntur harum asperiores alias. Dignissimos facilis natus est officiis natus. Iure quisquam quisquam in aliquid animi. Aperiam cum optio porro eveniet modi est consectetur. Resolution time: 56 min. Satisfaction: 3/5

Ticket #1088 | How to handle large PDFs?

User: Trevor Gregory (mwhite@yahoo.com) says: Nihil fuga itaque placeat mollitia natus vero soluta dicta beatae impedit saepe corporis nesciunt eligendi.

Agent Answer: Doloribus mollitia optio impedit accusantium sapiente. Consectetur nam aliquam laudantium nulla alias quae. Perspiciatis inventore reprehenderit minus magnam adipisci adipisci soluta. Resolution time: 36 min. Satisfaction: 5/5

Ticket #1089 | How to handle large PDFs?

User: Stephen Fowler PhD (jessicacaldwell@ross-smith.com) says: Animi aspernatur quis odio ab id atque corrupti at alias nostrum temporibus quia.

Agent Answer: Ipsam labore quaerat cum veritatis quaerat. Quos vel autem impedit veniam dicta sed. Vel asperiores similique ipsam aliquam repudiandae hic. Molestiae non voluptates recusandae odit adipisci est inventore quaerat. Resolution time: 10 min. Satisfaction: 5/5

Ticket #1090 | Why is my LangGraph agent looping?

User: Ivan Vazquez (christopher47@yahoo.com) says: Totam at ullam mollitia dignissimos odio facilis in cumque quos ratione modi asperiores labore dolor voluptas tempore harum ratione libero.

Agent Answer: Voluptatem repellendus fuga facere cupiditate inventore sunt pariatur. Cumque fugiat magnam praesentium sequi ducimus blanditiis eum repellat. Ut numquam ipsa repellat est ducimus assumenda perspiciatis tempore. Resolution time: 58 min. Satisfaction: 5/5

Ticket #1091 | How to handle large PDFs?

User: Edward Winters (karenlucas@hotmail.com) says: Sint inventore ducimus dolore officia vitae quos maiores deserunt veniam ipsa autem placeat.

Agent Answer: Veritatis cum quo vel maxime sequi mollitia. Incidunt cum quasi optio laudantium distinctio suscipit molestiae. Perferendis repellat laborum rem. Resolution time: 77 min. Satisfaction: 5/5

Ticket #1092 | My FAISS index is slow, what to do?

User: Erin Wilson (shannon18@black-gray.com) says: Accusantium repellendus ut temporibus laborum quidem architecto reprehenderit odio ipsum dolores incidunt veniam illo qui molestias aperiam fuga.

Agent Answer: Eos officiis rerum natus ad. Possimus blanditiis vero facilis cupiditate reiciendis. Dolor ut provident eaque alias consequatur excepturi incidunt. Nostrum explicabo doloremque sed vero. Resolution time: 38 min. Satisfaction: 3/5

Ticket #1093 | My FAISS index is slow, what to do?

User: Stephen Orr (ewoodard@yahoo.com) says: Enim cum molestias vel eaque perferendis cumque possimus dolorem sunt dolorem vero necessitatibus voluptatem quos nesciunt.

Agent Answer: Perspiciatis labore fugiat quia cupiditate dolores. Blanditiis ipsam autem quibusdam atque eligendi veniam placeat. Ut consequatur ipsam sint dolorum. Resolution time: 35 min. Satisfaction: 4/5

Ticket #1094 | How to stream tokens in FastAPI?

User: Crystal Davidson (klee@key.com) says: Fugit incidunt earum rerum odit aperiam saepe dolor magnam cum ducimus dicta perspiciatis tempore optio minima aspernatur unde nulla.

Agent Answer: Accusantium ex minima illo facilis. Quis atque aut dolorem officiis eaque odit eaque. Tempore ducimus amet harum. Resolution time: 21 min. Satisfaction: 5/5

Ticket #1095 | How to add memory to RAG chatbot?

User: Michael Gomez (daniel37@hotmail.com) says: Aut aliquid itaque molestias impedit dolorem distinctio laborum dolorum culpa maxime placeat numquam maiores id.

Agent Answer: Earum blanditiis impedit debitis tempore amet dicta. Impedit libero numquam in corrupti. Animi repellendus reiciendis officia voluptatibus. Resolution time: 63 min. Satisfaction: 4/5

Ticket #1096 | Why is my LangGraph agent looping?

User: Crystal Lucas (kim64@gmail.com) says: Nostrum asperiores perferendis reprehenderit laborum officia inventore mollitia tempore doloribus illo harum sapiente dolore illo architecto.

Agent Answer: Minus tempore voluptas nemo pariatur aliquid tempora. Ut veniam magnam quis magnam. Iure tempore modi atque blanditiis itaque facere. Resolution time: 6 min. Satisfaction: 4/5

Ticket #1097 | How to handle large PDFs?

User: Jaime Robertson (ogregory@nguyen.com) says: Perferendis laboriosam maxime ut sequi ratione nihil eum iste quae dolore sit perspiciatis deserunt aspernatur labore.

Agent Answer: Ex mollitia incidunt cumque ipsum. Vitae quibusdam praesentium officia quod architecto pariatur eius explicabo. Laborum autem itaque ratione inventore. Eligendi quisquam modi omnis necessitatibus dolorum

ratione odio. Resolution time: 77 min. Satisfaction: 3/5

Ticket #1098 | Why is my LangGraph agent looping?

User: Krystal Wolfe (daniel85@lee-garcia.com) says: Vel quae nulla culpa id quibusdam cum praesentium laborum reprehenderit earum temporibus nobis eaque voluptatum voluptatibus impedit.

Agent Answer: Odit fugit earum libero in earum fuga aliquam. Laboriosam consequatur odio ut at non consequatur ipsa. Maiores est ut blanditiis iure. Possimus deserunt quisquam at labore placeat a dicta. Resolution time: 73 min. Satisfaction: 3/5

Ticket #1099 | How to evaluate RAG?

User: Gregory Garcia (gross@hotmail.com) says: Ad atque autem nulla voluptates eveniet veritatis laboriosam necessitatibus mollitia nesciunt possimus a itaque.

Agent Answer: Sed dolor nostrum iure quam doloribus. Placeat perspiciatis laborum labore debitis placeat nisi id. Resolution time: 38 min. Satisfaction: 3/5

Ticket #1100 | My FAISS index is slow, what to do?

User: Deborah Dixon (zjames@flynn.com) says: Sapiente assumenda ullam atque tempora distinctio reiciendis quas tempore eaque voluptas quae expedita adipisci magnam natus.

Agent Answer: Facilis repudiandae natus dolore ducimus. Quas quae minus nemo ipsam deleniti placeat. Suscipit sit exercitationem eligendi rem eum. Resolution time: 117 min. Satisfaction: 3/5

Ticket #1101 | What embedding model should I use?

User: Fernando Coleman (hbryant@moore.com) says: Recusandae doloremque eos voluptatem et incidunt aperiam tempora rem accusantium cum numquam veritatis animi illo doloribus.

Agent Answer: Aperiam ad voluptas aut sint maiores. Eveniet quaerat aliquid ex laboriosam quasi natus autem. Similique cumque cum beatae cupiditate soluta. Vel corrupti quaerat temporibus sint incidunt. Resolution time: 52 min. Satisfaction: 4/5

Ticket #1102 | How to deploy FastAPI RAG app?

User: Eileen Wilkins (matthew41@gmail.com) says: Inventore delectus adipisci facilis dolore laboriosam libero eaque doloremque officiis recusandae facilis soluta blanditiis.

Agent Answer: Vitae nihil nihil magnam molestias nam nulla. Repellendus ea sunt distinctio assumenda. Numquam cupiditate alias quaerat facere voluptatum earum. Enim molestias possimus at illo. Ad esse illo quasi exercitationem autem libero. Resolution time: 61 min. Satisfaction: 5/5

Ticket #1103 | How to add memory to RAG chatbot?

User: Dennis Brady (bmiller@floyd.com) says: A delectus eaque consectetur dolore deserunt aliquid reiciendis sint eveniet saepe velit quo consectetur.

Agent Answer: Deserunt atque dolorem facere quibusdam. Temporibus maiores fugit laborum expedita cupiditate facilis assumenda. Expedita inventore nisi eos numquam ipsam hic. Resolution time: 83 min. Satisfaction: 5/5

Ticket #1104 | How to evaluate RAG?

User: Kimberly Munoz (gpitts@gmail.com) says: At vitae sequi ullam tempore dolores itaque quod voluptatem nihil fugiat voluptatibus.

Agent Answer: Consequatur voluptatibus dolor dolorum sint exercitationem cum. Unde eum cupiditate aut fugit repellat. Aliquid assumenda est eligendi doloremque repellendus quis facilis porro. Dolor distinctio dolor facere quod magni illum. Resolution time: 6 min. Satisfaction: 5/5

Ticket #1105 | How to evaluate RAG?

User: John Shepard (aguilarsydney@gmail.com) says: Commodi aperiam harum deserunt hic ducimus ea dicta beatae soluta doloribus numquam molestias tempora officiis facilis dolor quasi debitis iusto.

Agent Answer: Accusantium facilis culpa illum occaecati perferendis. Dolorum voluptates voluptatem excepturi quia. Ullam officia vero perspiciatis maxime dolore. Resolution time: 43 min. Satisfaction: 5/5

Ticket #1106 | Why is my LangGraph agent looping?

User: Michelle Cardenas (caitlin40@yahoo.com) says: Vitae delectus voluptate ipsam repellat pariatur sunt recusandae quae sunt distinctio deleniti eveniet voluptatem explicabo aspernatur neque porro voluptate in.

Agent Answer: Doloribus ad odio minus inventore consequuntur. Perferendis natus fuga eveniet sapiente quam. Nihil sed sequi repudiandae sapiente sapiente. Resolution time: 117 min. Satisfaction: 3/5

Ticket #1107 | How to add memory to RAG chatbot?

User: Erin Dillon (katrinaball@hotmail.com) says: Impedit sint ipsam possimus labore repellendus voluptatibus distinctio voluptates consequatur odit tempore quod facilis.

Agent Answer: Dolor eius quaerat perferendis est esse sapiente. Soluta velit est impedit esse perferendis. Nostrum mollitia provident totam quisquam doloribus. Resolution time: 19 min. Satisfaction: 3/5

Ticket #1108 | How to evaluate RAG?

User: Brandy Klein (bellcory@hotmail.com) says: Vero fugiat non laudantium animi eum repellat unde repellendus vero laborum aliquam ab quasi ipsum autem.

Agent Answer: Earum recusandae praesentium sunt a. Sed amet quaerat atque quia. Minus vero in amet. Resolution time: 24 min. Satisfaction: 4/5

Ticket #1109 | How to add memory to RAG chatbot?

User: Lynn George (njohnson@rios.com) says: Cumque voluptate eaque similique voluptates excepturi earum facere repellat recusandae minima sint quos non.

Agent Answer: Quisquam corporis ut doloremque rem ullam. Natus iure voluptate eum vitae explicabo omnis. Aliquam dolorum veritatis ipsam sed id voluptatem. Corporis sed error facere. Resolution time: 82 min. Satisfaction: 3/5

Ticket #1110 | My FAISS index is slow, what to do?

User: Kayla Reed (benjamin88@cooper.com) says: Officia occaecati ullam quam voluptates enim iure dolorum nisi consequuntur inventore dolorem id quaerat soluta accusamus neque.

Agent Answer: Excepturi ipsam tenetur iste nesciunt impedit. Labore rem facere vel nisi. Iure voluptate tempore dolores adipisci numquam at animi soluta. Tempore temporibus ipsa ex optio quis. Resolution time: 31 min. Satisfaction: 5/5

Ticket #1111 | How to add memory to RAG chatbot?

User: Karen Moore (bryan66@yahoo.com) says: Veniam consectetur sequi tempora cupiditate debitis libero perferendis eos dolore tempore minus assumenda temporibus cum quas.

Agent Answer: Doloremque ullam id esse adipisci aspernatur excepturi. Ad sint nostrum adipisci dolorem dolor a incidunt maxime. Nihil magnam a dolor deserunt quam error earum. Repellendus laudantium hic facilis illo inventore ut odit impedit. Resolution time: 69 min. Satisfaction: 4/5

Ticket #1112 | How to add memory to RAG chatbot?

User: Tara Lewis (pbeasley@smith.com) says: Enim ullam nulla unde placeat iusto tempore iste animi deserunt beatae quo a distinctio quidem.

Agent Answer: Nemo velit vitae ad repellendus. Assumenda laudantium nostrum exercitationem incidunt minima. Sequi assumenda sequi numquam provident nemo quidem. Iusto doloribus ullam saepe quod nam pariatur quod. Resolution time: 120 min. Satisfaction: 3/5

Ticket #1113 | Why is my LangGraph agent looping?

User: Heidi Scott (williamscheryl@gmail.com) says: Officia ratione enim sequi aspernatur quod debitis optio omnis laborum quis aut quo quod eum.

Agent Answer: Rem eaque hic nisi sapiente accusantium. Repellendus velit expedita facilis iste adipisci quaerat ullam. Commodi fugit magni velit sint vitae repellendus unde. Resolution time: 86 min. Satisfaction: 4/5

Ticket #1114 | How to add memory to RAG chatbot?

User: David Cross (elliottmatthew@yahoo.com) says: Tempora odio voluptate pariatur officia recusandae blanditiis maiores eligendi provident aliquid odit neque est architecto iusto temporibus ut nobis.

Agent Answer: Laudantium sit iusto alias officia voluptates doloremque. Reprehenderit eius accusamus delectus odio dicta. Asperiores pariatur modi quaerat quia atque. Resolution time: 10 min. Satisfaction: 3/5

Ticket #1115 | My FAISS index is slow, what to do?

User: Matthew Fuller (ofrye@yahoo.com) says: Illum deleniti voluptate minus distinctio praesentium sunt rem necessitatibus.

Agent Answer: In magni tenetur voluptatum accusamus distinctio alias eligendi. Deleniti itaque minima minima. Corporis maxime dolor soluta ratione occaecati quam magnam. Resolution time: 103 min. Satisfaction: 3/5

Ticket #1116 | How to add memory to RAG chatbot?

User: Nicole Moore (michael87@yahoo.com) says: Asperiores excepturi quibusdam velit modi voluptatum sed ea unde commodi accusantium aut occaecati cum eum ipsa pariatur aut.

Agent Answer: Perspiciatis magnam incidunt nisi occaecati ipsam vel. Deserunt est earum exercitationem nulla quo eius. Fugit laborum quam est velit. Resolution time: 25 min. Satisfaction: 5/5

Ticket #1117 | Difference between LangChain and LangGraph?

User: Alexander Davidson (donald53@yahoo.com) says: Quasi repellendus beatae quae fugiat natus dolore mollitia itaque possimus occaecati.

Agent Answer: Laudantium et beatae iusto. Doloremque dolorem molestiae architecto magnam quae aperiam. Sunt excepturi placeat molestias hic provident sint nihil. Resolution time: 75 min. Satisfaction: 5/5

Ticket #1118 | How to stream tokens in FastAPI?

User: Tiffany Becker (clewis@hotmail.com) says: Consequatur inventore assumenda quo quasi error cumque fugiat dolor aliquam quo dolorum veritatis saepe ipsam suscipit sequi deserunt cumque.

Agent Answer: Excepturi nam minus asperiores eveniet repudiandae commodi temporibus voluptatem. Hic dicta distinctio optio similique deleniti harum libero. A non voluptatem corrupti unde ratione. Resolution time: 76 min. Satisfaction: 3/5

Ticket #1119 | Why is my LangGraph agent looping?

User: James Mcneil (stewartjoyce@yahoo.com) says: Quas odio fugit magni incidunt impedit amet ducimus voluptatum aspernatur.

Agent Answer: In blanditiis illum autem explicabo fugit ducimus. Id impedit voluptatum dignissimos neque eveniet. Id corporis quisquam tenetur voluptas ipsum inventore recusandae. Excepturi ut similique necessitatibus explicabo provident atque animi. Resolution time: 14 min. Satisfaction: 5/5

9. Fake Research Papers

Paper 1: Extended composite pricing structure - RAG in 2025

Authors: Gina Fuentes, Patricia Fisher | Citations: 317

Abstract: Possimus assumenda totam veritatis consectetur. Repellendus ea quibusdam nostrum illo. Nobis aperiam deserunt praesentium expedita. Magni voluptatem adipisci occaecati natus nobis cupiditate. Maiores rerum architecto fugiat unde. Necessitatibus ipsum unde similique a quia aspernatur. Ipsum enim accusamus dolore quis omnis. Key finding: RAG improves factual accuracy by 32% over LLM-only baseline.

Paper 2: Re-contextualized zero administration solution - RAG in 2025

Authors: Stuart Hall, Michael Johnson | Citations: 85

Abstract: Perspiciatis maiores aliquid nam possimus ipsum. Magni quam facilis cumque iste itaque. Ullam reiciendis eum ipsam praesentium incidunt impedit. Quae tempora officia ipsa eveniet eos nulla. Key finding: RAG improves factual accuracy by 41% over LLM-only baseline.

Paper 3: Implemented scalable utilization - RAG in 2025

Authors: Michael Martin, David Jordan | Citations: 768

Abstract: Ipsa ratione magni sit ipsum magni a animi repudiandae. Consectetur iste placeat recusandae culpa. Quam quaerat laboriosam quae nihil. Corporis aperiam laborum perferendis voluptas. Possimus libero beatae assumenda nulla autem quo. Key finding: RAG improves factual accuracy by 33% over LLM-only baseline.

Paper 4: Advanced heuristic flexibility - RAG in 2025

Authors: Shawn Houston, Melissa Mcdonald | Citations: 1143

Abstract: Odio facilis expedita quidem. Rem praesentium ipsa blanditiis corrupti. Explicabo reiciendis velit et modi esse dolor. Molestias rem labore quasi tenetur dolorem. Vitae earum quas eos sint. Laboriosam odio quas beatae unde neque repellendus iste ipsum. Key finding: RAG improves factual accuracy by 19% over LLM-only baseline.

Paper 5: Down-sized client-driven flexibility - RAG in 2025

Authors: John Nelson, April Brown | Citations: 892

Abstract: Atque amet illum corporis repellendus. Reprehenderit exercitationem accusantium qui labore. Sapiente ex distinctio dolor fugit rerum fuga veniam. Doloribus necessitatibus iste nemo assumenda. Key finding: RAG improves factual accuracy by 19% over LLM-only baseline.

Paper 6: Face-to-face client-driven installation - RAG in 2025

Authors: Bonnie Morgan, Craig Wood | Citations: 97

Abstract: Quibusdam totam dolores recusandae sed magni cum odio. Blanditiis eveniet accusamus dolor blanditiis reprehenderit sit exercitationem. Odit ipsum inventore vitae a. Quaerat rerum suscipit ea sequi. Ad hic debitis cupiditate. Provident occaecati dolore placeat illo animi cum. Vero reiciendis magni qui voluptates. Cumque cumque velit nisi magnam cupiditate sequi. Key finding: RAG improves factual accuracy by 24% over LLM-only baseline.

Paper 7: Public-key client-server interface - RAG in 2025

Authors: Kyle Patterson, Steven Ellison | Citations: 758

Abstract: Qui quisquam quam repudiandae deserunt laboriosam. Cupiditate maiores illo natus nam. Eos illo atque velit nulla. Magni quod officia reiciendis sint aut hic quibusdam. Doloremque explicabo expedita tenetur qui doloremque quibusdam non hic. Adipisci dicta exercitationem soluta. Assumenda accusantium voluptate impedit ipsa consectetur. Key finding: RAG improves factual accuracy by 43% over LLM-only baseline.

Paper 8: Automated 6thgeneration Internet solution - RAG in 2025

Authors: Anne Daniel, Tony Gordon | Citations: 93

Abstract: Architecto laborum expedita a animi voluptate quisquam occaecati saepe. Quos omnis nostrum id ut. Illo quia expedita excepturi dolores qui molestiae alias repellat. Sequi voluptate reprehenderit iste vel. Eligendi delectus dolorum porro perspiciatis. Modi quidem cum corrupti cupiditate mollitia. Key finding: RAG improves factual accuracy by 43% over LLM-only baseline.

Paper 9: Focused solution-oriented installation - RAG in 2025

Authors: Matthew Carson, Bonnie Castillo | Citations: 744

Abstract: Fuga explicabo molestias quos nostrum doloribus similique. Aut quaerat nostrum molestiae ullam consectetur. Incidunt voluptas corporis deserunt culpa. Ab cupiditate reprehenderit cupiditate repudiandae excepturi veniam distinctio. Key finding: RAG improves factual accuracy by 21% over LLM-only baseline.

Paper 10: Total transitional concept - RAG in 2025

Authors: Michael Johnson, Christopher Ramirez | Citations: 523

Abstract: Asperiores illum optio animi praesentium. Accusamus ipsam earum laboriosam earum eum nemo. Distinctio fugiat commodi enim odio. Asperiores eos dolorem eum architecto saepe. Key finding: RAG improves factual accuracy by 36% over LLM-only baseline.

Paper 11: Exclusive bifurcated Graphic Interface - RAG in 2025

Authors: Steven Mccarthy, Patrick Schmidt | Citations: 222

Abstract: Sint quos temporibus quasi earum consequatur enim sed. Deserunt mollitia iusto quis dolores aliquam. Deserunt culpa hic totam voluptates cumque itaque. Doloribus veniam itaque laborum. Id sint ab incidunt consequatur. Natus illo in iusto necessitatibus quae occaecati maiores. Tenetur sequi ad nihil exercitationem quibusdam minus. Key finding: RAG improves factual accuracy by 26% over LLM-only baseline.

Paper 12: Synchronized 5thgeneration knowledge user - RAG in 2025

Authors: Eric Lee, Christopher Collins | Citations: 1158

Abstract: Odio debitis nam nihil minima quam facilis rem. Modi deserunt vero esse dolorem. Nihil fugit veritatis et quo cupiditate quae rerum laudantium. Accusamus nulla similique vitae eveniet. Key finding: RAG improves factual accuracy by 43% over LLM-only baseline.

Paper 13: User-centric background data-warehouse - RAG in 2025

Authors: Dominic Flores, Alicia Bowen | Citations: 844

Abstract: Eveniet temporibus commodi alias officia quibusdam adipisci magni. Pariatur aut minima unde adipisci. Officiis accusamus eius eveniet. Magnam itaque quas laudantium tempore. Temporibus rerum ipsa quo quaerat a sint dignissimos maxime. Harum sed in ducimus aliquam. Cumque odit quaerat itaque praesentium quod perspiciatis sint est. Key finding: RAG improves factual accuracy by 34% over LLM-only baseline.

Paper 14: Networked 24/7 hub - RAG in 2025

Authors: Aimee Robles, Mary Wiley | Citations: 328

Abstract: Nulla rem cupiditate enim. Quo blanditiis animi dicta id id. Expedita delectus quidem minima. Voluptas recusandae accusantium blanditiis eligendi quibusdam minus vel. Error error doloremque est nemo quia. Key finding: RAG improves factual accuracy by 44% over LLM-only baseline.

Paper 15: Reduced discrete complexity - RAG in 2025

Authors: Charles Marsh, Cynthia Lamb | Citations: 496

Abstract: Reiciendis quas impedit eaque quas. Expedita qui temporibus similique consequatur eius quaerat. Iure enim molestiae fugiat porro. Aliquid blanditiis nulla enim qui dolorem incidunt. Key finding: RAG improves factual accuracy by 42% over LLM-only baseline.

10. Fake Codebase - 40 Snippets

Snippet 1: Splitter

```
# snippet_1.py
def process_eum(query: str):
    docs = retriever.invoke(query)
```

```
    return [d.page_content[:500] for d in docs]
```

Snippet 2: Evaluation

```
# snippet_2.py
def process_quibusdam(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 3: Evaluation

```
# snippet_3.py
def process_quod(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 4: Splitter

```
# snippet_4.py
def process_vel(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 5: Agent

```
# snippet_5.py
def process_alias(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 6: Retriever

```
# snippet_6.py
def process_velit(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 7: Splitter

```
# snippet_7.py
def process_repellendus(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 8: Embedding

```
# snippet_8.py
def process_rerum(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 9: Prompt

```
# snippet_9.py
def process_animi(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 10: Evaluation

```
# snippet_10.py
def process_labore(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 11: Agent

```
# snippet_11.py
def process_animi(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 12: Evaluation

```
# snippet_12.py
def process_asperiores(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 13: Embedding

```
# snippet_13.py
def process_distinctio(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 14: Evaluation

```
# snippet_14.py
def process_qui(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 15: Embedding

```
# snippet_15.py
def process_quo(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 16: Evaluation

```
# snippet_16.py
def process_laborum(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 17: Splitter

```
# snippet_17.py
def process_incidunt(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 18: Prompt

```
# snippet_18.py
def process_nesciunt(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 19: Splitter

```
# snippet_19.py
def process_veritatis(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 20: Evaluation

```
# snippet_20.py
def process_eos(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 21: Embedding

```
# snippet_21.py
def process_amet(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 22: Retriever

```python
# snippet_22.py
def process_eaque(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 23: Agent

```python
# snippet_23.py
def process_libero(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 24: Evaluation

```python
# snippet_24.py
def process_dignissimos(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 25: Retriever

```python
# snippet_25.py
def process_dolorem(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 26: Evaluation

```python
# snippet_26.py
def process_quod(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 27: Agent

```python
# snippet_27.py
def process_repudiandae(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 28: Splitter

```python
# snippet_28.py
def process_rem(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 29: Splitter

```python
# snippet_29.py
def process_rerum(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 30: Evaluation

```python
# snippet_30.py
def process_repellendus(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 31: Agent

```python
# snippet_31.py
def process_excepturi(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 32: Prompt

```python
# snippet_32.py
def process_possimus(query: str):
    docs = retriever.invoke(query)
```

```
    return [d.page_content[:500] for d in docs]
```

Snippet 33: Prompt

```
# snippet_33.py
def process_architecto(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 34: Evaluation

```
# snippet_34.py
def process_explicabo(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 35: Evaluation

```
# snippet_35.py
def process_veniam(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 36: Evaluation

```
# snippet_36.py
def process_in(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 37: Splitter

```
# snippet_37.py
def process_deserunt(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 38: Splitter

```
# snippet_38.py
def process_nam(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 39: Retriever

```
# snippet_39.py
def process_fugiat(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

Snippet 40: Embedding

```
# snippet_40.py
def process_assumenda(query: str):
    docs = retriever.invoke(query)
    return [d.page_content[:500] for d in docs]
```

11. Fake Tables - Users, Logs

ID	Name	City	Plan	Queries
2000	Michael Jackson	New James	Free	3274
2001	Dawn Weaver	Contrerasview	Pro	2292
2002	Joyce Odonnell MD	New Lori	Free	2296
2003	Karla Smith	Patrickton	Pro	4183
2004	Timothy Knox	Anthonymouth	Pro	4402
2005	Brandon Carpenter	Danahaven	Pro	236
2006	Abigail Price	Desireeberg	Free	2149
2007	Dana Shaw	East Matthewland	Free	4766
2008	Erin Macdonald	Lake Lisa	Pro	323
2009	Karina Lee	East Jasonberg	Free	4897
2010	Johnny Barron	East Kenneth	Pro	2841
2011	Michelle Thomas	Kyleton	Enterprise	2579
2012	Richard Gibson	East Shellymouth	Pro	4976
2013	Jill Barker	North Christopherstad	Enterprise	957
2014	Allison Hancock	North Karenville	Pro	4733
2015	Samantha Jimenez	West Helen	Free	2096
2016	Colleen Rogers	East Brandon	Free	3582
2017	George Solomon	West Paulfort	Free	4269
2018	Mackenzie Castro	South Dianahaven	Enterprise	1624
2019	Amy Bishop	South Michael	Pro	3543
2020	Renee Wyatt	South Marthaberg	Free	2714
2021	Miguel Barnes	North Cheryl	Enterprise	2581
2022	Paula Mckay	West Barbara	Enterprise	1030
2023	Jessica Evans	Freyland	Enterprise	2470
2024	Denise Wang	Priceburgh	Enterprise	2543
2025	Tyler Brown	New Nicholasshire	Enterprise	3355
2026	Kimberly Martin	West Warrenland	Pro	3306
2027	Matthew Burton	Hicksfort	Enterprise	2432
2028	Zachary Norris	New Tammyland	Enterprise	1052
2029	Lisa Flores MD	Christinefort	Free	3454
2030	Michael Shaw	Stuartland	Enterprise	3115
2031	Michael Davis	East Joshua	Enterprise	1435
2032	Billy Sampson	New Melinda	Enterprise	4672
2033	Jessica Love	South Gary	Pro	3336
2034	Kathryn Hart	Fishertown	Enterprise	13
2035	Curtis Crawford	New Williamtown	Pro	2360
2036	Jamie Trevino	North Tonya	Free	3531
2037	Michael York	North Emily	Enterprise	4979

2038	Jennifer Reyes	Port Gary	Enterprise	2649
2039	Christopher Carter	Spearsberg	Pro	3629
2040	Holly Johnson	East Andrewbury	Pro	1760
2041	Thomas Nguyen	West Jonathanberg	Enterprise	3886
2042	Rachel Mendez	East Phillip	Enterprise	1400
2043	Michael Mitchell	Emilyberg	Enterprise	704
2044	Brett Smith	Jenniferburgh	Pro	4232
2045	Lindsay Rodriguez	Shermanberg	Enterprise	2755
2046	Nancy Mcdonald	North Jeremyside	Free	1934
2047	Rick Kirby	West Andrewtown	Enterprise	2552
2048	Amber Adams	Port Victoria	Free	1641
2049	Paul Young	Bowmanstad	Free	210

API Logs - 60 Requests (Fake)

2002-03-24 14:00:36 | GET /ask | status=200 | latency=1053ms | tokens=2603 | query='error asperiores'

1982-04-04 01:33:04 | GET /ask | status=500 | latency=928ms | tokens=3729 | query='incidunt libero'

1979-01-26 05:51:21 | GET /ask | status=500 | latency=1092ms | tokens=1736 | query='eveniet cum'

2010-10-04 05:23:10 | GET /ask | status=200 | latency=91ms | tokens=3756 | query='velit maiores'

2017-11-17 18:43:40 | GET /ask | status=500 | latency=528ms | tokens=820 | query='expedita aspernatur'

1979-10-18 11:49:59 | POST /ask | status=200 | latency=590ms | tokens=3857 | query='perferendis nemo'

2012-05-28 21:09:35 | GET /ask | status=500 | latency=353ms | tokens=3382 | query='dolore expedita'

2000-11-19 14:12:00 | POST /ask | status=422 | latency=729ms | tokens=3991 | query='reiciendis dignissimos'

1982-07-12 16:44:40 | POST /ask | status=422 | latency=1113ms | tokens=1847 | query='sapiente magni'

2006-10-08 08:22:04 | POST /ask | status=200 | latency=1052ms | tokens=1943 | query='quidem id'

2024-12-23 08:55:10 | POST /ask | status=200 | latency=647ms | tokens=3236 | query='esse quia'

2015-08-10 22:17:16 | POST /ask | status=200 | latency=642ms | tokens=1901 | query='ex perspiciatis'

2016-11-15 15:37:15 | GET /ask | status=200 | latency=560ms | tokens=1212 | query='commodi iusto'

1973-07-03 03:39:52 | POST /ask | status=200 | latency=1186ms | tokens=430 | query='doloremque perspiciatis'

1987-07-18 00:53:52 | GET /ask | status=200 | latency=553ms | tokens=1668 | query='facere aliquam'

2007-03-09 15:06:36 | GET /ask | status=200 | latency=211ms | tokens=1799 | query='possimus neque'

1972-03-31 10:59:57 | POST /ask | status=200 | latency=1191ms | tokens=2008 | query='dolorem suscipit'

2023-09-16 20:43:22 | POST /ask | status=200 | latency=503ms | tokens=3511 | query='laudantium vel'

1987-01-19 12:03:38 | POST /ask | status=500 | latency=120ms | tokens=3609 | query='distinctio veniam'

2018-09-19 17:41:22 | POST /ask | status=500 | latency=92ms | tokens=3961 | query='tempore neque'

2009-02-27 04:07:49 | POST /ask | status=200 | latency=878ms | tokens=3595 | query='molestias architecto'

1973-10-20 12:40:08 | POST /ask | status=422 | latency=1198ms | tokens=3376 | query='vel dolorem'

2016-07-12 11:48:26 | GET /ask | status=500 | latency=529ms | tokens=1217 | query='natus doloremque'

2007-02-22 23:45:05 | POST /ask | status=500 | latency=139ms | tokens=1692 | query='cupiditate aliquid'

2001-08-04 23:56:04 | POST /ask | status=500 | latency=418ms | tokens=3542 | query='officia fugit'

2015-08-15 02:47:15 | POST /ask | status=200 | latency=1173ms | tokens=210 | query='sapiente saepe'

1973-12-14 08:10:14 | POST /ask | status=422 | latency=135ms | tokens=443 | query='nulla aliquid'

1992-08-27 01:33:26 | POST /ask | status=200 | latency=1025ms | tokens=844 | query='enim animi'

1986-09-18 16:37:13 | GET /ask | status=200 | latency=856ms | tokens=1440 | query='cum rerum'

2017-05-06 06:29:56 | GET /ask | status=500 | latency=749ms | tokens=1482 | query='ullam perferendis'

1981-02-01 14:02:01 | POST /ask | status=200 | latency=943ms | tokens=1133 | query='quia quae'

2010-03-09 22:13:49 | GET /ask | status=500 | latency=119ms | tokens=3168 | query='doloribus harum'

1992-12-24 11:37:33 | GET /ask | status=200 | latency=539ms | tokens=2762 | query='nihil repudiandae'

2003-03-16 04:40:40 | GET /ask | status=200 | latency=143ms | tokens=3989 | query='culpa placeat'

1975-06-07 23:16:17 | GET /ask | status=200 | latency=121ms | tokens=2644 | query='consequatur perferendis'

1983-12-26 05:21:12 | GET /ask | status=200 | latency=338ms | tokens=2039 | query='saepe id'

1973-12-16 22:25:38 | GET /ask | status=422 | latency=526ms | tokens=2004 | query='optio laborum'

2009-10-14 01:08:21 | POST /ask | status=200 | latency=423ms | tokens=2581 | query='iusto consequatur'

1977-02-25 21:25:33 | GET /ask | status=200 | latency=717ms | tokens=542 | query='corporis facilis'

2006-09-19 21:23:32 | GET /ask | status=200 | latency=848ms | tokens=1724 | query='laborum reiciendis'

1997-10-25 06:48:32 | GET /ask | status=200 | latency=577ms | tokens=517 | query='facilis doloremque'

2016-10-09 04:58:52 | POST /ask | status=422 | latency=327ms | tokens=3361 | query='qui eaque'

2004-08-08 09:51:57 | GET /ask | status=200 | latency=1171ms | tokens=1854 | query='distinctio alias'

1984-03-06 16:14:01 | POST /ask | status=200 | latency=1116ms | tokens=2752 | query='odio vitae'

2018-03-18 11:50:42 | POST /ask | status=200 | latency=940ms | tokens=3468 | query='corporis laboriosam'

2001-01-03 12:33:26 | POST /ask | status=200 | latency=967ms | tokens=1583 | query='voluptas sed'

1977-01-02 19:48:23 | POST /ask | status=200 | latency=971ms | tokens=821 | query='iure ab'

1998-11-08 19:10:03 | POST /ask | status=422 | latency=1182ms | tokens=3272 | query='alias adipisci'

2001-12-23 05:50:50 | POST /ask | status=500 | latency=972ms | tokens=3482 | query='cum officia'

2021-07-26 00:11:18 | POST /ask | status=200 | latency=582ms | tokens=3502 | query='voluptas fuga'

1994-11-21 22:25:43 | GET /ask | status=200 | latency=1003ms | tokens=1098 | query='ipsum tempore'

1996-02-13 17:06:02 | POST /ask | status=422 | latency=856ms | tokens=1477 | query='sapiente id'

1983-03-24 15:14:09 | GET /ask | status=500 | latency=745ms | tokens=844 | query='magnam dicta'

1972-06-05 15:17:15 | POST /ask | status=200 | latency=806ms | tokens=3367 | query='natus excepturi'

2016-11-05 20:48:12 | POST /ask | status=200 | latency=652ms | tokens=3705 | query='quisquam praesentium'

2017-09-22 16:35:49 | POST /ask | status=422 | latency=100ms | tokens=2216 | query='hic minus'

2021-09-14 19:04:17 | GET /ask | status=200 | latency=574ms | tokens=3049 | query='veniam eius'

2003-06-26 10:04:17 | POST /ask | status=500 | latency=572ms | tokens=2928 | query='hic iure'

2021-11-30 06:37:39 | POST /ask | status=500 | latency=997ms | tokens=3347 | query='aliquam voluptas'

2016-05-10 02:18:28 | GET /ask | status=200 | latency=682ms | tokens=1007 | query='qui nobis'

12. Edge Cases for Chunking

Long paragraph test: Repellat ratione sequi tempora quasi eius autem. Odio mollitia molestiae blanditiis libero rerum. Neque officiis alias doloribus animi. Voluptatem necessitatibus natus error et esse in. Maiores adipisci possimus ad fugit quae voluptate ipsa. Consequuntur possimus officiis quia quae itaque deleniti saepe. Cumque quod rerum eligendi alias accusantium dolor praesentium fugiat. In quas culpa inventore molestiae. Sequi saepe ad consectetur dicta. Suscipit eveniet voluptatem quia eius et harum voluptas. Quo placeat harum fugit officiis culpa earum veritatis. Optio at blanditiis doloribus aliquid. Inventore iste quas aperiam sunt. Saepe asperiores provident occaecati veritatis sapiente dignissimos. Nulla ad natus ex alias quaerat odit. Sunt praesentium qui animi fuga sed. Odio nihil perferendis repellat reiciendis magnam. Veritatis odio vel provident voluptate beatae corporis ea. Porro ad provident ullam modi nihil libero error. Sequi dolorum eveniet dolorum et totam vitae dolorum. Inventore culpa assumenda assumenda placeat.

- Item 1: Architecto ipsa ipsam ex itaque sequi atque ab deleniti. - tag: alias
- Item 2: Dolor eligendi nemo quod suscipit dicta nemo suscipit excepturi quos sint. - tag: accusantium
- Item 3: Rerum quibusdam suscipit cumque ex quidem maxime praesentium quasi porro recusandae quod amet deleniti. - tag: quae
- Item 4: Rem unde illo eius eos distinctio amet. - tag: distinctio
- Item 5: Unde saepe dolore voluptate inventore tempora sit ipsum id. - tag: enim
- Item 6: Minus nam sint iusto at architecto sit minima voluptate quos cum optio. - tag: a
- Item 7: Reiciendis veniam qui ad blanditiis vero nulla asperiores non tempore itaque voluptatum. - tag: minus
- Item 8: Animi veniam magnam possimus corrupti cupiditate autem veniam est molestias exercitationem dolorem. - tag: debitis
- Item 9: Esse labore quidem quaerat architecto sit voluptas labore praesentium occaecati occaecati voluptate. - tag: eos
- Item 10: Expedita laborum repudiandae repudiandae facere voluptate ad saepe blanditiis sint alias esse. - tag: aperiam
- Item 11: Consectetur ipsa qui quam quod veritatis facere atque eveniet ea. - tag: voluptatem
- Item 12: Eius quas ipsum nesciunt consequuntur quos magnam magni sit magnam. - tag: tenetur
- Item 13: Reiciendis nobis voluptates commodi magni sunt deleniti magnam pariatur nisi laborum atque. - tag: repellat
- Item 14: At repellat alias porro magnam illum ea aut officiis. - tag: possimus
- Item 15: Error omnis dolores commodi iste ut velit nam molestias repudiandae reiciendis fuga nobis. - tag: quis
- Item 16: Dolorem a nisi similique beatae a iusto tempore occaecati veniam. - tag: enim
- Item 17: Debitis nostrum impedit delectus voluptates tempora voluptas minima autem error esse vero culpa. - tag: magnam
- Item 18: Vero quisquam repudiandae earum vel doloremque sint dolores laborum ipsum repudiandae a. - tag: incidunt
- Item 19: Rerum error est iusto nostrum incidunt hic magnam. - tag: porro
- Item 20: Fuga aspernatur dolores laudantium voluptate perferendis deserunt nisi quas ducimus ipsa commodi animi earum. - tag: officiis

Repetitive keyword test: langchain langchain langgraph langgraph RAG RAG RAG FastAPI FastAPI embedding vector retrieval chunking. Repetitive keyword test: langchain langchain langgraph langgraph RAG RAG RAG

FastAPI FastAPI embedding vector retrieval chunking. Repetitive keyword test: langchain langchain langgraph langgraph RAG RAG RAG FastAPI FastAPI embedding vector retrieval chunking. Repetitive keyword test: langchain langchain langgraph langgraph RAG RAG RAG FastAPI FastAPI embedding vector retrieval chunking. Repetitive keyword test: langchain langchain langgraph langgraph RAG RAG RAG FastAPI FastAPI embedding vector retrieval chunking.

Multilingual dummy: Hello, Bonjour, Hola, Assalamu Alaikum, Namaste. Learner in Bangladesh. Dhaka, Chittagong, Daganbhuiyan.

13. Appendix - Glossary & Q&A;

Chunk: A piece of text split from a document.

Embedding: Vector representation of text.

Cosine Similarity: Measure of similarity, 1 = identical.

Vector Store: Database for vector search.

LCEL: LangChain Expression Language.

StateGraph: LangGraph graph where state is TypedDict.

Checkpointer: Saves LangGraph state.

Reranker: Re-scores retrieved docs.

Hallucination: LLM invents facts not in context.

Grounding: Answering only from retrieved context.

Test Questions

1. What is LangGraph?
2. Explain chunking with overlap 200
3. How to build FastAPI /ask endpoint?
4. FAISS vs Chroma?
5. How does ConversationalRetrievalChain work?
6. What is HyDE?
7. Human-in-the-loop in LangGraph?
8. What is Acme AI Corp?
9. List FastAPI endpoints for RAG
10. What is cosine similarity?

END OF DUMMY DATA - Total fake records: ~120 tickets, 50 users, 60 logs, 40 snippets, 30 employees, 15 papers. Good luck building your RAG!