



Developing Machine Learning Algorithms for Inferring Upstream Separatrix Density at JET

A. Kit, A.E. Järvinen, Y. Poels, S. Wiesen, L. Frassinetti, ENR-08 Team, and JET contributors

25th International Conference on Plasma Surface Interactions in Controlled Fusion Devices, June 13 – 17, 2022, Korea

E-mail: adam.kit@helsinki.fi

Link to poster:

JET





HELSINGIN YLIOPISTO





This work has been carried out within the framework of the EUROfusion Consortium and has received funding from the Euratom research and training programme 2014-2018 and 2019-2020 under grant agreement No 633053. The views and opinions expressed herein do not necessarily reflect those of the European Commission.

A turing test, one of these profiles was generated using deep learning, and one is real




A turing test, one of these profiles was generated using deep learning, and one is real



Through representation learning we construct a compressed representation of the plasma state



Learn a manifold of all possible plasma solutions in the **latent space**




Through representation learning we construct a compressed representation of the plasma state




Learn a manifold of all possible plasma solutions in the **latent space**

Decoding the latent space, we retrieve representation of plasma solution (profiles & machine parameters)



Generating profiles via representation learning




Through representation learning we construct a compressed representation of the plasma state



Input machine parameters to generate profiles

Learn a manifold of all possible plasma solutions in the **latent space**

Decoding the latent space, we retrieve representation of plasma solution (profiles & machine parameters)





Through representation learning we construct a compressed representation of the plasma state


Input machine parameters to generate profiles

Learn a manifold of all possible plasma solutions in the **latent space**

Decoding the latent space, we retrieve representation of plasma solution (profiles & machine parameters)



Control applications!



Latent Dimension 4

$R_{mid} - R_{mid,sep}$ [m]

Generated n_e [10¹⁹ m⁻³]

We also build a model for a direct mapping to nesep



$$f: X \rightarrow n_{e,sep}$$

X: Machine parameters

Plasma current, toroidal field, q95
Upper & lower triangularity, elongation
Major & minor radius, plasma volume,
Ohmic & NBI & ICRH power,
Gas puff,

