

GRANT WRITE ACCESS WITHOUT HANDING OVER THE SCHEMA

Unity Catalog now has INSERT, UPDATE, and DELETE privileges. Use them instead of MODIFY to let a principal change a table's data without changing its shape.

GRANT WRITE ACCESS WITHOUT HANDING OVER THE SCHEMA

2. Grant the Privileges

```
-- Traversal. Required to reach the table at all.  
GRANT USE CATALOG ON CATALOG main TO `order-loaders`;  
GRANT USE SCHEMA ON SCHEMA main.dml_demo TO `order-loaders`;  
  
-- Read the data, and append to it. Nothing else.  
GRANT SELECT ON TABLE main.dml_demo.orders TO `order-loaders`;  
GRANT INSERT ON TABLE main.dml_demo.orders TO `order-loaders`;
```

Unity Catalog now has INSERT, UPDATE, and DELETE privileges. Use them instead of MODIFY to let a principal change a table's data without changing its shape.

GRANT WRITE ACCESS WITHOUT HANDING OVER THE SCHEMA

3. Confirm the Boundary

```
-- Succeeds. Covered by INSERT.  
INSERT INTO main.dml_demo.orders VALUES (1, 'Acme Corp', 250.00);  
  
-- Succeeds. Covered by SELECT.  
SELECT * FROM main.dml_demo.orders;  
  
-- Fails. Requires DELETE.  
DELETE FROM main.dml_demo.orders WHERE order_id = 1;  
  
-- Fails. Requires INSERT and DELETE, because it replaces existing rows.  
INSERT OVERWRITE main.dml_demo.orders VALUES (2, 'Globex', 99.00);  
  
-- Fails. Schema changes still require MODIFY.  
ALTER TABLE main.dml_demo.orders ADD COLUMN region STRING;
```

KEY TAKEAWAY

- Unity Catalog splits MODIFY into three child privileges: INSERT, UPDATE, and DELETE.
- Grant one of them when a principal must change a table's data but not its schema.
- MODIFY still covers ALTER TABLE, OPTIMIZE, VACUUM, and schema evolution.



More tips & tricks at

dailydatabricks.tips

Subscribe to the newsletter

 Databricks.**news**

databricks.news

Follow for daily Databricks tips