


ITEM NO.	PartNo	DESCRIPTION	QTY.
1	2020-02-21 DOME WELDMENT	DOME WELDMENT	1
2	2021-02-01 DOME	SLOTTED ANGLE	1
3	2021-02-01 DOME	BLANK ANGLE	1
4	2021-02-01 DOME	FOAM SEAL	1
5	MCMaster-CARR #97715A264	1/4"-20 X 5/8" BRASS BUTTON HEAD	4
6	MCMaster-CARR #5372K123	Plastic Barbed Tube Fitting for Air and Water	2
7	2022-05-26 LOCKING TAB	LOCKING TAB	6
8	95647A122	Delrin® Acetal Plastic Washer	6
9	94909A029	Thread-Forming Flange Locknut	6
10	94070A546	Brass Pan Head Phillips Screw	6
11	6389K231	Light Duty Dry-Running Nylon Sleeve Bearing	2
12	95446A510	Brass Precision Shoulder Screw	2
13	94909A022	Thread-Forming Flange Locknut	2



University of Utah Dept. of Radiology
729 Arapleen Dr., Salt Lake City, UT 84108
Phone: (801) 585-7400 Fax: (801) 585-3592

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF UNIVERSITY OF UTAH
DEPT. OF RADIOLOGY. ANY
REPRODUCTION IN PART OR AS
A WHOLE WITHOUT THE WRITTEN
PERMISSION OF UNIVERSITY OF
UTAH DEPT. OF RADIOLOGY IS
PROHIBITED.

DRAWN

RM

27 MAY '22

TITLE:

CHECKED

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
TOLERANCES:
FRACTIONAL: $\pm 1/64$ "
ANGULAR: $\pm 1^\circ$
TWO PLACE DECIMAL: ± 0.015
THREE PLACE DECIMAL: ± 0.003
FOUR PLACE DECIMAL: ± 0.001

2022-05-26 Dome Asm

MATERIAL

--





REV

A

QTY: 1

SCALE: 1:3

SHEET 1 OF 5



NOTE: DUAL-DIMENSION UNITS IN [MM]

University of Utah Dept. of Radiology
729 Arapleen Dr., Salt Lake City, UT 84108
Phone: (801) 585-7400 Fax: (801) 585-3592

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED
IN THIS DRAWING IS THE SOLE
PROPERTY OF UNIVERSITY OF UTAH
DEPT. OF RADIOLOGY. ANY
REPRODUCTION IN PART OR AS
A WHOLE WITHOUT THE WRITTEN
PERMISSION OF UNIVERSITY OF
UTAH DEPT. OF RADIOLOGY IS
PROHIBITED.


DRAWN	RM	26 MAY '22	TITLE:
CHECKED			2022
UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: $\pm 1/64$ " ANGULAR: $\pm 1^\circ$ TWO PLACE DECIMAL: ± 0.015 THREE PLACE DECIMAL: ± 0.003 FOUR PLACE DECIMAL: ± 0.001			MATERIAL: FIBER:
			QTY:

MATERIAL


FIBERGLASS - MCMMASTER-CARR #8529K41

REV
A


QTY: 1	SCALE: 1:1	SHEET 2 OF 5
--------	------------	--------------




TOP VIEW



SIDE VIEW



END VIEW




NOTE: DUAL-DIMENSION UNITS IN [MM]

University of Utah Dept. of Radiology
729 Arapleen Dr., Salt Lake City, UT 84108
Phone: (801) 585-7400 Fax: (801) 585-3592


PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF UTAH DEPT. OF RADIOLOGY. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF UTAH DEPT. OF RADIOLOGY IS PROHIBITED.	DRAWN	RM	26 MAY '22	TITLE:		
	CHECKED			2022-05-26 Dome Asm		
	UNLESS OTHERWISE SPECIFIED:			MATERIAL		
	DIMENSIONS ARE IN INCHES					
	TOLERANCES:			FIBERGLASS - MCMASTER-CARR #8529K41		
	FRACTIONAL: ±1/64"					
	ANGULAR: ±1°					
TWO PLACE DECIMAL: ±0.015						
THREE PLACE DECIMAL: ±0.003			QTY: 1			
FOUR PLACE DECIMAL: ±0.001						
			SCALE: 1:1		SHEET 3 OF 5	

SLOTTED ANGLE

REV
A



TOP VIEW







SIDE VIEW

ADHESIVE-BACKED FOAM SEAL

NOTE: DUAL-DIMENSION UNITS IN [MM]

University of Utah Dept. of Radiology
729 Arapeen Dr., Salt Lake City, UT 84108
Phone: (801) 585-7400 Fax: (801) 585-3592

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF UTAH DEPT. OF RADIOLOGY. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF UTAH DEPT. OF RADIOLOGY IS PROHIBITED.	DRAWN	RM	26 MAY '22	TITLE:	
	CHECKED			2022-05-26 Dome Asm	
	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64" ANGULAR: ±1° TWO PLACE DECIMAL: ±0.015 THREE PLACE DECIMAL: ±0.003 FOUR PLACE DECIMAL: ±0.001			MATERIAL	REV
				FOAM - MCMaster-CARR #8722K23	A
QTY: 1		SCALE: 1:2		SHEET 4 OF 5	



NOTE: DUAL-DIMENSION UNITS IN [MM]

University of Utah Dept. of Radiology
729 Arapeen Dr., Salt Lake City, UT 84108
Phone: (801) 585-7400 Fax: (801) 585-3592

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF UNIVERSITY OF UTAH DEPT. OF RADIOLOGY. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF UNIVERSITY OF UTAH DEPT. OF RADIOLOGY IS PROHIBITED.	DRAWN	RM	26 MAY '22	TITLE:		
	CHECKED			2022-05-26 Dome Asm		
	<u>UNLESS OTHERWISE SPECIFIED:</u> DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64" ANGULAR: ± 1° TWO PLACE DECIMAL: ±0.015 THREE PLACE DECIMAL: ±0.003 FOUR PLACE DECIMAL: ±0.001			MATERIAL		REV
				POLYCARBONATE		A
				QTY: 6	SCALE: 1:3	SHEET 5 OF 5

LOCKING TAB