

Product Feasibility Assessment	: Nutritional Soft Pastilles, 3g each
Active Ingredient	: 350mg NVC3
Mode of Delivery	: Buccal / Sublingual
Dosage	: 2 to 3 pastilles per day
Duration	: 2 weeks
Functional Claim	: Natural Anti-Inflammatory Muscle Recovery
Qualitative Methodology	: Before-and-After Assessment Survey
Quantitative Methodology	: Selected Blood Assays
Target	: middle-aged (45-55) older patients (56-65)
Musculoskeletal Morbidity	: chronic pain, cramps, muscle weakness, joint stiffness, fall recovery, osteoporosis / oedema
Gastrointestinal Morbidity	: sluggish digestion, bloating, reflux, bad breath (dysbiosis), gum swelling, constipation
Vitality	: fatigue, brain fog, sleepy, menopause
Skin Health	: wrinkled skin, skin allergies, breakouts

Patient Information (History)

- Name: _____ RN# _____
- Age: _____ Gender: _____ BMI: _____
- Visit Date: _____ Caregiver: _____
- Regular Medication: _____
- **Reason for Visit(s)** (check all that apply):
 - ☐ chronic pain ☐ joint stiffness ☐ fall recovery
 - ☐ muscle cramps ☐ muscle weakness ☐ **osteoporosis / oedema**
 - ☐ **sluggish digestion** ☐ **reflux**
 - ☐ **bloating** ☐ **bad breath (dysbiosis)** ☐ **gum issues** ☐
 - ☐ **episodic constipation**
 - ☐ **dehydration** ☐ **fatigue** ☐ **sleepy** ☐ **peri-menopause**
 - ☐ **brain fog**
 - ☐ **wrinkled skin** ☐ **skin allergies** ☐ **breakouts**
 - ☐ smoker / vapers cough ☐ ☐

Part A

Before Intervention Assessment | Populated based on prior visits or first consultation

1. Symptom Severity | Past 2 weeks

1=none, 2=onset, 3=mild, 4=frequent, 5=severe

Chronic pain / inflammation	)	☐	☐	☐	☐
Muscle ache / weakness	)	☐	☐	☐	☐
Joint stiffness	)	☐	☐	☐	☐
Fatigue / low energy	)	☐	☐	☐	☐
Brain fog / poor focus	)	☐	☐	☐	☐
Digestive issues / constipation / bloating	)	☐	☐	☐	☐
Reflux	)	☐	☐	☐	☐
Bad breath / gum discomfort	)	☐	☐	☐	☐
Skin ageing / breakouts	)	☐	☐	☐	☐
Menopause	)	☐	☐	☐	☐
Sleep quality	☐	☐	☐	☐	☐
		(1=disturbed, 2=4hrs, 3=naps, 4=meds, 5=restful)			
Mood stability / irritability	☐	☐	☐	☐	☐
		(1=calm,2=episodes,3=trigger,4=meds,5=restful)			
Sleep quality					

2. Functional Ability

Foot / Ankle Swelling	☐ No	☐ 1 time	☐ 2–3 times	☐ >3 times
Difficulty with daily tasks	☐ None	☐ Mild	☐ Moderate	☐ Severe
Difficulty climbing stairs	☐ No	☐ Yes		
Recent falls or near-falls	☐ No	☐ 1 time	☐ 2–3 times	☐ >3 times
Strength - affecting grip /walking	☐ No	☐ Yes		
Difficulty chewing or swallowing	☐ No	☐ Yes	☐ Sometimes	☐

3. Lifestyle & Risk Factors

Item	Response
Smoking / vaping status	☐ Non-smoker ☐ Former ☐ Current
Alcohol intake	☐ None ☐ Low ☐ Moderate ☐ High
Diet quality	☐ Snacks ☐ Street Food ☐ Good ☐ Balanced (Home Cooked)
Physical activity	☐ None ☐ <2x/week ☐ 3–4x/week ☐ Daily
Stress level (0–10)	_____

4. Patient Goals

(Select up to 3)

- ☐ reduce pain / inflammation
 - ☐ improve energy / vitality
 - ☐ improve focus/mental clarity
 - ☐ relief menopause symptoms
 - ☐ better mobility / recover strength
 - ☐ improve skin condition
 - ☐ relief reflux
 - ☐ better digestion / bowel movement
 - ☐ reduce smoker/vaper cough
 - ☐ improve oral hygiene
-
-

Part B: After Intervention Assessment *(Completed 3–4 weeks after product trial)*

1. Symptom Change (Compared to Before)

Symptom	Worse	No Change	Slightly Better	Much Better
Chronic pain	☐	☐	☐	☐
Muscle ache/weakness	☐	☐	☐	☐
Joint stiffness	☐	☐	☐	☐
Energy/Fatigue	☐	☐	☐	☐
Brain fog	☐	☐	☐	☐
Sleep	☐	☐	☐	☐
Digestive symptoms	☐	☐	☐	☐
Skin allergies	☐	☐	☐	☐
Bad breath/oral health	☐	☐	☐	☐

2. Objective Follow-Up Scores

(Repeat rating from 1-5)

Symptom	Before	After
Pain	)	)
Fatigue	)	)
Brain fog	)	)
Strength/mobility	)	)
Sleep quality	)	)
Stress	)	)
Digestive comfort	)	)

3. Lifestyle Improvements

Item	Yes	No
Reduced smoking/vaping	☐	☐
Improved diet	☐	☐
Increased physical activity	☐	☐
Better sleep routine	☐	☐
More consistent hydration	☐	☐
Reduced processed food/sugar	☐	☐

4. Quality of Life (QOL)

Compared to before intervention:

- ☐ Much worse
- ☐ No change

- ☐ Slight improvement
 - ☐ Moderate improvement
 - ☐ Significant improvement
-

5. Patient Feedback

1. Can this soft pastille be an alternative to your current supplements?

2. Is this soft pastille nutrition simple and easy to take?

3. What support would you like going forward?

Clinician Notes (optional)

- Summary of clinical findings: _____
- Changes recommended: _____
- Follow-up dosage: _____