



TrustPaste

Private, deliberate form filling — entirely in your browser

PRIVACY BY DESIGN

No account · No server · No cloud sync · No telemetry · No analytics

USER GUIDE

Document version 1.0

TrustPaste 1.0.4 · English edition

Product facts verified 2 August 2026

[Futurion Solutions S.L.](#)

GUIDE MAP

Contents

Use this guide for a manual, unpacked installation of TrustPaste 1.0.4 in a desktop Chromium browser. Browser labels may vary slightly by operating system or release.

01 TrustPaste Overview and Privacy Model**02 Download and Manual Installation****03 Verify and Configure the Extension****04 Prepare and Import a JSON Profile****05 Open the Picker and Insert Values****06 Supported Fields and Safety Boundaries****07 Troubleshooting, Reset, and Removal****08 Official Links and Support****GUIDE SCOPE**

Complete English user guide · A4 portrait · Chrome/Chromium, Brave, and Microsoft Edge · TrustPaste 1.0.4

Terminology: “profile” means the local JSON file you import; “picker” means the TrustPaste search panel shown over a webpage; “supported field” means an editable field TrustPaste is designed to fill.

SECTION 01

1. TrustPaste Overview and Privacy Model

TrustPaste is a Manifest V3 browser extension that lets you select a value from an imported business JSON profile and insert it into the field you choose. It searches paths, keys, and values; it can rank results by favorites, recent use, field context, language, scope, and character limits. Nothing is filled until you select an entry.

What stays local

- **Your imported JSON**, preferences, favorites, and recent paths stay in chrome.storage.local for the current browser profile.
- **There is no TrustPaste server**, account, cloud sync, telemetry, or analytics.
- **The extension has no host permissions**. It receives temporary activeTab access only when you invoke it on a page.
- **The only production fetch** loads the packaged content/picker.css file as a local extension resource; it is not a third-party network request.

Permissions

Version 1.0.4 requests only storage, contextMenus, activeTab, and scripting. Extension pages use a strict content security policy and do not load remote code or remote resources.

YOU REMAIN IN CONTROL

TrustPaste never submits forms. Review every inserted value, complete CAPTCHA yourself, verify consent and terms, and click the final submission button manually.

What TrustPaste does not do

It does not upload files, interact with CAPTCHA, click buttons, accept terms, or submit a form. It also refuses protected and unsupported field types, described in Section 6.

SECTION 02

2. Download and Manual Installation

No build or package installation is required. Download the current source archive, extract it to a permanent local location, and keep the complete folder together.

Download: [TrustPaste main branch ZIP](#) · [Official repository](#)

Browser	Extensions page	Shortcut page
Chrome / Chromium	chrome://extensions	chrome://extensions/shortcuts
Brave	brave://extensions	brave://extensions/shortcuts
Microsoft Edge	edge://extensions	edge://extensions/shortcuts

Open the extensions page

Enter the browser-specific extensions address shown above. On a managed device, your administrator may restrict Developer mode.

Enable Developer mode

Turn on the Developer mode control. The browser will reveal the Load unpacked action.




Figure 1 — Open the browser's extensions page and enable Developer mode.

Load the unpacked folder

Choose Load unpacked

Select Load unpacked on the extensions page.




Figure 2 — Choose Load unpacked after Developer mode is enabled.

Select the extension folder

In the file chooser, select the folder that contains manifest.json. Do not select only the manifest file and do not select a parent folder that merely contains the extension folder.




Figure 3 — Select the folder that contains manifest.json.

KEEP THE FOLDER

The browser loads TrustPaste directly from this local folder. Keep all subfolders and files together; moving or deleting the folder can prevent the unpacked extension from loading.

SECTION 03

3. Verify and Configure the Extension

Verify version and status

1. Confirm a TrustPaste card appears on the extensions page and its toggle is on.
2. Open Details and confirm the version is 1.0.4.
3. If you are updating an existing unpacked copy, preserve or export any profile you need, replace the source folder, then use Reload on the extension card.

Pin, options, and shortcuts

- **Pin the TrustPaste icon** from the browser's Extensions menu if you want the toolbar button to stay visible.
- **Open Details → Extension options** to import or manage your profile and preferences.
- **The default picker shortcut** is Alt+J on Windows/Linux and Option+J on macOS. Review or change it on the browser-specific shortcut page listed in Section 2.

Optional incognito access

If your policy permits it, open TrustPaste Details and enable Allow in incognito. This is optional and is off by default in Chrome. Importantly, chrome.storage.local is shared between regular and incognito extension processes, so allowing TrustPaste in incognito does not create a separate or temporary profile store.

PRIVACY NOTE

Only enable incognito access if you understand that the imported profile remains available to the extension there and your organization permits that use.




Figure 4 — When no profile is present, TrustPaste offers a direct route to Options.

SECTION 04

4. Prepare and Import a JSON Profile

A TrustPaste profile is a local .json file whose root is an object or array. Nested objects and arrays are supported; primitive leaves such as strings, numbers, and booleans become selectable values.

A small example

```
{
  "company": {
    "name": "Example Studio",
    "website": "https://example.invalid",
    "descriptions": {
      "en": { "short_160": "A concise description for listings." }
    }
  }
}
```

[Open the bundled sample profile](#)

Profile preparation guidance

- **Use descriptive paths and keys**, such as company.name or services.security.summary.
- **Keep only information you are authorized to reuse.** Remove secrets, credentials, payment data, private identifiers, and unnecessary personal data.
- **Validate the JSON** before importing. A missing comma, extra trailing comma, or unmatched quote will cause a parser error.

AI-ASSISTED PREPARATION

You may ask an approved AI assistant to help structure non-sensitive information as JSON. Never submit sensitive, confidential, personal, regulated, or unauthorized information to an unapproved AI service. Review the generated file before importing it.




Figure 5 — Use the local Options page to choose and import a profile.

Import the profile

Open Options

Use Details → Extension options or choose Open options when TrustPaste reports that no profile is imported.

Choose the JSON file

Select a local **.json** file. The file remains on your device.

Import profile

Choose an Import profile. The page reports the flattened entry count and shows a safe, text-only preview.




Figure 6 — Choose the local JSON profile from the Options page.

After import

Existing installations do not receive profile-file changes automatically. Re-import the updated JSON whenever you change the source file. The options page can also clear Favorites and Recent separately.

IMPORT FAILED

Read the inline parser detail. Correct the reported line, column, or position when available, save the JSON, and import it again.

SECTION 05

5. Open the Picker and Insert Values

Open TrustPaste on the target field

First click inside a supported editable field. Then use any of these methods:

- **Press Alt+J** (Option+J on macOS).
- **Right-click the editable field** and choose Insert business data.
- **Click the pinned TrustPaste toolbar button.**

Toolbar and shortcut invocation use the focused field, or the last supported field if focus has moved to a non-field browser or page control. A currently focused unsupported field still receives its precise refusal message.




Figure 7 — Open TrustPaste from the editable field's context menu.

RESTRICTED PAGES

Browser internal pages, extension stores, and built-in PDF viewers reject injection. TrustPaste shows a ! action badge with a per-tab explanation.

Search, navigate, and choose

- **Search with one or more words.** Every word must match the normalized path, label, or value.
- **Use Up/Down** or Page Up/Page Down to move; press Enter to insert; press Escape to close; or click a result.
- **Choose Replace or At cursor mode.** Expand long previews when needed.
- **If a value exceeds a real maxlength,** TrustPaste waits until you explicitly choose Insert anyway.

Favorites, Recent, language, and scope

Starred entries appear under Favorites. Successfully inserted paths appear under Recent; TrustPaste does not duplicate the values themselves in recent history. Language preference boosts English or Spanish aliases

without hiding the other language. Active scope boosts a JSON-path prefix, and Limit results to active scope can hide entries outside it. None of these features automatically chooses or inserts a value.




Figure 8 — Search the local profile, review the preview, and select a value.

Worked example: review before submission

In this example, TrustPaste inserts a prepared company description into a message field. The insertion is plain text and triggers native input and change events for framework compatibility.

Your Message

Futurion Solutions provides private AI and governed automation for organisations that need sensitive data and critical workflows to remain under their control. Its portfolio includes browser-local redaction with TrustPrompt, local document intelligence with TrustCore, governed process automation with TrustAuto and fully on-premises healthcare AI with MedCore Private AI. Based in Valencia, it serves legal, healthcare and other organisations across Spain and the EU in English and Spanish.

☐ By submitting this form, you agree to the collection of your information for the purpose of responding to your inquiry. Your data is processed in accordance with our Privacy Policy and GDPR requirements.

Send Message

We respond within 24 business hours.

Figure 9 — Review the inserted value and the surrounding form before submitting manually.

1	Read the inserted value Confirm the wording is appropriate for this form, audience, language, and character limit.
2	Complete the remaining form Add any missing required information and complete CAPTCHA, consent, and terms yourself.
3	Submit manually TrustPaste never clicks the final button. Submit only after you have reviewed the complete form.

SECTION 06

6. Supported Fields and Safety Boundaries

Supported	TrustPaste refuses
Text, URL, email, telephone, search, and number inputs	Password and payment fields
Inputs with no explicit type	Hidden and file inputs
Ordinary textareas	Checkboxes, radio buttons, and buttons
Contenteditable elements (plain text only)	Date/time/month/week, color, and range controls
	Disabled and readonly fields

Protected-field classification

TrustPaste classifies the target twice: before the picker opens and immediately before insertion. If the field becomes unsupported between those moments, insertion is refused. Payment fields are detected through autocomplete tokens such as cc-number, cc-csc, and cc-exp.

Iframes and rich-text editors

- **Same-origin frames:** TrustPaste follows focus through nested frames when their documents are accessible.
- **Cross-origin or restricted frames:** inaccessible, opaque, sandboxed, or null-origin frame documents are not read and cannot be filled.
- **Rich-text editors:** contenteditable insertion creates plain-text nodes. TinyMCE, CKEditor, Quill, ProseMirror, or Slate may transform, undo, or ignore generic DOM events; use the editor's ordinary plain-text paste workflow if needed.

MANUAL RESPONSIBILITIES

TrustPaste does not upload a file, solve CAPTCHA, click a button, accept terms, or submit a form under any circumstance.

SECTION 07

7. Troubleshooting, Reset, and Removal

Message or symptom	Action
No business data imported	Open Options and import a valid .json profile.
JSON import failed	Use the parser detail to correct the JSON, then import again.
Focus a supported editable field	Click inside a supported control before invoking the picker.
Unsupported field message	The named field is intentionally protected; choose a supported text field.
Cross-origin iframe message	Open the framed application directly if appropriate, then invoke TrustPaste there.
! badge	Read the toolbar title. The tab may be restricted, a PDF, or unable to accept content-script injection.
Storage error	Confirm extension storage is enabled and reload the extension. Reset and re-import if the state remains malformed.
No results	Broaden or clear the search and review language, scope, and null-value preferences.
Shortcut does not open	Check the browser shortcut page for a conflict or reassigned command.
Rich editor reverts text	Use the editor's supported plain-text paste workflow.

FIRST CHECK

On the extensions page, confirm TrustPaste is enabled and version 1.0.4 is loaded. Then refresh the target webpage and try again in a supported text field.

Reset local data

In Options, choose Reset TrustPaste. This removes the imported profile, preferences, favorites, and recent history from TrustPaste's chrome.storage.local key. Export or retain your source JSON first if you may need it again.

RESET IS DESTRUCTIVE

Reset TrustPaste cannot restore the deleted extension state. Keep a separate copy of any profile you need.

Remove the extension

4. Open the browser's extensions page.
5. Find TrustPaste and choose Remove.
6. Confirm removal. Browser removal clears the extension's isolated local storage and removes its code from the browser.

Update an unpacked installation

Download and extract the new source into the folder you intend to keep. Preserve your source JSON. On the extensions page, use Reload if the unpacked path is unchanged; otherwise remove the old entry and load the new folder that contains manifest.json. Re-import the profile if needed.

MANAGED DEVICES

If Developer mode, incognito access, or local extensions are restricted by policy, contact your browser or IT administrator. Do not bypass organizational controls.

SECTION 08

8. Official Links and Support

[TrustPaste repository](#)

Source, manifest, release state, and project files

[Download current ZIP](#)

Manual-install source archive

[README](#)

Current behavior, privacy model, installation, and troubleshooting

[Sample JSON profile](#)

Bundled profile example

[GitHub Issues](#)

Report reproducible product problems or request support

[Futurion Solutions](#)

Product owner and maintainer

When requesting support

- State the browser name and version, operating system, and TrustPaste version 1.0.4.
- Describe the exact field type, invocation method, and message shown.
- Provide reproducible steps and a non-sensitive test page or sample JSON when possible.
- Do not attach your real profile or any confidential, regulated, personal, credential, or payment information.

DOCUMENT CONTROL

This guide is pinned to TrustPaste 1.0.4 and product facts verified on 2 August 2026. Check the official repository for later changes before relying on these instructions for another version.

TrustPaste is developed and maintained by Futurion Solutions S.L.