FUZAILVERSE LEGAL ARCHITECTURE // SPECIFICATION DOSSIER

PRIVACY POLICY

COMPREHENSIVE DATA GOVERNANCE & MOBILE PERMISSIONS DISCLOSURE

CODE: FV-LEGAL-PP-2026 | VERSION: 2.4.0 | EFFECTIVE: OCTOBER 31, 2026

OPERATOR: Mohammad Fuzail (Lead Systems Architect)

LOCATION: New Delhi, India

WEBSITE: https://fuzailverse.pages.dev/privacy-policy/

CONTACT: mohdfuzail.dev@gmail.com

EXECUTIVE COMPLIANCE SUMMARY:

This Privacy Policy governs the collection, processing, local persistence, external transmission, and lifecycle management of data across the FuzailVerse digital portfolio platform and all associated mobile applications engineered, deployed, or maintained by Mohammad Fuzail.

TABLE OF CONTENTS // SECTIONS INDEX

[01] Introduction and Scope

[02] Information We Collect and Tech...

[03] Device Permissions and Hardware...

[04] Local Data Storage and Offline-...

[05] Cloud Storage, Backend APIs, an...

[06] Firebase Suite: Analytics, Cras...

[07] Advertising Practices and Monet...

[08] Payment Processing and Financia...

[09] Third-Party Services and Infras...

[10] Data Sharing, Disclosures, and ...

[11] Data Retention and Storage Limits

[12] Data Deletion, Account Erasure,...

[13] Technical and Organizational Se...

[14] International Data Transfers an...

[15] Children's Privacy and Protecti...

[16] User Privacy Rights (GDPR, CCPA...

[17] Modifications and Amendments to...

[18] Direct Privacy Governance and C...

[APP] App-Specific Privacy Disclosur...

[01] INTRODUCTION AND SCOPE

Welcome to FuzailVerse (accessible at https://fuzailverse.pages.dev/). This Privacy Policy explains with technical fidelity how Mohammad Fuzail ("we", "us", "our", or "Operator"), acting as lead software systems architect, collects, utilizes, safeguards, and disposes of information when you interact with our web platform or utilize any mobile software applications engineered under the FuzailVerse portfolio.

We believe in radical architectural transparency. Because our software systems range from consumer gamification to enterprise channel loyalty, automotive aftermarket catalogs, healthcare practice tools, and GPS field operations, data collection is strictly tailored to the minimal technical needs of each individual application. No single application implements a blanket tracking policy.

By accessing the website, installing any FuzailVerse application from the Google Play Store or Apple App Store, or transmitting communications to us, you acknowledge the practices described in this document.

* Web Platform: https://fuzailverse.pages.dev/ and associated Cloudflare Pages micro-routes.
* Production Mobile Applications: Enterprise, B2B, and consumer mobile software packages engineered for iOS and Android.
* Direct Communications: Technical inquiries, project consultations, and security disclosures sent to mohdfuzail.dev@gmail.com.

[02] INFORMATION WE COLLECT AND TECHNICAL CATEGORIES

We categorize information based on whether it is voluntarily provided by the user, automatically recorded as device runtime telemetry, or generated during in-app operational workflows.

A. Information You Voluntarily Provide

Depending on which application or service you access, you may voluntarily submit personal data to initiate user accounts, execute business workflows, or contact engineering support:

- Contact and Identity Information: Full name, professional title, trade affiliation (e.g. contractor, mason, technician, doctor, distributor), telephone number, and email address.
- KYC & Verification Credentials: PAN (Permanent Account Number), Aadhaar verification details, trade licenses, or business registration cards strictly where mandated by enterprise channel loyalty programs.
- Transactional & Disbursement Coordinates: Bank account numbers, IFSC codes, or Unified Payments Interface (UPI) virtual payment addresses submitted solely to fulfill earned loyalty redemptions.
- Operational & Business Submissions: Distributor sales invoices, product serial barcodes, physical shelf inventory photographs, prescription records, and client consultation inquiries.

B. Technical and Device Telemetry

When applications interact with network infrastructure, our software and integrated SDKs automatically register essential technical runtime parameters necessary to ensure compatibility, prevent abuse, and diagnose execution faults:

- Hardware Specifications: Device manufacturer, hardware model, display screen density, CPU architecture, available RAM, and internal storage headroom.
- Software Runtime: Operating system version (Android API level or iOS release), build signature, and application package version.
- Network Diagnostics: IP address, mobile network operator, connection type (Wi-Fi, 4G, 5G), network latency, and carrier country code.
- Stability Telemetry: Crash traces, thread dumps, memory allocation ceilings, and unhandled exception logs recorded at the precise instant of a software failure.

[03] DEVICE PERMISSIONS AND HARDWARE ACCESS RATIONALE

Mobile operating systems enforce runtime sandbox boundaries. FuzailVerse applications request device capabilities strictly when mandatory for user-initiated actions, adhering to the principle of least privilege.

Camera Access (android.permission.CAMERA / NSCameraUsageDescription)

Requested only to allow users to scan product QR codes/barcodes in real time, capture photographs of physical paper invoices for trade verification, or scan KYC identification documents.

Live camera feeds are processed exclusively within the device frame buffer; raw video streams are never recorded, silently monitored, or transmitted to background servers.

Location Services (ACCESS_FINE_LOCATION / ACCESS_BACKGROUND_LOCATION)

Employed exclusively in field execution software (specifically FieldPulse by TASC) to verify that store audit check-ins occur within verified retail coordinate boundaries.

Background location tracking is activated strictly during authorized duty shifts and incorporates mock-location detection to guarantee operational integrity. Consumer loyalty apps do NOT request continuous GPS tracking.

Storage and Media Files (READ_MEDIA_IMAGES / WRITE_EXTERNAL_STORAGE)

Utilized to export generated PDF prescriptions, cache automotive parts digital catalogs for offline browsing, and select invoice images from the device gallery for submission.

Push Notifications (POST_NOTIFICATIONS)

Utilized via Firebase Cloud Messaging (FCM) to transmit transactional alerts, including reward point redemptions, milestone achievements, and urgent system notices. Users may revoke notification authorization at any time in device system settings.

Audio and Microphone Access

FuzailVerse applications do NOT request or utilize microphone access. No background audio recording occurs under any circumstance.

[04] LOCAL DATA STORAGE AND OFFLINE-FIRST ARCHITECTURE

A hallmark of FuzailVerse engineering is high availability in network-constrained environments. Multiple applications employ offline-first architectures where data is persisted locally on the host device before cloud synchronization.

* Relational Databases (SQLite / SQFLite): Used in applications such as InClinic Assistant, FieldPulse, and BirlaNu to maintain local transaction queues, appointment records, and offline catalogs. SQLite databases are sandboxed within the private app sandbox and are inaccessible to other third-party apps.
* High-Speed Key-Value Indexing (Hive / SharedPreferences): Employed for sub-second SKU lookups, theme preferences, and user interface state caching.
* Encrypted Secure Storage: Authentication credentials, session JWT refresh tokens, and biometric session tokens are encrypted using the Android Keystore system (AES-256 GCM) and iOS Keychain Services. Plaintext secrets are never stored in unprotected files.
* Offline Transaction Queues: Submissions created without connectivity are queued locally and automatically dispatched with idempotency keys once connectivity is restored, preventing duplicate balance debits or submissions.

[05] CLOUD STORAGE, BACKEND APIS, AND DATA TRANSMISSION

When data must be synchronized with cloud infrastructure, all external network transmissions take place over authenticated RESTful HTTPS interfaces using Transport Layer Security (TLS 1.3 or TLS 1.2 minimum).

Payloads are authenticated using JSON Web Tokens (JWT) with short expiration periods and secure refresh mechanisms. Image uploads (such as invoice vouchers or KYC documents) are compressed on-device prior to transmission using memory-optimized downsampling algorithms to conserve user bandwidth and mitigate server load.

Cloud backends hosting client databases are maintained in enterprise cloud availability regions (primarily Google Cloud Platform and Amazon Web Services data centers in the Asia-Pacific region, including Mumbai, India), adhering to rigorous physical and logical access controls.

[06] FIREBASE SUITE: ANALYTICS, CRASHLYTICS, AND PHONE AUTHENTICATION

Where integrated, Google Firebase SDKs provide observability and secure infrastructure:

Firebase Analytics

Monitors aggregated behavioral flow, screen navigation milestones, and feature adoption rates to identify UX bottlenecks. Analytics identifiers are pseudonymized and cannot be used by the Operator to independently reconstruct a real-world identity.

Firebase Crashlytics & Performance Monitoring

Captures real-time crash stack traces, non-fatal exceptions, and frame-rate rendering metrics across device tiers. This diagnostic telemetry is critical to maintaining a 99.8%+ crash-free session rate across diverse budget hardware.

Firebase Phone OTP Authentication

Employed in applications such as InClinic Assistant to facilitate passwordless verification. Phone numbers submitted for SMS OTP verification are processed directly by Google Firebase infrastructure under Google privacy standards and are used exclusively to confirm device possession.

[07] ADVERTISING PRACTICES AND MONETIZATION DISCLOSURE

FuzailVerse maintains a strict operational standard regarding user attention and privacy:

None of our enterprise, B2B loyalty, automotive catalog, field management, or healthcare applications integrate third-party programmatic advertising networks (such as Google AdMob, Unity Ads, Meta Audience Network, or AppLovin).

Users are never subjected to behavioral ad tracking, programmatic real-time bidding (RTB) auctions, or cross-app retargeting pixels within FuzailVerse software.

Promotional feeds present in loyalty apps (such as Classmate Star Club or BirlaNu) represent direct, client-curated product reward catalogs, not third-party commercial advertisements.

[08] PAYMENT PROCESSING AND FINANCIAL GATEWAYS

Where applications support digital payments, commercial orders, or monetary incentive disbursements:

Payment processing is executed through certified, RBI-licensed payment aggregators (predominantly Razorpay). FuzailVerse applications do not directly capture, record, or store raw credit card numbers, debit card CVVs, or net banking passwords on local devices or proprietary servers.

All payment checkout flows execute inside hardened SDK webviews or API tunnels tokenized directly by the payment processor under PCI-DSS Level 1 certification. Reward disbursements (Direct Bank Transfer / UPI) are processed via validated enterprise corporate disbursement gateways.

[09] THIRD-PARTY SERVICES AND INFRASTRUCTURE INTEGRATIONS

Our applications interface with trusted industry infrastructure providers strictly to execute core software capabilities:

* Google Play Services & Apple App Store: App distribution, version auto-updates, in-app reviews, and integrity attestation.
* Google Cloud Platform (GCP) & Cloudflare: Secure edge CDN delivery, domain routing, and backend server infrastructure.
* Google Maps & Location Services: Geocoding and map rendering for field auditing applications.
* Document OCR & Verification Services: Automated document parsing for KYC validation workflows.

[10] DATA SHARING, DISCLOSURES, AND GOVERNANCE

WE DO NOT SELL, RENT, MONETIZE, OR TRADE PERSONAL DATA TO THIRD-PARTY DATA BROKERS OR MARKETING FIRMS. EVER.

Information is shared strictly under the following limited operational conditions:

* With Enterprise Project Clients: Applications developed for specific enterprise clients (e.g. ITC, Tech Almonds, Spark Minda, BirlaNu, Parker, PepsiCo) transmit operational business data to the respective client organization that commissions and owns the digital ecosystem.
* With Authorized Technical Infrastructure Vendors: Cloud hosting, database management, SMS delivery, and crash analytics providers under strict data processing agreements.
* Legal and Regulatory Obligations: Where required by a valid court order, subpoena, law enforcement inquiry, or statutory regulation under applicable jurisdiction.
* Protection of Vital Rights: When necessary to investigate fraudulent transactions, prevent GPS mock-spoofing, mitigate cyber-attacks, or protect the safety and property of users.

[11] DATA RETENTION AND STORAGE LIMITS

We adhere to data minimization principles. Information is retained only as long as necessary to fulfill the operational purpose for which it was gathered:

* User Account & Profile Data: Retained for the duration of the active business or commercial relationship between the user and the sponsoring enterprise platform.
* Financial & Reward Records: Retained for up to 7 (seven) years to comply with statutory taxation, anti-money laundering (AML), and commercial audit regulations.
* Crash & Diagnostic Telemetry: Retained in Firebase Crashlytics for 90 days before automated system purging.
* Local SQLite & Cache Records: Persisted locally on the user device until the user logs out, uninstalls the software, or clears application data in operating system settings.
* Portfolio Website Inquiries: Contact inquiries sent to mohdfuzail.dev@gmail.com are retained for up to 24 months to maintain engineering dialogue and consultation records.

[12] DATA DELETION, ACCOUNT ERASURE, AND USER CONTROL

Users maintain sovereign control over their personal data. You may request account closure, personal data export, or irrevocable data deletion at any time:

* Email Request: Submit a deletion request directly to our designated data governance inbox: mohdfuzail.dev@gmail.com with the subject line "Data Deletion Request - [Application Name]". We process verified requests within 30 days.
* In-App Account Closure: In applications supporting self-service account termination, users can initiate deletion via Account Settings > Delete Account.
* Local Data Removal: Users can immediately purge all locally stored database files, cached catalogs, and cached tokens by navigating to Device Settings > Apps > [Application Name] > Clear Storage / Clear Cache, or by uninstalling the application.

[13] TECHNICAL AND ORGANIZATIONAL SECURITY SAFEGUARDS

FuzailVerse incorporates defense-in-depth architectural principles to protect information against unauthorized access, alteration, disclosure, or destruction:

* Cryptographic In-Transit Security: Mandatory TLS 1.3 / TLS 1.2 with HSTS for all network communication.
* At-Rest Cryptography: Mobile device secrets encrypted via hardware-backed Android Keystore and iOS Keychain.
* Memory Protection: Proactive buffer management to eliminate memory leaks and ensure sensitive byte buffers are zeroed out after use.
* Anti-Tampering Measures: Integrity verification, signature validation, and mock-location detection in sensitive field and transaction flows.
* Code Reviews & Static Analysis: Regular dependency auditing to identify and patch vulnerable libraries prior to production store deployment.

[14] INTERNATIONAL DATA TRANSFERS AND CROSS-BORDER PROCESSING

While FuzailVerse is operated from New Delhi, India, cloud services utilized (such as Google Cloud, Firebase, and Cloudflare) operate globally distributed networks. Your information may be routed or processed on infrastructure located outside your home state or country.

Where cross-border transfers occur, they are governed by recognized standard contractual clauses, robust cryptographic transit safeguards, and enterprise data processing agreements ensuring equivalent data protection standards regardless of geographic routing.

[15] CHILDREN'S PRIVACY AND PROTECTION OF MINORS

The majority of FuzailVerse software products are enterprise, B2B, or professional healthcare tools intended exclusively for adult commercial users. We do not knowingly collect personal information from children under the age of 13 (or under 18 in jurisdictions where local statutory law defines minority for digital consent, including the Digital Personal Data Protection Act of India).

Specific Notice for Youth & Student Loyalty Software (e.g. Classmate Star Club): Where an application caters to students and youth, data collection is deliberately constrained to non-sensitive game mechanics (notebook barcode scanning, digital badges, streaks). We do not collect precise GPS coordinates, biometric identifiers, or behavioral tracking profiles from youth users. Where required by applicable law, parental or guardian consent must be provided prior to reward redemptions.

If you believe a child has provided personal information without requisite consent, notify us immediately at mohdfuzail.dev@gmail.com and we will expeditiously expunge such records from our databases.

[16] USER PRIVACY RIGHTS (GDPR, CCPA/CPRA, AND DPDP ACT 2023)

Depending on your jurisdiction, you possess statutory rights regarding your personal information under regulations including the EU General Data Protection Regulation (GDPR), the California Consumer Privacy Act (CCPA/CPRA), and the Digital Personal Data Protection Act 2023 (DPDP Act, India):

* Right to Access & Confirmation: You have the right to receive confirmation whether your data is being processed and obtain a portable copy of personal records.
* Right to Rectification: You have the right to correct inaccurate, outdated, or incomplete data maintained in our systems.
* Right to Erasure ("Right to Be Forgotten"): You have the right to request permanent deletion of your personal records, subject to statutory retention mandates.
* Right to Restrict or Object to Processing: You have the right to restrict processing or object to automated decision-making and profiling.
* Right to Data Portability: You have the right to receive your data in a structured, commonly used, and machine-readable format.
* Right to Withdraw Consent: Where processing relies on consent, you may withdraw consent at any time without affecting lawful prior processing.
* Non-Discrimination: We will never deny services, degrade app features, or charge discriminatory rates for exercising your privacy rights.

[17] MODIFICATIONS AND AMENDMENTS TO THIS POLICY

We may periodically update this Privacy Policy to reflect architectural enhancements, newly published applications, evolving regulatory frameworks, or changes in third-party SDK dependencies.

When modifications occur, the "Last Updated" timestamp at the top of this document will be updated, and version change notes will be documented in our release logs. For material changes that significantly affect user rights, we will provide prominent in-app notices or direct announcements where feasible.

Continued usage of our web platform or mobile applications following the publication of revisions constitutes acceptance of the updated terms.

[18] DIRECT PRIVACY GOVERNANCE AND CONTACT INFORMATION

For all inquiries regarding data governance, architectural compliance, account deletion, or the exercise of statutory privacy rights, contact our engineering lead and data governance specialist directly:

Email: mohdfuzail.dev@gmail.com

Official Portfolio: https://fuzailverse.pages.dev/

Operator: Mohammad Fuzail, Lead Mobile Systems Architect

Physical Base: New Delhi, India

We endeavor to acknowledge all formal privacy correspondence within 48 business hours and resolve verified requests within 30 calendar days.

APP-SPECIFIC PRIVACY & TELEMETRY DISCLOSURES 8 PRODUCTION SYSTEMS AUDITED

The following section discloses the exact architectural, permission, and data retention parameters for every individual mobile application and web platform engineered in the FuzailVerse portfolio:

BIRLANU REWARDS // ENTERPRISE CHANNEL LOYALTY PLATFORM: Android, iOS

Purpose & Context: Channel loyalty and reward distribution platform for contractors and masons across national distribution networks, featuring autom KYC, digital points ledgers, and bank disbursement. (Engineered for Tech Almonds Solutions Private Limited on behalf of the Birl brand. Deployed to Play Store and App Store.)

Hardware Permissions: `Camera (android.permission.CAMERA) (Real-time scanning of product QR codes for point earning and Aa document capture for KYC.) | Storage (READ_EXTERNAL_STORAGE) (Temporary caching of compressed KYC i documents and transaction vouchers prior to upload.) | Internet & Network State (Secure TLS communi with enterprise points ledger and KYC authentication backends.)`

Data Collected: Personal: Full Name, Mobile Telephone Number, Trade Role (Contractor/Mason), PAN / Aadhaar ID details for KYC | Tech: Device Model, OS Version, IP Address, Push Notification Device Token (FCM) | Sensitive: Government Identity Document Scans (Processe exclusively for KYC compliance)

Local Processing: SQLite (SQFLite) offline queue to hold QR scans when offline; In-memory downsampling of camera capture to 1080p to prevent out-of-memory crashes; Encrypted JWT storage for session authentication

Transmission: Multipart upload of compressed KYC images over HTTPS TLS 1.3 to verification endpoint; Encrypted REST API calls for balance reconciliation and redemption processing

SDKs & Tracking: Analytics: Firebase Analytics (User engagement telemetry, screen transition metrics) | Crashlytics: Firebase Crashlytics (Real-time stack traces, non-fatal exceptions) | Ads: None (0 third-party advertising SDKs integrated)

Retention & Deletion: Financial and point redemption ledgers retained for up to 7 years in enterprise databases for tax and statutory audit compliance scan queue purged upon sync. Deletion: Account deactivation and data deletion coordinated through corporate brand administ emailing mohdfuzail.dev@gmail.com.

DIGISPARK (SPARK MINDA) // AUTOMOTIVE AFTERMARKET & E-COMMERCE PLATFORM: Android, iOS

Purpose & Context: Official Spark Minda digital catalog and aftermarket e-commerce mobile application servicing thousands of distributors, retailers, a mechanics across 10,000+ auto components. (Engineered for Tech Almonds Solutions Private Limited for Spark Minda aftermark operations. Deployed to Play Store and App Store.)

Hardware Permissions: `Storage (WRITE_EXTERNAL_STORAGE / Download Manager) (Downloading and locally viewing offline high-r PDF parts catalogs and schematics.) | Internet & Network State (Synchronizing part availability, ER updates, and mechanic referral telemetry.)`

Data Collected: Personal: Name, Phone Number, Workshop / Store Name, Distributor / Mechanic Affiliation Code | Tech: Device Hardware Model, S Density, Android / iOS Version, Local Search Query History | Sensitive: None

Local Processing: 10,000+ SKU parts index cached locally in SQLite and Hive for sub-second offline search; In-app PDF viewer rendering technical schematics from device storage

Transmission: Gzip-compressed RESTful API synchronization with Spark Minda enterprise ERP systems; Encrypted referral redemption claims over TLS

SDKs & Tracking: Analytics: Custom Usage Telemetry & Search Query Analytics | Crashlytics: Proactive Exception Logging & Diagnostics | Ads: Non third-party advertising SDKs integrated)

Retention & Deletion: User profile active for duration of technician enrollment. Local catalog cache can be cleared anytime by the user. Deletion: Tec can request account removal and referral data de-linking via regional distributor managers or mohdfuzail.dev@gmail.com.

PARKER LOYALTY PLATFORM // ENTERPRISE B2B LOYALTY

PLATFORM: Android, iOS

Purpose & Context: Multi-role partner management and sales loyalty system for Parker Hannifin distribution networks, featuring 4 hierarchical role dashboards, invoice verification, and points redemption. (Engineered for Tech Almonds Solutions Private Limited. Supports Field Reps, Distributors, Retail Partners, and Admins.)

Hardware Permissions: Camera (android.permission.CAMERA) (Field sales representatives photograph physical distributor invo points claim validation.) | Storage (READ_MEDIA_IMAGES) (Selecting stored distributor invoice image photo gallery.) | Internet & Network State (Transmitting encrypted multipart invoice payloads and r role-based operational dashboards.)

Data Collected: Personal: Sales Representative Name, Employee Code, Distributor Business Name, Email and Phone Number | Tech: Device Identi App Build Signature, Connection Bandwidth Indicators | Sensitive: Commercial Trade Invoices (Treated as confidential corporate business data)

Local Processing: Automated on-device image compression pipeline to reduce 12MB camera photos to under 400KB before upload over 2G/3G; En SharedPreferences for role-based access control (RBAC) token cache

Transmission: Multipart HTTP upload service with exponential backoff and resume capabilities over HTTPS TLS 1.3

SDKs & Tracking: Analytics: Enterprise Transaction Telemetry | Crashlytics: Custom Diagnostic Logger | Ads: None (0 third-party advertising SDKs integrated)

Retention & Deletion: Invoices and approval records retained for 7 years in corporate audit archives for enterprise tax compliance. Deletion: Manage corporate enterprise system administrators. Inactive accounts archived per corporate retention schedules.

CLASSMATE STAR CLUB (ITC) // RETAIL LOYALTY & GAMIFICATION

PLATFORM: Android, iOS

Purpose & Context: ITC flagship youth engagement and retail loyalty application, blending notebook barcode scan validation, streak mechanics, and r gamification to boost school and college student retention. (Engineered for Tech Almonds Solutions Private Limited on behalf of I Limited. Deployed to Play Store and App Store.)

Hardware Permissions: Camera (android.permission.CAMERA) (Scanning notebook barcodes and QR codes to credit loyalty point Storage (READ_EXTERNAL_STORAGE) (Caching gamification visual assets, avatars, and badge graphics.) Internet & Network State (Validating barcode scans, updating streak counters, and redeeming digital rewards.)

Data Collected: Personal: Username / Student Nickname, Mobile Phone Number, Grade / Educational Tier (Optional) | Tech: Device Model, Renderi FPS Metrics, Firebase Anonymous Instance ID | Sensitive: None. No precise geolocation, biometric data, or government IDs collecte

Local Processing: Local streak calculation engine cached in secure SharedPreferences; Hardware-accelerated 60fps animation cache maintaining f on budget smartphones

Transmission: Encrypted barcode validation queries via secure RESTful APIs to ITC backend servers

SDKs & Tracking: Analytics: Firebase Analytics (Event tracking, streak milestones, screen flow) | Crashlytics: Firebase Crashlytics & Firebase Perform Monitoring | Ads: None (0 third-party advertising SDKs; in-app brand reward feeds only)

Retention & Deletion: Retained for duration of active student account. Inactive accounts purged after 24 months of dormancy. Deletion: Students or p request immediate account deletion in app settings or by contacting mohdfuzail.dev@gmail.com.

FIELDPULSE BY TASC // FIELD OPERATIONS & RETAIL INTELLIGENCE

PLATFORM: Android, iOS

Purpose & Context: Enterprise field force execution and retail auditing tool empowering field agents to execute store audits, capture inventory shelf-sh data, verify presence via GPS geo-fencing, and stream telemetry to supervisors. (Engineered for Tech Almonds Solutions Private for TASC field execution operations. Deployed to Play Store and App Store.)

Hardware Permissions: Precise Location (ACCESS_FINE_LOCATION & ACCESS_COARSE_LOCATION) (Verifying physical field agent pr within store geo-fence radius during store check-ins.) | Background Location (ACCESS_BACKGROUND_LOC (Tracking field agent duty routes between assigned retail audit targets during active work shifts.) (android.permission.CAMERA) (Capturing shelf-share inventory photographs with automated GPS coordina timestamp watermarking.) | Storage (READ_MEDIA_IMAGES / WRITE_EXTERNAL_STORAGE) (Storing offline au questionnaire forms and photo caches.)

Data Collected: Personal: Field Agent Name, Employee ID, Assigned Territory Code, Supervisor Contact | Tech: High-Accuracy GPS Coordinates, Mock-Location Detection Flags, Device Battery Level, Network State | Sensitive: Precise Duty-Hours Location Telemetry (Collected strictly during active shift execution)

Local Processing: SQLite database storing complete audit questionnaires with sync status flags for 100% offline completion; Anti-spoofing algorithm verifying GPS accuracy and rejecting simulated/mock developer locations

Transmission: Batched multipart REST API synchronization streaming geo-tagged audit payloads to supervisor portal

SDKs & Tracking: Analytics: Operational Telemetry & Route Optimization Analytics | Crashlytics: Enterprise Error & Sync Logging | Ads: None (0 third advertising SDKs integrated)

Retention & Deletion: Audit logs and geo-tags retained per corporate employer governance contracts (typically 3 to 5 years). Deletion: Managed in a with corporate employer employment contracts and administrative policies.

PEPSICO GROWTH CLUB // CHANNEL PARTNER SALES INCENTIVES PLATFORM: Android, iOS

Purpose & Context: Sales incentive and partner engagement gateway for PepsiCo channel partners translating quarterly volume targets into daily mile visual burn-down charts, and tiered incentive redemptions. (Engineered for Tech Almonds Solutions Private Limited for PepsiCo distributor ecosystem. Deployed to Play Store and App Store.)

Hardware Permissions: Push Notifications (POST_NOTIFICATIONS) (Transmitting target proximity alerts, weekly achievement scorecards, and urgent milestone updates.) | Storage (READ_EXTERNAL_STORAGE) (Caching achievement certificates and visual sales charts.) | Internet & Network State (Fetching real-time sales progres and processing partner incentive disbursements.)

Data Collected: Personal: Distributor Owner Name, Channel Partner Code, Territory Name, Email and Telephone | Tech: Device Identifier, OS Versi FCM Notification Token | Sensitive: Confidential Commercial Sales Progression Data

Local Processing: Key-value target milestone cache and SQLite chart rendering cache for instantaneous dashboard loads

Transmission: Authenticated RESTful APIs with response caching and payload compression over HTTPS TLS 1.3

SDKs & Tracking: Analytics: Sales Milestone Engagement Telemetry | Crashlytics: Performance & Exception Diagnostics | Ads: None (0 third-party advertising SDKs integrated)

Retention & Deletion: Distributor achievement records retained for duration of active commercial franchise agreements. Deletion: Coordinated throug PepsiCo channel management representatives or via mohdfuzail.dev@gmail.com.

INCLINIC ASSISTANT // HEALTHCARE MANAGEMENT & OFFLINE RECORDS PLATFORM: Android

Purpose & Context: Mission-critical healthcare appointment and clinic management application built to manage doctor schedules, patient medical hist digital prescriptions, and billing, engineered to remain 100% operational offline. (Engineered at Teciza Technologies Private Limit clinical practitioners. Deployed to Google Play Store.)

Hardware Permissions: Storage (WRITE_EXTERNAL_STORAGE / Documents) (Exporting digital prescription PDFs and saving clinic files locally.) | Internet & Network State (Firebase Phone OTP authentication and bidirectional clo synchronization when online.)

Data Collected: Personal: Practitioner Name, Doctor Phone Number, Clinic Address, Patient Demographic Records (Name, Age, Contact) | Tech: De Identifier, Database Schema Version | Sensitive: Patient Clinical Notes, Diagnoses, and Digital Prescriptions (Classified as Sensitive Personal Data / Health Information)

Local Processing: 100% offline-first patient record database stored in encrypted local SQLite (sqflite) database on device; Local PDF generation eng creating printable digital prescription documents without cloud dependency; Timestamp-based conflict resolution algorithms for se cloud sync upon network recovery

Transmission: Bidirectional REST sync with end-to-end encryption when network connectivity is restored; SMS OTP verification via Firebase Phone Authentication

SDKs & Tracking: Analytics: None (Zero analytics SDKs tracking patient health records; minimal diagnostic error logs only) | Crashlytics: Standard An System Exception Logger | Ads: None (0 third-party advertising SDKs integrated)

Retention & Deletion: Clinical and patient records are maintained in compliance with applicable national medical record retention requirements. Loca database persists until manually wiped or uninstalled by the practitioner. Deletion: Doctors and clinic administrators have sover to delete individual patient records or wipe clinic data directly through the local application database settings.

FUZAILVERSE WEB PORTFOLIO PLATFORM // WEB PORTFOLIO & CLIENT TERMINAL PLATFORM: Web (Universal Browser)

Purpose & Context: Official engineering portfolio, technical architecture showcase, and client consultation dispatch terminal hosted at https://fuzailverse.pages.dev/. (Engineered, owned, and operated directly by Mohammad Fuzail. Deployed globally via Cloudflare edge network.)

Hardware Permissions: Browser Local Storage (Persisting client-side visual theme preference (light, dark, or darkest/Gotha mode).)

Data Collected: Personal: Voluntarily submitted inquiry details: Name, email address, message body sent via email dispatch | Tech: Edge server acc logs recorded automatically by Cloudflare: IP address, user agent, requested URL | Sensitive: None

Local Processing: Browser localStorage item ("portfolio-theme") storing selected visual mode; Client-side React Router executing single-page applic route transitions

Transmission: Direct email dispatch via client mailto: protocol to mohdfuzail.dev@gmail.com; Zero tracking pixels, zero marketing cookies, zero third-party fonts or trackers loaded outside trusted CDNs

SDKs & Tracking: Analytics: None (Zero third-party tracking scripts or cookie analytics embedded on website) | Crashlytics: None | Ads: None (0 adve scripts)

Retention & Deletion: Consultation inquiries retained in email inbox for up to 24 months to facilitate project follow-up. Deletion: Email mohdfuzail.dev@gmail.com with subject "Purge Web Inquiry" to delete prior consultation correspondence.