```
┌──(kali㉿kali)-[~]
└─$ sudo su
[sudo] password for kali:
zsh: corrupt history file /root/.zsh_history
┌──(root㉿kali)-[/home/kali]
└─# mkdir harass

┌──(root㉿kali)-[/home/kali]
└─# cd harass

┌──(root㉿kali)-[/home/kali/harass]
└─# wget -q https://digitalcorpora.s3.amazonaws.com/corpora/scenarios/2008-nitroba/nitroba.pcap
Prepended http:// to '-q'
--2026-09-13 11:47:34--  http://xn--q-5gn/
Resolving xn--q-5gn (xn--q-5gn)... failed: Name or service not known.
wget: unable to resolve host address 'xn--q-5gn'
--2026-09-13 11:47:38--  https://digitalcorpora.s3.amazonaws.com/corpora/scenarios/2008-nitroba/ni
Resolving digitalcorpora.s3.amazonaws.com (digitalcorpora.s3.amazonaws.com)... 52.218.250.91, 16.1
.128.25, ...
Connecting to digitalcorpora.s3.amazonaws.com (digitalcorpora.s3.amazonaws.com)|52.218.250.91|:443
HTTP request sent, awaiting response... 200 OK
```

```
Length: 56180821 (54M) [binary/octet-stream]
Saving to: 'nitroba.pcap'

nitroba.pcap                100%[=====================================>]  53.58M  1.36MB/s    in 3m 3s


2026-09-13 11:50:58 (300 KB/s) - 'nitroba.pcap' saved [56180821/56180821]


FINISHED --2026-09-13 11:50:58--
Total wall clock time: 3m 8s
Downloaded: 1 files, 54M in 3m 3s (300 KB/s)


┌──(root㉿kali)-[/home/kali/harass]
└─# ls -l nitroba.pcap
-rw-r--r-- 1 root root 56180821 Nov 21  2020 nitroba.pcap


┌──(root㉿kali)-[/home/kali/harass]
└─# openssl dgst -md5 nitroba.pcap
MD5(nitroba.pcap)= 9981827f11968773ff815e39f5458ec8


┌──(root㉿kali)-[/home/kali/harass]
```






http.request.method == "GET" && http.host=="www.willselfdestruct.com"
No. Time Source Destination Protocol Length Info
82923 2008-07-22 06:03:43.720123Z 192.168.1.254 192.168.15.4 DNS 202 Standard query response 0x0000 A www.willselfdestruct.com CNAME willself
82924 2008-07-22 06:03:43.729507Z 192.168.15.4 69.25.94.22 TCP 82 35984 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=1 TSval=644030179 TSe
82925 2008-07-22 06:03:43.757607Z 192.168.15.4 208.185.127.35 HTTP 842 GET /6/js/b.txt?s=email HTTP/1.1
82926 2008-07-22 06:03:43.776475Z 208.185.127.35 192.168.15.4 TCP 133 [TCP Previous segment not captured] 80 → 35894 [PSH, ACK] Seq=99237 Ack=
82927 2008-07-22 06:03:43.778012Z 192.168.15.4 208.185.127.35 TCP 64 [TCP Dup ACK 82707#1] 35894 → 80 [ACK] Seq=12006 Ack=97829 Win=64768 Len
82928 2008-07-22 06:03:43.779020Z 208.185.127.35 192.168.15.4 TCP 1466 [TCP Out-Of-Order] 80 → 35894 [ACK] Seq=97829 Ack=12006 Win=8190 Len=140
82929 2008-07-22 06:03:43.781249Z 192.168.15.4 208.185.127.35 TCP 64 35894 → 80 [ACK] Seq=12006 Ack=99312 Win=63285 Len=0
82930 2008-07-22 06:03:43.798856Z 192.168.15.4 208.185.127.35 HTTP 840 GET /6/g/email/b/b.js HTTP/1.1
82931 2008-07-22 06:03:43.817354Z 69.25.94.22 192.168.15.4 TCP 78 80 → 35984 [SYN, ACK] Seq=0 Ack=1 Win=5792 Len=0 MSS=1380 SACK_PERM TSva
82932 2008-07-22 06:03:43.819342Z 192.168.15.4 69.25.94.22 TCP 70 35984 → 80 [ACK] Seq=1 Ack=1 Win=64296 Len=0 TSval=644030180 TSecr=19293
82933 2008-07-22 06:03:43.819926Z 208.185.127.35 192.168.15.4 TCP 1466 80 → 35896 [ACK] Seq=107176 Ack=11339 Win=8190 Len=1408 [TCP PDU reassem
82934 2008-07-22 06:03:43.822178Z 208.185.127.35 192.168.15.4 TCP 1466 80 → 35896 [ACK] Seq=108584 Ack=11339 Win=8190 Len=1408 [TCP PDU reassem
82935 2008-07-22 06:03:43.824278Z 208.185.127.35 192.168.15.4 HTTP 1377 HTTP/1.1 200 OK (application/x-javascript)
82936 2008-07-22 06:03:43.825871Z 192.168.15.4 69.25.94.22 HTTP 596 GET /secure/submit HTTP/1.1
82937 2008-07-22 06:03:43.826182Z 192.168.15.4 208.185.127.35 TCP 64 35896 → 80 [ACK] Seq=11339 Ack=109992 Win=64768 Len=0
Frame 82936: Packet, 596 bytes on wire (4768 bits), 596 bytes captured (4768 bits)
Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPrecis_2e:4f:60 (0
Internet Protocol Version 4, Src: 192.168.15.4, Dst: 69.25.94.22
Transmission Control Protocol, Src Port: 35984, Dst Port: 80, Seq: 1, Ack: 1, Len:
Hypertext Transfer Protocol
GET /secure/submit HTTP/1.1\r\n
Accept: image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, application/x-shockv
Referer: http://email.about.com/gi/dynamic/offsite.htm?zi=1/XJ&sdn=email&cdn=comp
Accept-Language: en-us\r\n
Accept-Encoding: gzip, deflate\r\n
User-Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; SV1)\r\n
Host: www.willselfdestruct.com\r\n
Connection: Keep-Alive\r\n
\r\n
[Response in frame: 82998]
[Full request URI: http://www.willselfdestruct.com/secure/submit]
0000 00 1d d9 2e 4f 60 00 17 f2 e2 c0 ce 08 00 45 00
0010 02 42 5b ba 40 00 3f 06 6b 20 c0 a8 0f 04 45 19
0020 5e 16 8c 90 00 50 b4 d2 22 bc a3 e4 bb 2b 80 18
0030 fb 28 6e 7a 00 00 01 01 08 0a 26 63 1e e4 73 00
0040 2d 65 47 45 54 20 2f 73 65 63 75 72 65 2f 73 75
0050 62 6d 69 74 20 48 54 54 50 2f 31 2e 31 0d 0a 41
0060 63 63 65 70 74 3a 20 69 6d 61 67 65 2f 67 69 66
0070 2c 20 69 6d 61 67 65 2f 78 2d 78 62 69 74 6d 61
0080 70 2c 20 69 6d 61 67 65 2f 6a 70 65 67 2c 20 69
0090 6d 61 67 65 2f 70 6a 70 65 67 2c 20 61 70 70 6c
00a0 69 63 61 74 69 6f 6e 2f 78 2d 73 68 6f 63 6b 77
00b0 61 76 65 2d 66 6c 61 73 68 2c 20 2a 2f 2a 0d 0a
00c0 52 65 66 65 72 65 72 3a 20 68 74 74 70 3a 2f 2f
00d0 65 6d 61 69 6c 2e 61 62 6f 75 74 2e 63 6f 6d 2f
00e0 67 69 2f 64 79 6e 61 6d 69 63 2f 6f 66 66 73 69
00f0 74 65 2e 68 74 6d 3f 7a 69 3d 31 2f 58 4a 26 73
0100 64 6e 3d 65 6d 61 69 6c 26 63 64 6e 3d 63 6f 6d



data-text-lines contains "secure anonymous E-mail"
No. Time Source Destination Protocol Length Info
82998 2008-07-22 06:03:44.210946Z 69.25.94.22 192.168.15.4 HTTP 75 HTTP/1.1 200 OK (text/html)
83641 2008-07-22 06:04:24.851431Z 69.25.94.22 192.168.15.4 HTTP 1189 HTTP/1.1 200 OK (text/html)
Frame 82998: Packet, 75 bytes on wire (600 bits), 75 bytes captured (600 bits)
Ethernet II, Src: HonHaiPrecis_2e:4f:60 (00:1d:d9:2e:4f:60), Dst: Apple_e2:c0:ce
Internet Protocol Version 4, Src: 69.25.94.22, Dst: 192.168.15.4
Transmission Control Protocol, Src Port: 80, Dst Port: 35984, Seq: 20471, Ack: 52
[16 Reassembled TCP Segments (20475 bytes): #82953(1368), #82954(1368), #82963(13
Hypertext Transfer Protocol, has 6 chunks (including last chunk)
HTTP/1.1 200 OK\r\n
Date: Tue, 22 Jul 2008 07:24:05 GMT\r\n
Server: Apache\r\n
Pragma: No-cache\r\n
Cache-Control: no-cache\r\n
Expires: Thu, 01 Jan 1970 00:00:00 GMT\r\n
Set-Cookie: JSESSIONID=0FB2AD5FEEF73F78A1D0A5492813C761; Path=/\r\n
Content-Type: text/html;charset=ISO-8859-1\r\n
Connection: close\r\n
Transfer-Encoding: chunked\r\n
\r\n
0000 00 17 f2 e2 c0 ce 00 1d d9 2e 4f 60 08 00 45 00
0010 00 39 26 13 40 00 36 06 ab d0 45 19 5e 16 c0 a8
0020 0f 04 00 50 8c 90 a3 e5 0b 21 b4 d2 24 ca 80 19
0030 19 20 a9 e3 00 00 01 01 08 0a 73 00 2e e7 26 63
0040 1e e7 30 0d 0a 0d 0a 2b 2d 62 73



data-text-lines contains "secure anonymous E-mail"
No. Time Source Destination Protocol Length Info
82998 2008-07-22 06:03:44.210946Z 69.25.94.22 192.168.15.4 HTTP 75 HTTP/1.1 200 OK (text/html)
83641 2008-07-22 06:04:24.851431Z 69.25.94.22 192.168.15.4 HTTP 1189 HTTP/1.1 200 OK (text/html)
\n
\n
<html>\n
<head>\n
<meta name="Description" content="Secure, anonymous email and messaging for
<meta name="KeyWords" content="secure anonymous self destruct email message
<title>FREE secure anonymous E-mail to a friend, client or colleague: Wills
</head>\n
<body>\n
\n
<style media="print" type="text/css">\n
#body {\n
display: none;\n
}\n
</style>\n
<style media="screen" type="text/css">\n
#body {\n
0150 67 65 2c 22 20 2f 3e 0a 20 20 20 20 3c 74 69 74
0160 6c 65 3e 46 52 45 45 20 73 65 63 75 72 65 20 61
0170 6e 6f 6e 79 6d 6f 75 73 20 45 2d 6d 61 69 6c 20
0180 74 6f 20 61 20 66 72 69 65 6e 64 2c 20 63 6c 69
0190 65 6e 74 20 6f 72 20 63 6f 6c 6c 65 61 67 75 65
01a0 3a 20 57 69 6c 6c 53 65 6c 66 44 65 73 74 72 75
01b0 63 74 3c 2f 74 69 74 6c 65 3e 0a 3c 2f 68 65 61
01c0 64 3e 0a 3c 62 6f 64 79 3e 0a 3c 63 65 6e 74 65
01d0 72 3e 0a 20 20 20 20 3c 73 74 79 6c 65 20 6d 65
01e0 64 69 61 3d 22 70 72 69 6e 74 22 20 20 74 79 70
01f0 65 3d 22 74 65 78 74 2f 63 73 73 22 3e 0a 20 20
0200 20 20 20 20 20 23 62 6f 64 79 20 7b 0a 20 20
0210 20 20 20 20 20 20 20 20 64 69 73 70 6c 61
0220 79 3a 20 6e 6f 6e 65 3b 0a 20 20 20 20 20 20 20
0230 20 7d 0a 20 20 20 20 3c 2f 73 74 79 6c 65 3e 0a
0240 20 20 20 20 3c 73 74 79 6c 65 20 6d 65 64 69 61
Packet (75 bytes)
Reassembled TCP (20475 bytes)
De-chunked entity body (20126 bytes)



data-text-lines
No. Time Source Destination Protocol
82998 2008-07-22 06:03:44.210946Z 69.25.94.22 192.168.15.4 HTTP
83641 2008-07-22 06:04:24.851431Z 69.25.94.22 192.168.15.4 HTTP
Frame 82998: Packet, 75 bytes on wire (600 bits), 75 bytes captured (600 bits)
Ethernet II, Src: HonHaiPrecis_2e:4f:60 (00:1d:d9:2e:4f:60), Dst: Apple_e2:c0:ce (0
Internet Protocol Version 4, Src: 69.25.94.22, Dst: 192.168.15.4
Transmission Control Protocol, Src Port: 80, Dst Port: 35984, Seq: 20471, Ack: 527,
[16 Reassembled TCP Segments (20475 bytes): #82953(1368), #82954(1368), #82963(1368
Hypertext Transfer Protocol, has 6 chunks (including last chunk)
Line-based text data: text/html (539 lines)



(ip.src == 192.168.15.4) && (ip.dst == 69.25.94.22) && http.request.method == "POST"
No. Time Source Destination Protocol Length Info
83601 2008-07-22 06:04:24.311700Z 192.168.15.4 69.25.94.22 HTTP 719 POST /secure/submit HTTP/1.1 (application/x-www-form-urlencoded)
Frame 83601: Packet, 719 bytes on wire (5752 bits), 719 bytes captured (5752 bits)
Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPrecis_2e:4f:60 (0
Internet Protocol Version 4, Src: 192.168.15.4, Dst: 69.25.94.22
Transmission Control Protocol, Src Port: 36044, Dst Port: 80, Seq: 1, Ack: 1, Len:
Hypertext Transfer Protocol
HTML Form URL Encoded: application/x-www-form-urlencoded
Form item: "to" = "lilytuckrige@yahoo.com"
Form item: "from" = ""
Form item: "subject" = "you can't find us"
Form item: "message" = "and you can't hide from us.\r\n\r\nStop teaching.\r\n\r\r
Form item: "type" = "0"
Form item: "ttl" = "30"
Form item: "submit.x" = "92"
Form item: "submit.y" = "26"
0000 00 1d d9 2e 4f 60 00 17 f2 e2 c0 ce 08 00 45 00 ....O` ..... E
0010 02 bd 02 ca 40 00 3f 06 c3 95 c0 a8 0f 04 45 19 ....@.? ..... E
0020 5e 16 8c cc 00 50 fc 72 02 f0 75 b8 f4 26 80 18 ^....P.r ..u..&..
0030 fb 28 fa c7 00 00 01 01 08 0a 26 63 20 78 73 00 .(..... ..&c xs.
0040 cb 95 50 4f 53 54 20 2f 73 65 63 75 72 65 2f 73 ..POST / secure/s
0050 75 62 6d 69 74 20 48 54 54 50 2f 31 2e 31 0d 0a ubmit HT TP/1.1..
0060 41 63 63 65 70 74 3a 20 69 6d 61 67 65 2f 67 69 Accept: image/gi
0070 66 2c 20 69 6d 61 67 65 2f 78 2d 78 62 69 74 6d f, image /x-xbitm
0080 61 70 2c 20 69 6d 61 67 65 2f 6a 70 65 67 2c 20 ap, imag e/jpeg,
0090 69 6d 61 67 65 2f 70 6a 70 65 67 2c 20 61 70 70 image/pj peg, app
00a0 6c 69 63 61 74 69 6f 6e 2f 78 2d 73 68 6f 63 6b lication /x-shock
00b0 77 61 76 65 2d 66 6c 61 73 68 2c 20 2a 2f 2a 0d wave-fla sh, */*.
00c0 0a 52 65 66 65 72 65 72 3a 20 68 74 74 70 3a 2f .Referer : http:/
00d0 2f 77 77 77 2e 77 69 6c 6c 73 65 6c 66 64 65 73 /www.wil lselfdes
00e0 74 72 75 63 74 2e 63 6f 6d 2f 73 65 63 75 72 65 truct.co m/secure
00f0 2f 73 75 62 6d 69 74 0d 0a 41 63 63 65 70 74 2d /submit. .Accept-
0100 4c 61 6e 67 75 61 67 65 3a 20 65 6e 2d 75 73 0d Language : en-us.



No. Time Source Destination Protocol Length Info
83601 2008-07-22 06:04:24.311700Z 192.168.15.4 69.25.94.22 HTTP 719 POST /secure/submit HTTP/1.1 (application/x-www-form-urlencoded)
Frame 83601: Packet, 719 bytes on wire (5752 bits), 719 bytes captured (5752 bits
Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPrecis_2e:4f:60
Destination: HonHaiPrecis_2e:4f:60 (00:1d:d9:2e:4f:60)
.... ..0. .... = LG bit: Globally unique address (factory defa
....0 .... = IG bit: Individual address (unicast)
Source: Apple_e2:c0:ce (00:17:f2:e2:c0:ce)
Type: IPv4 (0x0800)
[Stream index: 19]
Frame check sequence: 0x60c8d0a3 [unverified]
[FCS Status: Unverified]
Internet Protocol Version 4, Src: 192.168.15.4, Dst: 69.25.94.22
Transmission Control Protocol, Src Port: 36044, Dst Port: 80, Seq: 1, Ack: 1, Len
Hypertext Transfer Protocol
0000 00 1d d9 2e 4f 60 00 17 f2 e2 c0 ce 08 00 45 00 ....O` ..... E
0010 02 bd 02 ca 40 00 3f 06 c3 95 c0 a8 0f 04 45 19 ....@.? ..... E
0020 5e 16 8c cc 00 50 fc 72 02 f0 75 b8 f4 26 80 18 ^....P.r ..u..&..
0030 fb 28 fa c7 00 00 01 01 08 0a 26 63 20 78 73 00 .(..... ..&c xs.
0040 cb 95 50 4f 53 54 20 2f 73 65 63 75 72 65 2f 73 ..POST / secure/s
0050 75 62 6d 69 74 20 48 54 54 50 2f 31 2e 31 0d 0a ubmit HT TP/1.1..
0060 41 63 63 65 70 74 3a 20 69 6d 61 67 65 2f 67 69 Accept: image/gi
0070 66 2c 20 69 6d 61 67 65 2f 78 2d 78 62 69 74 6d f, image /x-xbitm
0080 61 70 2c 20 69 6d 61 67 65 2f 6a 70 65 67 2c 20 ap, imag e/jpeg,
0090 69 6d 61 67 65 2f 70 6a 70 65 67 2c 20 61 70 70 image/pj peg, app
00a0 6c 69 63 61 74 69 6f 6e 2f 78 2d 73 68 6f 63 6b lication /x-shock
00b0 77 61 76 65 2d 66 6c 61 73 68 2c 20 2a 2f 2a 0d wave-fla sh, */*.
00c0 0a 52 65 66 65 72 65 72 3a 20 68 74 74 70 3a 2f .Referer : http:/


83601 2008-07-22 06:04:24.311700Z 192.168.15.4 69.25.94.22 HTTP 719 POST /secure/submit HTTP/1.1 (application/x-www-form-urlencoded)
Type: IPv4 (0x0800)
[Stream index: 19]
Frame check sequence: 0x60c8d0a3 [unverified]
[FCS Status: Unverified]
Internet Protocol Version 4, Src: 192.168.15.4, Dst: 69.25.94.22
Transmission Control Protocol, Src Port: 36044, Dst Port: 80, Seq: 1, Ack: 1, Len
Hypertext Transfer Protocol
HTML Form URL Encoded: application/x-www-form-urlencoded
Form item: "to" = "lilytuckrige@yahoo.com"
Form item: "from" = ""
Form item: "subject" = "you can't find us"
Form item: "message" = "and you can't hide from us.\r\n\r\nStop teaching.\r\n\r
Form item: "type" = "0"
Form item: "ttl" = "30"
Form item: "submit.x" = "92"
Form item: "submit.y" = "26"
0000 00 1d d9 2e 4f 60 00 17 f2 e2 c0 ce 08 00 45 00
0010 02 bd 02 ca 40 00 3f 06 c3 95 c0 a8 0f 04 45 19
0020 5e 16 8c cc 00 50 fc 72 02 f0 75 b8 f4 26 80 18
0030 fb 28 fa c7 00 00 01 01 08 0a 26 63 20 78 73 00
0040 cb 95 50 4f 53 54 20 2f 73 65 63 75 72 65 2f 73
0050 75 62 6d 69 74 20 48 54 54 50 2f 31 2e 31 0d 0a
0060 41 63 63 65 70 74 3a 20 69 6d 61 67 65 2f 67 69
0070 66 2c 20 69 6d 61 67 65 2f 78 2d 78 62 69 74 6d
0080 61 70 2c 20 69 6d 61 67 65 2f 6a 70 65 67 2c 20
0090 69 6d 61 67 65 2f 70 6a 70 65 67 2c 20 61 70 70
00a0 6c 69 63 61 74 69 6f 6e 2f 78 2d 73 68 6f 63 6b
00b0 77 61 76 65 2d 66 6c 61 73 68 2c 20 2a 2f 2a 0d
00c0 0a 52 65 66 65 72 65 72 3a 20 68 74 74 70 3a 2f
00d0 2f 77 77 77 2e 77 69 6c 6c 73 65 6c 66 64 65 73
00e0 74 72 75 63 74 2e 63 6f 6d 2f 73 65 63 75 72 65
00f0 2f 73 75 62 6d 69 74 0d 0a 41 63 63 65 70 74 2d



eth.addr == 00:17:f2:e2:c0:ce
No. Time Source Destination Protocol Length Info
83593 2008-07-22 06:04:19.256189Z 192.168.15.4 208.185.127.40 TCP 64 35898 → 80 [ACK] Seq=299 Ack=387 Win=64768 Len=0
83594 2008-07-22 06:04:22.546984Z 192.168.1.106 192.168.15.4 TCP 82 36042 → 3283 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 WS=2 TSval=734657984 T
83596 2008-07-22 06:04:23.483574Z 192.168.15.4 192.168.1.106 TCP 82 [TCP Retransmission] 36042 → 3283 [SYN] Seq=0 Win=65535 Len=0 MSS=1460 W
83597 2008-07-22 06:04:24.213529Z 192.168.15.4 69.25.94.22 TCP 82 36044 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=1 TSval=644030583 TSe
83598 2008-07-22 06:04:24.301080Z 69.25.94.22 192.168.15.4 TCP 78 80 → 36044 [SYN, ACK] Seq=0 Ack=1 Win=5792 Len=0 MSS=1380 SACK_PERM TSva
83599 2008-07-22 06:04:24.305823Z 192.168.15.4 69.25.94.22 TCP 70 36044 → 80 [ACK] Seq=1 Ack=1 Win=64296 Len=0 TSval=644030584 TSecr=19294
83600 2008-07-22 06:04:24.311977Z 192.168.15.4 69.22.167.247 TCP 70 35956 → 80 [FIN, ACK] Seq=365 Ack=1491980 Win=65535 Len=0 TSval=64403058
83601 2008-07-22 06:04:24.311700Z 192.168.15.4 69.25.94.22 HTTP 719 POST /secure/submit HTTP/1.1 (application/x-www-form-urlencoded)
83602 2008-07-22 06:04:24.318712Z 69.22.167.247 192.168.15.4 TCP 70 80 → 35956 [FIN, ACK] Seq=1491980 Ack=366 Win=6432 Len=0 TSval=171801732
83603 2008-07-22 06:04:24.406734Z 69.25.94.22 192.168.15.4 TCP 70 80 → 36044 [ACK] Seq=1 Ack=650 Win=6490 Len=0 TSval=1929432063 TSecr=644
83604 2008-07-22 06:04:24.469169Z 69.25.94.22 192.168.15.4 HTTP 359 HTTP/1.1 302 Moved Temporarily
83605 2008-07-22 06:04:24.469263Z 69.25.94.22 192.168.15.4 TCP 70 80 → 36044 [FIN, ACK] Seq=290 Ack=650 Win=6490 Len=0 TSval=1929432125 TS
83606 2008-07-22 06:04:24.471575Z 192.168.15.4 69.25.94.22 TCP 70 36044 → 80 [ACK] Seq=650 Ack=290 Win=64007 Len=0 TSval=644030586 TSecr=1
83607 2008-07-22 06:04:24.471964Z 192.168.15.4 69.25.94.22 TCP 70 36044 → 80 [ACK] Seq=650 Ack=291 Win=64007 Len=0 TSval=644030586 TSecr=1
83608 2008-07-22 06:04:24.472590Z 192.168.15.4 69.25.94.22 TCP 70 36044 → 80 [FIN, ACK] Seq=650 Ack=291 Win=64296 Len=0 TSval=644030586 TS
83609 2008-07-22 06:04:24.475027Z 192.168.15.4 69.25.94.22 TCP 82 36046 → 80 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 WS=1 TSval=644030586 TSe
Frame 83601: Packet, 719 bytes on wire (5752 bits), 719 bytes captured (5752 bits
Ethernet II, Src: Apple_e2:c0:ce (00:17:f2:e2:c0:ce), Dst: HonHaiPrecis_2e:4f:60
Destination: HonHaiPrecis_2e:4f:60 (00:1d:d9:2e:4f:60)
.... ..0. .... = LG bit: Globally unique address (factory defa
....0 .... = IG bit: Individual address (unicast)
Source: Apple_e2:c0:ce (00:17:f2:e2:c0:ce)
.... ..0. .... = LG bit: Globally unique address (factory defa
....0 .... = IG bit: Individual address (unicast)
Type: IPv4 (0x0800)
[Stream index: 19]
Frame check sequence: 0x60c8d0a3 [unverified]
[FCS Status: Unverified]
Internet Protocol Version 4, Src: 192.168.15.4, Dst: 69.25.94.22
Transmission Control Protocol, Src Port: 36044, Dst Port: 80, Seq: 1, Ack: 1, Len
Hypertext Transfer Protocol
HTML Form URL Encoded: application/x-www-form-urlencoded
Form item: "to" = "lilytuckrige@yahoo.com"
0000 00 1d d9 2e 4f 60 00 17 f2 e2 c0 ce 08 00 45 00
0010 02 bd 02 ca 40 00 3f 06 c3 95 c0 a8 0f 04 45 19
0020 5e 16 8c cc 00 50 fc 72 02 f0 75 b8 f4 26 80 18
0030 fb 28 fa c7 00 00 01 01 08 0a 26 63 20 78 73 00
0040 cb 95 50 4f 53 54 20 2f 73 65 63 75 72 65 2f 73
0050 75 62 6d 69 74 20 48 54 54 50 2f 31 2e 31 0d 0a
0060 41 63 63 65 70 74 3a 20 69 6d 61 67 65 2f 67 69
0070 66 2c 20 69 6d 61 67 65 2f 78 2d 78 62 69 74 6d
0080 61 70 2c 20 69 6d 61 67 65 2f 6a 70 65 67 2c 20
0090 69 6d 61 67 65 2f 70 6a 70 65 67 2c 20 61 70 70
00a0 6c 69 63 61 74 69 6f 6e 2f 78 2d 73 68 6f 63 6b
00b0 77 61 76 65 2d 66 6c 61 73 68 2c 20 2a 2f 2a 0d
00c0 0a 52 65 66 65 72 65 72 3a 20 68 74 74 70 3a 2f
00d0 2f 77 77 77 2e 77 69 6c 6c 73 65 6c 66 64 65 73
00e0 74 72 75 63 74 2e 63 6f 6d 2f 73 65 63 75 72 65
00f0 2f 73 75 62 6d 69 74 0d 0a 41 63 63 65 70 74 2d
0100 4c 61 6e 67 75 61 67 65 3a 20 65 6e 2d 75 73 0d
nitroba.pcap
Packets: 94410 · Displayed: 73246 (77.6%)
Profile: Default


eth.src == 00:17:f2:e2:c0:ce && http.cookie contains "@"
No. Time Source Destination Protocol
79715 2008-07-22 06:01:16.853458Z 192.168.15.4 74.125.19.104 HTTP
79732 2008-07-22 06:01:17.225783Z 192.168.15.4 74.125.19.17 HTTP
79749 2008-07-22 06:01:17.425424Z 192.168.15.4 74.125.19.104 HTTP
79750 2008-07-22 06:01:17.425760Z 192.168.15.4 74.125.19.104 HTTP
80225 2008-07-22 06:02:05.562559Z 192.168.15.4 74.125.19.17 HTTP
80824 2008-07-22 06:03:02.386299Z 192.168.15.4 74.125.19.17 HTTP
80842 2008-07-22 06:03:05.557263Z 192.168.15.4 74.125.19.17 HTTP
83217 2008-07-22 06:03:48.787555Z 192.168.15.4 76.13.208.11 HTTP
83326 2008-07-22 06:04:05.546193Z 192.168.15.4 74.125.19.17 HTTP
84139 2008-07-22 06:04:48.915042Z 192.168.15.4 76.13.208.11 HTTP
84201 2008-07-22 06:04:55.380722Z 192.168.15.4 74.125.19.17 HTTP
84598 2008-07-22 06:05:08.525100Z 192.168.15.4 76.13.208.11 HTTP
86214 2008-07-22 06:06:31.130705Z 192.168.15.4 76.13.212.11 HTTP
86642 2008-07-22 06:07:30.143149Z 192.168.15.4 76.13.212.11 HTTP
87045 2008-07-22 06:07:51.016293Z 192.168.15.4 76.13.212.11 HTTP
Connection: Keep-Alive\r\n
Cache-Control: no-cache\r\n
Cookie […]: GX=DQAAAG8AAAAAm2oW8LqM60qoQ5w2jVJ-zHIfuyAQ3GUkvcv4N9vQ6lWuLpVMCmw1
Cookie pair: GX=DQAAAG8AAAAAm2oW8LqM60qoQ5w2jVJ-zHIfuyAQ3GUkvcv4N9vQ6lWuLpVMC
Cookie pair: S=gmail=L5hb7hHJ9B97n6StWA4FvA:gmail_yj=-OoenmU7qTeuQ1dsN3B1kg:g
Cookie pair: GMAIL_AT=xn3j32oktf2a0q6oa3k9sfr6d09yzf
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: PREF=ID=8fc081df5e738a3c:TM=1210743469:LM=1216706486:GM=1:S=vvxe
Cookie pair: NID=13=tJ7LtEc6z12iH4BP_IPyV0gGhi4aLcZoJcjAf7l-9JQ2AeoD8oWG9NJtC
Cookie pair: __utmx=173272373.00000983192309928271:2:
Cookie pair: __utmxx=173272373.00000983192309928271:1216706401:2592000
Cookie pair: SID=DQAAAGwAAACH8Y_j5izp1fdbDJzwdRFDGtU3aaeZKWgZ7DwUjYpLoqH7F1_E
Cookie pair: TZ=-60
Cookie pair: GMAIL_HELP=hosted:0
\r\n
[Response in frame: 83328]
[Full request URI: http://mail.google.com/mail/channel/bind?at=xn3j32oktf2a0q6o


data-text-lines contains "secure anonymous E-mail"
No. Time Source Destination Protocol
82998 2008-07-22 06:03:44.210946Z 69.25.94.22 192.168.15.4 HTTP
83641 2008-07-22 06:04:24.851431Z 69.25.94.22 192.168.15.4 HTTP
Set-Cookie: JSESSIONID=0FB2AD5FEEF73F78A1D0A5492813C761; Path=/\r\n
Content-Type: text/html;charset=ISO-8859-1\r\n
Connection: close\r\n
Transfer-Encoding: chunked\r\n
\r\n
[Request in frame: 82936]
[Time since request: 385.075000 milliseconds]
[Request URI: /secure/submit]
[Full request URI: http://www.willselfdestruct.com/secure/submit]
HTTP chunked response
File Data: 20126 bytes
Line-based text data: text/html (539 lines)
\n
\n
<html>\n
<head>\n
<meta name="Description" content="Secure, anonymous email and messaging for
HTTP Response HTTP-Version (http.response.version), 8 bytes


data-text-lines contains "secure anonymous E-mail"
No. Time Source Destination Protoco
82998 2008-07-22 06:03:44.210946Z 69.25.94.22 192.168.15.4 HTTP
83641 2008-07-22 06:04:24.851431Z 69.25.94.22 192.168.15.4 HTTP
Pragma: No-cache\r\n
Cache-Control: no-cache\r\n
Expires: Thu, 01 Jan 1970 00:00:00 GMT\r\n
Set-Cookie: JSESSIONID=C0AC3EC4944A8C88D98B7A8020B12492; Path=/\r\n
Content-Type: text/html;charset=ISO-8859-1\r\n
Connection: close\r\n
Transfer-Encoding: chunked\r\n
\r\n
[Request in frame: 83614]
[Time since request: 287.266000 milliseconds]
[Request URI: /secure/success]
[Full request URI: http://www.willselfdestruct.com/secure/success]
HTTP chunked response
File Data: 15830 bytes
Line-based text data: text/html (429 lines)
\n
<html>\n
HTTP Response HTTP-Version (http.response.version), 8 bytes


(kali㉿kali)-[~]
$ man tshark


Session Actions Edit View Help
TSHARK(1) TSHARK(1)
NAME
tshark - Dump and analyze network traffic
SYNOPSIS
tshark [-i <capture interface>|-] [-f <capture filter>] [-2] [-r <infile>] [-w <outfile>|-]
[options] [<filter>]
tshark -h|--help
tshark -v|--version
DESCRIPTION
TShark is a network protocol analyzer. It lets you capture packet data from a live network, or read
packets from a previously saved capture file, either printing a decoded form of those packets to the
standard output or writing the packets to a file. TShark's native capture file format is pcapng format,
which is also the format used by Wireshark and various other tools.
Without any options set, TShark will work much like tcpdump. It will use the pcap library to capture
traffic from the first available network interface and displays a summary line on the standard output
for each received packet.
When run with the -r option, specifying a capture file from which to read, TShark will again work much
Manual page tshark(1) line 1 (press h for help or q to quit)

```
┌──(kali㉿kali)-[~]
└─$ tshark -D
1. eth0
2. any
3. lo (Loopback)
4. docker0
5. bluetooth-monitor
6. nflog
7. nfqueue
8. dbus-system
9. dbus-session
10. ciscodump (Cisco remote capture)
11. dpauxmon (DisplayPort AUX channel monitor capture)
12. randpkt (Random packet generator)
13. sdjournal (systemd Journal Export)
14. sshdig (SSH remote syscall capture)
15. sshdump (SSH remote capture)
16. udpdump (UDP Listener remote capture)
17. wifidump (Wi-Fi remote capture)

┌──(kali㉿kali)-[~]
└─$
```

```
┌──(kali㉿kali)-[~]
└─$ tshark -i eth0 -c 10 -w mycapture.pcap
Capturing on 'eth0'
10

┌──(kali㉿kali)-[~]
└─$ ll mycapture.pcap
-rw------- 1 kali kali 1296 Sep 13 20:07 mycapture.pcap

┌──(kali㉿kali)-[~]
└─$ tshark -r mycapture.pcap
    1 0.000000000 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.168.196.2? Tell 192.168.196.1
    2 0.730593510 192.168.196.128 → 162.159.200.123 NTP 90 NTP Version 4, client
    3 0.818995961 162.159.200.123 → 192.168.196.128 NTP 90 NTP Version 4, server
    4 4.729409628 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.168.196.2? Tell 192.168.196.1
    5 5.362765212 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.168.196.2? Tell 192.168.196.1
    6 6.254663255 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.168.196.2? Tell 192.168.196.1
    7 9.523979489 VMware_87:06:29 → VMware_e8:a1:b6 ARP 42 Who has 192.168.196.2? Tell 192.168.196.128
    8 9.524594842 VMware_e8:a1:b6 → VMware_87:06:29 ARP 60 192.168.196.2 is at 00:50:56:e8:a1:b6
    9 11.487271705 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.168.196.2? Tell 192.168.196.1
   10 12.104757424 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.168.196.2? Tell 192.168.196.1

┌──(kali㉿kali)-[~]
└─$
```

```
┌──(kali㉿kali)-[~]
└─$ tshark -f "net 192.168.196.0/24" -i eth0 -c 10 -w mycapture192_16
8_196_0.pcap
Capturing on 'eth0'
10

┌──(kali㉿kali)-[~]
└─$ tshark -r mycapture192_168_196_0.pcap
    1 0.000000000 192.168.196.128 → 162.159.200.123 NTP 90 NTP Versio
n 4, client
    2 0.043752338 VMware_e8:a1:b6 → Broadcast    ARP 60 Who has 192.1
68.196.128? Tell 192.168.196.2
    3 0.043768873 VMware_87:06:29 → VMware_e8:a1:b6 ARP 42 192.168.19
6.128 is at 00:0c:29:87:06:29
    4 0.043990632 162.159.200.123 → 192.168.196.128 NTP 90 NTP Versio
n 4, server
    5 8.663713051 VMware_87:06:29 → VMware_e8:a1:b6 ARP 42 Who has 19
2.168.196.2? Tell 192.168.196.128
    6 8.664024385 VMware_e8:a1:b6 → VMware_87:06:29 ARP 60 192.168.19
6.2 is at 00:50:56:e8:a1:b6
    7 18.014601882 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.
168.196.2? Tell 192.168.196.1
    8 18.964812042 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.
168.196.2? Tell 192.168.196.1
    9 19.815142396 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.
168.196.2? Tell 192.168.196.1
   10 20.713709763 VMware_c0:00:08 → Broadcast    ARP 60 Who has 192.
168.196.2? Tell 192.168.196.1

┌──(kali㉿kali)-[~]
└─$
```

```
┌──(kali㉿kali)-[~]
└─$ sudo tshark -i eth0 -f "ip src host 192.168.196.2" -c 10 -w /tmp/
mycapture192_168_196_2.pcap
Running as user "root" and group "root". This could be dangerous.
Capturing on 'eth0'
10

┌──(kali㉿kali)-[~]
└─$ ls -lh /tmp/mycapture192_168_196_2.pcap
-rw------- 1 root root 1.7K Sep 14 09:42 /tmp/mycapture192_168_196_2.
pcap
```

```
┌──(kali㉿kali)-[~]
└─$ sudo tshark -r /tmp/mycapture192_168_196_2.pcap
Running as user "root" and group "root". This could be dangerous.
    1 0.000000000 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=1/256, ttl=128
    2 1.020732052 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=2/512, ttl=128
    3 2.040696259 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=3/768, ttl=128
    4 3.068561756 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=4/1024, ttl=128
    5 4.089113458 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=5/1280, ttl=128
    6 5.089549595 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=6/1536, ttl=128
    7 6.090810262 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=7/1792, ttl=128
    8 7.096778357 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=8/2048, ttl=128
    9 8.098111089 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=9/2304, ttl=128
   10 9.098866628 192.168.196.2 → 192.168.196.128 ICMP 98 Echo (ping)
 reply    id=0×c24e, seq=10/2560, ttl=128

┌──(kali㉿kali)-[~]
└─$
```

```
┌──(kali㉿kali)-[~]
└─$ ping -c 10 192.168.196.2
PING 192.168.196.2 (192.168.196.2) 56(84) bytes of data.
64 bytes from 192.168.196.2: icmp_seq=1 ttl=128 time=0.193 ms
64 bytes from 192.168.196.2: icmp_seq=2 ttl=128 time=0.330 ms
64 bytes from 192.168.196.2: icmp_seq=3 ttl=128 time=0.386 ms
64 bytes from 192.168.196.2: icmp_seq=4 ttl=128 time=0.360 ms
64 bytes from 192.168.196.2: icmp_seq=5 ttl=128 time=0.595 ms
64 bytes from 192.168.196.2: icmp_seq=6 ttl=128 time=0.714 ms
64 bytes from 192.168.196.2: icmp_seq=7 ttl=128 time=0.466 ms
64 bytes from 192.168.196.2: icmp_seq=8 ttl=128 time=0.518 ms
64 bytes from 192.168.196.2: icmp_seq=9 ttl=128 time=0.739 ms
64 bytes from 192.168.196.2: icmp_seq=10 ttl=128 time=0.386 ms

── 192.168.196.2 ping statistics ──
10 packets transmitted, 10 received, 0% packet loss, time 10110ms
rtt min/avg/max/mdev = 0.193/0.468/0.739/0.165 ms

┌──(kali㉿kali)-[~]
```


```
┌──(kali㉿kali)-[~]
└─$ sudo su
┌──(root㉿kali)-[/home/kali]
└─# mkdir tshark

┌──(root㉿kali)-[/home/kali]
└─# cd tshark/

┌──(root㉿kali)-[/home/kali/tshark]
└─# wget -q https://www.dropbox.com/s/uhmfpw6nqq20i48/basic.log

┌──(root㉿kali)-[/home/kali/tshark]
└─# ls -l basic.log
-rw-r--r-- 1 root root 1812 Sep 14 09:46 basic.log

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```




```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log
Running as user "root" and group "root". This could be dangerous.
    1 0.000000000    127.0.0.1 → 127.0.0.1    TCP 74 57338 → 80 [SYN] Seq=0 Win=65495 Len=0 MSS=65495 SACK_PERM
TSval=4102401191 TSecr=0 WS=128
    2 0.000008171    127.0.0.1 → 127.0.0.1    TCP 74 80 → 57338 [SYN, ACK] Seq=0 Ack=1 Win=65483 Len=0 MSS=65495
 SACK_PERM TSval=4102401191 TSecr=4102401191 WS=128
    3 0.000014783    127.0.0.1 → 127.0.0.1    TCP 66 57338 → 80 [ACK] Seq=1 Ack=1 Win=65536 Len=0 TSval=41024011
91 TSecr=4102401191
    4 0.000035452    127.0.0.1 → 127.0.0.1    HTTP 149 GET /basic.html HTTP/1.1
    5 0.000042870    127.0.0.1 → 127.0.0.1    TCP 66 80 → 57338 [ACK] Seq=1 Ack=84 Win=65408 Len=0 TSval=4102401
191 TSecr=4102401191
    6 0.000160688    127.0.0.1 → 127.0.0.1    HTTP 418 HTTP/1.1 200 OK  (text/html)
    7 0.000202191    127.0.0.1 → 127.0.0.1    TCP 66 57338 → 80 [ACK] Seq=84 Ack=353 Win=65280 Len=0 TSval=41024
01192 TSecr=4102401192
    8 0.000307996    127.0.0.1 → 127.0.0.1    TCP 66 57338 → 80 [FIN, ACK] Seq=84 Ack=353 Win=65536 Len=0 TSval=
4102401192 TSecr=4102401192
    9 0.000321475    127.0.0.1 → 127.0.0.1    TCP 66 80 → 57338 [FIN, ACK] Seq=353 Ack=85 Win=65536 Len=0 TSval=
4102401192 TSecr=4102401192
   10 0.000323997    127.0.0.1 → 127.0.0.1    TCP 66 57338 → 80 [ACK] Seq=85 Ack=354 Win=65536 Len=0 TSval=41024
01192 TSecr=4102401192

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -qz io,phs -r basic.log
Running as user "root" and group "root". This could be dangerous.

===================================================================
Protocol Hierarchy Statistics
Filter:

frame                                    frames:10 bytes:1111
  eth                                    frames:10 bytes:1111
    ip                                   frames:10 bytes:1111
      tcp                                frames:10 bytes:1111
        http                             frames:2 bytes:567
          data-text-lines                frames:1 bytes:418
===================================================================

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -qz io,stat,0,"COUNT(frame) frame"
Running as user "root" and group "root". This could be dangerous.

===================================================
| IO Statistics                                   |
|                                                 |
| Duration: 0.000 secs                            |
| Interval: 0.000 secs                            |
|                                                 |
| Col  1: COUNT(frame) frame                      |
|-------------------------------------------------|
|                  |1       |                     |
| Interval         | COUNT  |                     |
|------------------------------|                  |
| 0.000 <> 0.000   |     10 |                     |
===================================================

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -qz io,stat,0,"COUNT(frame)","data-text-lines contains \"first\""
Running as user "root" and group "root". This could be dangerous.

=============================================================
| IO Statistics                                             |
|                                                           |
| Duration: 0.000 secs                                      |
| Interval: 0.000 secs                                      |
|                                                           |
| Col  1: COUNT(frame)                                      |
|      2: data-text-lines contains "first"                  |
|-----------------------------------------------------------|
|                  |1       |2                |             |
| Interval         | COUNT  | Frames | Bytes  |             |
|------------------------------|--------|--------|          |
| 0.000 <> 0.000   |      0 |      1 |    418 |          |
=============================================================

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -T fields -e frame.time -e frame
Running as user "root" and group "root". This could be dangerous.
2020-10-27T23:18:22.852002777-0400      Frame 1: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bit
s) on interface lo, id 0
2020-10-27T23:18:22.852010948-0400      Frame 2: Packet, 74 bytes on wire (592 bits), 74 bytes captured (592 bit
s) on interface lo, id 0
2020-10-27T23:18:22.852017560-0400      Frame 3: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bit
s) on interface lo, id 0
2020-10-27T23:18:22.852038229-0400      Frame 4: Packet, 149 bytes on wire (1192 bits), 149 bytes captured (1192
 bits) on interface lo, id 0
2020-10-27T23:18:22.852045647-0400      Frame 5: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bit
s) on interface lo, id 0
2020-10-27T23:18:22.852163465-0400      Frame 6: Packet, 418 bytes on wire (3344 bits), 418 bytes captured (3344
 bits) on interface lo, id 0
2020-10-27T23:18:22.852204968-0400      Frame 7: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bit
s) on interface lo, id 0
2020-10-27T23:18:22.852310773-0400      Frame 8: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bit
s) on interface lo, id 0
2020-10-27T23:18:22.852324252-0400      Frame 9: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bit
s) on interface lo, id 0
2020-10-27T23:18:22.852326774-0400      Frame 10: Packet, 66 bytes on wire (528 bits), 66 bytes captured (528 bi
ts) on interface lo, id 0

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -T fields -e frame.number -e ip.src -e ip.dst -e ip.len
Running as user "root" and group "root". This could be dangerous.
1       127.0.0.1       127.0.0.1       60
2       127.0.0.1       127.0.0.1       60
3       127.0.0.1       127.0.0.1       52
4       127.0.0.1       127.0.0.1       135
5       127.0.0.1       127.0.0.1       52
6       127.0.0.1       127.0.0.1       404
7       127.0.0.1       127.0.0.1       52
8       127.0.0.1       127.0.0.1       52
9       127.0.0.1       127.0.0.1       52
10      127.0.0.1       127.0.0.1       52

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "eth.addr ≠ 11:11:11:11:11:11"
Running as user "root" and group "root". This could be dangerous.
    1 0.000000000    127.0.0.1 → 127.0.0.1    TCP 74 57338 → 80 [SYN] Seq=0 Win=65495 Len=0 MSS=65495 SACK_PERM
TSval=4102401191 TSecr=0 WS=128
    2 0.000008171    127.0.0.1 → 127.0.0.1    TCP 74 80 → 57338 [SYN, ACK] Seq=0 Ack=1 Win=65483 Len=0 MSS=65495
 SACK_PERM TSval=4102401191 TSecr=4102401191 WS=128
    3 0.000014783    127.0.0.1 → 127.0.0.1    TCP 66 57338 → 80 [ACK] Seq=1 Ack=1 Win=65536 Len=0 TSval=41024011
91 TSecr=4102401191
    4 0.000035452    127.0.0.1 → 127.0.0.1    HTTP 149 GET /basic.html HTTP/1.1
    5 0.000042870    127.0.0.1 → 127.0.0.1    TCP 66 80 → 57338 [ACK] Seq=1 Ack=84 Win=65408 Len=0 TSval=4102401
191 TSecr=4102401191
    6 0.000160688    127.0.0.1 → 127.0.0.1    HTTP 418 HTTP/1.1 200 OK  (text/html)
    7 0.000202191    127.0.0.1 → 127.0.0.1    TCP 66 57338 → 80 [ACK] Seq=84 Ack=353 Win=65280 Len=0 TSval=41024
01192 TSecr=4102401192
    8 0.000307996    127.0.0.1 → 127.0.0.1    TCP 66 57338 → 80 [FIN, ACK] Seq=84 Ack=353 Win=65536 Len=0 TSval=
4102401192 TSecr=4102401192
    9 0.000321475    127.0.0.1 → 127.0.0.1    TCP 66 80 → 57338 [FIN, ACK] Seq=353 Ack=85 Win=65536 Len=0 TSval=
4102401192 TSecr=4102401192
   10 0.000323997    127.0.0.1 → 127.0.0.1    TCP 66 57338 → 80 [ACK] Seq=85 Ack=354 Win=65536 Len=0 TSval=41024
01192 TSecr=4102401192

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "frame.number == 6"
Running as user "root" and group "root". This could be dangerous.
    6 0.000160688    127.0.0.1 → 127.0.0.1    HTTP 418 HTTP/1.1 200 OK  (text/html)

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "data-text-lines"
Running as user "root" and group "root". This could be dangerous.
    6 0.000160688    127.0.0.1 → 127.0.0.1    HTTP 418 HTTP/1.1 200 OK  (text/html)
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "data-text-lines contains \"first\""
Running as user "root" and group "root". This could be dangerous.
    6 0.000160688    127.0.0.1 → 127.0.0.1    HTTP 418 HTTP/1.1 200 OK  (text/html)


┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "frame.number == 6 && data-text-lines contains \"first\""
Running as user "root" and group "root". This could be dangerous.
    6 0.000160688    127.0.0.1 → 127.0.0.1    HTTP 418 HTTP/1.1 200 OK  (text/html)

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "data-text-lines matches \"(paragraph|Head)\""
Running as user "root" and group "root". This could be dangerous.
    6 0.000160688    127.0.0.1 → 127.0.0.1    HTTP 418 HTTP/1.1 200 OK  (text/html)


┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "http.user_agent matches \"curl\""
Running as user "root" and group "root". This could be dangerous.
    4 0.000035452    127.0.0.1 → 127.0.0.1    HTTP 149 GET /basic.html HTTP/1.1
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "frame.number == 6" -V
Running as user "root" and group "root". This could be dangerous.
Frame 6: Packet, 418 bytes on wire (3344 bits), 418 bytes captured (3344 bits) on interface lo, id 0
    Section number: 1
    Interface id: 0 (lo)
        Interface name: lo
    Encapsulation type: Ethernet (1)
    Arrival Time: Oct 27, 2020 23:18:22.852163465 EDT
    UTC Arrival Time: Oct 28, 2020 03:18:22.852163465 UTC
    Epoch Arrival Time: 1603855102.852163465
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 117.818 microseconds]
    [Time since reference or first frame: 160.688 microseconds]
    Frame Number: 6
    Frame Length: 418 bytes (3344 bits)
    Capture Length: 418 bytes (3344 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]
    Character encoding: ASCII (0)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
    Destination: 00:00:00_00:00:00 (00:00:00:00:00:00)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
```


```
    Source: 00:00:00_00:00:00 (00:00:00:00:00:00)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 404
    Identification: 0x71aa (29098)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 64
    Protocol: TCP (6)
    Header Checksum: 0xc9b7 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
```




```
    [Stream index: 0]
Transmission Control Protocol, Src Port: 80, Dst Port: 57338, Seq: 1, Ack: 84, Len: 352
    Source Port: 80
    Destination Port: 57338
    [Stream index: 0]
    [Stream Packet Number: 6]
    [Conversation completeness: Incomplete, DATA (15)]
        ..0. .... = RST: Absent
        ...0 .... = FIN: Absent
        .... 1... = Data: Present
        .... .1.. = ACK: Present
        .... ..1. = SYN-ACK: Present
        .... ...1 = SYN: Present
        [Completeness Flags: ··DASS]
    [TCP Segment Len: 352]
    Sequence Number: 1    (relative sequence number)
    Sequence Number (raw): 335975065
    [Next Sequence Number: 353    (relative sequence number)]
    Acknowledgment Number: 84    (relative ack number)
    Acknowledgment number (raw): 2637494999
    1000 .... = Header Length: 32 bytes (8)
    Flags: 0×018 (PSH, ACK)
        000. .... .... = Reserved: Not set
        ...0 .... .... = Accurate ECN: Not set
```



```
        .... 0... .... = Congestion Window Reduced: Not set
        .... .0.. .... = ECN-Echo: Not set
        .... ..0. .... = Urgent: Not set
        .... ...1 .... = Acknowledgment: Set
        .... .... 1... = Push: Set
        .... .... .0.. = Reset: Not set
        .... .... ..0. = Syn: Not set
        .... .... ...0 = Fin: Not set
        [TCP Flags: ·····AP···]
    Window: 512
    [Calculated window size: 65536]
    [Window size scaling factor: 128]
    Checksum: 0×ff88 [unverified]
    [Checksum Status: Unverified]
    Urgent Pointer: 0
    Options: (12 bytes), No-Operation (NOP), No-Operation (NOP), Timestamps
        TCP Option - No-Operation (NOP)
            Kind: No-Operation (1)
        TCP Option - No-Operation (NOP)
            Kind: No-Operation (1)
        TCP Option - Timestamps: TSval 4102401192, TSecr 4102401191
            Kind: Time Stamp Option (8)
            Length: 10
            Timestamp value: 4102401192
```



```
        Timestamp echo reply: 4102401191
    [Timestamps]
        [Time since first frame in this TCP stream: 160.688 microseconds]
        [Time since previous frame in this TCP stream: 117.818 microseconds]
    [SEQ/ACK analysis]
        [iRTT: 14.783 microseconds]
        [Bytes in flight: 352]
        [Bytes sent since last PSH flag: 352]
    [Client Contiguous Streams: 1]
    [Server Contiguous Streams: 1]
    TCP payload (352 bytes)
Hypertext Transfer Protocol
    HTTP/1.1 200 OK\r\n
        Response Version: HTTP/1.1
        Status Code: 200
        [Status Code Description: OK]
        Response Phrase: OK
    Date: Wed, 28 Oct 2020 03:18:22 GMT\r\n
    Server: Apache/2.4.41 (Debian)\r\n
    Last-Modified: Mon, 26 Oct 2020 00:22:36 GMT\r\n
    ETag: "65-5b287ed5ba143"\r\n
    Accept-Ranges: bytes\r\n
    Content-Length: 101\r\n
        [Content length: 101]
```



```
    Vary: Accept-Encoding\r\n
    Content-Type: text/html\r\n
    \r\n
    [Request in frame: 4]
    [Time since request: 125.236 microseconds]
    [Request URI: /basic.html]
    [Full request URI: http://127.0.0.1/basic.html]
    File Data: 101 bytes
Line-based text data: text/html (10 lines)
    <!DOCTYPE html>\n
    <html>\n
    <body>\n
    \n
    <h1>My First Heading</h1>\n
    \n
    <p>My first paragraph.</p>\n
    \n
    </body>\n
    </html>


┌──(root㉿kali)-[/home/kali/tshark]
└─# 
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "eth" -T fields -e eth.addr
Running as user "root" and group "root". This could be dangerous.
00:00:00:00:00:00,00:00:00:00:00:00
00:00:00:00:00:00,00:00:00:00:00:00
00:00:00:00:00:00,00:00:00:00:00:00
00:00:00:00:00:00,00:00:00:00:00:00
00:00:00:00:00:00,00:00:00:00:00:00
00:00:00:00:00:00,00:00:00:00:00:00
00:00:00:00:00:00,00:00:00:00:00:00
00:00:00:00:00:00,00:00:00:00:00:00
00:00:00:00:00:00,00:00:00:00:00:00
00:00:00:00:00:00,00:00:00:00:00:00
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r /home/kali/ubalt.pcap -Y "ip" -T fields -e ip.addr | sort | uniq
Running as user "root" and group "root". This could be dangerous.
10.0.2.5,204.52.129.211
204.52.129.211,10.0.2.5

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r /home/kali/ubalt.pcap -T fields -e ip.addr | sort | uniq
Running as user "root" and group "root". This could be dangerous.
10.0.2.5,204.52.129.211
204.52.129.211,10.0.2.5

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "frame.number == 6" -x
Running as user "root" and group "root". This could be dangerous.
0000  00 00 00 00 00 00 00 00 00 00 00 00 08 00 45 00   ..............E.
0010  01 94 71 aa 40 00 40 06 c9 b7 7f 00 00 01 7f 00   ..q.@.@.........
0020  00 01 00 50 df fa 14 06 92 99 9d 34 fa d7 80 18   ...P.......4....
0030  02 00 ff 88 00 00 01 01 08 0a f4 85 ac a8 f4 85   ................
0040  ac a7 48 54 54 50 2f 31 2e 31 20 32 30 30 20 4f   ..HTTP/1.1 200 O
0050  4b 0d 0a 44 61 74 65 3a 20 57 65 64 2c 20 32 38   K..Date: Wed, 28
0060  20 4f 63 74 20 32 30 32 30 20 30 33 3a 31 38 3a    Oct 2020 03:18:
0070  32 32 20 47 4d 54 0d 0a 53 65 72 76 65 72 3a 20   22 GMT..Server:
0080  41 70 61 63 68 65 2f 32 2e 34 2e 34 31 20 28 44   Apache/2.4.41 (D
0090  65 62 69 61 6e 29 0d 0a 4c 61 73 74 2d 4d 6f 64   ebian)..Last-Mod
```

```
00a0  69 66 69 65 64 3a 20 4d 6f 6e 2c 20 32 36 20 4f   ified: Mon, 26 O
00b0  63 74 20 32 30 32 30 20 30 30 3a 32 32 3a 33 36   ct 2020 00:22:36
00c0  20 47 4d 54 0d 0a 45 54 61 67 3a 20 22 36 35 2d    GMT..ETag: "65-
00d0  35 62 32 38 37 65 64 35 62 61 31 34 33 22 0d 0a   5b287ed5ba143"..
00e0  41 63 63 65 70 74 2d 52 61 6e 67 65 73 3a 20 62   Accept-Ranges: b
00f0  79 74 65 73 0d 0a 43 6f 6e 74 65 6e 74 2d 4c 65   ytes..Content-Le
0100  6e 67 74 68 3a 20 31 30 31 0d 0a 56 61 72 79 3a   ngth: 101..Vary:
0110  20 41 63 63 65 70 74 2d 45 6e 63 6f 64 69 6e 67    Accept-Encoding
0120  0d 0a 43 6f 6e 74 65 6e 74 2d 54 79 70 65 3a 20   ..Content-Type:
0130  74 65 78 74 2f 68 74 6d 6c 0d 0a 0d 0a 3c 21 44   text/html....<!D
0140  4f 43 54 59 50 45 20 68 74 6d 6c 3e 0a 3c 68 74   OCTYPE html>.<ht
0150  6d 6c 3e 0a 3c 62 6f 64 79 3e 0a 0a 3c 68 31 3e   ml>.<body>..<h1>
0160  4d 79 20 46 69 72 73 74 20 48 65 61 64 69 6e 67   My First Heading
0170  3c 2f 68 31 3e 0a 0a 3c 70 3e 4d 79 20 66 69 72   </h1>..<p>My fir
0180  73 74 20 70 61 72 61 67 72 61 70 68 2e 3c 2f 70   st paragraph.</p
0190  3e 0a 0a 3c 2f 62 6f 64 79 3e 0a 3c 2f 68 74 6d   >..</body>.</htm
01a0  6c 3e                                             l>


┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "frame.number == 6" -T fields -e text
Running as user "root" and group "root". This could be dangerous.
Timestamps,HTTP/1.1 200 OK\\r\\n,\\r\\n,<!DOCTYPE html>\\n,<html>\\n,<body>\\n,\\n,<h1>My First Heading</h1>\\n,
\\n,<p>My first paragraph.</p>\\n,\\n,</body>\\n,</html>
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "data-text-lines matches \"first paragraph\"" -V
Running as user "root" and group "root". This could be dangerous.
Frame 6: Packet, 418 bytes on wire (3344 bits), 418 bytes captured (3344 bits) on interface lo, id 0
    Section number: 1
    Interface id: 0 (lo)
        Interface name: lo
    Encapsulation type: Ethernet (1)
    Arrival Time: Oct 27, 2020 23:18:22.852163465 EDT
    UTC Arrival Time: Oct 28, 2020 03:18:22.852163465 UTC
    Epoch Arrival Time: 1603855102.852163465
    [Time shift for this packet: 0.000000000 seconds]
    [Time delta from previous captured frame: 117.818 microseconds]
    [Time since reference or first frame: 160.688 microseconds]
    Frame Number: 6
    Frame Length: 418 bytes (3344 bits)
    Capture Length: 418 bytes (3344 bits)
    [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]
    Character encoding: ASCII (0)
Ethernet II, Src: 00:00:00_00:00:00 (00:00:00:00:00:00), Dst: 00:00:00_00:00:00 (00:00:00:00:00:00)
    Destination: 00:00:00_00:00:00 (00:00:00:00:00:00)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Source: 00:00:00_00:00:00 (00:00:00:00:00:00)
        .... ..0. .... .... .... .... = LG bit: Globally unique address (factory default)
        .... ...0 .... .... .... .... = IG bit: Individual address (unicast)
    Type: IPv4 (0x0800)
    [Stream index: 0]
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
    Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
        0000 00.. = Differentiated Services Codepoint: Default (0)
        .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
    Total Length: 404
    Identification: 0x71aa (29098)
    010. .... = Flags: 0x2, Don't fragment
        0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
        ..0. .... = More fragments: Not set
    ...0 0000 0000 0000 = Fragment Offset: 0
    Time to Live: 64
    Protocol: TCP (6)
    Header Checksum: 0xc9b7 [validation disabled]
    [Header checksum status: Unverified]
    Source Address: 127.0.0.1
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "data-text-lines matches \"first paragraph\"" -V | grep -E "first paragraph" --color
Running as user "root" and group "root". This could be dangerous.
    <p>My first paragraph.</p>\n

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "frame.number == 6" -V | grep -E "<.+?>"
Running as user "root" and group "root". This could be dangerous.
    <!DOCTYPE html>\n
    <html>\n
    <body>\n
    <h1>My First Heading</h1>\n
    <p>My first paragraph.</p>\n
    </body>\n
    </html>

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "http.user_agent" -V | grep -Ei "agent"
Running as user "root" and group "root". This could be dangerous.
    User-Agent: curl/7.67.0\r\n

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -Y "http.request" -T fields -e http.host -e http.user_agent
Running as user "root" and group "root". This could be dangerous.
127.0.0.1       curl/7.67.0

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -V | grep ".html" --color
Running as user "root" and group "root". This could be dangerous.
    GET /basic.html HTTP/1.1\r\n
        Request URI: /basic.html
    [Full request URI: http://127.0.0.1/basic.html]
    Content-Type: text/html\r\n
    [Request URI: /basic.html]
    [Full request URI: http://127.0.0.1/basic.html]
Line-based text data: text/html (10 lines)
    <!DOCTYPE html>\n
    <html>\n
    </html>

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -V | grep -E "([0-9]{1,3}\.){3}[0-9]{1,3}" --color
Running as user "root" and group "root". This could be dangerous.
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
```

```
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
    Host: 127.0.0.1\r\n
    [Full request URI: http://127.0.0.1/basic.html]
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
    [Full request URI: http://127.0.0.1/basic.html]
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
```

```
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1
Internet Protocol Version 4, Src: 127.0.0.1, Dst: 127.0.0.1
    Source Address: 127.0.0.1
    Destination Address: 127.0.0.1

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -V | grep -E "http://" --color
Running as user "root" and group "root". This could be dangerous.
    [Full request URI: http://127.0.0.1/basic.html]
    [Full request URI: http://127.0.0.1/basic.html]

┌──(root㉿kali)-[/home/kali/tshark]
└─# echo "this is my email test@ubalt.edu" | grep -E "[a-zA-Z0-9]{3,10}@[a-zA-Z]{3,10}\.edu" --color
this is my email test@ubalt.edu

┌──(root㉿kali)-[/home/kali/tshark]
└─# echo "this is my email test@ubalt.edu" | grep -E "\w{3,10}@[a-zA-Z]{3,10}\.edu" --color
this is my email test@ubalt.edu
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r basic.log -z follow,tcp,ascii,0 -Y http
Running as user "root" and group "root". This could be dangerous.
    4 0.000035452    127.0.0.1 → 127.0.0.1    HTTP 149 GET /basic.html HTTP/1.1
    6 0.000160688    127.0.0.1 → 127.0.0.1    HTTP 418 HTTP/1.1 200 OK  (text/html)

===================================================================
Follow: tcp,ascii
Filter: tcp.stream eq 0
Node 0: 127.0.0.1:57338
Node 1: 127.0.0.1:80
83
GET /basic.html HTTP/1.1
Host: 127.0.0.1
User-Agent: curl/7.67.0
Accept: */*


        352
HTTP/1.1 200 OK
Date: Wed, 28 Oct 2020 03:18:22 GMT
Server: Apache/2.4.41 (Debian)
Last-Modified: Mon, 26 Oct 2020 00:22:36 GMT
ETag: "65-5b287ed5ba143"
Accept-Ranges: bytes
```

```
Content-Length: 101
Vary: Accept-Encoding
Content-Type: text/html

<!DOCTYPE html>
<html>
<body>

<h1>My First Heading</h1>

<p>My first paragraph.</p>

</body>
</html>
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -G protocols | grep http --color
Running as user "root" and group "root". This could be dangerous.
Binary representation of HTTP Messages  Binary HTTP     bhttp   T       T       T
Hypertext Transfer Protocol     HTTP    http    T       T       T
HyperText Transfer Protocol 2   HTTP2   http2   T       T       T
Hypertext Transfer Protocol Version 3   HTTP3   http3   T       T       T
Media Type: message/http        message/http    message-http    T       T       T

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -G fields | grep -E "http\." --color
Running as user "root" and group "root". This could be dangerous.
F       Frame   bhttp.frame     FT_UINT64       bhttp   BASE_HEX        0x0
F       Framing indicator       bhttp.framing_indicator FT_UINT64       bhttp   BASE_HEX        0x0
F       Request control data    bhttp.request   FT_NONE bhttp           0x0
F       Request method length   bhttp.request.method_len        FT_UINT64       bhttp   BASE_DEC        0x0
F       Request method  bhttp.request.method    FT_STRING       bhttp           0x0
F       Request scheme length   bhttp.request.scheme_len        FT_UINT64       bhttp   BASE_DEC        0x0
F       Request scheme  bhttp.request.scheme    FT_STRING       bhttp           0x0
F       Request authority length        bhttp.request.authority_len     FT_UINT64       bhttp   BASE_DEC       0
x0
F       Request authority       bhttp.request.authority FT_STRING       bhttp           0x0
F       Request path length     bhttp.request.path_len  FT_UINT64       bhttp   BASE_DEC        0x0
F       Request path    bhttp.request.path      FT_STRING       bhttp           0x0
F       Known-length informational response control data        bhttp.response.informational    FT_NONE bhttp  0
x0
F       Final response control data     bhttp.response.final    FT_NONE bhttp           0x0
F       Status code     bhttp.response.final.status     FT_UINT64       bhttp   BASE_DEC        0x0
F       Status code     bhttp.response.informational.status     FT_UINT64       bhttp   BASE_DEC        0x0
F       Known-length field section      bhttp.known_length_field_section        FT_NONE bhttp           0x0
F       Known-length field section length       bhttp.known_length_field_section.len    FT_UINT64       bhttp  B
ASE_DEC 0x0
F       Indeterminate-length field section      bhttp.indeterminate_length_field_section        FT_NONE bhttp  0
x0
F       Indeterminate-length content terminator bhttp.indeterminate_content_terminator  FT_UINT64       bhttp  B
ASE_DEC 0x0
F       Name length     bhttp.name_len  FT_UINT64       bhttp   BASE_DEC        0x0
F       Name    bhttp.name      FT_STRING       bhttp           0x0
F       Value length    bhttp.value_len FT_UINT64       bhttp   BASE_DEC        0x0
F       Value   bhttp.value     FT_STRING       bhttp           0x0
F       Known-length content    bhttp.known_length_content      FT_NONE bhttp           0x0
F       Content length  bhttp.known_length_content.len  FT_UINT64       bhttp   BASE_DEC        0x0
F       Content bhttp.known_length_content.content      FT_BYTES        bhttp           0x0
F       Indeterminate-length content    bhttp.indeterminate_length_content      FT_NONE bhttp           0x0
F       Chunk length    bhttp.indeterminate_length_content.chunk_len    FT_UINT64       bhttp   BASE_DEC       0
x0
F       Padding Length  bhttp.padding_length    FT_UINT32       bhttp   BASE_DEC        0x0
F       Notification    http.notification       FT_BOOLEAN      http    0       0x0     true if HTTP notificatio
n
```

```
F       Request http.request    FT_BOOLEAN      http    0       0x0     true if HTTP request
F       Credentials     http.authbasic  FT_STRING       http            0x0
F       Citrix AG Auth  http.authcitrix FT_BOOLEAN      http    0       0x0     true if CitrixAGBasic Auth
F       Citrix AG Username      http.authcitrix.user    FT_STRING       http            0x0
F       Citrix AG Domain        http.authcitrix.domain  FT_STRING       http            0x0
F       Citrix AG Password      http.authcitrix.password        FT_STRING       http            0x0
F       Citrix AG Session ID    http.authcitrix.session FT_STRING       http            0x0
F       Response line   http.response.line      FT_STRING       http            0x0
F       Request line    http.request.line       FT_STRING       http            0x0
F       Request Method  http.request.method     FT_STRING       http            0x0     HTTP Request Method
F       Request URI     http.request.uri        FT_STRING       http            0x0     HTTP Request-URI
F       Request URI Path        http.request.uri.path   FT_STRING       http            0x0     HTTP Request-URI
 Path
F       Request URI Path Segment        http.request.uri.path.segment   FT_STRING       http            0x0
F       Request URI Query       http.request.uri.query  FT_STRING       http            0x0     HTTP Request-URI
 Query
F       Request URI Query Parameter     http.request.uri.query.parameter        FT_STRING       http            0
x0      HTTP Request-URI Query Parameter
F       Request Version http.request.version    FT_STRING       http            0x0     HTTP Request HTTP-Versio
n
F       Response Version        http.response.version   FT_STRING       http            0x0     HTTP Response HT
TP-Version
F       Full request URI        http.request.full_uri   FT_STRING       http            0x0     The full request
ed URI (including host name)
F       Status Code     http.response.code      FT_UINT24       http    BASE_DEC        0x0     HTTP Response St
atus Code
```

```
atus Code Description
F       Response Phrase http.response.phrase    FT_STRING       http            0x0     HTTP Response Reason Phr
ase
F       Authorization   http.authorization      FT_STRING       http            0x0     HTTP Authorization heade
r
F       Proxy-Authenticate      http.proxy_authenticate FT_STRING       http            0x0     HTTP Proxy-Authe
nticate header
F       Proxy-Authorization     http.proxy_authorization        FT_STRING       http            0x0     HTTP Pro
xy-Authorization header
F       Proxy-Connect-Hostname  http.proxy_connect_host FT_STRING       http            0x0     HTTP Proxy Conne
ct Hostname
F       Proxy-Connect-Port      http.proxy_connect_port FT_UINT16       http    BASE_DEC        0x0     HTTP Pro
xy Connect Port
F       WWW-Authenticate        http.www_authenticate   FT_STRING       http            0x0     HTTP WWW-Authent
icate header
F       Content-Type    http.content_type       FT_STRING       http            0x0     HTTP Content-Type header
F       Content-Length  http.content_length_header      FT_STRING       http            0x0     HTTP Content-Len
gth header
F       Content length  http.content_length     FT_UINT64       http    BASE_DEC        0x0
F       Content-Encoding        http.content_encoding   FT_STRING       http            0x0     HTTP Content-Enc
oding header
F       Transfer-Encoding       http.transfer_encoding  FT_STRING       http            0x0     HTTP Transfer-En
coding header
F       Upgrade http.upgrade    FT_STRING       http            0x0     HTTP Upgrade header
F       User-Agent      http.user_agent FT_STRING       http            0x0     HTTP User-Agent header
F       Host    http.host       FT_STRING       http            0x0     HTTP Host
```

```
F       Content-Range   http.content_range      FT_STRING       http            0x0     HTTP Content-Range
F       Connection      http.connection FT_STRING       http            0x0     HTTP Connection
F       Cookie  http.cookie     FT_STRING       http            0x0     HTTP Cookie
F       Cookie pair     http.cookie_pair        FT_STRING       http            0x0     A name/value HTTP cookie
 pair
F       Accept  http.accept     FT_STRING       http            0x0     HTTP Accept
F       Referer http.referer    FT_STRING       http            0x0     HTTP Referer
F       Accept-Language http.accept_language    FT_STRING       http            0x0     HTTP Accept Language
F       Accept Encoding http.accept_encoding    FT_STRING       http            0x0     HTTP Accept Encoding
F       Date    http.date       FT_STRING       http            0x0     HTTP Date
F       Cache-Control   http.cache_control      FT_STRING       http            0x0     HTTP Cache Control
F       Server  http.server     FT_STRING       http            0x0     HTTP Server
F       Location        http.location   FT_STRING       http            0x0     HTTP Location
F       Sec-WebSocket-Accept    http.sec_websocket_accept       FT_STRING       http            0x0
F       Sec-WebSocket-Extensions        http.sec_websocket_extensions   FT_STRING       http            0x0
F       Sec-WebSocket-Key       http.sec_websocket_key  FT_STRING       http            0x0
F       Sec-WebSocket-Protocol  http.sec_websocket_protocol     FT_STRING       http            0x0
F       Sec-WebSocket-Version   http.sec_websocket_version      FT_STRING       http            0x0
F       Set-Cookie      http.set_cookie FT_STRING       http            0x0     HTTP Set Cookie
F       Last-Modified   http.last_modified      FT_STRING       http            0x0     HTTP Last Modified
F       X-Forwarded-For http.x_forwarded_for    FT_STRING       http            0x0     HTTP X-Forwarded-For
F       HTTP2-Settings  http.http2_settings     FT_STRING       http            0x0
F       Request in frame        http.request_in FT_FRAMENUM     http            0x0     This packet is a respons
e to the packet with this number
F       Response in frame       http.response_in        FT_FRAMENUM     http            0x0     This packet will
 be responded in the packet with this number
```

```
equest was sent
F       trailer-part    http.chunked_trailer_part       FT_STRING       http            0x0     Optional trailer
 in a chunked body
F       Chunk boundary  http.chunk_boundary     FT_BYTES        http            0x0
F       Chunk size      http.chunk_size FT_UINT32       http    BASE_DEC        0x0
F       Chunk data      http.chunk_data FT_BYTES        http            0x0
F       File Data       http.file_data  FT_BYTES        http            0x0
F       Unknown header  http.unknown_header     FT_STRING       http            0x0
F       HTTP2 Settings URI      http.http2_settings_uri FT_BYTES        http            0x0
F       Reassembled HTTP Chunked Body fragments http.body.fragments     FT_NONE http            0x0
F       HTTP Chunked Body fragment      http.body.fragment      FT_FRAMENUM     http            0x0
F       HTTP Chunked Body fragment overlap      http.body.fragment.overlap      FT_BOOLEAN      http    0       0
x0
F       HTTP Chunked Body fragment overlapping with conflicting data    http.body.fragment.overlap.conflicts    F
T_BOOLEAN       http    0       0x0
F       HTTP Chunked Body has multiple tail fragments   http.body.fragment.multiple_tails       FT_BOOLEAN      h
ttp     0       0x0
F       HTTP Chunked Body fragment too long     http.body.fragment.too_long_fragment    FT_BOOLEAN      http    0
0x0
F       HTTP Chunked Body defragment error      http.body.fragment.error        FT_FRAMENUM     http            0
x0
F       HTTP Chunked Body fragment count        http.body.fragment.count        FT_UINT32       http    BASE_DEC
0x0
F       Reassembled in  http.body.reassembled.in        FT_FRAMENUM     http            0x0
F       Reassembled length      http.body.reassembled.length    FT_UINT32       http    BASE_DEC        0x0
F       Reassembled data        http.body.reassembled.data      FT_BYTES        http            0x0
```

```
F       HTTP Chunked Body segment       http.body.segment       FT_BYTES        http            0x0
F       The Content-Length and Transfer-Encoding header must not be set together        http.te_and_length      F
T_NONE  http            0x0
F       Unknown transfer coding name in Transfer-Encoding header        http.te_unknown FT_NONE http            0
x0
F       HTTP body subdissector failed, trying heuristic subdissector    http.subdissector_failed        FT_NONEh
ttp             0x0
F       Unencrypted HTTP protocol detected over encrypted port, could indicate a dangerous misconfiguration.   h
ttp.tls_port    FT_NONE http            0x0
F       Excess data after a body (not a new request/response), previous Content-Length bogus?   http.excess_data
FT_NONE http            0x0
F       Leading CRLF previous message in the stream may have extra CRLF http.leading_crlf       FT_NONE http    0
x0
F       Illegal characters found in header name http.bad_header_name    FT_NONE http            0x0
F       Decompression failed    http.decompression_failed       FT_NONE http            0x0
F       Decompression disabled  http.decompression_disabled     FT_NONE http            0x0

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -G protocols | grep -Ei "\btcp\b" --color
Running as user "root" and group "root". This could be dangerous.
TCP Option - Accurate ECN       Accurate ECN    tcp.options.acc_ecn     T       T       T
ATM over TCP    ATMTCP  atmtcp  T       T       T
TCP Option - CC CC      tcp.options.cc  T       T       T
TCP Option - CC.ECHO    CC.ECHO tcp.options.ccecho      T       T       T
TCP Option - CC.NEW     CC.NEW  tcp.options.ccnew       T       T       T
Mitel RFP/OMM TCP communication protocol        DECT-MITEL-RFP  dect_mitel_rfp  T       T       T
DOF Protocol Stack TCP  DOF-TCP dof-tcp T       T       T
DRBD Load-Balanced Protocol     DRBD lb-tcp     drbd_lb_tcp     T       T       T
TCP Option - Echo       Echo    tcp.options.echo        T       T       T
TCP Option - Echo reply Echo reply      tcp.options.echoreply   T       T       T
TCP Option - End of Option List (EOL)   End of Option List (EOL)        tcp.options.eol T       T       T
TCP Option - Experimental       Experimental    tcp.options.experimental        T       T       T
LBMPDM over TCP Protocol        LBMPDM-TCP      lbmpdm_tcp      T       T       T
LBT TCP Protocol        LBT-TCP lbttcp  T       T       T
ENEA LINX over TCP      LINX/TCP        linxtcp T       T       T
Locator/ID Separation Protocol (Reliable Transport)     LISP Reliable Transport lisp-tcp        T       T       T
TCP Option - Maximum segment size       Maximum segment size    tcp.options.mss T       T       T
Modbus/TCP      Modbus/TCP      mbtcp   T       T       T
TCP Option - No-Operation (NOP) No-Operation (NOP)      tcp.options.nop T       T       T
NVM Express Fabrics TCP NVMe/TCP        nvme-tcp        T       T       T
PCOM/TCP        PCOM/TCP        pcomtcp T       T       T
TCP Option - Quick-Start        Quick-Start     tcp.options.qs  T       T       T
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -G fields | grep -E "\btcp\b\." --color
Running as user "root" and group "root". This could be dangerous.
F       TCP Source Port dct2000.ipprim.tcp.srcport      FT_UINT16       dct2000 BASE_PT_TCP     0x0     IPPrim T
CP Source Port
F       TCP Destination Port    dct2000.ipprim.tcp.dstport      FT_UINT16       dct2000 BASE_PT_TCP     0x0     I
PPrim TCP Destination Port
F       TCP Port        dct2000.ipprim.tcp.port FT_UINT16       dct2000 BASE_PT_TCP     0x0     IPPrim TCP Port
F       Source IP       lbmr.tir.tcp.ip FT_IPv4 lbmr            0x0
F       Session ID      lbmr.tir.tcp.session_id FT_UINT32       lbmr    BASE_HEX        0x0
F       Source Port     lbmr.tir.tcp.port       FT_UINT16       lbmr    BASE_PT_TCP     0x0
F       Type    lisp-tcp.message.type   FT_UINT16       lisp-tcp        BASE_DEC        0x0     TLV Message Type
F       Length  lisp-tcp.message.length FT_UINT16       lisp-tcp        BASE_DEC        0x0     TLV Message Leng
th
F       Message ID      lisp-tcp.message.id     FT_UINT32       lisp-tcp        BASE_DEC        0x0
F       Message Data    lisp-tcp.message.data   FT_BYTES        lisp-tcp                0x0
F       EID AFI lisp-tcp.message.eid.afi        FT_UINT16       lisp-tcp        BASE_DEC        0x0
F       Instance ID     lisp-tcp.message.iid    FT_UINT32       lisp-tcp        BASE_DEC        0x0
F       Subscribe Message ID    lisp-tcp.message.sid    FT_UINT32       lisp-tcp        BASE_DEC        0x0
F       Error code      lisp-tcp.message.err    FT_UINT8        lisp-tcp        BASE_DEC        0x0
F       Error code      lisp-tcp.message.err.code       FT_UINT8        lisp-tcp        BASE_DEC        0x0
F       Error code      lisp-tcp.message.err.reserved   FT_UINT24       lisp-tcp        BASE_HEX        0x0     M
ust be zero
F       Offending message type  lisp-tcp.message.err.offending_msg.type FT_UINT16       lisp-tcp        BASE_DEC
0x0
F       Offending message length        lisp-tcp.message.err.offending_msg.len  FT_UINT16       lisp-tcp        B
```


```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -G protocols | grep frame --color
Running as user "root" and group "root". This could be dangerous.
Apple Wireless Direct Link action frame AWDL    awdl    T       T       T
Apple Wireless Direct Link data frame   AWDL data       awdl_data       T       T       T
Classical IP frame      CLIP    clip    T       T       T
Compound Frames (Deprecated)    Compound Frames (Deprecated)    lcp.opt.compound_frames T       T       T
EtherCAT frame header   ETHERCAT        ecatf   T       T       T
Frame   Frame   frame   T       T       F
IEEE 802 Tagged Frame   IEEE 802 Tagged Frame   bcp_ncp.opt.ieee_802_tagged_frame       T       T       T
IEEE 802.11 wireless LAN aggregate frame        IEEE 802.11 Aggregate Data      wlan_aggregate  T       T       T
IEEE 802.11 wireless LAN extension frame        IEEE 802.11 EXT wlan_ext        T       T       T
mac-lte-framed  MAC-LTE-FRAMED  mac-lte-framed  T       T       T
mac-nr-framed   MAC-NR-FRAMED   mac-nr-framed   T       T       T
Short Frame     Short frame     _ws.short       T       T       F

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -G fields | grep -e "frame\.number" --color
Running as user "root" and group "root". This could be dangerous.
F       Number of Periods       bthci_cmd.external_frame.number_of_periods      FT_UINT8        bthci_cmd       B
ASE_DEC 0x0
F       Frame number    dvb-s2_table.frame.number       FT_UINT8        dvb-s2_table    BASE_DEC        0x1f
F       Frame number    dvb-s2_table.desc.cmed.frame.number     FT_UINT8        dvb-s2_table    BASE_DEC        0
x0
F       Frame Number    frame.number    FT_UINT32       frame   BASE_DEC        0x0
```


```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -G fields | grep -e "frame\.time" --color
Running as user "root" and group "root". This could be dangerous.
F       Timestamp Microseconds  btsnoop.frame.timestamp_microseconds    FT_ABSOLUTE_TIME        btsnoop         0
x0
F       Timestamp       dpnet.cframe.timestamp  FT_UINT32       dpnet   BASE_DEC        0x0
F       Arrival Time    frame.time      FT_ABSOLUTE_TIME        frame           0x0     Absolute time when this
frame was captured, in local time
F       UTC Arrival Time        frame.time_utc  FT_ABSOLUTE_TIME        frame           0x0     Absolute time wh
en this frame was captured, in Coordinated Universal Time (UTC)
F       Epoch Arrival Time      frame.time_epoch        FT_ABSOLUTE_TIME        frame           0x0     Absolute
 time when this frame was captured, in Epoch time (also known as Unix time)
F       Time delta from previous captured frame frame.time_delta        FT_RELATIVE_TIME        frame           0
x0
F       Time delta from previous displayed frame        frame.time_delta_displayed      FT_RELATIVE_TIME        f
rame            0x0
F       Time since reference or first frame     frame.time_relative     FT_RELATIVE_TIME        frame           0
x0      Time relative to time reference or first frame
F       Time since start of capturing   frame.time_relative_capture_start       FT_RELATIVE_TIME        frame   0
x0      Time relative to the capture start
F       Arrival Time: Fractional second out of range (0-999999999)      frame.time_invalid      FT_NONE frame   0
x0
F       Timestamp       rdp_egfx.startframe.timestamp   FT_UINT32       rdp_egfx        BASE_DEC        0x0
F       Timestamp       tdma-v1.msg.start_of_frame.timestamp    FT_UINT64       rtmac   BASE_DEC        0x0     T
DMA Timestamp
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -G fields | grep -P "^(?=.*protocol)(?=.*name)"
Running as user "root" and group "root". This could be dangerous.
F       Protocol        amqp.init.protocol      FT_STRING       amqp            0x0     Protocol name
F       Protocol Name Length    bittorrent.protocol.name.length FT_UINT8        bittorrent      BASE_DEC        0
x0
F       Protocol Name   bittorrent.protocol.name        FT_STRING       bittorrent              0x0
F       DCT2000 protocol        dct2000.protocol        FT_STRING       dct2000         0x0     Original (DCT200
0) protocol name
F       Protocol Name   kafka.protocol_name     FT_STRING       kafka           0x0
F       3GPP protocol   log3gpp.protocol        FT_STRING       log3gpp         0x0     Original 3GPP protocol n
ame
F       Protocol Vendor ID      matter.payload.protocol_vendor_id       FT_UINT16       matter  BASE_HEX        0
x0      Vendor ID namespace for the protocol ID
F       Protocol Name   ncp.protocol_name       FT_UINT_STRING  ncp             0x0
F       Layer 7 protocol name   cflow.pie.ntop.l7_proto_name    FT_STRING       cflow           0x0
F       DB Protocol Name        cflow.pie.netscaler.db-protocol-name    FT_UINT8        cflow   BASE_DEC        0
x0      Database protocol
F       Unknown nameservice protocol version    olsr.ns.version.unknown FT_NONE olsr            0x0
F       Protocol        snort.protocol  FT_STRINGZ      snort           0x0     Protocol name as given in the ru
le
F       authorization-protocol-name-length      x11.authorization-protocol-name-length  FT_UINT16       x11     B
ASE_DEC 0x0
F       authorization-protocol-name     x11.authorization-protocol-name FT_STRING       x11             0x0

┌──(root㉿kali)-[/home/kali/tshark]
```




```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -f "host 204.52.129.211" -i eth0 -w ubalt.pcap -c 500
Running as user "root" and group "root". This could be dangerous.
Capturing on 'eth0'
500
```



```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r /home/kali/ubalt.pcap -Y "frame.number == 14 && data-text-lines" -V | grep -E "[0-9]{3}\.[0-9]{3}\
.[0-9]{4}" --color
Running as user "root" and group "root". This could be dangerous.
    <p>General Info:<br /><span><a style="color: white;" href="tel:+14108374200">410.837.4200</a> </span></p>\n

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r /home/kali/ubalt.pcap -Y "frame.number == 14 && data-text-lines" -V | grep -E "([0-9A-Fa-f]{2}[:-]
){5}([0-9A-Fa-f]{2})" --color
Running as user "root" and group "root". This could be dangerous.
Ethernet II, Src: 52:54:00:12:35:00 (52:54:00:12:35:00), Dst: PCSSystemtec_4e:f7:72 (08:00:27:4e:f7:72)
    Destination: PCSSystemtec_4e:f7:72 (08:00:27:4e:f7:72)
    Source: 52:54:00:12:35:00 (52:54:00:12:35:00)

┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r /home/kali/ubalt.pcap -Y "eth" -T fields -e eth.addr | sort | uniq
Running as user "root" and group "root". This could be dangerous.
08:00:27:4e:f7:72,52:54:00:12:35:00
52:54:00:12:35:00,08:00:27:4e:f7:72
```

```
┌──(root㉿kali)-[/home/kali/tshark]
└─# tshark -r /home/kali/ubalt.pcap -T fields -e ip.addr | sort | uniq
Running as user "root" and group "root". This could be dangerous.
10.0.2.5,204.52.129.211
204.52.129.211,10.0.2.5

┌──(root㉿kali)-[/home/kali/tshark]
└─#
```

```
┌──(root㉿kali)-[/home/kali]
└─# cd harass

┌──(root㉿kali)-[/home/kali/harass]
└─# ls
nitroba.pcap

┌──(root㉿kali)-[/home/kali/harass]
└─# ls -l nitroba.pcap
-rw-r--r-- 1 root root 56180821 Nov 21  2020 nitroba.pcap

┌──(root㉿kali)-[/home/kali/harass]
└─# openssl dgst -md5 nitroba.pcap
MD5(nitroba.pcap)= 9981827f11968773ff815e39f5458ec8
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap | head -n 2
Running as user "root" and group "root". This could be dangerous.
    1   0.000000 192.168.1.64 → 74.125.19.83 TCP 70 42760 → 80 [FIN, ACK] Seq=1 Ack=1 Win=65535 Len=0 TSval=7127
29540 TSecr=980517270
    2   0.008450 74.125.19.83 → 192.168.1.64 TCP 70 80 → 42760 [FIN, ACK] Seq=1 Ack=2 Win=431 Len=0 TSval=980523
165 TSecr=712729540

┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap | tail -n 2
Running as user "root" and group "root". This could be dangerous.
94409 15757.858175 192.168.15.1 → 239.255.255.250 SSDP 391 NOTIFY * HTTP/1.1
94410 15759.950751 192.168.15.4 → 74.125.19.99 TCP 70 [TCP Retransmission] 36858 → 80 [FIN, ACK] Seq=514 Ack=594
 Win=524280 Len=0 TSval=936588932 TSecr=1001670443

┌──(root㉿kali)-[/home/kali/harass]
└─#
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -qz io,stat,0,"COUNT(frame) frame"
Running as user "root" and group "root". This could be dangerous.

================================================
| IO Statistics                                |
|                                              |
| Duration: 15760.0 secs                       |
| Interval: 15760.0 secs                       |
|                                              |
| Col  1: COUNT(frame) frame                   |
|----------------------------------------------|
|                      |1      |               |
| Interval             | COUNT |               |
|----------------------------------|           |
|     0.0 <> 15760.0   | 94410 |               |
================================================
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -T fields -e frame.time -e frame | head -n 3
Running as user "root" and group "root". This could be dangerous.
2008-07-21T21:51:07.095278000-0400      Frame 1: Packet, 70 bytes on wire (560 bits), 70 bytes captured (560 bit
s)
2008-07-21T21:51:07.103728000-0400      Frame 2: Packet, 70 bytes on wire (560 bits), 70 bytes captured (560 bit
s)
2008-07-21T21:51:07.114897000-0400      Frame 3: Packet, 1421 bytes on wire (11368 bits), 1421 bytes captured (1
1368 bits)

┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "http.request.method == \"GET\" && http.host==\"www.willselfdestruct.com\" "
Running as user "root" and group "root". This could be dangerous.
82936 15156.730593 192.168.15.4 → 69.25.94.22  HTTP 596 GET /secure/submit HTTP/1.1
82985 15157.030671 192.168.15.4 → 69.25.94.22  HTTP 355 GET /images/spacer.gif HTTP/1.1
83025 15157.238976 192.168.15.4 → 69.25.94.22  HTTP 356 GET /images/sm-logo.gif HTTP/1.1
83037 15157.279305 192.168.15.4 → 69.25.94.22  HTTP 361 GET /images/warning-home.gif HTTP/1.1
83072 15157.435074 192.168.15.4 → 69.25.94.22  HTTP 356 GET /images/body-bk.gif HTTP/1.1
83087 15157.503801 192.168.15.4 → 69.25.94.22  HTTP 358 GET /images/bttn-send.gif HTTP/1.1
83162 15157.756987 192.168.15.4 → 69.25.94.22  HTTP 361 GET /images/bridge_small.gif HTTP/1.1
83614 15197.468887 192.168.15.4 → 69.25.94.22  HTTP 461 GET /secure/success HTTP/1.1
83654 15197.806879 192.168.15.4 → 69.25.94.22  HTTP 360 GET /images/bk-message.gif HTTP/1.1

┌──(root㉿kali)-[/home/kali/harass]
└─#
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "http.request.method == "GET" && http.host=="www.willselfdestruct.com"" -T fields
-e frame.time -e frame.time_delta_displayed -e ip.src -e ip.dst -e http.request.uri
Running as user "root" and group "root". This could be dangerous.
2008-07-22T02:03:43.825871000-0400              192.168.15.4    69.25.94.22     /secure/submit
2008-07-22T02:03:44.125949000-0400      0.300078000     192.168.15.4    69.25.94.22     /images/spacer.gif
2008-07-22T02:03:44.334254000-0400      0.208305000     192.168.15.4    69.25.94.22     /images/sm-logo.gif
2008-07-22T02:03:44.374583000-0400      0.040329000     192.168.15.4    69.25.94.22     /images/warning-home.gif
2008-07-22T02:03:44.530352000-0400      0.155769000     192.168.15.4    69.25.94.22     /images/body-bk.gif
2008-07-22T02:03:44.599079000-0400      0.068727000     192.168.15.4    69.25.94.22     /images/bttn-send.gif
2008-07-22T02:03:44.852265000-0400      0.253186000     192.168.15.4    69.25.94.22     /images/bridge_small.gif
2008-07-22T02:04:24.564165000-0400      39.711900000    192.168.15.4    69.25.94.22     /secure/success
2008-07-22T02:04:24.902157000-0400      0.337992000     192.168.15.4    69.25.94.22     /images/bk-message.gif

┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "data-text-lines matches \"secure anonymous E-mail\"" 2>/dev/null
82998 15157.115668  69.25.94.22 → 192.168.15.4 HTTP 75 HTTP/1.1 200 OK  (text/html)
83641 15197.756153  69.25.94.22 → 192.168.15.4 HTTP 1189 HTTP/1.1 200 OK  (text/html)

┌──(root㉿kali)-[/home/kali/harass]
└─#
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "(ip.src == 192.168.15.4 ) && (ip.dst == 69.25.94.22) && http.request.method == "P
OST""
Running as user "root" and group "root". This could be dangerous.
83601 15197.216422 192.168.15.4 → 69.25.94.22  HTTP 719 POST /secure/submit HTTP/1.1  (application/x-www-form-ur
lencoded)

┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "frame.number == 83601" -V | grep "lilytuckrige@yahoo.com"
Running as user "root" and group "root". This could be dangerous.
    Form item: "to" = "lilytuckrige@yahoo.com"
        Value: lilytuckrige@yahoo.com

┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "(ip.src == 192.168.15.4 ) && (ip.dst == 69.25.94.22) && http.request.method == "P
OST"" -T fields -e frame.time -e text
Running as user "root" and group "root". This could be dangerous.
2008-07-22T02:04:24.311700000-0400      Timestamps,POST /secure/submit HTTP/1.1\\r\\n,\\r\\n,Form item: "to" = "
lilytuckrige@yahoo.com",Form item: "from" = "",Form item: "subject" = "you can't find us",Form item: "message" =
 "and you can't hide from us.\\r\\n\\r\\nStop teaching.\\r\\n\\r\\nStart running. ",Form item: "type" = "0",Form
 item: "ttl" = "30",Form item: "submit.x" = "92",Form item: "submit.y" = "26"

┌──(root㉿kali)-[/home/kali/harass]
└─#
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "frame.number == 83601" -V | grep -i "form item" --color
Running as user "root" and group "root". This could be dangerous.
    Form item: "to" = "lilytuckrige@yahoo.com"
    Form item: "from" = ""
    Form item: "subject" = "you can't find us"
    Form item: "message" = "and you can't hide from us.\r\n\r\nStop teaching.\r\n\r\nStart running. "
    Form item: "type" = "0"
    Form item: "ttl" = "30"
    Form item: "submit.x" = "92"
    Form item: "submit.y" = "26"

┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -G fields | grep urlencoded-form
Running as user "root" and group "root". This could be dangerous.
P       HTML Form URL Encoded   urlencoded-form
F       Key     urlencoded-form.key     FT_STRINGZ      urlencoded-form         0x0
F       Value   urlencoded-form.value   FT_STRINGZ      urlencoded-form         0x0

┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "frame.number == 83601" -V -T fields -e urlencoded-form.key -e urlencoded-form.val
ue
Running as user "root" and group "root". This could be dangerous.
to,from,subject,message,type,ttl,submit.x,submit.y      lilytuckrige@yahoo.com,,you can't find us,and you can't
hide from us.\r\n\r\nStop teaching.\r\n\r\nStart running. ,0,30,92,26
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "frame.number == 83601" -T fields -e eth.src
Running as user "root" and group "root". This could be dangerous.
00:17:f2:e2:c0:ce

┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "eth.addr == 00:17:f2:e2:c0:ce" | wc -l
Running as user "root" and group "root". This could be dangerous.
73246
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -qz io,stat,0,"COUNT(eth) eth","eth.addr == 00:17:f2:e2:c0:ce"
Running as user "root" and group "root". This could be dangerous.

================================================
| IO Statistics                                |
|                                              |
| Duration: 15760.0 secs                       |
| Interval: 15760.0 secs                       |
|                                              |
| Col  1: COUNT(eth) eth                       |
|      2: eth.addr == 00:17:f2:e2:c0:ce        |
|----------------------------------------------|
|                    |1      |2                |
| Interval           | COUNT | Frames |   Bytes  |
|----------------------------------------------|
|     0.0 <> 15760.0 | 94410 |  73246 | 44742268 |
================================================

┌──(root㉿kali)-[/home/kali/harass]
└─#
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "eth.src == 00:17:f2:e2:c0:ce && http.cookie contains \"@\"" | wc -l
Running as user "root" and group "root". This could be dangerous.
149

┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "eth.src == 00:17:f2:e2:c0:ce" -V | grep  -P "[\w._%+-]+@[\w.-]+\.[a-zA-Z]{2,4}"
Running as user "root" and group "root". This could be dangerous.
0320  b9 00 01 b1 ae 40 56 09 64 ac 72 61 6d aa 7c 42   .....@V.d.ram.|B
0500  b0 28 e7 7b e0 40 59 32 10 06 34 70 41 09 58 79   .(.{.@Y2..4pA.Xy
       Cookie pair: OL_SESSION=jcoachj@gmail.com-cal
       Cookie pair: OL_SESSION=jcoachj@gmail.com-cal
       Cookie pair: OL_SESSION=jcoachj@gmail.com-cal
       Cookie pair: OL_SESSION=jcoachj@gmail.com-cal
       Cookie pair: OL_SESSION=jcoachj@gmail.com-cal
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
       Cookie pair: gmailchat=jcoachj@gmail.com/475090
```

```
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
Cookie pair: gmailchat=jcoachj@gmail.com/475090
```

```
    Cookie pair: gmailchat=jcoachj@gmail.com/475090
    Cookie pair: gmailchat=jcoachj@gmail.com/475090
    Cookie pair: OL_SESSION=jcoachj@gmail.com-cal
    Cookie pair: OL_SESSION=jcoachj@gmail.com-cal
    Cookie pair: gmailchat=jcoachj@gmail.com/475090
  Form item: "req0_value" = "jcoachj@gmail.com/475090"
    Value: jcoachj@gmail.com/475090
    Cookie pair: OL_SESSION=jcoachj@gmail.com-cal
    Cookie pair: OL_SESSION=jcoachj@gmail.com-cal
    Cookie pair: gmailchat=jcoachj@gmail.com/475090
  Form item: "email" = "lilytuckrige@yahoo.com"
    Value: lilytuckrige@yahoo.com
  Form item: "sender" = "the_whole_world_is_watching@nitroba.org"
    Value: the_whole_world_is_watching@nitroba.org
    Cookie pair: gmailchat=jcoachj@gmail.com/475090
    Cookie pair: gmailchat=jcoachj@gmail.com/475090
    Cookie pair: gmailchat=jcoachj@gmail.com/475090
  Form item: "to" = "lilytuckrige@yahoo.com"
    Value: lilytuckrige@yahoo.com
    Cookie pair: gmailchat=jcoachj@gmail.com/475090
  CVR 2 0x0409 winnt 5.1 i386 MSNMSGR 6.0.0602 MSMSGS cambridgecommons@hotmail.com\r\n
  USR 3 TWN I cambridgecommons@hotmail.com\r\n
1a0  e5 45 ad f3 c7 f2 da eb 62 40 10 0d 81 49 6a c0   .E......b@ ... Ij.

┌──(root㉿kali)-[/home/kali/harass]
└─#
```

```
┌──(root㉿kali)-[/home/kali/harass]
└─# tshark -r nitroba.pcap -Y "frame.number == 83601" -T fields -e frame.time -e frame

Running as user "root" and group "root". This could be dangerous.
2008-07-22T02:04:24.311700000-0400      Frame 83601: Packet, 719 bytes on wire (5752 bits), 719 bytes captured (
5752 bits)

┌──(root㉿kali)-[/home/kali/harass]
└─#
```