

```
(kali㉿kali)-[~]  
$ mkdir -p ~/CIP-B101_Lab2B_Fuseini_Imoru  
  
(kali㉿kali)-[~]  
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru  
  
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]  
$ pwd  
/home/kali/CIP-B101_Lab2B_Fuseini_Imoru  
  
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]  
$ ls -la  
total 8  
drwxrwxr-x  2 kali kali 4096 Jun 27 13:20 .  
drwx----- 19 kali kali 4096 Jun 27 13:20 ..  
  
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]  
$
```

```
(kali㉿kali)-[~]  
$ mkdir -p ~/CIP-B101_Lab2B_Fuseini_Imoru/evidence  
mkdir -p ~/CIP-B101_Lab2B_Fuseini_Imoru/logs  
  
(kali㉿kali)-[~]  
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru/evidence  
  
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]  
$ echo "This is an authorized forensic evidence transfer test for Fuseini Imoru" > evidence_note.txt  
  
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]  
$ cat evidence_note.txt  
This is an authorized forensic evidence transfer test for Fuseini Imoru  
  
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]  
$ ls -l evidence_note.txt  
-rw-rw-r-- 1 kali kali 72 Jun 27 19:42 evidence_note.txt
```

```
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ mkdir -p logs

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ ls -la evidence > logs/evidence_listing_stdout.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cat logs/evidence_listing_stdout.txt
total 12
drwxrwxr-x 2 kali kali 4096 Jun 27 13:26 .
drwxrwxr-x 4 kali kali 4096 Jun 27 13:26 ..
-rw-rw-r-- 1 kali kali  72 Jun 27 19:42 evidence_note.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cat logs/evidence_listing_stdout.txt
total 12
drwxrwxr-x 2 kali kali 4096 Jun 27 13:26 .
drwxrwxr-x 4 kali kali 4096 Jun 27 13:26 ..
-rw-rw-r-- 1 kali kali  72 Jun 27 19:42 evidence_note.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
```

```
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cat evidence/file_that_does_not_exist.txt 2> logs/error_stderr.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cat logs/error_stderr.txt
cat: evidence/file_that_does_not_exist.txt: No such file or directory

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cat logs/error_stderr.txt
cat: evidence/file_that_does_not_exist.txt: No such file or directory

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$
```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru

(ls evidence 86 cat evidence/file_that_does_not_exist.txt) > logs/combined_output.txt 2>&1

cat logs/combined_output.txt
evidence_note.txt
cat: evidence/file_that_does_not_exist.txt: No such file or directory

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ █

```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ mkdir -p logs

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ hostname | tee logs/linux_hostname.txt
kali

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ ip address | tee logs/linux_ip_address.txt
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:87:06:29 brd ff:ff:ff:ff:ff:ff
    inet 192.168.44.128/24 brd 192.168.44.255 scope global dynamic noprefixroute eth0
        valid_lft forever preferred_lft forever
    inet6 fe80::fcdb:733e:9de1:56cb/64 scope link noprefixroute
        valid_lft forever preferred_lft forever

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ ip route | tee logs/linux_ip_route.txt
default via 192.168.44.2 dev eth0 proto dhcp src 192.168.44.128 metric 100
192.168.44.0/24 dev eth0 proto kernel scope link src 192.168.44.128 metric 100

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ (which nc || which ncat || echo "netcat or ncat not found") | tee logs/netcat_check.txt
/usr/bin/nc

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ ls logs
combined_output.txt  evidence_listing_stdout.txt  linux_ip_address.txt  netcat_check.txt
error_stderr.txt    linux_hostname.txt           linux_ip_route.txt

```

```

(kali㉿kali)~[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cat logs/linux_hostname.txt
cat logs/linux_ip_address.txt
cat logs/linux_ip_route.txt
cat logs/netcat_check.txt
kali
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:87:06:29 brd ff:ff:ff:ff:ff:ff
    inet 192.168.44.128/24 brd 192.168.44.255 scope global dynamic noprefixroute eth0
        valid_lft 1521sec preferred_lft 1521sec
    inet6 fe80::fcdb:733e:9de1:56cb/64 scope link noprefixroute
        valid_lft forever preferred_lft forever
default via 192.168.44.2 dev eth0 proto dhcp src 192.168.44.128 metric 100
192.168.44.0/24 dev eth0 proto kernel scope link src 192.168.44.128 metric 100
/usr/bin/nc

```

```

C:\Users\user>mkdir logs

C:\Users\user>dir
Volume in drive C has no label.
Volume Serial Number is 389F-F27A

Directory of C:\Users\user

06/28/2026  12:04 AM    <DIR>          .
05/27/2026  02:23 PM    <DIR>          ..
06/23/2026  10:24 AM    <DIR>          .docker
06/22/2026  09:48 PM    <DIR>          .icesoft
06/22/2026  09:44 PM    <DIR>          .openjfx
06/15/2026  09:25 PM    <DIR>          .vscode
05/27/2026  02:20 PM    <DIR>          Contacts
06/27/2026  05:16 PM    <DIR>          Desktop
06/19/2026  05:50 PM    <DIR>          Documents
06/27/2026  05:16 PM    <DIR>          Downloads
05/27/2026  02:20 PM    <DIR>          Favorites
05/27/2026  02:20 PM    <DIR>          Links
06/28/2026  12:04 AM    <DIR>          logs
05/27/2026  02:20 PM    <DIR>          Music
06/25/2026  09:56 AM    <DIR>          OneDrive
06/17/2026  12:32 PM    <DIR>          Pictures
05/27/2026  02:20 PM    <DIR>          Saved Games
06/15/2026  09:32 PM    <DIR>          Searches
06/16/2026  07:37 AM    <DIR>          Videos
               0 File(s)                0 bytes
              19 Dir(s) 165,419,184,128 bytes free

```

```

C:\Users\user>hostname > logs\windows_hostname.txt

C:\Users\user>ipconfig > logs\windows_ipconfig.txt

C:\Users\user>where ncat > logs\windows_ncat.txt

C:\Users\user>certutil -? > logs\windows_certutil_help.txt

C:\Users\user>dir logs
Volume in drive C has no label.
Volume Serial Number is 389F-F27A

Directory of C:\Users\user\logs

06/28/2026  12:05 AM    <DIR>          .
06/28/2026  12:04 AM    <DIR>          ..
06/28/2026  12:05 AM                6,888 windows_certutil_help.txt
06/28/2026  12:05 AM                17 windows_hostname.txt
06/28/2026  12:05 AM               1,855 windows_ipconfig.txt
06/28/2026  12:05 AM                38 windows_ncat.txt
               4 File(s)                8,798 bytes
               2 Dir(s) 165,420,544,000 bytes free

C:\Users\user>|

```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ ip address
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
   inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
   link/ether 00:0c:29:87:06:29 brd ff:ff:ff:ff:ff:ff
   inet 192.168.44.128/24 brd 192.168.44.255 scope global dynamic noprefixroute eth0
       valid_lft 1644sec preferred_lft 1644sec
   inet6 fe80::fcd8:733e:9de1:56cb/64 scope link noprefixroute
       valid_lft forever preferred_lft forever

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ ping -c 4 192.168.44.1 | tee logs/ping_windows.txt
PING 192.168.44.1 (192.168.44.1) 56(84) bytes of data.

— 192.168.44.1 ping statistics —
4 packets transmitted, 0 received, 100% packet loss, time 3412ms

```

```
C:\Users\user>ipconfig
```

Windows IP Configuration

Ethernet adapter Ethernet 2:

```
Media State . . . . . : Media disconnected
Connection-specific DNS Suffix  . :
```

Wireless LAN adapter Local Area Connection* 11:

```
Media State . . . . . : Media disconnected
Connection-specific DNS Suffix  . :
```

Wireless LAN adapter Local Area Connection* 12:

```
Media State . . . . . : Media disconnected
Connection-specific DNS Suffix  . :
```

Ethernet adapter VMware Network Adapter VMnet1:

```
Connection-specific DNS Suffix  . :
Link-local IPv6 Address . . . . . : fe80::e32e:e870:c519:c358%21
IPv4 Address. . . . . : 192.168.48.1
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . :
```

Ethernet adapter VMware Network Adapter VMnet8:

```
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::1190:cdb7:7f03:91e0%11  
IPv4 Address. . . . . : 192.168.44.1  
Subnet Mask . . . . . : 255.255.255.0  
Default Gateway . . . . . :
```

Wireless LAN adapter WiFi 2:

```
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::11fb:ae9d:601c:3a18%5  
IPv4 Address. . . . . : 192.168.43.183  
Subnet Mask . . . . . : 255.255.255.0  
Default Gateway . . . . . : 192.168.43.1
```

Ethernet adapter Bluetooth Network Connection:

```
Media State . . . . . : Media disconnected  
Connection-specific DNS Suffix . :
```

Ethernet adapter vEthernet (Default Switch):

```
Connection-specific DNS Suffix . :  
Link-local IPv6 Address . . . . . : fe80::76bc:2adb:ec68:9b3%45  
IPv4 Address. . . . . : 172.17.64.1  
Subnet Mask . . . . . : 255.255.240.0  
Default Gateway . . . . . :
```

C:\Users\user>ping 192.168.44.128

Pinging 192.168.44.128 with 32 bytes of data:

```
Reply from 192.168.44.128: bytes=32 time<1ms TTL=64  
Reply from 192.168.44.128: bytes=32 time=1ms TTL=64  
Reply from 192.168.44.128: bytes=32 time=1ms TTL=64  
Reply from 192.168.44.128: bytes=32 time=1ms TTL=64
```

Ping statistics for 192.168.44.128:

```
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
    Minimum = 0ms, Maximum = 1ms, Average = 0ms
```

C:\Users\user>|

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ mkdir -p hashes

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cd evidence

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ ls
evidence_note.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ sha256sum evidence_note.txt | tee ../hashes/source_evidence_note_sha256.txt
c2d50f4bc925d2a48df87230f459c53a1a75bbb47557ef5dc2bc6a0b778ca91c  evidence_note.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ md5sum evidence_note.txt | tee ../hashes/source_evidence_note_md5.txt
707c887c9f11b05f6b7bb97aa9de7c77  evidence_note.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ cat ../hashes/source_evidence_note_sha256.txt
c2d50f4bc925d2a48df87230f459c53a1a75bbb47557ef5dc2bc6a0b778ca91c  evidence_note.txt

```

```

C:\Users\user>mkdir C:\CIP-B101_Lab2B_Received

C:\Users\user>cd C:\CIP-B101_Lab2B_Received

C:\CIP-B101_Lab2B_Received>ncat -l -p 9090 > received_evidence_note.txt

C:\CIP-B101_Lab2B_Received>dir C:\CIP-B101_Lab2B_Received
Volume in drive C has no label.
Volume Serial Number is 389F-F27A

Directory of C:\CIP-B101_Lab2B_Received

06/28/2026  12:22 AM    <DIR>          .
06/28/2026  12:24 AM                72 received_evidence_note.txt
               1 File(s)                72 bytes
               1 Dir(s)  165,141,860,352 bytes free

C:\CIP-B101_Lab2B_Received>

```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru/evidence

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ ls
evidence_note.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ nc 192.168.44.1 9090 < evidence_note.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$

```

```
C:\CIP-B101_Lab2B_Received>cd C:\CIP-B101_Lab2B_Received

C:\CIP-B101_Lab2B_Received>certutil -hashfile received_evidence_note.txt SHA256
SHA256 hash of received_evidence_note.txt:
c2d50f4bc925d2a48df87230f459c53a1a75bbb47557ef5dc2bc6a0b778ca91c
CertUtil: -hashfile command completed successfully.

C:\CIP-B101_Lab2B_Received>certutil -hashfile received_evidence_note.txt MD5
MD5 hash of received_evidence_note.txt:
707c887c9f11b05f6b7bb97aa9de7c77
CertUtil: -hashfile command completed successfully.

C:\CIP-B101_Lab2B_Received>type received_evidence_note.txt
This is an authorized forensic evidence transfer test for Fuseini Imoru

C:\CIP-B101_Lab2B_Received>|
```

```
C:\CIP-B101_Lab2B_Received>cd C:\CIP-B101_Lab2B_Received

C:\CIP-B101_Lab2B_Received>echo hello Fuseini Imoru! > FuseiniImoruEvidence.txt

C:\CIP-B101_Lab2B_Received>type FuseiniImoruEvidence.txt
hello Fuseini Imoru!

C:\CIP-B101_Lab2B_Received>certutil -hashfile FuseiniImoruEvidence.txt SHA256
SHA256 hash of FuseiniImoruEvidence.txt:
ad42950a2996e8db2993aab624b233378a8ed9de03bae3297417de6760a276e1
CertUtil: -hashfile command completed successfully.

C:\CIP-B101_Lab2B_Received>|
```

```
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ mkdir -p received

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru]
$ cd received

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/received]
$ nc -l -p 9091 > FuseiniImoruEvidence_received.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/received]
$ ls
FuseiniImoruEvidence_received.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/received]
$ █
```

```
C:\CIP-B101_Lab2B_Received>ncat 192.168.44.128 9091 < FuseiniImoruEvidence.txt

C:\CIP-B101_Lab2B_Received>|
```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/received]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru/received

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/received]
$ cat FuseiniImoruEvidence_received.txt
hello Fuseini Imoru!

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/received]
$ sha256sum FuseiniImoruEvidence_received.txt | tee ../hashes/received_windows_file_sha256.txt
ad42950a2996e8db2993aab624b233378a8ed9de03bae3297417de6760a276e1 FuseiniImoruEvidence_received.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/received]
$ ls
FuseiniImoruEvidence_received.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/received]
$ ~/CIP-B101_Lab2B_Fuseini_Imoru/hashes/

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/hashes]
$ ls
received_windows_file_sha256.txt  source_evidence_note_md5.txt  source_evidence_note_sha256.txt

```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/hashes]
$ cat ../hashes/received_windows_file_sha256.txt
ad42950a2996e8db2993aab624b233378a8ed9de03bae3297417de6760a276e1 FuseiniImoruEvidence_received.txt

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/hashes]
$

```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/hashes]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru/evidence

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ dd if=/dev/zero of=test_evidence_image.dd bs=1M count=5 status=progress
5+0 records in
5+0 records out
5242880 bytes (5.2 MB, 5.0 MiB) copied, 0.00626331 s, 837 MB/s

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ echo "ICDFA test evidence marker - Fuseini Imoru" | dd of=test_evidence_image.dd bs=1 seek=1024 conv=notrunc
43+0 records in
43+0 records out
43 bytes copied, 0.00093984 s, 45.8 kB/s

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ ls -lh test_evidence_image.dd
-rw-rw-r-- 1 kali kali 5.0M Jun 27 20:51 test_evidence_image.dd

```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ sha256sum test_evidence_image.dd | tee ../hashes/source_test_image_sha256.txt
bcc42d394180b1153e6423e0607adeba4bdbe07e61f320abf543ab7ed75f47be test_evidence_image.dd

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ cat ../hashes/source_test_image_sha256.txt
bcc42d394180b1153e6423e0607adeba4bdbe07e61f320abf543ab7ed75f47be test_evidence_image.dd

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$

```

```
C:\CIP-B101_Lab2B_Received>cd C:\CIP-B101_Lab2B_Received

C:\CIP-B101_Lab2B_Received>ncat -l -p 9092 > test_evidence_image_received.dd

C:\CIP-B101_Lab2B_Received>dir C:\CIP-B101_Lab2B_Received
Volume in drive C has no label.
Volume Serial Number is 389F-F27A

Directory of C:\CIP-B101_Lab2B_Received

06/28/2026  12:53 AM    <DIR>          .
06/28/2026  12:34 AM                23 FuseiniImoruEvidence.txt
06/28/2026  12:24 AM                72 received_evidence_note.txt
06/28/2026  12:54 AM          5,242,880 test_evidence_image_received.dd
               3 File(s)          5,242,975 bytes
               1 Dir(s)  164,860,858,368 bytes free

C:\CIP-B101_Lab2B_Received>|
```

```
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru/evidence

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ nc 192.168.44.1 9092 < test_evidence_image.dd

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ |
```

```
C:\CIP-B101_Lab2B_Received>cd C:\CIP-B101_Lab2B_Received

C:\CIP-B101_Lab2B_Received>certutil -hashfile test_evidence_image_received.dd SHA256
SHA256 hash of test_evidence_image_received.dd:
bcc42d394180b1153e6423e0607adeba4bdbbe07e61f320abf543ab7ed75f47be
CertUtil: -hashfile command completed successfully.

C:\CIP-B101_Lab2B_Received>|
```

```
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ cat ~/CIP-B101_Lab2B_Fuseini_Imoru/hashes/source_test_image_sha256.txt
bcc42d394180b1153e6423e0607adeba4bdbbe07e61f320abf543ab7ed75f47be  test_evidence_image.dd

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ |
```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/evidence]
$ cd ~/CIP-B101_Lab2B_Fuseini_Imoru/logs

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/logs]
$ wget https://raw.githubusercontent.com/tdg5/blog/master/_includes/scripts/dd_obs_test.sh
--2026-06-27 21:04:19-- https://raw.githubusercontent.com/tdg5/blog/master/_includes/scripts/dd_obs_test.sh
Resolving raw.githubusercontent.com (raw.githubusercontent.com)... 185.199.109.133, 185.199.111.133, 185.199.110.133, ...
Connecting to raw.githubusercontent.com (raw.githubusercontent.com)|185.199.109.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 1548 (1.5K) [text/plain]
Saving to: 'dd_obs_test.sh'

dd_obs_test.sh          100%[=====] 1.51K --.-KB/s in 0s

2026-06-27 21:04:19 (9.30 MB/s) - 'dd_obs_test.sh' saved [1548/1548]

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/logs]
$ chmod +x dd_obs_test.sh

```

```

(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/logs]
$ ./dd_obs_test.sh | tee dd_block_size_test_result.txt
NOTE: Kernel cache will not be cleared between tests without sudo. This will likely cause inaccurate results.
block size : transfer rate
  512 : 112 MB/s
 1024 : 327 MB/s
 2048 : 563 MB/s
 4096 : 788 MB/s
 8192 : 926 MB/s
16384 : 1.4 GB/s
32768 : 1.5 GB/s
65536 : 1.5 GB/s
131072 : 1.5 GB/s
262144 : 1.4 GB/s
524288 : 1.4 GB/s
1048576 : 1.1 GB/s
2097152 : 1.1 GB/s
4194304 : 1.2 GB/s
8388608 : 1.7 GB/s
16777216 : 1.4 GB/s
33554432 : 1.1 GB/s
67108864 : 591 MB/s

```

```
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/logs]
```

```
$ cat dd_block_size_test_result.txt
```

```
block size : transfer rate
```

```
512 : 112 MB/s
1024 : 327 MB/s
2048 : 563 MB/s
4096 : 788 MB/s
8192 : 926 MB/s
16384 : 1.4 GB/s
32768 : 1.5 GB/s
65536 : 1.5 GB/s
131072 : 1.5 GB/s
262144 : 1.4 GB/s
524288 : 1.4 GB/s
1048576 : 1.1 GB/s
2097152 : 1.1 GB/s
4194304 : 1.2 GB/s
8388608 : 1.7 GB/s
16777216 : 1.4 GB/s
33554432 : 1.1 GB/s
67108864 : 591 MB/s
```

```
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/logs]
```

```
$
```

```
(kali㉿kali)-[~/CIP-B101_Lab2B_Fuseini_Imoru/logs]
```

```
$ cd ~
```

```
(kali㉿kali)-[~]
```

```
$ tar -czvf CIP-B101_Lab2B_Fuseini_Imoru_Evidence.tar.gz CIP-B101_Lab2B_Fuseini_Imoru
```

```
CIP-B101_Lab2B_Fuseini_Imoru/
CIP-B101_Lab2B_Fuseini_Imoru/ hashes/
CIP-B101_Lab2B_Fuseini_Imoru/ hashes/ source_evidence_note_md5.txt
CIP-B101_Lab2B_Fuseini_Imoru/ hashes/ source_test_image_sha256.txt
CIP-B101_Lab2B_Fuseini_Imoru/ hashes/ source_evidence_note_sha256.txt
CIP-B101_Lab2B_Fuseini_Imoru/ hashes/ received_windows_file_sha256.txt
CIP-B101_Lab2B_Fuseini_Imoru/ logs/
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ dd_block_size_test_result.txt
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ linux_ip_address.txt
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ combined_output.txt
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ netcat_check.txt
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ linux_hostname.txt
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ linux_ip_route.txt
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ evidence_listing_stdout.txt
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ dd_obs_test.sh
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ ping_windows.txt
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ dd_obs_testfile
CIP-B101_Lab2B_Fuseini_Imoru/ logs/ error_stderr.txt
CIP-B101_Lab2B_Fuseini_Imoru/ received/
```

```
CIP-B101_Lab2B_Fuseini_Imoru/received/FuseiniImoruEvidence_received.txt  
CIP-B101_Lab2B_Fuseini_Imoru/evidence/  
CIP-B101_Lab2B_Fuseini_Imoru/evidence/evidence_note.txt  
CIP-B101_Lab2B_Fuseini_Imoru/evidence/test_evidence_image.dd
```

```
(kali㉿kali)-[~]
```

```
$ ls -lh CIP-B101_Lab2B_Fuseini_Imoru_Evidence.tar.gz
```

```
-rw-rw-r-- 1 kali kali 136K Jun 27 21:09 CIP-B101_Lab2B_Fuseini_Imoru_Evidence.tar.gz
```

```
(kali㉿kali)-[~]
```

```
$
```