

```

(kali㉿kali)-[~]
$ mkdir -p CIP-B101_Lab2A_Fuseini_Imoru

(kali㉿kali)-[~]
$ ls
cip-b101-lab1a  CIP-B101_Lab2A_Fuseini_Imoru  Desktop  Documents

(kali㉿kali)-[~]
$ cd CIP-B101_Lab2A_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ pwd
/home/kali/CIP-B101_Lab2A_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ls -la
total 8
drwxrwxr-x  2 kali kali 4096 Jun 27 06:46 .
drwx----- 18 kali kali 4096 Jun 27 06:46 ..

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ 

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ pwd
/home/kali/CIP-B101_Lab2A_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ls /
bin  dev  home  initrd.img.old  lib32  lost+found  mnt  proc  run  srv  sys  usr  vmlinuz
boot  etc  initrd.img  lib  lib64  media  opt  root  sbin  swap  tmp  var  vmlinuz.old

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ls -la /
total 976640
drwxr-xr-x 18 root root      4096 Mar 20 03:20 .
drwxr-xr-x 18 root root      4096 Mar 20 03:20 ..
lrwxrwxrwx 1 root root         7 Mar  5 05:57 bin -> usr/bin
drwxr-xr-x 3 root root      4096 Mar 20 03:20 boot
drwxr-xr-x 18 root root     3240 Jun 27 06:42 dev
drwxr-xr-x 184 root root    12288 Jun 27 06:45 etc
drwxr-xr-x 3 root root      4096 Mar 20 02:45 home
lrwxrwxrwx 1 root root         34 Mar 20 03:20 initrd.img -> boot/initrd.img-6.18.12+kali-amd64
lrwxrwxrwx 1 root root         34 Mar 20 03:20 initrd.img.old -> boot/initrd.img-6.18.12+kali-amd64
lrwxrwxrwx 1 root root         7 Mar  5 05:57 lib -> usr/lib
lrwxrwxrwx 1 root root         9 Mar 20 02:43 lib32 -> usr/lib32

```

```

lrwxrwxrwx 1 root root 9 Mar 20 02:43 lib32 → usr/lib32
lrwxrwxrwx 1 root root 9 Mar 5 05:57 lib64 → usr/lib64
drwx----- 2 root root 16384 Mar 20 03:19 lost+found
drwxr-xr-x 2 root root 4096 Mar 20 02:38 media
drwxr-xr-x 3 root root 4096 Jun 22 18:54 mnt
drwxr-xr-x 3 root root 4096 Mar 20 02:43 opt
dr-xr-xr-x 287 root root 0 Jun 27 06:41 proc
drwx----- 8 root root 4096 Jun 17 09:36 root
drwxr-xr-x 40 root root 920 Jun 27 06:42 run
lrwxrwxrwx 1 root root 8 Mar 5 05:57 sbin → usr/sbin
drwxr-xr-x 3 root root 4096 Mar 20 02:44 srv
-rw----- 1 root root 1000000000 Mar 20 03:19 swap
dr-xr-xr-x 13 root root 0 Jun 27 06:41 sys
drwxrwxrwt 14 root root 340 Jun 27 06:49 tmp
drwxr-xr-x 15 root root 4096 Mar 20 02:43 usr
drwxr-xr-x 12 root root 4096 Jun 15 20:55 var
lrwxrwxrwx 1 root root 31 Mar 20 03:20 vmlinuz → boot/vmlinuz-6.18.12+kali-amd64
lrwxrwxrwx 1 root root 31 Mar 20 03:20 vmlinuz.old → boot/vmlinuz-6.18.12+kali-amd64

```

```

(kali@kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cat /etc/os-release
uname -a
whoami
id

```

```

PRETTY_NAME="Kali GNU/Linux Rolling"
NAME="Kali GNU/Linux"

```

```

(kali@kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cat /etc/os-release
uname -a
whoami
id

PRETTY_NAME="Kali GNU/Linux Rolling"
NAME="Kali GNU/Linux"
VERSION_ID="2026.1"
VERSION="2026.1"
VERSION_CODENAME=kali-rolling
ID=kali
ID_LIKE=debian
HOME_URL="https://www.kali.org/"
SUPPORT_URL="https://forums.kali.org/"
BUG_REPORT_URL="https://bugs.kali.org/"
ANSI_COLOR="1;31"
Linux kali 6.18.12+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.18.12-1kali1 (2026-02-25) x86_64 GNU/Linux
kali
uid=1000(kali) gid=1000(kali) groups=1000(kali),4(adm),20(dialout),24(cdrom),25(floppy),27(sudo),29(audio),30(dip),44(vi
deo),46(plugdev),100(users),101(netdev),102(scanner),104(bluetooth),113(lpadmin),122(wireshark),123(kaboxer)

```

```

(kali@kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ mkdir -p evidence

(kali@kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ echo "This is Lab 2A evidence file created by Fuseini Imoru" > evidence/lab2a_evidence.txt

(kali@kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ls -li evidence/lab2a_evidence.txt
524452 -rw-rw-r-- 1 kali kali 54 Jun 27 07:05 evidence/lab2a_evidence.txt

(kali@kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ stat evidence/lab2a_evidence.txt
File: evidence/lab2a_evidence.txt
Size: 54          Blocks: 8          IO Block: 4096   regular file
Device: 8,1      Inode: 524452   Links: 1
Access: (0664/-rw-rw-r--)  Uid: ( 1000/   kali)   Gid: ( 1000/   kali)
Access: 2026-06-27 07:05:30.152271715 -0400
Modify: 2026-06-27 07:05:30.152271715 -0400
Change: 2026-06-27 07:05:30.152271715 -0400
Birth: 2026-06-27 07:05:30.152271715 -0400

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ df -h
Filesystem      Size  Used Avail Use% Mounted on
udev            879M   0    879M   0% /dev
tmpfs           197M  1.3M  196M   1% /run
/dev/sda1       79G   62G   13G   84% /
tmpfs           982M  4.0K  982M   1% /dev/shm
none            1.0M   0    1.0M   0% /run/credentials/systemd-journald.service
tmpfs           982M  8.0K  982M   1% /tmp
none            1.0M   0    1.0M   0% /run/credentials/getty@tty1.service
tmpfs           197M  108K  197M   1% /run/user/1000

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ df -i
Filesystem      Inodes   IUsed   IFree IUse% Mounted on
udev            224798    410  224388    1% /dev
tmpfs           251265    732  250533    1% /run
/dev/sda1       5251072 490200 4760872   10% /
tmpfs           251265     2   251263    1% /dev/shm
none            1024      1    1023    1% /run/credentials/systemd-journald.service
tmpfs          1048576    27 1048549    1% /tmp
none            1024      1    1023    1% /run/credentials/getty@tty1.service
tmpfs           50253    127   50126    1% /run/user/1000

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ mkdir -p notes

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cd ~/CIP-B101_Lab2A_Fuseini_Imoru/evidence

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/evidence]
$ pwd
/home/kali/CIP-B101_Lab2A_Fuseini_Imoru/evidence

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/evidence]
$ cd ..

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ pwd
/home/kali/CIP-B101_Lab2A_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cd ./notes

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/notes]
$ pwd
/home/kali/CIP-B101_Lab2A_Fuseini_Imoru/notes

```



```
(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/notes]
$ cd ../evidence

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/evidence]
$ pwd
/home/kali/CIP-B101_Lab2A_Fuseini_Imoru/evidence

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/evidence]
$ readlink -f lab2a_evidence.txt
/home/kali/CIP-B101_Lab2A_Fuseini_Imoru/evidence/lab2a_evidence.txt

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/evidence]
$
```

```
(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/evidence]
$ cd ~/CIP-B101_Lab2A_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ echo "Case Note 1: Initial Linux command line practice" > notes/case_note1.txt

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ echo "Case Note 2: Evidence handling requires careful documentation" > notes/case_note2.txt

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cat notes/case_note1.txt
Case Note 1: Initial Linux command line practice

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cat notes/case_note2.txt
Case Note 2: Evidence handling requires careful documentation

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cp notes/case_note1.txt evidence/case_note1_copy.txt

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cp -r notes evidence/notes_backup

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ mv evidence/case_note1_copy.txt evidence/case_note1_renamed.txt
```

```
(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ls -la evidence
total 20
drwxrwxr-x 3 kali kali 4096 Jun 27 12:38 .
drwxrwxr-x 4 kali kali 4096 Jun 27 12:28 ..
-rw-rw-r-- 1 kali kali  49 Jun 27 12:37 case_note1_renamed.txt
-rw-rw-r-- 1 kali kali  54 Jun 27 07:05 lab2a_evidence.txt
drwxrwxr-x 2 kali kali 4096 Jun 27 12:37 notes_backup

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ echo "temporary data" > evidence/temp_delete_me.txt

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ls -la evidence/temp_delete_me.txt
-rw-rw-r-- 1 kali kali 15 Jun 27 12:38 evidence/temp_delete_me.txt

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ rm evidence/temp_delete_me.txt
```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ rm evidence/temp_delete_me.txt

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ls -la evidence
total 20
drwxrwxr-x 3 kali kali 4096 Jun 27 12:39 .
drwxrwxr-x 4 kali kali 4096 Jun 27 12:28 ..
-rw-rw-r-- 1 kali kali  49 Jun 27 12:37 case_note1_renamed.txt
-rw-rw-r-- 1 kali kali  54 Jun 27 07:05 lab2a_evidence.txt
drwxrwxr-x 2 kali kali 4096 Jun 27 12:37 notes_backup

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ █

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cd ~/CIP-B101_Lab2A_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cat > evidence/activity_log.txt <<'EOF'
2026-06-19 09:10 user=aminu action=login status=success ip=192.168.56.10
2026-06-19 09:25 user=guest action=file_copy status=success file=report.docx
2026-06-19 10:05 user=admin action=login status=failed ip=192.168.56.15
2026-06-19 10:20 user=aminu action=delete status=success file=temp.txt
2026-06-19 10:40 user=admin action=password_change status=success
EOF

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cat evidence/activity_log.txt
2026-06-19 09:10 user=aminu action=login status=success ip=192.168.56.10
2026-06-19 09:25 user=guest action=file_copy status=success file=report.docx
2026-06-19 10:05 user=admin action=login status=failed ip=192.168.56.15
2026-06-19 10:20 user=aminu action=delete status=success file=temp.txt
2026-06-19 10:40 user=admin action=password_change status=success
EOFEOF

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ grep "login" evidence/activity_log.txt
2026-06-19 09:10 user=aminu action=login status=success ip=192.168.56.10
2026-06-19 10:05 user=admin action=login status=failed ip=192.168.56.15

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ grep -n "failed" evidence/activity_log.txt
3:2026-06-19 10:05 user=admin action=login status=failed ip=192.168.56.15

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ grep -Ei "delete|password" evidence/activity_log.txt
2026-06-19 10:20 user=aminu action=delete status=success file=temp.txt
2026-06-19 10:40 user=admin action=password_change status=success

```

```
(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ grep -Ei "192\.168\.56\.[0-9]+" evidence/activity_log.txt
2026-06-19 09:10 user=aminu action=login status=success ip=192.168.56.10
2026-06-19 10:05 user=admin action=login status=failed ip=192.168.56.15

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$
```

```
(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cd ~/CIP-B101_Lab2A_Fuseini_Imoru

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ tree
.
├── evidence
│   ├── activity_log.txt
│   ├── case_note1_renamed.txt
│   ├── lab2a_evidence.txt
│   └── notes_backup
│       ├── case_note1.txt
│       └── case_note2.txt
└── notes
    ├── case_note1.txt
    └── case_note2.txt

4 directories, 7 files
```



```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ find . -type f -name "*.txt"
./notes/case_note2.txt
./notes/case_note1.txt
./evidence/notes_backup/case_note2.txt
./evidence/notes_backup/case_note1.txt
./evidence/case_note1_renamed.txt
./evidence/lab2a_evidence.txt
./evidence/activity_log.txt

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ find . -type f -iname "*log*"
./evidence/activity_log.txt

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ find . -type d -name "evidence"
./evidence

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ █

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
   inet6 ::1/128 scope host noprefixroute
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
   link/ether 00:0c:29:87:06:29 brd ff:ff:ff:ff:ff:ff
   inet 192.168.44.128/24 brd 192.168.44.255 scope global dynamic noprefixroute eth0
       valid_lft 1769sec preferred_lft 1769sec
   inet6 fe80::fcdb:733e:9de1:56cb/64 scope link noprefixroute
       valid_lft forever preferred_lft forever

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ip route
default via 192.168.44.2 dev eth0 proto dhcp src 192.168.44.128 metric 100
192.168.44.0/24 dev eth0 proto kernel scope link src 192.168.44.128 metric 100

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ping -c 4 127.0.0.1
PING 127.0.0.1 (127.0.0.1) 56(84) bytes of data.
64 bytes from 127.0.0.1: icmp_seq=1 ttl=64 time=0.156 ms
64 bytes from 127.0.0.1: icmp_seq=2 ttl=64 time=0.049 ms
64 bytes from 127.0.0.1: icmp_seq=3 ttl=64 time=0.028 ms
64 bytes from 127.0.0.1: icmp_seq=4 ttl=64 time=0.024 ms

— 127.0.0.1 ping statistics —
4 packets transmitted, 4 received, 0% packet loss, time 3392ms
rtt min/avg/max/mdev = 0.024/0.064/0.156/0.053 ms

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ping -c 4 localhost
PING localhost (::1) 56 data bytes
64 bytes from localhost (::1): icmp_seq=1 ttl=64 time=0.152 ms
64 bytes from localhost (::1): icmp_seq=2 ttl=64 time=0.056 ms
64 bytes from localhost (::1): icmp_seq=3 ttl=64 time=0.055 ms
64 bytes from localhost (::1): icmp_seq=4 ttl=64 time=0.057 ms

— localhost ping statistics —
4 packets transmitted, 4 received, 0% packet loss, time 3393ms
rtt min/avg/max/mdev = 0.055/0.080/0.152/0.041 ms

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ ss -lnt
State      Recv-Q      Send-Q      Local Address:Port      Peer Address:Port
(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ nmap localhost -p 22,80,443 2>/dev/null || echo "nmap unavailable or no services detected"
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-27 12:57 -0400
Nmap scan report for localhost (127.0.0.1)
Host is up (0.00038s latency).
Other addresses for localhost (not scanned): ::1

PORT      STATE SERVICE
22/tcp    closed ssh
80/tcp    closed http
443/tcp   closed https

Nmap done: 1 IP address (1 host up) scanned in 3.78 seconds

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ mkdir -p scripts outputs

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cd scripts

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/scripts]
$ nano lab2a_sys_summary.sh

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/scripts]
$ chmod +x lab2a_sys_summary.sh

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/scripts]
$ ls -l lab2a_sys_summary.sh
-rwxrwxr-x 1 kali kali 558 Jun 27 13:04 lab2a_sys_summary.sh

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/scripts]
$ ./lab2a_sys_summary.sh
Summary saved to /home/kali/CIP-B101_Lab2A_Fuseini_Imoru/outputs/system_summary.txt

```



```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/scripts]
$ cat ~/CIP-B101_Lab2A_Fuseini_Imoru/outputs/system_summary.txt | head -n 30
===== CIP-B101 Lab 2A System Summary =====
Date/Time: Sat Jun 27 01:05:21 PM EDT 2026
User: kali
Hostname: kali
Kernel: Linux kali 6.18.12+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.18.12-1kali1 (2026-02-25) x86_64 GNU/Linux
Current Folder: /home/kali/CIP-B101_Lab2A_Fuseini_Imoru/scripts
===== Disk Space =====
Filesystem      Size  Used Avail Use% Mounted on
udev            879M    0  879M   0% /dev
tmpfs           197M  1.3M  196M   1% /run
/dev/sda1       79G   62G   13G  84% /
tmpfs           982M  4.0K  982M   1% /dev/shm
none            1.0M    0   1.0M   0% /run/credentials/systemd-journald.service
tmpfs           982M  8.0K  982M   1% /tmp
none            1.0M    0   1.0M   0% /run/credentials/getty@tty1.service
tmpfs           197M  108K  197M   1% /run/user/1000
none            1.0M    0   1.0M   0% /run/credentials/systemd-networkd.service
===== Inode Usage =====
Filesystem      Inodes   IUsed   IFree IUse% Mounted on
udev            224798    410  224388    1% /dev
tmpfs           251265    742  250523    1% /run
/dev/sda1       5251072 490213 4760859   10% /

```

```

===== Inode Usage =====
Filesystem      Inodes   IUsed   IFree IUse% Mounted on
udev            224798    410  224388    1% /dev
tmpfs           251265    742  250523    1% /run
/dev/sda1       5251072 490213 4760859   10% /
tmpfs           251265     2  251263    1% /dev/shm
none            1024     1    1023    1% /run/credentials/systemd-journald.service
tmpfs          1048576    27 1048549    1% /tmp
none            1024     1    1023    1% /run/credentials/getty@tty1.service
tmpfs           50253    126  50127    1% /run/user/1000
none            1024     1    1023    1% /run/credentials/systemd-networkd.service
===== Evidence Workspace Tree =====
/home/kali/CIP-B101_Lab2A_Fuseini_Imoru

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru/scripts]
$

```

```

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ export PATH=$HOME/CIP-B101_Lab2A_Fuseini_Imoru/scripts:$PATH

(kali㉿kali)-[~/CIP-B101_Lab2A_Fuseini_Imoru]
$ cd /tmp

(kali㉿kali)-[/tmp]
$ lab2a_sys_summary.sh
Summary saved to /home/kali/CIP-B101_Lab2A_Fuseini_Imoru/outputs/system_summary.txt

(kali㉿kali)-[/tmp]
$ ls ~/CIP-B101_Lab2A_Fuseini_Imoru/scripts
lab2a_sys_summary.sh

(kali㉿kali)-[/tmp]
$ chmod +x ~/CIP-B101_Lab2A_Fuseini_Imoru/scripts/lab2a_sys_summary.sh

```

```

(kali㉿kali)-[/tmp]
$ cat ~/CIP-B101_Lab2A_Fuseini_Imoru/outputs/system_summary.txt | head -n 15
===== CIP-B101 Lab 2A System Summary =====
Date/Time: Sat Jun 27 01:10:55 PM EDT 2026
User: kali
Hostname: kali
Kernel: Linux kali 6.18.12+kali-amd64 #1 SMP PREEMPT_DYNAMIC Kali 6.18.12-1kali1 (2026-02-25) x86_64 GNU/Linux
Current Folder: /tmp
===== Disk Space =====
Filesystem      Size  Used Avail Use% Mounted on
udev             879M    0   879M   0% /dev
tmpfs            197M  1.3M  196M   1% /run
/dev/sda1        79G   62G   13G  84% /
tmpfs            982M  4.0K   982M   1% /dev/shm
none             1.0M    0    1.0M   0% /run/credentials/systemd-journald.service
tmpfs            982M  8.0K   982M   1% /tmp
none             1.0M    0    1.0M   0% /run/credentials/getty@tty1.service
(kali㉿kali)-[/tmp]

```

```

(kali㉿kali)-[/tmp]
$ cd ~

(kali㉿kali)-[~]
$ zip -r CIP-B101_Lab2A_Fuseini_Imoru.zip CIP-B101_Lab2A_Fuseini_Imoru
adding: CIP-B101_Lab2A_Fuseini_Imoru/ (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/outputs/ (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/outputs/system_summary.txt (deflated 62%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/notes/ (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/notes/case_note2.txt (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/notes/case_note1.txt (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/evidence/ (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/evidence/notes_backup/ (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/evidence/notes_backup/case_note2.txt (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/evidence/notes_backup/case_note1.txt (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/evidence/case_note1_renamed.txt (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/evidence/lab2a_evidence.txt (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/evidence/activity_log.txt (deflated 54%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/scripts/ (stored 0%)
adding: CIP-B101_Lab2A_Fuseini_Imoru/scripts/lab2a_sys_summary.sh (deflated 48%)

```

```

(kali㉿kali)-[~]
$ tar -czvf CIP-B101_Lab2A_Fuseini_Imoru.tar.gz CIP-B101_Lab2A_Fuseini_Imoru
CIP-B101_Lab2A_Fuseini_Imoru/
CIP-B101_Lab2A_Fuseini_Imoru/outputs/
CIP-B101_Lab2A_Fuseini_Imoru/outputs/system_summary.txt
CIP-B101_Lab2A_Fuseini_Imoru/notes/
CIP-B101_Lab2A_Fuseini_Imoru/notes/case_note2.txt
CIP-B101_Lab2A_Fuseini_Imoru/notes/case_note1.txt
CIP-B101_Lab2A_Fuseini_Imoru/evidence/
CIP-B101_Lab2A_Fuseini_Imoru/evidence/notes_backup/
CIP-B101_Lab2A_Fuseini_Imoru/evidence/notes_backup/case_note2.txt
CIP-B101_Lab2A_Fuseini_Imoru/evidence/notes_backup/case_note1.txt
CIP-B101_Lab2A_Fuseini_Imoru/evidence/case_note1_renamed.txt
CIP-B101_Lab2A_Fuseini_Imoru/evidence/lab2a_evidence.txt
CIP-B101_Lab2A_Fuseini_Imoru/evidence/activity_log.txt
CIP-B101_Lab2A_Fuseini_Imoru/scripts/
CIP-B101_Lab2A_Fuseini_Imoru/scripts/lab2a_sys_summary.sh

(kali㉿kali)-[~]
$ ls -lh CIP-B101_Lab2A_Fuseini_Imoru.zip CIP-B101_Lab2A_Fuseini_Imoru.tar.gz
-rw-rw-r-- 1 kali kali 1.7K Jun 27 13:15 CIP-B101_Lab2A_Fuseini_Imoru.tar.gz
-rw-rw-r-- 1 kali kali 4.9K Jun 27 13:14 CIP-B101_Lab2A_Fuseini_Imoru.zip

(kali㉿kali)-[~]
$

```