

```
(kali㉿kali)-[~]
$ mkdir hacking_case

(kali㉿kali)-[~]
$ cd hacking_case

(kali㉿kali)-[~/hacking_case]
$ wget -q https://www.cfreds.nist.gov/images/hacking-dd/SCHARDT.001
```

```
(kali㉿kali)-[~/hacking_case]
$ wget https://cfreds-archive.nist.gov/images/hacking-dd/SCHARDT.001
--2026-08-26 11:04:25-- https://cfreds-archive.nist.gov/images/hacking-dd/SCHARDT.001
Resolving cfreds-archive.nist.gov (cfreds-archive.nist.gov)... 172.65.90.25, 172.65.90.27, 172.65.90.26, ...
Connecting to cfreds-archive.nist.gov (cfreds-archive.nist.gov)|172.65.90.25|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 666238976 (635M)
Saving to: 'SCHARDT.001'

SCHARDT.001          14%[====>]          ] 93.82M 93.3KB/s   eta 49m 19s
```

```
(kali㉿kali)-[~/hacking_case]
$ ls
SCHARDT.001  SCHARDT.003  SCHARDT.005  SCHARDT.007
SCHARDT.002  SCHARDT.004  SCHARDT.006  SCHARDT.008
```

```
(kali㉿kali)-[~/hacking_case]
$ cat SCHARDT.00* > SCHARDT.dd
```

```
(kali㉿kali)-[~/hacking_case]
$ md5sum SCHARDT*
28a9b613d6eefe8a0515ef0a675bdebd  SCHARDT.001
c7227e7eea82d218663257397679a7c4  SCHARDT.002
ebba35acd7b8aa85a5a7c13f3dd733d2  SCHARDT.003
669b6636dc4783fd5509c4710856c59  SCHARDT.004
c46e5760e3821522ee81e675422025bb  SCHARDT.005
99511901da2dea772005b5d0d764e750  SCHARDT.006
99511901da2dea772005b5d0d764e750  SCHARDT.007
8194a79a5356df79883ae2dc7415929f  SCHARDT.008
aee4fcd9301c03b3b054623ca261959a  SCHARDT.dd
```

```
(kali㉿kali)-[~/hacking_case]
```

```
$ mmls SCHARDT.dd
```

DOS Partition Table

Offset Sector: 0

Units are in 512-byte sectors

	Slot	Start	End	Length	Description
000:	Meta	00000000000	00000000000	00000000001	Primary Table (#0)
001:	_____	00000000000	00000000062	00000000063	Unallocated
002:	000:000	00000000063	0009510479	0009510417	NTFS / exFAT (0x07)
003:	_____	0009510480	0009514259	0000003780	Unallocated

```
(kali㉿kali)-[~/hacking_case]
```

```
$ fls -rF -o 63 SCHARDT.dd | grep -i software
```

r/r 9895-128-4: Program Files/Anonymizer/Toolbar/Images/software-A.bmp

r/r 9896-128-4: Program Files/Anonymizer/Toolbar/Images/software-D.bmp

r/r 9897-128-4: Program Files/Anonymizer/Toolbar/Images/software-M.bmp

r/r 6375-128-5: WINDOWS/PCHEALTH/HELPCTR/System/sysinfo/sysSoftwareInfo.htm

r/r 6376-128-5: WINDOWS/PCHEALTH/HELPCTR/System/sysinfo/sysSoftwareInfo.js

r/r 9742-128-4: WINDOWS/repair/software

r/r 336-128-4: WINDOWS/system32/config/software

r/r 466-128-5: WINDOWS/system32/config/software.LOG

r/r 471-128-3: WINDOWS/system32/config/software.sav

```
(kali㉿kali)-[~/hacking_case]
```

```
$ icat -o 63 SCHARDT.dd 336 > software
```

```
(kali㉿kali)-[~/hacking_case]
```

```
$ ls software -l
```

```
-rw-rw-r-- 1 kali kali 8650752 Aug 26 11:21 software
```

```
(kali㉿kali)-[~/hacking_case]
```

```
$ perl /usr/lib/regripper/rip.pl -l | grep -i winver
```

125. winver v.20200525 [Software]

```
(kali㉿kali)-[~/hacking_case]
```

```
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/SOFTWARE -p winver
```

Launching winver v.20200525

winver v.20200525

(Software) Get Windows version & build info

```
(kali㉿kali)-[~/hacking_case]
```

```
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/system -p timezone
```

Launching timezone v.20200518

timezone v.20200518

(System) Get TimeZoneInformation key contents

TimeZoneInformation key

ControlSet001\Control\TimeZoneInformation

LastWrite Time 2004-08-19 17:20:02Z

DaylightName → Central Daylight Time

StandardName → Central Standard Time

Bias → 360 (6 hours)

ActiveTimeBias → 300 (5 hours)

```
(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | egrep -i 'config/software$'
r/r 336-128-4: WINDOWS/system32/config/software

(kali㉿kali)-[~/hacking_case]
$ icat -o 63 SCHARDT.dd 336 > software

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/software -p winver
Launching winver v.20200525
winver v.20200525
(Software) Get Windows version & build info

ProductName           Microsoft Windows XP
BuildLab               2600.xpclient.010817-1148
RegisteredOrganization N/A
RegisteredOwner       Greg Schardt
InstallDate            2004-08-19 22:48:27Z
```

```
(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/system -p compname
Launching compname v.20090727
compname v.20090727
(System) Gets ComputerName and Hostname values from System hive

ComputerName      = N-1A90DN6ZXK4LQ
TCP/IP Hostname   = n-1a9odn6zxk4lq

(kali㉿kali)-[~/hacking_case]
$
```

```
(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | egrep -i config/sysevent
r/r 3678-128-1: WINDOWS/system32/config/SysEvent.Evt

(kali㉿kali)-[~/hacking_case]
$ icat -o 63 SCHARDT.dd 3678 > SysEvent.Evt

(kali㉿kali)-[~/hacking_case]
$ ls -lh SysEvent.Evt
-rw-rw-r-- 1 kali kali 64K Aug 26 12:03 SysEvent.Evt
```



```
(kali㉿kali)-[~/hacking_case]
$ git clone https://github.com/keydet89/Tools.git
Cloning into 'Tools' ...
remote: Enumerating objects: 193, done.
remote: Counting objects: 100% (27/27), done.
remote: Compressing objects: 100% (20/20), done.
remote: Total 193 (delta 13), reused 16 (delta 7), pack-reused 166 (from 1)
Receiving objects: 100% (193/193), 8.37 MiB | 66.00 KiB/s, done.
Resolving deltas: 100% (108/108), done.
```

```
(kali㉿kali)-[~/hacking_case]
$ perl Tools/source/evtparse.pl
evtparse [option]
Parse Event log (Win2000, XP, 2003)
```

```
-e file.....Event log (full path)
-d dir.....Directory where .evt files are located
-s .....Output in sequential format (record number and time
          generated values ONLY - use to see if system time may
          have been tampered with)
```

```
-t .....TLN output (default .csv)
-h .....Help (print this information)
```

```
Ex: C:\>evtparse -e secevent.evt -t > timeline.txt
C:\>evtparse -e sysevent.evt -s
```

**All times printed as GMT/UTC

copyright 2012 Quantum Analytics Research, LLC

```
(kali㉿kali)-[~/hacking_case]
$
```

```
(kali㉿kali)-[~/hacking_case]
$ perl Tools/source/evtparse.pl -e SysEvent.Evt -t > SysEvent.txt
```

```
(kali㉿kali)-[~/hacking_case]
$ ls -l SysEvent.*
-rw-rw-r-- 1 kali kali 65536 Aug 26 12:03 SysEvent.Evt
-rw-rw-r-- 1 kali kali 14183 Aug 26 12:17 SysEvent.txt
```

```
(kali㉿kali)-[~/hacking_case]
$ cat SysEvent.txt
1092934732|EVT|MACHINENAME|N/A|Serial/2;Info;\Device\Serial0,\Device\Serial0
1092934755|EVT|MACHINENAME|N/A|EventLog/6009;Info;5.01.,2600,,Uniprocessor Free
1092934755|EVT|MACHINENAME|N/A|EventLog/6005;Info;
1092935246|EVT|MACHINENAME|N/A|Serial/2;Info;\Device\Serial1,\Device\Serial1
1092954012|EVT|N-1A90DN6ZXX4LQ|N/A|EventLog/6011;Info;MACHINENAME,N-1A90DN6ZXX4LQ
1092954111|EVT|N-1A90DN6ZXX4LQ|N/A|Dhcp/1007;Warn;0010A4933E09,169.254.242.213
1092954197|EVT|N-1A90DN6ZXX4LQ|N/A|Workstation/3260;Info;workgroup,EVIL
1092955778|EVT|N-1A90DN6ZXX4LQ|N/A|Setup/60054;Info;2600
1092955914|EVT|N-1A90DN6ZXX4LQ|N/A|EventLog/6009;Info;5.01.,2600,,Uniprocessor Free
1092955914|EVT|N-1A90DN6ZXX4LQ|N/A|EventLog/6005;Info;
1092955832|EVT|N-1A90DN6ZXX4LQ|N/A|Tcpip/4201;Info;;\DEVICE\TCPIP_{6E4090C2-FAEF-489A-8575-505D21F0}
```



```

1092955991|EVT|N-1A90DN6ZXX4LQ|N/A|SRService/115;Info;
1092955994|EVT|N-1A90DN6ZXX4LQ|N/A|W32Time/17;Error;time.windows.com,0x1,A socket operation was att
empted to an unreachable host. (0x80072751),15
1092955994|EVT|N-1A90DN6ZXX4LQ|N/A|W32Time/29;Error;14
1092955999|EVT|N-1A90DN6ZXX4LQ|N/A|W32Time/17;Error;time.windows.com,0x1,A socket operation was att
empted to an unreachable host. (0x80072751),15
1092955999|EVT|N-1A90DN6ZXX4LQ|N/A|W32Time/29;Error;14
1092956066|EVT|N-1A90DN6ZXX4LQ|S-1-5-18|Service Control Manager/7035;Info;Telephony,start
1092956134|EVT|N-1A90DN6ZXX4LQ|N/A|Service Control Manager/7036;Info;Telephony,stopped
1092956424|EVT|N-1A90DN6ZXX4LQ|S-1-5-18|Service Control Manager/7035;Info;Network Connections,start
1092956424|EVT|N-1A90DN6ZXX4LQ|N/A|Service Control Manager/7036;Info;Network Connections,running
1092956424|EVT|N-1A90DN6ZXX4LQ|S-1-5-18|Service Control Manager/7035;Info;SSDP Discovery Service,st
art
1092956424|EVT|N-1A90DN6ZXX4LQ|N/A|Service Control Manager/7036;Info;SSDP Discovery Service,running
1092956424|EVT|N-1A90DN6ZXX4LQ|S-1-5-18|Service Control Manager/7035;Info;Network Location Awarenes
s (NLA),start
1092956424|EVT|N-1A90DN6ZXX4LQ|N/A|Service Control Manager/7036;Info;Network Location Awareness (NL
A),running
1092956425|EVT|N-1A90DN6ZXX4LQ|N/A|Service Control Manager/7036;Info;Telephony,running
1092956425|EVT|N-1A90DN6ZXX4LQ|S-1-5-18|Service Control Manager/7035;Info;Remote Access Connection
Manager,start
1092956426|EVT|N-1A90DN6ZXX4LQ|N/A|Service Control Manager/7036;Info;Remote Access Connection Manag

```

```

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -l | grep -i shutdown
203. shutdown v.20200518 [System]
- Gets ShutdownTime value from System hive

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/system -p shutdown
Launching shutdown v.20200518
shutdown v.20200518
(System) Gets ShutdownTime value from System hive

ControlSet001\Control\Windows key, ShutdownTime value
LastWrite time: 2004-08-27 15:46:33Z
ShutdownTime : 2004-08-27 15:46:33Z

(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | egrep -i config/sam
r/r 3667-128-4: WINDOWS/system32/config/SAM
r/r 3668-128-4: WINDOWS/system32/config/SAM.LOG

```

```

(kali㉿kali)-[~/hacking_case]
$ icat -o 63 SCHARDT.dd 3667 > SAM

(kali㉿kali)-[~/hacking_case]
$ ls -lh sam
ls: cannot access 'sam': No such file or directory

(kali㉿kali)-[~/hacking_case]
$ ls -lh SAM
-rw-rw-r-- 1 kali kali 256K Aug 26 12:22 SAM

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/SAM -p samparse
Launching samparse v.20220921
samparse v.20220921
(SAM) Parse SAM file for user & group mbrshp info

User Information

```

```

Username      : Administrator [500]
SID           : S-1-5-21-2000478354-688789844-1708537768-500

```

```

Full Name      :
User Comment   : Built-in account for administering the computer/domain
Account Type   : Default Admin User
Account Created : Thu Aug 19 16:59:24 2004 Z
Name           :
Last Login Date : Never
Pwd Reset Date  : Thu Aug 19 17:17:29 2004 Z
Pwd Fail Date   : Never
Login Count     : 0
    → Password does not expire
    → Normal user account

Username      : Guest [501]
SID           : S-1-5-21-2000478354-688789844-1708537768-501
Full Name      :
User Comment   : Built-in account for guest access to the computer/domain
Account Type   : Default Guest Acct
Account Created : Thu Aug 19 16:59:24 2004 Z
Name           :
Last Login Date : Never
Pwd Reset Date  : Never

```

```
Pwd Fail Date    : Never
Login Count      : 0
  → Password does not expire
  → Password not required
  → Normal user account

Username         : HelpAssistant [1000]
SID              : S-1-5-21-2000478354-688789844-1708537768-1000
Full Name        : Remote Desktop Help Assistant Account
User Comment     : Account for Providing Remote Assistance
Account Type     : Custom Limited Acct
Account Created  : Thu Aug 19 22:28:24 2004 Z
Name             :
Last Login Date  : Never
Pwd Reset Date   : Thu Aug 19 22:28:24 2004 Z
Pwd Fail Date    : Never
Login Count      : 0
  → Password does not expire
  → Normal user account

Username         : SUPPORT_388945a0 [1002]
```

```
SID              : S-1-5-21-2000478354-688789844-1708537768-1002
Full Name        : CN=Microsoft Corporation,L=Redmond,S=Washington,C=US
User Comment     : This is a vendor's account for the Help and Support Service
Account Type     : Custom Limited Acct
Account Created  : Thu Aug 19 22:35:19 2004 Z
Name             :
Last Login Date  : Never
Pwd Reset Date   : Thu Aug 19 22:35:19 2004 Z
Pwd Fail Date    : Never
Login Count      : 0
  → Password does not expire
  → Normal user account
  → Account Disabled

Username         : Mr. Evil [1003]
SID              : S-1-5-21-2000478354-688789844-1708537768-1003
Full Name        :
User Comment     :
Account Type     : Default Admin User
Account Created  : Thu Aug 19 23:03:54 2004 Z
Name             :
```



```
Last Login Date : Fri Aug 27 15:08:23 2004 Z
Pwd Reset Date  : Thu Aug 19 23:03:54 2004 Z
Pwd Fail Date   : Never
Login Count     : 15
  → Password does not expire
  → Normal user account
```

Group Membership Information

```
Group Name      : Replicator [0]
LastWrite       : Thu Aug 19 16:59:24 2004 Z
Group Comment   : Supports file replication in a domain
Users           : None
```

```
Group Name      : Power Users [0]
LastWrite       : Thu Aug 19 16:59:24 2004 Z
Group Comment   : Power Users possess most administrative powers with some restrictions. Thus, Power
Users can run legacy applications in addition to certified applications
Users           : None
```

```
Group Name      : Network Configuration Operators [0]
LastWrite       : Thu Aug 19 16:59:25 2004 Z
Group Comment   : Members in this group can have some administrative privileges to manage configurati
on of networking features
Users           : None
```

```
Group Name      : Users [2]
LastWrite       : Thu Aug 19 17:01:55 2004 Z
Group Comment   : Users are prevented from making accidental or intentional system-wide changes. Thu
s, Users can run certified applications, but not most legacy applications
Users          :
  S-1-5-11
  S-1-5-4
```

```
Group Name      : Remote Desktop Users [0]
LastWrite       : Thu Aug 19 16:59:25 2004 Z
Group Comment   : Members in this group are granted the right to logon remotely
Users           : None
```

```
Group Name      : Administrators [2]
LastWrite       : Thu Aug 19 23:03:54 2004 Z
```

```
Group Comment   : Administrators have complete and unrestricted access to the computer/domain
Users          :
  S-1-5-21-2000478354-688789844-1708537768-500
  S-1-5-21-2000478354-688789844-1708537768-1003
```

```
Group Name      : Guests [1]
LastWrite       : Thu Aug 19 16:59:24 2004 Z
Group Comment   : Guests have the same access as members of the Users group by default, except for th
e Guest account which is further restricted
Users          :
  S-1-5-21-2000478354-688789844-1708537768-501
```

```
Group Name      : Backup Operators [0]
LastWrite       : Thu Aug 19 16:59:24 2004 Z
Group Comment   : Backup Operators can override security restrictions for the sole purpose of backing
up or restoring files
Users           : None
```

Analysis Tips:

- For well-known SIDs, see <http://support.microsoft.com/kb/243330>
- S-1-5-4 = Interactive

- S-1-5-11 = Authenticated Users
- Correlate the user SIDs to the output of the ProfileList plugin

```
(kali㉿kali)-[~/hacking_case]
$ █
```

```
(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -l | grep -i profilelist
41. profilelist v.20200518 [Software]
    - Get content of ProfileList key

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/software -p profilelist
Launching profilelist v.20200518
profilelist v.20200518
(Software) Get content of ProfileList key

Microsoft\Windows NT\CurrentVersion\ProfileList

Path      : %systemroot%\system32\config\systemprofile
SID       : S-1-5-18
LastWrite : 2004-08-19 22:48:26Z

Path      : %SystemDrive%\Documents and Settings\LocalService
SID       : S-1-5-19
LastWrite : 2004-08-27 15:08:21Z
```

```
Path      : %SystemDrive%\Documents and Settings\NetworkService
SID       : S-1-5-20
LastWrite : 2004-08-27 15:08:20Z

Path      : %SystemDrive%\Documents and Settings\Mr. Evil
SID       : S-1-5-21-2000478354-688789844-1708537768-1003
LastWrite : 2004-08-27 15:46:23Z
```

Domain Accounts

```
(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -l | grep -i samparse_tln
115. samparse_tln v.20200826 [SAM]

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/SAM -p samparse_tln
Launching samparse_tln v.20200826
1092934764|SAM||Administrator|Acct Created (Default Admin User)
1092935849|SAM||Administrator|Password Reset Date
1092934764|SAM||Guest|Acct Created (Default Guest Acct)
1092954504|SAM||HelpAssistant|Acct Created (Custom Limited Acct)
```

```
1092954504|SAM||HelpAssistant|Password Reset Date
1092954919|SAM||SUPPORT_388945a0|Acct Created (Custom Limited Acct)
1092954919|SAM||SUPPORT_388945a0|Password Reset Date
1092956634|SAM||Mr. Evil|Acct Created (Default Admin User)
1092956634|SAM||Mr. Evil|Password Reset Date
1093619303|SAM||Mr. Evil|Last Login (15)
```

```
(kali㉿kali)-[~/hacking_case]
$ date -d @1093619303
Fri Aug 27 11:08:23 AM EDT 2004
```

```
(kali㉿kali)-[~/hacking_case]
$
```

```
(kali㉿kali)-[~/hacking_case]
$ sudo mkdir /mnt/loop
```

[sudo] password for kali:

```
(kali㉿kali)-[~/hacking_case]
$ sudo losetup --partscan --find --show --read-only SCHARDT.dd
/dev/loop0
```

```
(kali㉿kali)-[~/hacking_case]
$ sudo mount /dev/loop0p1 /mnt/loop
Error opening '/dev/loop0p1' read-write
Could not mount read-write, trying read-only
```

```
(kali㉿kali)-[~/hacking_case]
$ ls -l /dev/loop0*
```

ls: cannot access '-l': No such file or directory
/dev/loop0 /dev/loop0p1

```
(kali㉿kali)-[~/hacking_case]
$ ls /mnt/loop
AUTOEXEC.BAT  'Documents and Settings'  ntdetect.com  'System Volume Information'
boot.ini      FRUNLOG.TXT               ntldr          Temp
BOOTLOG.PRIV  hiberfil.sys              pagefile.sys  VIDEOROM.BIN
BOOTLOG.TXT   IO.SYS                    'Program Files'  WIN98
BOOTSECT.DOS  MSDOS.—                   RECYCLER       WINDOWS
COMMAND.COM   MSDOS.SYS                 SETUPLOG.TXT
CONFIG.SYS    'My Documents'            SUHDLOG.DAT
DETLOG.TXT    NETLOG.TXT                SYSTEM.1ST
```

```
(kali㉿kali)-[~/hacking_case]
$ grep -rn '/mnt/loop/' -e 'Greg Schardt'
/mnt/loop/Program Files/Look@LAN/irunin.ini:29:%REGOWNER%=Greg Schardt
/mnt/loop/Program Files/Look@LAN/irunin.ini:396:USERNAME%=Greg Schardt
/mnt/loop/WINDOWS/Look@LAN Setup Log.txt:42:Value data = Greg Schardt
```

```
(kali㉿kali)-[~/hacking_case]
$ cat "/mnt/loop/Program Files/Look@LAN/irunin.ini" | grep -I 'evil'
```

```
(kali㉿kali)-[~/hacking_case]
$ ls -lh "/mnt/loop/Program Files/Look@LAN/irunin.ini"
-rwxrwxrwx 1 root root 18K Aug 25 2004 '/mnt/loop/Program Files/Look@LAN/irunin.ini'
```

```
(kali㉿kali)-[~/hacking_case]
$ grep -in 'evil' "/mnt/loop/Program Files/Look@LAN/irunin.ini"
11:%LANUSER%=Mr. Evil
42:%DESKTOP%=C:\Documents and Settings\Mr. Evil\Desktop
44:%STARTMENU%=C:\Documents and Settings\Mr. Evil\Start Menu
46:%STARTMENUPROGRAMS%=C:\Documents and Settings\Mr. Evil\Start Menu\Programs
48:%STARTUP%=C:\Documents and Settings\Mr. Evil\Start Menu\Programs\Startup
52:%MYDOCUMENTSDIR%=C:\Documents and Settings\Mr. Evil\My Documents
59:%SRCFILE%=C:\Documents and Settings\Mr. Evil\Desktop\lalsetup250.exe
60:%SRCDIR%=C:\Documents and Settings\Mr. Evil\Desktop
```



```
(kali㉿kali)-[~/hacking_case]
$ cat "/mnt/loop/WINDOWS/Look@LAN Setup Log.txt" | grep -i 'evil'
C:\Documents and Settings\Mr. Evil\Desktop\Look@LAN.lnk
C:\Documents and Settings\Mr. Evil\Desktop\Look@Host.lnk

(kali㉿kali)-[~/hacking_case]
$ grep -rni '/mnt/loop/' -e '\bEvil\b.*\bGreg\b'
quote>

(kali㉿kali)-[~/hacking_case]
$ grep -rni '/mnt/loop/' -e '\bEvil\b.*\bGreg\b'
grep: /mnt/loop/Documents and Settings/Mr. Evil/Local Settings/History/History.IE5/index.dat: binary file matches
grep: /mnt/loop/Documents and Settings/Mr. Evil/Local Settings/History/History.IE5/MSHist012004081620040823/index.dat: binary file matches
```

```
(kali㉿kali)-[~/hacking_case]
$ ls -lh '/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/History/History.IE5/index.dat'
-rwxrwxrwx 1 root root 64K Aug 27 2004 '/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/History/History.IE5/index.dat'

(kali㉿kali)-[~/hacking_case]
$ strings '/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/History/History.IE5/index.dat' | grep -i 'greg'
Visited: Mr. Evil@http://edit.yahoo.com/config/id_check?.fn=Greg&.ln=Schardt&.id=mrevil2000&.u=b568cfp0ic6g0

(kali㉿kali)-[~/hacking_case]
$ ls -lh '/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/History/History.IE5/MSHist012004081620040823/index.dat'
-rwxrwxrwx 1 root root 32K Aug 25 2004 '/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/History/History.IE5/MSHist012004081620040823/index.dat'
```

```
(kali㉿kali)-[~/hacking_case]
$ strings '/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/History/History.IE5/MSHist012004081620040823/index.dat' | grep -i 'greg'
:2004081620040823: Mr. Evil@http://edit.yahoo.com/config/id_check?.fn=Greg&.ln=Schardt&.id=mrevil2000&.u=b568cfp0ic6g0

(kali㉿kali)-[~/hacking_case]
```

```
(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -l | grep -i networkcards
141. networkcards v.20200518 [Software]
- Get NetworkCards Info

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/software -p networkcards
Launching networkcards v.20200518
networkcards v.20200518
(Software) Get NetworkCards Info

NetworkCards
Microsoft\Windows NT\CurrentVersion\NetworkCards

Description Key LastWrite time
Compaq WL110 Wireless LAN PC Card 2004-08-27 15:31:44Z
Xircom CardBus Ethernet 100 + Modem 56 (Ethernet Interface) 2004-08-19 17:07:19Z
```

```

(kali㉿kali)-[~/hacking_case]
$ egrep -rIl '\b[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\b' '/mnt/loop/' > ip.txt

(kali㉿kali)-[~/hacking_case]
$ egrep -rIl '^[^/]\b[0-9a-fA-F]{12}\b' '/mnt/loop/' > mac.txt

(kali㉿kali)-[~/hacking_case]
$ comm -12 ip.txt mac.txt
comm: file 1 is not in sorted order
/mnt/loop/Program Files/Look@LAN/irunin.ini
/mnt/loop/Program Files/mIRC/channels/channels.txt
comm: file 2 is not in sorted order
comm: input is not in sorted order

```

```

(kali㉿kali)-[~/hacking_case]
$ egrep -r '\b[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\b' '/mnt/loop/Program Files/Look@LAN/irunin.ini'
%LANIP%=192.168.1.111

(kali㉿kali)-[~/hacking_case]
$ grep -rP '\b[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\.[0-9]{1,3}\b' '/mnt/loop/Program Files/Look@LAN/irunin.ini'
%LANIP%=192.168.1.111

(kali㉿kali)-[~/hacking_case]
$ grep -rP '\b\d{1,3}\.\d{1,3}\.\d{1,3}\.\d{1,3}\b' '/mnt/loop/Program Files/Look@LAN/irunin.ini'
%LANIP%=192.168.1.111

(kali㉿kali)-[~/hacking_case]
$ egrep -r '^[^/]\b[0-9a-fA-F]{12}\b' '/mnt/loop/Program Files/Look@LAN/irunin.ini'
%LANNIC%=0010a4933e09

(kali㉿kali)-[~/hacking_case]
$

```

```

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -l | grep -i uninstall
104. uninstall v.20200525 [Software, NTUSER.DAT]
- Gets contents of Uninstall keys from Software, NTUSER.DAT hives
139. uninstall_tln v.20120523 [Software, NTUSER.DAT]
- Gets contents of Uninstall keys from Software, NTUSER.DAT hives(TLN format)

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/software -p uninstall
Launching uninstall v.20200525
uninstall v.20200525
(Software, NTUSER.DAT) Gets contents of Uninstall keys from Software, NTUSER.DAT hives

Uninstall
Microsoft\Windows\CurrentVersion\Uninstall

2004-08-27 15:29:19Z
Ethereal 0.10.6 v.0.10.6

2004-08-27 15:15:19Z
WinPcap 3.01 alpha

```

2004-08-27 15:12:15Z
Network Stumbler 0.4.0 (remove only)

2004-08-25 15:56:11Z
Look@LAN 2.50 Build 29

2004-08-20 15:13:08Z
123 Write All Stored Passwords

2004-08-20 15:12:43Z
Powertoys For Windows XP v.1.00.0000

2004-08-20 15:10:04Z
mIRC

2004-08-20 15:09:03Z
CuteHTML

2004-08-20 15:09:02Z
CuteFTP

2004-08-20 15:08:19Z

Forté Agent

2004-08-20 15:07:25Z

Faber Toys v.2.4 Build 216

2004-08-20 15:05:58Z

Cain & Abel v2.5 beta45

2004-08-20 15:05:09Z

Anonymizer Bar 2.0 (remove only)

2004-08-19 23:04:50Z

WebFldrs XP v.9.50.5318

2004-08-19 23:04:36Z

Microsoft NetShow Player 2.0
MPlayer2

2004-08-19 22:37:31Z

Branding

2004-08-19 22:32:06Z

PCHealth

2004-08-19 22:31:52Z

DirectAnimation

NetMeeting

2004-08-19 22:31:51Z

AddressBook

ICW

OutlookExpress

2004-08-19 22:31:32Z

DirectDrawEx

Fontcore

IE40

IE4Data

IE5BAKEX

IEData

MobileOptionPack

SchedulingAgent

2004-08-19 22:21:41Z

Connection Manager

(kali㉿kali)-[~/hacking_case]

\$ fls -rF -o 63 SCHARDT.dd | grep -i 'ntuser.dat'

r/r 7324-128-4: Documents and Settings/Default User/NTUSER.DAT

r/r 391-128-4: Documents and Settings/LocalService/NTUSER.DAT

r/r 418-128-4: Documents and Settings/LocalService/ntuser.dat.LOG

r/r 345-128-4: Documents and Settings/Mr. Evil/NTUSER.DAT

r/r 9798-128-4: Documents and Settings/Mr. Evil/ntuser.dat.LOG

r/r 350-128-4: Documents and Settings/NetworkService/NTUSER.DAT

r/r 377-128-4: Documents and Settings/NetworkService/ntuser.dat.LOG

r/r 9746-128-4: WINDOWS/repair/ntuser.dat

(kali㉿kali)-[~/hacking_case]

\$ icat -o 63 SCHARDT.dd 345 > NTUSER_Evil.DAT

```
(kali㉿kali)-[~/hacking_case]
$ strings NTUSER_Evil.DAT | grep -iP '\b^[\\w\\.-]+@[\\w-]+\\.)+[\\w-]{2,4}\\b'
whoknowsme@sbcglobal.net
xe@shdoclc.dll,-866
Look@LAN.lnk
Look@LAN.lnk
Look@LAN.lnk

(kali㉿kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/software -p uninstall
Launching uninstall v.20200525
uninstall v.20200525
(Software, NTUSER.DAT) Gets contents of Uninstall keys from Software, NTUSER.DAT hives

Uninstall
Microsoft\Windows\CurrentVersion\Uninstall

2004-08-27 15:29:19Z
Ethereal 0.10.6 v.0.10.6

2004-08-27 15:15:19Z
```

```
WinPcap 3.01 alpha

2004-08-27 15:12:15Z
Network Stumbler 0.4.0 (remove only)

2004-08-25 15:56:11Z
Look@LAN 2.50 Build 29

2004-08-20 15:13:08Z
123 Write All Stored Passwords

2004-08-20 15:12:43Z
Powertoy For Windows XP v.1.00.0000

2004-08-20 15:10:04Z
mIRC

2004-08-20 15:09:03Z
CuteHTML

2004-08-20 15:09:02Z
```


CuteFTP

2004-08-20 15:08:19Z

Forté Agent

2004-08-20 15:07:25Z

Faber Toys v.2.4 Build 216

2004-08-20 15:05:58Z

Cain & Abel v2.5 beta45

2004-08-20 15:05:09Z

Anonymizer Bar 2.0 (remove only)

2004-08-19 23:04:50Z

WebFldrs XP v.9.50.5318

2004-08-19 23:04:36Z

Microsoft NetShow Player 2.0

MPlayer2

2004-08-19 22:37:31Z
Branding

2004-08-19 22:32:06Z
PCHealth

2004-08-19 22:31:52Z
DirectAnimation
NetMeeting

2004-08-19 22:31:51Z
AddressBook
ICW
OutlookExpress

2004-08-19 22:31:32Z
DirectDrawEx
Fontcore
IE40
IE4Data
IE5BAKEX

```
(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | grep -i 'forte'
```

```
(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | grep -i 'agent' | head
r/r 10064-128-1: Documents and Settings/Mr. Evil/Desktop/Tools/Agent.lnk
r/r 10065-128-4: Documents and Settings/Mr. Evil/Start Menu/Programs/Agent Newsreader/Agent
Help.lnk
r/r 10066-128-1: Documents and Settings/Mr. Evil/Start Menu/Programs/Agent Newsreader/Readme
.lnk
r/r 10210-128-3: My Documents/ARCHIVE/Arj/AGENTS.TXT
r/r 10055-128-3: Program Files/Agent/8859-1.cod
r/r 10057-128-3: Program Files/Agent/8859-15.cod
r/r 10056-128-3: Program Files/Agent/8859-1w.cod
r/r 10013-128-3: Program Files/Agent/agent.cnt
r/r 10009-128-3: Program Files/Agent/agent.exe
r/r 10012-128-3: Program Files/Agent/agent.hlp
```

```

(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | grep -i 'agent' | head
r/r 10064-128-1: Documents and Settings/Mr. Evil/Desktop/Tools/Agent.lnk
r/r 10065-128-4: Documents and Settings/Mr. Evil/Start Menu/Programs/Agent Newsreader/Agent
Help.lnk
r/r 10066-128-1: Documents and Settings/Mr. Evil/Start Menu/Programs/Agent Newsreader/Readme
.lnk
r/r 10210-128-3: My Documents/ARCHIVE/Arj/AGENTS.TXT
r/r 10055-128-3: Program Files/Agent/8859-1.cod
r/r 10057-128-3: Program Files/Agent/8859-15.cod
r/r 10056-128-3: Program Files/Agent/8859-1w.cod
r/r 10013-128-3: Program Files/Agent/agent.cnt
r/r 10009-128-3: Program Files/Agent/agent.exe
r/r 10012-128-3: Program Files/Agent/agent.hlp

```

```

(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | grep -i 'Program Files/Agent/'
r/r 10055-128-3: Program Files/Agent/8859-1.cod
r/r 10057-128-3: Program Files/Agent/8859-15.cod
r/r 10056-128-3: Program Files/Agent/8859-1w.cod
r/r 10013-128-3: Program Files/Agent/agent.cnt

```

```

r/r 10009-128-3: Program Files/Agent/agent.exe
r/r 10012-128-3: Program Files/Agent/agent.hlp
r/r 10016-128-3: Program Files/Agent/All_COD/8859-1.cod
r/r 10017-128-3: Program Files/Agent/All_COD/8859-10.cod
r/r 10018-128-3: Program Files/Agent/All_COD/8859-11.cod
r/r 10019-128-3: Program Files/Agent/All_COD/8859-13.cod
r/r 10020-128-3: Program Files/Agent/All_COD/8859-14.cod
r/r 10021-128-3: Program Files/Agent/All_COD/8859-15.cod
r/r 10022-128-3: Program Files/Agent/All_COD/8859-1w.cod
r/r 10023-128-3: Program Files/Agent/All_COD/8859-2.cod
r/r 10024-128-3: Program Files/Agent/All_COD/8859-3.cod
r/r 10025-128-3: Program Files/Agent/All_COD/8859-4.cod
r/r 10026-128-3: Program Files/Agent/All_COD/8859-5.cod
r/r 10027-128-3: Program Files/Agent/All_COD/8859-6.cod
r/r 10028-128-3: Program Files/Agent/All_COD/8859-7.cod
r/r 10029-128-3: Program Files/Agent/All_COD/8859-8.cod
r/r 10030-128-3: Program Files/Agent/All_COD/8859-9.cod
r/r 10031-128-3: Program Files/Agent/All_COD/CP1250.cod
r/r 10032-128-3: Program Files/Agent/All_COD/CP1251.cod
r/r 10033-128-3: Program Files/Agent/All_COD/CP1252.cod
r/r 10034-128-3: Program Files/Agent/All_COD/CP1253.cod

```



```
r/r 10035-128-3: Program Files/Agent/All_COD/CP1254.cod
r/r 10036-128-3: Program Files/Agent/All_COD/CP1255.cod
r/r 10037-128-3: Program Files/Agent/All_COD/CP1256.cod
r/r 10038-128-3: Program Files/Agent/All_COD/CP1257.cod
r/r 10039-128-3: Program Files/Agent/All_COD/cp1258.cod
r/r 10040-128-1: Program Files/Agent/All_COD/cp1361.cod
r/r 10041-128-3: Program Files/Agent/All_COD/cp874.cod
r/r 10042-128-1: Program Files/Agent/All_COD/CP932.cod
r/r 10043-128-1: Program Files/Agent/All_COD/cp936.cod
r/r 10044-128-1: Program Files/Agent/All_COD/cp949.cod
r/r 10045-128-1: Program Files/Agent/All_COD/cp950.cod
r/r 10046-128-3: Program Files/Agent/All_COD/koi8.cod
r/r 10047-128-3: Program Files/Agent/All_COD/koi8ru.cod
r/r 10048-128-3: Program Files/Agent/All_COD/koi8u.cod
r/r 10049-128-3: Program Files/Agent/All_COD/macroman.cod
r/r 10050-128-1: Program Files/Agent/All_COD/norweg.cod
r/r 10051-128-1: Program Files/Agent/All_COD/swedish.cod
r/r 10052-128-3: Program Files/Agent/All_COD/tis-620.cod
r/r 10053-128-3: Program Files/Agent/All_COD/viscii.cod
r/r 10054-128-3: Program Files/Agent/cp1252.cod
r/r 11786-128-3: Program Files/Agent/Data/00000152.DAT
```

```
r/r 11786-128-3: Program Files/Agent/Data/00000152.DAT
r/r 11787-128-3: Program Files/Agent/Data/00000152.IDX
r/r 11788-128-3: Program Files/Agent/Data/00000157.DAT
r/r 11789-128-3: Program Files/Agent/Data/00000157.IDX
r/r 11790-128-3: Program Files/Agent/Data/00000158.DAT
r/r 11791-128-3: Program Files/Agent/Data/00000158.IDX
r/r 11792-128-3: Program Files/Agent/Data/000004AF.DAT
r/r 11793-128-3: Program Files/Agent/Data/000004AF.IDX
r/r 11794-128-3: Program Files/Agent/Data/000004B0.DAT
r/r 11795-128-3: Program Files/Agent/Data/000004B0.IDX
r/r 11796-128-3: Program Files/Agent/Data/000004B1.DAT
r/r 11797-128-3: Program Files/Agent/Data/000004B1.IDX
r/r 11798-128-3: Program Files/Agent/Data/00000D28.DAT
r/r 11799-128-3: Program Files/Agent/Data/00000D28.IDX
r/r 11415-128-3: Program Files/Agent/Data/0000168F.DAT
r/r 11730-128-3: Program Files/Agent/Data/0000168F.IDX
r/r 11731-128-3: Program Files/Agent/Data/0000169B.DAT
r/r 11732-128-3: Program Files/Agent/Data/0000169B.IDX
r/r 11406-128-4: Program Files/Agent/Data/AGENT.INI
r/r 11416-128-1: Program Files/Agent/Data/errorlog.txt
r/r 11420-128-1: Program Files/Agent/Data/FILTERS.DAT
r/r 11423-128-1: Program Files/Agent/Data/FILTERS.IDX
```



```
r/r 11727-128-3:      Program Files/Agent/Data/GROUPS.DAT
r/r 11728-128-3:      Program Files/Agent/Data/GROUPS.IDX
r/r 11417-128-3:      Program Files/Agent/Data/GRPDAT.BAK
r/r 11418-128-3:      Program Files/Agent/Data/GRPIDX.BAK
r/r 11419-128-1:      Program Files/Agent/Data/RANGES.BAK
r/r 11729-128-1:      Program Files/Agent/Data/RANGES.DAT
r/r 11411-128-3:      Program Files/Agent/Data/urltype.dat
r/r 11421-128-1:      Program Files/Agent/Data/WORDS.DAT
r/r 11422-128-1:      Program Files/Agent/Data/WORDS.IDX
r/r 11410-128-3:      Program Files/Agent/Data/XPOST.DAT
r/- * 0:      Program Files/Agent/Data/XPOST.DAT
r/r 10067-128-3:      Program Files/Agent/INSTALL.LOG
r/r 10060-128-3:      Program Files/Agent/macroman.cod
r/r 10061-128-3:      Program Files/Agent/MAINENU.C LX
r/r 10062-128-3:      Program Files/Agent/MAINENU.T LX
r/r 10058-128-1:      Program Files/Agent/norweg.cod
r/r 10014-128-3:      Program Files/Agent/order.txt
r/r 10010-128-3:      Program Files/Agent/readme.txt
r/r 10059-128-1:      Program Files/Agent/swedish.cod
r/r 10011-128-3:      Program Files/Agent/unwise.exe
```

```
(kali㉿kali)-[~/hacking_case]
$ cat -o 63 SCHARDT.dd 11406 | more
;AGENT.INI
;
;For information about the settings in this file,
;search for AGENT.INI in the online help.

[Profile]
Build="32.560"
FullName="Mr Evil"
EmailAddress="whoknowsme@sbcglobal.net"
EmailAddressFormat=0
ReplyTo=""
Organization="N/A"
DoAuthorization=1
SavePassword=1
UserName="whoknowsme@sbcglobal.net"
Password="84106D94696F"
SMTPLoginProtocol=2
SMTPUsePOPLogin=0
SMTPUserName="whoknowsme@sbcglobal.net"
```

```
SMTPSavePassword=1
SMTPPassword="84106D94696F"
--More--
```

```

(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | grep -i 'outlook'
r/r 11431-128-3: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/cleanup.log
r/r 11443-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.2600.cardz.dbx
r/r 11444-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.2600.codez.dbx
r/r 11445-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.2600.crackz.dbx
r/r 11442-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.2600.dbx
r/r 11539-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.2600.hackerz.dbx
r/r 11446-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.2600.moderated.dbx
r/r 11536-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.2600.phreakz.dbx
r/r 11523-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.2600.programz.dbx
r/r 11505-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.binaries.hacking.beginner.dbx
r/r 11457-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.binaries.hacking.computers.dbx
r/r 11447-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.binaries.hacking.utilities.dbx
r/r 11458-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.binaries.hacking.websites.dbx
r/r 11459-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.dss.hack.dbx
r/r 11516-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.hacking.dbx
r/r 11452-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.nl.binaries.hack.dbx
r/r 11448-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.stupidity.hackers.malicious.dbx
x
r/r 11441-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/Deleted Items.dbx
r/r 11426-128-3: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/Folders.dbx
r/r 11449-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/free.binaries.hackers.malicious.dbx
x
r/r 11453-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/free.binaries.hacking.beginner.dbx
r/r 11454-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/free.binaries.hacking.computers.dbx
x
r/r 11451-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/free.binaries.hacking.talentless.t
roll-haven.dbx
r/r 11450-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/free.binaries.hacking.talentless.t
roll_haven.dbx
r/r 11455-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/free.binaries.hacking.utilities.dbx
x
r/r 11456-128-4: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/free.binaries.hacking.websites.dbx
r/r 11432-128-3: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/Inbox.dbx
r/r 11429-128-3: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/

```



```
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/Offline.dbx
r/r 11425-128-3: Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/{
{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/Outbox.dbx
r/r 9838-128-4: Documents and Settings/Mr. Evil/Start Menu/Programs/Outlook Express.lnk
r/r 5552-128-4: Program Files/Outlook Express/msimn.exe
r/r 5549-128-4: Program Files/Outlook Express/msoe.dll
r/r 5551-128-1: Program Files/Outlook Express/msoe.txt
r/r 5548-128-4: Program Files/Outlook Express/msoeres.dll
r/r 5550-128-4: Program Files/Outlook Express/oeimport.dll
r/r 5544-128-4: Program Files/Outlook Express/oemig50.exe
r/r 5545-128-4: Program Files/Outlook Express/oemiglib.dll
r/r 5543-128-4: Program Files/Outlook Express/setup50.exe
r/r 5601-128-4: Program Files/Outlook Express/wab.exe
r/r 5599-128-4: Program Files/Outlook Express/wabfind.dll
r/r 5598-128-4: Program Files/Outlook Express/wabimp.dll
r/r 5600-128-4: Program Files/Outlook Express/wabmig.exe
r/r 7145-128-1: WINDOWS/PCHEALTH/HELPCTR/Vendors/CN=Microsoft Corporation,L=Redmond,S=Washington,C=
US/Remote Assistance/Escalation/Common/outlook.gif
r/r 7146-128-1: WINDOWS/PCHEALTH/HELPCTR/Vendors/CN=Microsoft Corporation,L=Redmond,S=Washington,C=
US/Remote Assistance/Escalation/Common/outlook_express.gif
```

```
(kali@kali)-[~/hacking_case]
$ strings '/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/{
EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/alt.2600.cardz.dbx' | grep -i 'news
.dallas.sbcglobal.net' | head
news.dallas.sbcglobal.net
news.dallas.sbcglobal.net
news.dallas.sbcglobal.net
news.dallas.sbcglobal.net
news.dallas.sbcglobal.net
news.dallas.sbcglobal.net
news.dallas.sbcglobal.net
news.dallas.sbcglobal.net
news.dallas.sbcglobal.net
news.dallas.sbcglobal.net

(kali@kali)-[~/hacking_case]
$ perl /usr/lib/regripper/rip.pl -r ~/hacking_case/software -p uninstall
Launching uninstall v.20200525
uninstall v.20200525
(Software, NTUSER.DAT) Gets contents of Uninstall keys from Software, NTUSER.DAT hives
```

```
Uninstall
Microsoft\Windows\CurrentVersion\Uninstall
```

```
2004-08-27 15:29:19Z
  Ethereum 0.10.6 v.0.10.6

2004-08-27 15:15:19Z
  WinPcap 3.01 alpha

2004-08-27 15:12:15Z
  Network Stumbler 0.4.0 (remove only)

2004-08-25 15:56:11Z
  Look@LAN 2.50 Build 29

2004-08-20 15:13:08Z
  123 Write All Stored Passwords

2004-08-20 15:12:43Z
  Powertoy For Windows XP v.1.00.0000
```


2004-08-20 15:10:04Z

mIRC

2004-08-20 15:09:03Z

CuteHTML

2004-08-20 15:09:02Z

CuteFTP

2004-08-20 15:08:19Z

Forté Agent

2004-08-20 15:07:25Z

Faber Toys v.2.4 Build 216

2004-08-20 15:05:58Z

Cain & Abel v2.5 beta45

2004-08-20 15:05:09Z

Anonymizer Bar 2.0 (remove only)

```
2004-08-19 23:04:50Z
WebFldrs XP v.9.50.5318
```

```
FileOpen
```

```
2004-08-19 23:04:36Z
Microsoft NetShow Player 2.0
MPlayer2
```

```
2004-08-19 22:37:31Z
Branding
```

```
2004-08-19 22:32:06Z
PCHealth
```

```
2004-08-19 22:31:52Z
DirectAnimation
NetMeeting
```

```
2004-08-19 22:31:51Z
AddressBook
ICW
OutlookExpress
```

```
OutlookExpress
```

```
2004-08-19 22:31:32Z
DirectDrawEx
Fontcore
IE40
IE4Data
IE5BAKEX
IEData
MobileOptionPack
SchedulingAgent
```

```
2004-08-19 22:21:41Z
Connection Manager
```

```
(kali㉿kali)-[~/hacking_case]
```

```
$ ls '/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/'
```

```
alt.2600.cardz.dbx      alt.stupidity.hackers.malicious.dbx
alt.2600.codez.dbx      cleanup.log
alt.2600.crackz.dbx     'Deleted Items.dbx'
```

```
(kali㉿kali)-[~/hacking_case]
$ ls '/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Application Data/Identities/{EF086998-1115-4ECD-9B13-9ADC067B4929}/Microsoft/Outlook Express/'
alt.2600.cardz.dbx          alt.stupidity.hackers.malicious.dbx
alt.2600.codez.dbx          cleanup.log
alt.2600.crackz.dbx         'Deleted Items.dbx'
alt.2600.dbx                Folders.dbx
alt.2600.hackerz.dbx        free.binaries.hackers.malicious.dbx
alt.2600.moderated.dbx     free.binaries.hacking.beginner.dbx
alt.2600.phreakz.dbx       free.binaries.hacking.computers.dbx
alt.2600.programz.dbx      free.binaries.hacking.talentless.troll-haven.dbx
alt.binaries.hacking.beginner.dbx free.binaries.hacking.talentless.troll_haven.dbx
alt.binaries.hacking.computers.dbx free.binaries.hacking.utilities.dbx
alt.binaries.hacking.utilities.dbx free.binaries.hacking.websites.dbx
alt.binaries.hacking.websites.dbx Inbox.dbx
alt.dss.hack.dbx            Offline.dbx
alt.hacking.dbx            Outbox.dbx
alt.nl.binaries.hack.dbx

(kali㉿kali)-[~/hacking_case]
```

```
(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | grep -i 'mirc'

r/r 10087-128-4: Documents and Settings/All Users/Start Menu/Programs/mIRC/IRC Intro.lnk
r/r 10086-128-4: Documents and Settings/All Users/Start Menu/Programs/mIRC/mIRC Help.lnk
r/r 10088-128-4: Documents and Settings/All Users/Start Menu/Programs/mIRC/Readme.txt.lnk
r/r 10089-128-4: Documents and Settings/All Users/Start Menu/Programs/mIRC/Versions.txt.lnk
r/r 10085-128-1: Documents and Settings/Mr. Evil/Desktop/Tools/mIRC.lnk
r/r 10081-128-1: Program Files/mIRC/aliases.ini
r/r 11072-128-6: Program Files/mIRC/channels/channels.txt
r/r 10077-128-3: Program Files/mIRC/ircintro.hlp
r/r 11315-128-4: Program Files/mIRC/logs/#Chataholics.UnderNet.log
r/r 11316-128-4: Program Files/mIRC/logs/#CyberCafe.UnderNet.log
r/r 11276-128-1: Program Files/mIRC/logs/#Elite.Hackers.UnderNet.log
r/r 11074-128-1: Program Files/mIRC/logs/#evilfork.EFnet.log
r/r 11401-128-1: Program Files/mIRC/logs/#funny.UnderNet.log
r/r 11306-128-1: Program Files/mIRC/logs/#houston.UnderNet.log
r/r 11073-128-1: Program Files/mIRC/logs/#ISO-WAREZ.EFnet.log
r/r 11272-128-4: Program Files/mIRC/logs/#LuxShell.UnderNet.log
r/r 11273-128-4: Program Files/mIRC/logs/#mp3xserv.UnderNet.log
r/r 11327-128-4: Program Files/mIRC/logs/#thedarktower.AfterNET.log
```

```
(kali㉿kali)-[~/hacking_case]
$ icat -o 63 SCHARDT.dd 10080 | grep -iE 'user|email|log|ip|server'

n46=#mIRCScripTs
n75=#UserGuide,"The official Undernet help channel"
n76=#UserHelp
accept=*.bmp,*.gif,*.jpg,*.log,*.mid,*.mp3,*.png,*.txt,*.wav,*.wma,*.zip
logdir=logs\
userid=Mrevil
useip=yes
status=/lusers
ServerStatus=on
[fileserver]
[dccserver]
user=Mini Me
email=none@of.ya
host=Undernet: US, CA, LosAngelesSERVER:losangeles.ca.us.undernet.org:6660GROUP:Undernet
servers=servers.ini
```



```
(kali㉿kali)-[~/hacking_case]
$ fls -rF -o 63 SCHARDT.dd | grep -i 'Program Files/mIRC/logs'

r/r 11315-128-4:      Program Files/mIRC/logs/#Chataholics.UnderNet.log
r/r 11316-128-4:      Program Files/mIRC/logs/#CyberCafe.UnderNet.log
r/r 11276-128-1:      Program Files/mIRC/logs/#Elite.Hackers.UnderNet.log
r/r 11074-128-1:      Program Files/mIRC/logs/#evilfork.EFnet.log
r/r 11401-128-1:      Program Files/mIRC/logs/#funny.UnderNet.log
r/r 11306-128-1:      Program Files/mIRC/logs/#houston.UnderNet.log
r/r 11073-128-1:      Program Files/mIRC/logs/#ISO-WAREZ.EFnet.log
r/r 11272-128-4:      Program Files/mIRC/logs/#LuxShell.UnderNet.log
r/r 11273-128-4:      Program Files/mIRC/logs/#mp3xserv.UnderNet.log
r/r 11327-128-4:      Program Files/mIRC/logs/#thedarktower.AfterNET.log
r/r 11275-128-1:      Program Files/mIRC/logs/#ushells.UnderNet.log
r/r 11317-128-1:      Program Files/mIRC/logs/m5tar.UnderNet.log

(kali㉿kali)-[~/hacking_case]
$ ls /mnt/loop/Documents\ and\ Settings/Mr.\ Evil

Application Data  Favorites  'My Documents'  ntuser.dat.LOG  Recent  Templates
Cookies           interception  NetHood         ntuser.ini       SendTo
Desktop          'Local Settings'  NTUSER.DAT      PrintHood        'Start Menu'
```

```
(kali㉿kali)-[~/hacking_case]
$ file /mnt/loop/Documents\ and\ Settings/Mr.\ Evil/interception

/mnt/loop/Documents and Settings/Mr. Evil/interception: pcap capture file, microsecond ts (little-endian) - version 2.4 (Ethernet, capture length 65535)

(kali㉿kali)-[~/hacking_case]
$ tshark --help

TShark (Wireshark) 4.6.6
Dump and analyze network traffic.
See https://www.wireshark.org for more information.

Usage: tshark [options] ...

Capture interface:
  -i <interface>, --interface <interface>
                                name or idx of interface (def: first non-loopback)
  -f <capture filter>           packet filter in libpcap filter syntax
  -s <snaplen>, --snapshot-length <snaplen>
```

```
(kali㉿kali)-[~/hacking_case]
$ tshark -r /mnt/loop/Documents\ and\ Settings/Mr.\ Evil/interception -Y http.request -T fields -e http.user_agent -e http.host

Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  www.passportimages.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  login.passport.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  login.passport.net
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320)  login.passport.net
```

```
(kali㉿kali)-[~/hacking_case]
$ tshark -r /mnt/loop/Documents\ and\ Settings/Mr.\ Evil/interception -Y http.request -T fields
-e http.user_agent -e http.host | sort -u
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320) login.passport.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320) login.passport.net
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320) mobile.msn.com
Mozilla/4.0 (compatible; MSIE 4.01; Windows CE; PPC; 240x320) www.passportimages.com
```

```
(kali㉿kali)-[~/hacking_case]
$ grep --help
Usage: grep [OPTION]... PATTERNS [FILE]...
Search for PATTERNS in each FILE.
Example: grep -i 'hello world' menu.h main.c
PATTERNS can contain multiple patterns separated by newlines.
```

Pattern selection and interpretation:

- E, --extended-regexp PATTERNS are extended regular expressions
- F, --fixed-strings PATTERNS are strings
- G, --basic-regexp PATTERNS are basic regular expressions
- P, --perl-regexp PATTERNS are Perl regular expressions
- e, --regexp=PATTERNS use PATTERNS for matching
- f, --file=FILE take PATTERNS from FILE

- w, --word-regexp match only whole words
- x, --line-regexp match only whole lines
- z, --null-data a data line ends in 0 byte, not newline

Miscellaneous:

- s, --no-messages suppress error messages
- v, --invert-match select non-matching lines
- V, --version display version information and exit
- help display this help text and exit

Output control:

- m, --max-count=NUM stop after NUM selected lines
- b, --byte-offset print the byte offset with output lines
- n, --line-number print line number with output lines
- line-buffered flush output on every line
- H, --with-filename print file name with output lines
- h, --no-filename suppress the file name prefix on output
- label=LABEL use LABEL as the standard input file name prefix
- o, --only-matching show only nonempty parts of lines that match
- q, --quiet, --silent suppress all normal output
- binary-files=TYPE assume that binary files are TYPE;

TYPE is 'binary', 'text', or 'without-match'

```
(kali㉿kali)-[~/hacking_case]
$ grep -EiorI '([[:alnum:]]_)+@[[:alnum:]]_+?\.([[:alpha:]]{2,6})' '/mnt/loop/Documents and S
ettings/Mr. Evil/'
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mailbot@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
nightwolf@confine.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
seabach@shaw.ca
306.42522@pd7tw2no ...
NOSPAM-fred@wardriving.com
jim@mcmahon.cc
jim@mcmahon.cc
hacked@2600.com
```



```
(kali㉿kali)-[~/hacking_case]
$ grep -EiorhI '\b[A-Za-z0-9._%+-]+@[A-Za-z0-9.-]+\.[A-Za-z]{2,6}\b' '/mnt/loop/Documents and Settings/Mr. Evil/'
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mailbot@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
nightwolf@confine.com
mrevilrulez@yahoo.com
mrevilrulez@yahoo.com
seabach@shaw.ca
NOSPAM-fred@wardriving.com
jim@mcmahon.cc
jim@mcmahon.cc
hacked@2600.com
webmaster@2600.com
you@your-name.com
```

```
(kali㉿kali)-[~/hacking_case]
$ grep -EiorhI '([[:alnum:]]_)+@[[:alnum:]]_+?\.([[:alpha:]]{2,6})' '/mnt/loop/Documents and Settings/Mr. Evil/' | sort | uniq -c | sort -nr
12 mrevilrulez@yahoo.com
6 info@mosnews.com
4 jim@mcmahon.cc
3 webmaster@2600.com
3 --Rating@Mail.ru
3 PASSCODE@HOTMAIL.COM
3 PASSADMINBOT@HOTMAIL.COM
3 NOSPAM-fred@wardriving.com
3 HERE@HOTMAIL.COM
2 suckme@oyea.lick
2 slim532@hotmail.com
2 248e504e.0408150655.a30aac9@posting.google.com ...
1 you@your-name.com
1 tmt3i0tnq18gm819ecv27r73vm6hnoddcn@4ax.com ...
1 tH1.10237466@twister.southeast.rr.com ...
1 teandson@aol.com
1 T50admin@usa.net
1 seabach@shaw.ca
```

```
(kali㉿kali)-[~/hacking_case]
$ grep -ir 'mrevilrulez@yahoo.com' '/mnt/loop/Documents and Settings/Mr. Evil/'

/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/HYU1B
ON0/ShowFolder[1].htm:Yahoo! Mail - mrevilrulez@yahoo.com</title>
/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/HYU1B
ON0/ShowFolder[1].htm: <b>mrevilrulez@yahoo.com</b> [a href="/ym/Logout?YY=60138&
.first=1&inc=25&order=down&sort=date&pos=0&view=0&head=0&box=Inbox&YY=60138">Sign Out</a>]
/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/HYU1B
ON0/ShowLetter[1].htm:Yahoo! Mail - mrevilrulez@yahoo.com</title>
/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/HYU1B
ON0/ShowLetter[1].htm: <b>mrevilrulez@yahoo.com</b> [a href="/ym/Logout?YY=90802&
.first=1&order=down&sort=date&pos=0&YY=90802">Sign Out</a>]
/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/HYU1B
ON0/ShowLetter[1].htm:<tr><td class=label nowrap>To:</td><td>mrevilrulez@yahoo.com</td></tr>
/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/HYU1B
ON0/ShowLetter[1].htm: <br>Dear mrevilrulez@yahoo.com,<br><br>
/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/HYU1B
ON0/ShowLetter[1].htm: Welcome to Yahoo! Mail, a smarter way of keeping in touch. With a whopping
<i>100MB of email storage, message size up to 10MB, and great virus and spam protection</i>, it's h
ard to believe it's <i>free!</i> Start using your new address right away: <b>mrevilrulez@yahoo.com</b>
```



```

ON0/login[1].htm:Yahoo! Mail - mrevilrulez@yahoo.com</title>
/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/HYU1B
ON0/login[1].htm: <b>mrevilrulez@yahoo.com</b> [<a href="/ym/Logout?YY=78169&
.first=1&YY=78169">Sign Out</a>]
/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/PN0J7
OQM/ShowLetter[1].htm:Yahoo! Mail - mrevilrulez@yahoo.com</title>
/mnt/loop/Documents and Settings/Mr. Evil/Local Settings/Temporary Internet Files/Content.IE5/PN0J7
OQM/ShowLetter[1].htm: <b>mrevilrulez@yahoo.com</b> [<a href="/ym/Logout?YY=27630&
.first=1&inc=25&order=down&sort=date&pos=0&view=6head=8box=Inbox&YY=27630">Sign Out</a>]

```

```

(kali㉿kali)-[~/hacking_case]
$ ls '/mnt/loop/RECYCLER/S-1-5-21-2000478354-688789844-1708537768-1003'
Dc1.exe Dc2.exe Dc3.exe Dc4.exe desktop.ini INFO2

```

```

(kali㉿kali)-[~/hacking_case]
$ sudo apt-get install rifiuti2
[sudo] password for kali:
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Solving dependencies... Done
The following packages were automatically installed and are no longer required:

```

```

(kali㉿kali)-[~/hacking_case]
$ ls -l '/mnt/loop/RECYCLER/'
total 4
drwxrwxrwx 1 root root 4096 Aug 27 2004 S-1-5-21-2000478354-688789844-1708537768-1003

```

```

(kali㉿kali)-[~/hacking_case]
$ ls -l '/mnt/loop/RECYCLER/S-1-5-21-2000478354-688789844-1708537768-1003'
total 12103
-rwxrwxrwx 1 root root 2160043 Aug 25 2004 Dc1.exe
-rwxrwxrwx 1 root root 1324940 Aug 27 2004 Dc2.exe
-rwxrwxrwx 1 root root 442417 Aug 27 2004 Dc3.exe
-rwxrwxrwx 1 root root 8460502 Aug 27 2004 Dc4.exe
-rwxrwxrwx 1 root root 65 Aug 25 2004 desktop.ini
-rwxrwxrwx 1 root root 3220 Aug 27 2004 INFO2

```

```

(kali㉿kali)-[~/hacking_case]
$ rifiuti2 --help
Usage:
  rifiuti2 [OPTION...] INFO2

Parse INFO2 file and dump recycle bin data.

```

```

Help Options:
  -h, --help                Show help options
  --help-all               Show all help options
  --help-format             Show output formatting options

Application Options:
  -o, --output=FILE         Write output to FILE
  -z, --localtime           Present deletion time in time zone of local system (default is
UTC)
  -v, --version             Print version information and exit
  -l, --legacy-filename=CODEPAGE Show legacy (8.3) path if available and specify its CODEPAGE

Usage help: https://github.com/abelcheung/rifiuti2/wiki/Usage-and-Examples
Bug report: https://github.com/abelcheung/rifiuti2/issues
More info : https://abelcheung.github.io/rifiuti2/

```

```
(kali㉿kali)-[~/hacking_case]
$ rfiuti2 '/mnt/loop/RECYCLER/S-1-5-21-2000478354-688789844-1708537768-1003/INF02'

Recycle bin path: '/mnt/loop/RECYCLER/S-1-5-21-2000478354-688789844-1708537768-1003/INF02'
Version: 5
OS Guess: Windows XP or 2003
Time zone: UTC [+0000]

Index   Deleted Time      Gone?   Size   Path
1       2004-08-25 16:18:25  FALSE  2160128 C:\Documents and Settings\Mr. Evil\Desktop\lalsetup
250.exe
2       2004-08-27 15:12:30  FALSE  1325056 C:\Documents and Settings\Mr. Evil\Desktop\netstumb
lerinstaller_0_4_0.exe
3       2004-08-27 15:15:26  FALSE  442880  C:\Documents and Settings\Mr. Evil\Desktop\WinPcap_
3_01_a.exe
4       2004-08-27 15:29:58  FALSE  8460800 C:\Documents and Settings\Mr. Evil\Desktop\ethereal
-setup-0.10.6.exe
```

```
(kali㉿kali)-[~/hacking_case]
$ fls -rFd -o 63 SCHARDT.dd | wc -l
365

(kali㉿kali)-[~/hacking_case]
$ sudo apt-get install clamav
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
Solving dependencies... Done
The following packages were automatically installed and are no longer required:
  libraw23t64 libvidstab1.1 openjdk-21-jre openjdk-21-jre-headless
Use 'sudo apt autoremove' to remove them.
The following additional packages will be installed:
  clamav-base clamav-freshclam libclamav12
Suggested packages:
  libclamunrar clamav-doc libclamunrar11
The following NEW packages will be installed:
  clamav clamav-base clamav-freshclam libclamav12
0 upgraded, 4 newly installed, 0 to remove and 1713 not upgraded.
```

```
(kali㉿kali)-[~/hacking_case]
$ clamscan --help

Clam AntiVirus: Scanner 1.4.5
By The ClamAV Team: https://www.clamav.net/about.html#credits
(C) 2024 Cisco Systems, Inc.

clamscan [options] [file/directory/-]

--help             -h           Show this help
--version          -V           Print version number
--verbose          -v           Be verbose
--archive-verbose  -a           Show filenames inside scanned archives
--debug            -d           Enable libclamav's debug messages
--quiet            -q           Only output error messages
--stdout           -s           Write to stdout instead of stderr. Does not affect 'debug'
messages.
--no-summary       -S           Disable summary at end of scanning
--infected         -i           Only print infected files
--suppress-ok-results -o       Skip printing OK files
--bell             -b           Sound bell on virus detection
```

```
(kali㉿kali)-[~/hacking_case]
$ clamscan -r -i '/mnt/loop'
Loading: 3s, ETA: 0s [=====>] 340.94K/340.94K sigs
Compiling: 2s, ETA: 0s [=====>] 41/41 tasks

-r: No such file or directory
WARNING: -r: Can't access file
-i: No such file or directory
WARNING: -i: Can't access file
'/mnt/loop': No such file or directory
WARNING: '/mnt/loop': Can't access file

----- SCAN SUMMARY -----
Known viruses: 340942
Engine version: 1.4.5
Scanned directories: 0
Scanned files: 0
Infected files: 0
Data scanned: 0.00 MB
Data read: 0.00 MB (ratio 0.00:1)
Time: 6.139 sec (0 m 6 s)
```

```
Start Date: 2026:08:26 14:30:00
End Date: 2026:08:26 14:30:06
```

```
(kali㉿kali)-[~/hacking_case]
$
```

What is your conclusion?

is Greg Schardt a hacker?