


TAREA 1: CONFLICTO SIMULADO


Apartado Tu:

1. Primero modificamos el pom.xml para eso creamos en la rama develop otra rama que se llama comentario-inicio hay que hacer la rama develop/comentario-inicio para eso hay que hacer lo siguiente:

```
git checkout -b develop/comentario-inicio
```



2. Modificamos el pom.xml y cuando los modifiquemos y lo subamos a la raíz de comentario de inicio nos pedira un pull que es lo siguiente:



Open a pull request

Create a new pull request by comparing changes across two branches. If you need to, you can also [compare across forks](#). [Learn more about diff comparisons here](#).

base: **main**

compare: **comentario-inicio**

✓ **Able to merge.** These branches can be automatically merged.



Add a title *

docs: comentario inicio pom.xml

Add a description

Write

Preview

H B I                                      

1. Nos cambiamos a la rama develop con los siguientes comandos.

```
(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git checkout develop
branch 'develop' set up to track 'origin/develop'.
Switched to a new branch 'develop'

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git pull origin develop
From https://github.com/OrganizacionRRF/store-app-team-RRF
 * branch          develop    -> FETCH_HEAD
Already up to date.

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ ls
organizacion.png  project.png  README.md  rol_team.png  store-app  team.png

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git branch
* develop
  main


(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git checkout -b comentario-final
Switched to a new branch 'comentario-final'
```

2. Crear una rama con nombre comentario-final con los siguientes comandos:

```
main

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git checkout -b comentario-final
Switched to a new branch 'comentario-final'
```

3. editamos el pom.xml:



```
Session Actions Edit View Help
GNU nano 8.6 pom.x
</plugin>

<plugin>
  <groupId>org.codehaus.mojo</groupId>
  <artifactId>sql-maven-plugin</artifactId>
  <dependencies>
    <dependency>
      <groupId>org.apache.derby</groupId>
      <artifactId>derby</artifactId>
      <version>10.14.2.0</version>
    </dependency>
  </dependencies>
  <configuration>
    <driver>org.apache.derby.jdbc.EmbeddedDriver</driver>
    <url>jdbc:derby:work/database;create=true</url>
    <username>app</username>
    <password>secr3t</password>
    <autocommit>true</autocommit>
    <onError>continue</onError>
    <srcFiles>
      <srcFile>src/main/resources/tables.sql</srcFile>
      <srcFile>src/main/resources/data.sql</srcFile>
    </srcFiles>
  </configuration>
</plugin>

</plugins>
</build>

</project>
⚡ y aquí finaliza el archivo pom.xml →
```

4. Hacemos los cambios para subirlo y que el jefe acepte el pull :

```
→ nano pom.xml

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF/store-app]
$ git add pom.xml

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF/store-app]
$ git commit -m "docs: comentario final pom.xml"
[comentario-final 70fb2cc] docs: comentario final pom.xml
1 file changed, 2 insertions(+), 1 deletion(-)

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF/store-app]
$ git push -u origin comentario-final
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 6 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 470 bytes | 470.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'comentario-final' on GitHub by visiting:
remote:   https://github.com/OrganizacionRRF/store-app-team-RRF/pull/new/comentario-final
remote:
To https://github.com/OrganizacionRRF/store-app-team-RRF.git
 * [new branch]      comentario-final -> comentario-final
branch 'comentario-final' set up to track 'origin/comentario-final'.

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF/store-app]
$
```

Comentario final #2

 Merged [fvazquezf03](#) merged 4 commits into [main](#) from [comentario-final](#)  2 minutes ago

 Conversation **0**  Commits **4**  Checks **0**  Files changed **1**



fvazquezf03 commented [2 minutes ago](#) 

No description provided.





fvazquezf03 and others added 4 commits [1 hour ago](#)

-  [docs: comentario inicio pom.xml](#) [ff77a76](#)
-  [Resolver conflicto al fusionar main en comentario-inicio](#) [2d7631f](#)
-  [Merge main into comentario-inicio](#) [3d7f3f8](#)
-  [docs: comentario final pom.xml](#) [8644b62](#)

  **fvazquezf03** merged commit [21f7a59](#) into [main](#) [2 minutes ago](#) 

TAREA 2: FEATURE DEV

1. Primero hacemos la tarea para lo que tiene que hacer el secretario:

Create new issue

Add a title *

Nuevo añadir pago

Add a description

Write

Preview

H B I

Pago en Store APP

Assignees

vjp-raulRF1

Labels

No labels

Type

No type

Projects

No projects

Milestone

No milestone

- Vemos que se ha creado:

Nuevo añadir pago #3

Edit New issue

Open

fvazquezf03 opened 2 minutes ago

Pago en Store APP

Create sub-issue

fvazquezf03 assigned vjp-raulRF1 2 minutes ago

Assignees

vjp-raulRF1

Labels


No labels

Type

No type


Projects

2. Vemos que se ah creado la tera en el board :



Paso 2. TU-SECRETARIO recibe asignación y trabaja en ella:

1. Primero vemo lo que tenmos asignado de tarea y le contestamos al jefe:



2. Antes de crear rama add-pagos, creamos rama features a partir de main.:

```

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git checkout main && git pull origin main
Switched to branch 'main'
Your branch is behind 'origin/main' by 3 commits, and can be fast-forwarded.
(use "git pull" to update your local branch)
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (2/2), 984 bytes | 984.00 KiB/s, done.
From https://github.com/OrganizacionRRF/store-app-team-RRF
* branch          main      -> FETCH_HEAD
  6500ddf..7b3b732  main      -> origin/main
Updating 3acd0f3..7b3b732
Fast-forward
 README.md          | 4 +++-
 pull_request_propio.png | Bin 0 -> 113876 bytes
 store-app/pom.xml   | 4 +++-
 3 files changed, 6 insertions(+), 2 deletions(-)
 create mode 100644 pull_request_propio.png

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git checkout -b features
Switched to a new branch 'features'

```

3. Crear rama add-pagos a partir de features:

```

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git checkout -b features
Switched to a new branch 'features'

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git branch
comentario-final
develop
* features
main

(ppsfran@kali)-[~/Ejercicio*-git/store-app-team-RRF]
$ git checkout -b add-pagos
Switched to a new branch 'add-pagos'

```

Paso 3: TU-SECRETARIO crea el archivo BizumPaymentService.java y pull request.

1. Creamos el archivo dentro de la siguiente ruta `/src/main/java/es/storeapp/business/services/`

```
Session Actions Edit View Help
GNU nano 8.6 BizumPaymentService.java *
package es.storeapp.business.services;

import java.math.BigDecimal;
import java.time.LocalDateTime;
import java.util.UUID;

public class BizumPaymentService {

    public BizumPaymentResult processBizumPayment(String phoneNumber, BigDecimal amount, String concept) {
        if (phoneNumber == null || phoneNumber.isBlank()) {
            return new BizumPaymentResult(false, "Número de teléfono no válido", null, LocalDateTime.now());
        }

        if (amount == null || amount.compareTo(BigDecimal.ZERO) <= 0) {
            return new BizumPaymentResult(false, "Importe no válido", null, LocalDateTime.now());
        }

        String operationId = "BIZ-" + UUID.randomUUID().toString().substring(0, 8).toUpperCase();

        System.out.println("Iniciando pago por Bizum...");
        System.out.println("Teléfono: " + phoneNumber);
        System.out.println("Importe: " + amount + " EUR");
        System.out.println("Concepto: " + concept);
        System.out.println("Operación generada: " + operationId);

        return new BizumPaymentResult(
            true,
            "Pago Bizum simulado correctamente",
            operationId,
            LocalDateTime.now()
        );
    }

    public boolean validatePhoneNumber(String phoneNumber) {
        return phoneNumber != null && phoneNumber.matches("[0-9]{8}$");
    }

    public static class BizumPaymentResult {
        private final boolean success;
        private final String message;
        private final String operationId;
        private final LocalDateTime timestamp;

        public BizumPaymentResult(boolean success, String message, String operationId, LocalDateTime timestamp) {
            this.success = success;
            this.message = message;
            this.operationId = operationId;
            this.timestamp = timestamp;
        }
    }
}
```

2. Solicitamos el Pull request.

The screenshot shows a GitHub Pull Request interface in a code editor. The left sidebar contains the following information:

- GITHUB PULL REQUEST**
- CREATE**
- BASE**: add-pagos
- MERGE**: features
- TITLE**: parte 1 fin
- DESCRIPTION**: Ya lo he hecho jefe
- FILES CHANGED**: No hay confirmaciones entre la rama "add-pagos" base y la rama "features" de comparación
- COMMITTS**: No hay confirmaciones entre la rama "add-pagos" base y la rama "features" de comparación


The main area displays the **GitHub Codespaces** extension page. It includes the GitHub logo, the extension name, a description of it as an instant dev environment, and buttons for **Deshabilitar** and **Desinstalar**. Below this, there's a **Getting Started** section with links to [GitHub Codespaces documentation](#) and [Report a Problem / Request a Feature \(Issue Tracker\)](#).

Paso 4: TU lo aceptas e incorporas y cierras el feat.

1. Lo aceptamos y le damos a completado la tarea:

TAREA 3: Hotfix

1. creamo la incidencia:



Create new issue

Add a title *

Hotfix: bug in telephone number in bizum payment

Add a description

Write Preview

En el pago por bizum, cuando se introduce un teléfono válido lo da como incorrecto.

Assignees

fvazquez03

Labels

bug

Type

Bug

Projects

No projects

Milestone

No milestone

Create more Cancel Create

Activar Windows
Ve a Configuración para activar Windows

Paso 2: TU-SECRETARIO soluciona la incidencia y abre Pull request.

1. Creas y actualizamos las ramas:

```
(ppsfran@kali)-[~/Ejercicio*git/store-app-team-RRF]
$ git checkout develop
Switched to branch 'develop'
Your branch is up to date with 'origin/develop'.

(ppsfran@kali)-[~/Ejercicio*git/store-app-team-RRF]
$ git pull origin develop
From https://github.com/OrganizacionRRF/store-app-team-RRF
* branch          develop    -> FETCH_HEAD
Already up to date.

(ppsfran@kali)-[~/Ejercicio*git/store-app-team-RRF]
$ git checkout -b Hotfix
Switched to a new branch 'Hotfix'

(ppsfran@kali)-[~/Ejercicio*git/store-app-team-RRF]
$ git checkout -b fix-telephone-bug
Switched to a new branch 'fix-telephone-bug'
```

2. Arreglamos la app:

```
store-app > src > main > java > es > storeapp > business > services > BizumPaymentService_hotfix_bug.java
1 package es.storeapp.business.services;
2
3 import java.math.BigDecimal;
4 import java.time.LocalDateTime;
5 import java.util.UUID;
6
7 public class BizumPaymentService {
8
9     public BizumPaymentResult processBizumPayment(String phoneNumber, BigDecimal amount, String concept) {
10         if (phoneNumber == null || phoneNumber.isBlank()) {
11             return new BizumPaymentResult(false, "Número de teléfono no válido", null, LocalDateTime.now());
12         }
13
14         if (amount == null || amount.compareTo(BigDecimal.ZERO) <= 0) {
15             return new BizumPaymentResult(false, "Importe no válido", null, LocalDateTime.now());
16         }
17
18         String operationId = "BIZ-" + UUID.randomUUID().toString().substring(0, 8).toUpperCase();
19
20         System.out.println("Iniciando pago por Bizum...");
21         System.out.println("Teléfono: " + phoneNumber);
22         System.out.println("Importe: " + amount + " EUR");
23         System.out.println("Concepto: " + concept);
24         System.out.println("Operación generada: " + operationId);
25
26         return new BizumPaymentResult(
27             true,
28             "Pago Bizum simulado correctamente",
29             operationId,
30             LocalDateTime.now()
31         );
32     }
33
34     public boolean validatePhoneNumber(String phoneNumber) {
35         return phoneNumber != null && phoneNumber.matches("^([0-9]{8})$");
36     }
37
38     public static class BizumPaymentResult {
39         private final boolean success;
40         private final String message;
41         private final String operationId;
42         private final LocalDateTime timestamp;
```

3. Hacemos el pull request y no los acepta y ya hemos solucionado el error:

Build with Agent

AI responses may be inaccurate.
Generate Agent Instructions to onboard AI onto your codebase.

¿Desea instalar la 'Extension Pack for Java' extensión de Microsoft, recomendada para el idioma Java?

Instalar Mostrar recomendaciones

terminalAyuda

store-app-team-RRF

Issue #4NewIssue.mdBizumPaymentService_hotfix_bug.java MPull Request #8

añadida funcionalidad pago por bizum #8

Mergedf vazquezf03 merged changes into OrganizacionRRF:main from OrganizacionRRF:fix-telephone-bug

Checkout 'main' Refresh

f vazquezf03 commented 8 minutes ago

No description provided.

añadida funcionalidad pago por bizum67e027a 8 minutes ago

vjp-raulRF1 merged commit 9aa893b into mainRevert 7 minutes ago

vjp-raulRF1 closed this pull request7 minutes ago

f vazquezf03 (member) pending

Leave a review summary comment

Cancel ReviewSubmit Review

final7514d69 5 minutes ago

Pull request successfully merged.Delete Branch...

Leave a comment

ReviewersNone yet

AssigneesNone yet—assign yourself

LabelsNone yet

ProjectSign in with more permissions to see projects

MilestoneNo milestone

¿Desea instalar la 's' Microsoft, recomen