

# Systematic Literature Review

The Effects of Vibe Coding and AI-Assisted Software Development

7-Week Detailed Execution Plan

A compressed, day-level plan with specific search strings, criteria, checklists, extraction fields, file names, and deliverables for a two-reviewer SLR.

**Research Team:** Dania & Faiqa

**Review type:** Two-reviewer SLR (Kitchenham / PRISMA-informed)

**Duration:** 7 weeks, ~10–12 hrs/week per person

Color key   **DANIA**   **FAIQA**   **BOTH**

## Objective & Research Questions

**Objective:** Investigate how AI-assisted coding (including "vibe coding") influences developer productivity, code quality, learning, and software engineering practices.

- **RQ1 (Productivity):** Effects on developer speed, throughput, task completion time.
  - **RQ2 (Code quality):** Defect rate, maintainability, security, technical debt vs. human-written code.
  - **RQ3 (Learning):** Effects on novice/student learning outcomes and skill retention.
  - **RQ4 (SE practices):** Changes to code review, testing, documentation, team collaboration.
  - **RQ5 (Moderators):** Experience level, task type, tool type, vibe coding vs. structured AI-assisted coding.
  - **RQ6 (Risks):** Over-trust, skill atrophy, security vulnerabilities, hallucinated code.
- 

## Week 1 — Protocol, Search Strategy & Tool Setup

**Goal:** A locked, approved protocol and fully configured tool stack before any real screening begins.

### Day 1–2: PICOC & Criteria

| Day / Task                                                                                                                                                                                                                                     | Owner        | Specific Output / File                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------------------------------|
| Draft PICOC table (Population = developers; Intervention = AI-assisted coding/vibe coding tools; Comparison = manual/traditional coding; Outcome = productivity, quality, learning, practice change; Context = industry + academic, 2021–2026) | <b>BOTH</b>  | PICOC.docx                                   |
| Draft inclusion criteria: peer-reviewed empirical studies (experiment, case study, survey, mixed-methods); explicitly about LLM-based coding tools; report $\geq 1$ of the 4 outcome areas; English language; 2021–2026                        | <b>DANIA</b> | Inclusion_Exclusion_Criteria.docx v1         |
| Draft exclusion criteria: opinion/vision papers with no data; pure tool papers with no evaluation; duplicate/extended-abstract versions; non-English                                                                                           | <b>FAIQA</b> | Inclusion_Exclusion_Criteria.docx v1         |
| Joint review and sign-off of I/E criteria                                                                                                                                                                                                      | <b>BOTH</b>  | Inclusion_Exclusion_Criteria.docx v2 (FINAL) |

### Day 3: Search String Design

| Day / Task                                                                                                           | Owner        | Specific Output / File                     |
|----------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------|
| Draft master Boolean search string (see Appendix A for exact string)                                                 | <b>DANIA</b> | Search_Strings.docx v1                     |
| Adapt master string into exact syntax per database (IEEE, ACM DL, Scopus, Web of Science, SpringerLink, arXiv cs.SE) | <b>DANIA</b> | Search_Strings.docx v2 — 6 adapted strings |
| Pilot-test string on IEEE Xplore and Scopus; sanity check: expect roughly 150–400 raw hits per database pre-filter   | <b>FAIQA</b> | Pilot_Search_Log.xlsx                      |
| Adjust string if pilot hit count is wildly off (too broad >1000, too narrow <30) and re-test                         | <b>BOTH</b>  | Search_Strings.docx v3 (FINAL)             |

### Day 4: Tool Setup

| Day / Task                                                         | Owner        | Specific Output / File                |
|--------------------------------------------------------------------|--------------|---------------------------------------|
| Create shared Zotero group library named "SLR_VibeCoding_2026"     | <b>DANIA</b> | Zotero group link shared with Faiqa   |
| Create Rayyan project "Vibe Coding SLR" for blinded dual screening | <b>FAIQA</b> | Rayyan project link shared with Dania |

| Day / Task                                                                                                                                               | Owner        | Specific Output / File   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------|
| Build master extraction spreadsheet skeleton in Google Sheets (fields per Appendix D) with tabs: Search Log, Screening, Full-Text, Extraction, QA Scores | <b>FAIQA</b> | SLR_Master_Tracker.xlsx  |
| Set up shared Google Drive folder structure (see Appendix E)                                                                                             | <b>DANIA</b> | Folder structure created |

### Day 5: Protocol Sign-off

| Day / Task                                                                       | Owner        | Specific Output / File            |
|----------------------------------------------------------------------------------|--------------|-----------------------------------|
| Compile PICOC + criteria + search strings + tool list into one Protocol document | <b>FAIQA</b> | SLR_Protocol_v1.docx              |
| Joint read-through and formal sign-off (both initial the document)               | <b>BOTH</b>  | SLR_Protocol_FINAL.docx           |
| 30-min sync meeting: confirm week 2 plan                                         | <b>BOTH</b>  | Meeting notes in Meeting_Log.docx |

## Week 2 — Search Execution, Export & De-duplication

**Goal:** One clean, de-duplicated master reference list with a fully logged search trail (needed for the PRISMA "Identification" stage).

### Day 1–2: Run Searches

| Day / Task                                                                 | Owner        | Specific Output / File                              |
|----------------------------------------------------------------------------|--------------|-----------------------------------------------------|
| Run final search string on IEEE Xplore, ACM Digital Library, arXiv (cs.SE) | <b>DANIA</b> | Raw export files: IEEE.ris, ACM.ris, arXiv.ris      |
| Run final search string on Scopus, Web of Science, SpringerLink            | <b>FAIQA</b> | Raw export files: Scopus.ris, WoS.ris, Springer.ris |
| Log exact search date, string used, and raw hit count per database         | <b>BOTH</b>  | Search_Log.xlsx (feeds PRISMA Identification box)   |

### Day 3: Import & Merge

| Day / Task                                                           | Owner        | Specific Output / File      |
|----------------------------------------------------------------------|--------------|-----------------------------|
| Import all 6 .ris files into the shared Zotero library               | <b>DANIA</b> | Combined raw Zotero library |
| Tag every imported record with its source database (e.g. "src:IEEE") | <b>DANIA</b> | Source-tagged library       |

### Day 4: De-duplication

| Day / Task                                                                          | Owner        | Specific Output / File     |
|-------------------------------------------------------------------------------------|--------------|----------------------------|
| Run Zotero's built-in "Duplicate Items" detector, merge exact duplicates            | <b>DANIA</b> | Auto-dedup pass complete   |
| Manually scan remaining near-duplicates (same title, different formatting/DOI typo) | <b>FAIQA</b> | Manual-dedup pass complete |
| Record before/after counts (e.g. "842 raw → 561 after de-dup") for PRISMA           | <b>FAIQA</b> | Search_Log.xlsx updated    |

### Day 5: Export to Screening Tool

| Day / Task                                                             | Owner        | Specific Output / File   |
|------------------------------------------------------------------------|--------------|--------------------------|
| Export de-duplicated library to Rayyan for blinded screening           | <b>FAIQA</b> | Rayyan project populated |
| Verify import count matches de-dup count exactly (catch import errors) | <b>BOTH</b>  | Verified — count matches |

## Week 3 — Title & Abstract Screening

**Goal:** Every de-duplicated record independently screened by both reviewers, all conflicts resolved, first PRISMA screening numbers locked.

### Day 1–3: Independent Screening

| Day / Task                                                                                                                         | Owner       | Specific Output / File                  |
|------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------|
| Both independently screen 100% of records in Rayyan (blind mode on) using the locked I/E criteria — target ~50–70 records/day each | <b>BOTH</b> | Two independent decision sets in Rayyan |
| Decision options per record: Include / Exclude / Maybe — "Maybe" requires a 1-line reason                                          | <b>BOTH</b> | Reasoned decisions logged in Rayyan     |

### Day 4: Agreement Check

| Day / Task                                              | Owner        | Specific Output / File                                                                              |
|---------------------------------------------------------|--------------|-----------------------------------------------------------------------------------------------------|
| Turn off blind mode; export conflict report from Rayyan | <b>FAIQA</b> | Conflict_Report.csv                                                                                 |
| Calculate Cohen's kappa on title/abstract decisions     | <b>FAIQA</b> | Kappa score recorded in SLR_Master_Tracker.xlsx (target $\kappa \geq 0.61$ = substantial agreement) |

### Day 5: Reconciliation

| Day / Task                                                                                     | Owner        | Specific Output / File                                    |
|------------------------------------------------------------------------------------------------|--------------|-----------------------------------------------------------|
| Joint 2-hour session: go through every conflicting/maybe record, agree Include/Exclude         | <b>BOTH</b>  | Final title/abstract-stage inclusion list                 |
| Log top 5 exclusion reasons with counts (e.g. "not empirical: 62, not AI-coding specific: 40") | <b>FAIQA</b> | Exclusion_Reasons.xlsx (for PRISMA + methodology chapter) |
| Update PRISMA counts: records screened / excluded / carried to full-text stage                 | <b>FAIQA</b> | PRISMA_Diagram_Data.xlsx                                  |

## Week 4 — Full-Text Screening, Snowballing & Quality Assessment

**Goal:** Final locked primary study set, plus quality scores for every included study.

### Day 1: PDF Retrieval

| Day / Task                                                                                                                   | Owner       | Specific Output / File                             |
|------------------------------------------------------------------------------------------------------------------------------|-------------|----------------------------------------------------|
| Retrieve full-text PDFs for all records that passed title/abstract stage via university library access / open access / arXiv | <b>BOTH</b> | PDFs filed in Drive/03_FullTexts/ (see Appendix E) |
| Flag any inaccessible papers for inter-library loan or author-contact request                                                | <b>BOTH</b> | Inaccessible_Papers.xlsx                           |

### Day 2–3: Full-Text Screening

| Day / Task                                                                                   | Owner       | Specific Output / File                                        |
|----------------------------------------------------------------------------------------------|-------------|---------------------------------------------------------------|
| Split remaining pool alphabetically by first author: A–L to Dania, M–Z to Faiqa              | <b>BOTH</b> | Split list in SLR_Master_Tracker.xlsx                         |
| Each reviewer applies full I/E criteria to their half, reading full text                     | <b>BOTH</b> | Full-text decisions with 1–2 line justification per exclusion |
| Each reviewer spot-checks a random 20% of the other's decisions (both included and excluded) | <b>BOTH</b> | Spot-check log; disagreements flagged                         |

#### Day 4: Snowballing

| Day / Task                                                                                    | Owner | Specific Output / File               |
|-----------------------------------------------------------------------------------------------|-------|--------------------------------------|
| Backward snowballing: scan reference lists of all included studies for missed relevant papers | DANIA | Snowball_Candidates.xlsx             |
| Forward snowballing: check citing papers via Google Scholar / Scopus "cited by"               | FAIQA | Snowball_Candidates.xlsx (merged)    |
| Apply title/abstract then full-text screening to snowballed candidates using same criteria    | BOTH  | Final additions to primary study set |

#### Day 5: Quality Assessment

| Day / Task                                                                                                        | Owner | Specific Output / File          |
|-------------------------------------------------------------------------------------------------------------------|-------|---------------------------------|
| Independently score every included study on the 8-item QA checklist (Appendix C), each item scored 0 / 0.5 / 1    | BOTH  | Two independent QA score sheets |
| Compare scores; discuss and reconcile any item with >1 point difference                                           | BOTH  | Final_QA_Scores.xlsx            |
| Finalize the PRISMA flow diagram with all four stage counts (Identification → Screening → Eligibility → Included) | FAIQA | PRISMA_Flow_Diagram.pdf/.png    |

---

## Week 5 — Data Extraction

**Goal:** Every included study fully extracted into the master spreadsheet using the standardized field set (Appendix D), with cross-validation.

### Day 1: Extraction Kickoff

| Day / Task                                                                               | Owner        | Specific Output / File                          |
|------------------------------------------------------------------------------------------|--------------|-------------------------------------------------|
| Lock the final extraction form fields (Appendix D) into the spreadsheet's Extraction tab | <b>FAIQA</b> | SLR_Master_Tracker.xlsx — Extraction tab locked |
| Both extract 1 shared "calibration" study together to align interpretation of fields     | <b>BOTH</b>  | 1 fully agreed calibration row                  |

### Day 2–4: Split Extraction

| Day / Task                                                                                       | Owner       | Specific Output / File                                                |
|--------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------|
| Split the locked study set alphabetically ~50/50 (same split as full-text stage for consistency) | <b>BOTH</b> | Split confirmed in tracker                                            |
| Extract all fields for assigned half, including RQ tags (which of RQ1–RQ6 each study informs)    | <b>BOTH</b> | ~50% of Extraction tab filled per person, target 4–6 studies/day each |

### Day 5: Cross-Validation

| Day / Task                                                                          | Owner       | Specific Output / File         |
|-------------------------------------------------------------------------------------|-------------|--------------------------------|
| Each reviewer re-extracts a random 20% sample of the other's rows independently     | <b>BOTH</b> | Validation sample re-extracted |
| Compare and correct any mismatches; log correction count as a simple accuracy check | <b>BOTH</b> | Extraction_Validation_Log.xlsx |

## Week 6 — Synthesis

**Goal:** RQ-by-RQ narrative synthesis tables and a decision on whether meta-analysis is feasible.

### Day 1: Organize by RQ

| Day / Task                                                                                                                                                          | Owner        | Specific Output / File         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------|
| Pivot the extraction spreadsheet by RQ tag to create 6 RQ-specific study lists                                                                                      | <b>FAIQA</b> | RQ_Grouped_Studies.xlsx        |
| Assess whether enough studies report comparable quantitative effect sizes (e.g., % time saved, defect counts) for a meta-analysis; document go/no-go with reasoning | <b>DANIA</b> | Meta_Analysis_Feasibility.docx |

### Day 2–3: Draft Synthesis Tables

| Day / Task                                                                                                                                                                          | Owner        | Specific Output / File                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------------------------------------------|
| Build synthesis table for RQ1 (Productivity), RQ2 (Code Quality), RQ3 (Learning): columns = Study / Sample / Metric / Direction of Effect (positive, negative, mixed, null) / Notes | <b>DANIA</b> | Synthesis_RQ1-3.xlsx + draft narrative paragraphs |
| Build synthesis table for RQ4 (SE Practices), RQ5 (Moderators), RQ6 (Risks) in same format                                                                                          | <b>FAIQA</b> | Synthesis_RQ4-6.xlsx + draft narrative paragraphs |

### Day 4: Cross-Review

| Day / Task                                                                                    | Owner       | Specific Output / File                               |
|-----------------------------------------------------------------------------------------------|-------------|------------------------------------------------------|
| Each reviewer checks the other's synthesis table against the raw extraction data for accuracy | <b>BOTH</b> | Cross-reviewed synthesis tables, corrections applied |

### **Day 5: Identify Patterns**

| Day / Task                                                                                                                                                     | Owner       | Specific Output / File    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------------------|
| Joint session: identify cross-cutting patterns/contradictions across RQs (e.g. does productivity gain come at a code-quality cost?) for the Discussion section | <b>BOTH</b> | Cross-Cutting_Themes.docx |

---

## Week 7 — Write-Up & Finalization

**Goal:** A complete, submission-ready SLR report.

### Day 1–2: Draft Core Chapters

| Day / Task                                                                         | Owner        | Specific Output / File |
|------------------------------------------------------------------------------------|--------------|------------------------|
| Write Methodology chapter from Protocol + Search Log + PRISMA diagram + QA process | <b>FAIQA</b> | Ch3_Methodology.docx   |
| Write Introduction/Background chapter (motivation, objective, RQs)                 | <b>DANIA</b> | Ch1_Introduction.docx  |
| Write Results section for RQ1–RQ3 from synthesis tables                            | <b>DANIA</b> | Ch4_Results_RQ1-3.docx |
| Write Results section for RQ4–RQ6 from synthesis tables                            | <b>FAIQA</b> | Ch4_Results_RQ4-6.docx |

### Day 3: Discussion & Validity

| Day / Task                                                                                                                                                                | Owner        | Specific Output / File     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|----------------------------|
| Write Discussion section using Cross-Cutting_Themes.docx as the backbone                                                                                                  | <b>BOTH</b>  | Ch5_Discussion.docx        |
| Write Threats to Validity (publication bias, tool-version drift given fast-moving field, definitional heterogeneity of "vibe coding", self-report bias in survey studies) | <b>BOTH</b>  | Ch5_ThreatsToValidity.docx |
| Write Conclusion & Future Work                                                                                                                                            | <b>DANIA</b> | Ch6_Conclusion.docx        |

### Day 4: Assembly & Formatting

| Day / Task                                                                                                           | Owner        | Specific Output / File   |
|----------------------------------------------------------------------------------------------------------------------|--------------|--------------------------|
| Merge all chapters into one master document; insert PRISMA diagram, synthesis tables, QA table as figures/appendices | <b>FAIQA</b> | SLR_Full_Draft_v1.docx   |
| Format references consistently (IEEE or APA per course requirement) using Zotero citation export                     | <b>DANIA</b> | Reference list finalized |

### Day 5: Final Review

| Day / Task                                                                                                                | Owner       | Specific Output / File   |
|---------------------------------------------------------------------------------------------------------------------------|-------------|--------------------------|
| Full joint read-through for consistency, logic flow, and that every RQ has a clear answer stated                          | <b>BOTH</b> | SLR_Full_Draft_v2.docx   |
| Proofread pass (grammar, formatting, figure/table numbering)                                                              | <b>BOTH</b> | SLR_FINAL.docx           |
| Submit / archive all raw materials (Zotero library, Rayyan export, spreadsheets) alongside the report for reproducibility | <b>BOTH</b> | Final submission package |

---



## Appendix A — Search Strings (Exact)

### Master Boolean string:

```
("vibe coding" OR "AI-assisted coding" OR "AI-assisted programming" OR "AI-assisted software development"  
OR "AI pair programming" OR "LLM code generation" OR "GitHub Copilot" OR "AI coding assistant" OR  
"generative AI" AND "software development")  
AND  
("productivity" OR "developer productivity" OR "code quality" OR "software quality" OR "learning outcomes"  
OR "skill development" OR "software engineering practice" OR "developer experience" OR "code review" OR  
"testing")  
Filters: 2021–2026, English, peer-reviewed (where the database supports it)
```

| Database            | Syntax Note                                                                                                                   |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------|
| IEEE Xplore         | Use "Full Text & Metadata" search with Command Search syntax; wrap each OR group in parentheses as above                      |
| ACM Digital Library | Use the Advanced Search builder; combine Title/Abstract/Keyword fields for each OR group                                      |
| Scopus              | Use TITLE-ABS-KEY() wrapping the full string; add PUBYEAR > 2020 AND PUBYEAR < 2027                                           |
| Web of Science      | Use Topic (TS=) search field for the full string                                                                              |
| SpringerLink        | Simplify to top 6–8 terms (SpringerLink's parser has a query-length limit); rely more on snowballing here                     |
| arXiv (cs.SE)       | Use the advanced search with abstract field; treat as supplementary/preprint source, tag separately from peer-reviewed venues |

## Appendix B — Inclusion / Exclusion Criteria (Full List)

### **Include if ALL of:**

- Peer-reviewed (or arXiv preprint clearly under review/citable, tagged separately) full paper — not an abstract-only submission
- Empirical: reports original data (experiment, controlled study, survey, case study, mixed-methods, or systematic observation of real projects)
- Explicitly studies an AI-assisted coding tool/approach (LLM-based code generation, Copilot-style assistants, chat-based coding, or agentic/vibe coding), not general-purpose automation unrelated to LLMs
- Reports on at least one of: productivity, code quality, learning outcomes, or SE practice change
- Published 2021–2026 (post-GitHub Copilot public availability)
- Written in English

### **Exclude if ANY of:**

- Opinion piece, vision paper, keynote summary, or magazine article with no empirical data
- Tool/system paper that only describes an architecture with no user study or evaluation
- Duplicate or shorter extended-abstract version of a study already included in fuller form
- Focuses solely on model-internal performance (e.g. benchmark accuracy of a code-gen model) with no developer-facing outcome measured
- Non-English full text with no available translation

## Appendix C — Quality Assessment Checklist (Scoring Rubric)

Each included study is scored 0 (No), 0.5 (Partially), or 1 (Yes) on each item. Maximum score = 8.

| # | Item                                                                                                        |
|---|-------------------------------------------------------------------------------------------------------------|
| 1 | Are the research objectives/questions clearly stated?                                                       |
| 2 | Is the study design (experiment, survey, case study, etc.) appropriate for answering the stated objectives? |
| 3 | Is the sample size reported and reasonably justified for the design used?                                   |
| 4 | Is there a comparison/control condition or clear baseline (e.g. "without AI assistance")?                   |
| 5 | Are data collection methods clearly and reproducibly described?                                             |
| 6 | Are outcome measures/metrics clearly defined and reasonably valid for what they claim to measure?           |
| 7 | Are threats to validity or study limitations explicitly discussed by the authors?                           |
| 8 | Are the findings clearly linked back to the stated research questions/objectives?                           |

*Suggested interpretation bands: 6.5–8 = High quality, 4–6 = Medium quality, <4 = Low quality (include in synthesis but flag/weight down; do not auto-exclude).*

## Appendix D — Data Extraction Form Fields

| Field                        | Description                                                                         |
|------------------------------|-------------------------------------------------------------------------------------|
| Study ID                     | Unique ID, e.g. S001, S002...                                                       |
| Citation                     | Full reference (author, year, title, venue)                                         |
| Year                         | Publication year                                                                    |
| Venue                        | Journal/conference/preprint server name                                             |
| Study type                   | Experiment / controlled study / survey / case study / mixed-methods / observational |
| Context                      | Industry / academic / open-source, and country if reported                          |
| Sample size (N)              | Number of participants or repositories/projects studied                             |
| Participant experience level | Student / junior / senior / mixed, as reported                                      |
| AI tool(s) studied           | e.g. GitHub Copilot, ChatGPT, Cursor, Claude Code, unspecified LLM                  |
| Study duration               | Single session / weeks / months, as applicable                                      |
| Task type                    | e.g. greenfield feature dev, bug fixing, code review, learning exercise             |
| Outcome metric(s)            | Exact metric used, e.g. time-on-task, LOC/hour, defect density, SUS score           |
| Effect direction             | Positive / Negative / Mixed / Null (relative to non-AI-assisted baseline)           |
| Effect magnitude             | Reported effect size or % change, if available                                      |
| RQ tag(s)                    | Which of RQ1–RQ6 this study informs (can be more than one)                          |
| Key findings                 | 2–3 sentence plain-language summary                                                 |
| Limitations (author-stated)  | As reported by the study's own authors                                              |
| QA score                     | Score from Appendix C (0–8)                                                         |

## Appendix E — Shared Drive Folder Structure & File Naming

SLR\_VibeCoding\_2026/  
01\_Protocol/ — PICOC.docx, Inclusion\_Exclusion\_Criteria.docx, Search\_Strings.docx,  
SLR\_Protocol\_FINAL.docx

02\_SearchExports/ – raw .ris files per database, Search\_Log.xlsx  
03\_FullTexts/ – PDFs of all full-text-screened papers, named Author\_Year.pdf  
04\_Screening/ – Conflict\_Report.csv, Exclusion\_Reasons.xlsx, PRISMA\_Flow\_Diagram.pdf  
05\_QualityAssessment/ – Final\_QA\_Scores.xlsx  
06\_Extraction/ – SLR\_Master\_Tracker.xlsx, Extraction\_Validation\_Log.xlsx  
07\_Synthesis/ – Synthesis\_RQ1-3.xlsx, Synthesis\_RQ4-6.xlsx, Cross-Cutting\_Themes.docx  
08\_Writeup/ – all chapter .docx files, SLR\_FINAL.docx  
09\_MeetingLog/ – Meeting\_Log.docx

## Appendix F — Weekly Meeting Cadence

| When                  | Length | Purpose                                                                       |
|-----------------------|--------|-------------------------------------------------------------------------------|
| Monday, start of week | 15 min | Confirm this week's task split and daily targets                              |
| Wednesday, mid-week   | 20 min | Check progress against daily targets, unblock issues                          |
| Friday, end of week   | 30 min | Review week's deliverables, log to Meeting_Log.docx, confirm next week's goal |

*All meetings logged with date, attendees, decisions made, and action items in Meeting\_Log.docx — this becomes useful evidence of process rigor if the SLR is assessed academically.*