

CASHWMaxSAT-DisjCad: Solver Description

Shiwei Pan^{1,2}, Yiyuan Wang^{1,2,*}, Shaowei Cai^{3,4,*}, Jiangnan Li^{1,2}, Wenbo Zhu^{1,2}, Minghao Yin^{1,2}

¹School of Computer Science and Information Technology, Northeast Normal University, China

²Key Laboratory of Applied Statistics of MOE, Northeast Normal University, Changchun, China

³State Key Laboratory of Computer Science, Institute of Software, Chinese Academy of Sciences, Beijing, China

⁴School of Computer Science and Technology, University of Chinese Academy of Sciences, China

*corresponding author

yiyuanwangjlu@126.com, caisw@ios.ac.cn,
{pansw779, lijn101, zhuwenbo, ymh}@nenu.edu.cn

Abstract—This document describes the MaxSAT solver CASHWMaxSAT-DisjCad, submitted to the complete tracks (include unweighted and weighted track) of MaxSAT Evaluation 2023.

I. INTRODUCTION

We developed an improved complete MaxSAT solver called CASHWMaxSAT-DisjCad based on the latest version UW-MaxSat 1.5.4 [1], SCIP 8.1.0 [2] and CASHWMaxSAT-CorePuls 2023 [3]. In addition, CASHWMaxSAT-DisjCad used an unsatisfiable-core-based OLL procedure [4]–[7]. In this work, we propose two novel ideas to improve the last year’s version of CASHWMaxSAT-CorePlus [3]. Based on CASHWMaxSAT-CorePlus, we optimize the parameter settings of SCIP, use an underlying SAT solver CaDiCaL¹ [8], and develop a new algorithm called CASHWMaxSAT-DisjCad.

- In [9], Extracting multiple disjoint cores in each iteration of the IHS algorithm can enhance the performance of solving MaxSAT. We have incorporated this idea into our solver. Initially, we obtain an unsatisfiable core using a SAT solver. Then, we remove this unsatisfiable core from the original assumptions and solve again using the SAT solver to get new disjoint unsatisfiable cores. This process is repeated until the used SAT solver returns SAT.
- We exclude some soft clauses that can be optimized by the Boolean multilevel optimization. For the remaining soft clauses, we calculate the standard deviation of their weight values. If the obtained standard deviation is less than the average value of their weight values, we add all the assumptions into the SAT solver.

II. FUTURE WORK

First, we could use a simplified version of MaxSAT local search solvers to improve the satisfied solution. Second, we could try to design a novel selection way for selecting an unsatisfiable-core on weighted cases.

REFERENCES

- [1] M. Piotrów, “Uwrmassat in maxsat evaluation 2021,” *MaxSAT Evaluation 2021*, p. 17, 2021.
- [2] K. Bestuzheva, M. Bessançon, W.-K. Chen, A. Chmiela, T. Donkiewicz, J. van Doornmalen, L. Eifler, O. Gaul, G. Gamrath, A. Gleixner *et al.*, “The scip optimization suite 8.0,” *arXiv preprint arXiv:2112.08872*, 2021.
- [3] S. Pan, Y. Wang, Z. Lei, S. Cai, S. Wang, and M. Yin, “Cashwmaxsat-coreplus: Solver description,” *MaxSAT Evaluation 2023*, p. 1, 2024.
- [4] B. Andres, B. Kaufmann, O. Matheis, and T. Schaub, “Unsatisfiability-based optimization in clasp,” in *Technical Communications of the 28th International Conference on Logic Programming (ICLP’12)*. Schloss Dagstuhl-Leibniz-Zentrum fuer Informatik, 2012.
- [5] A. Morgado, F. Heras, M. Liffiton, J. Planes, and J. Marques-Silva, “Iterative and core-guided maxsat solving: A survey and assessment,” *Constraints*, vol. 18, no. 4, pp. 478–534, 2013.
- [6] A. Morgado, C. Dodaro, and J. Marques-Silva, “Core-guided maxsat with soft cardinality constraints,” in *International Conference on Principles and Practice of Constraint Programming*. Springer, 2014, pp. 564–573.
- [7] A. Ignatiev, A. Morgado, and J. Marques-Silva, “Rc2: an efficient maxsat solver,” *Journal on Satisfiability, Boolean Modeling and Computation*, vol. 11, no. 1, pp. 53–64, 2019.
- [8] A. Biere, K. Fazekas, M. Fleury, and M. Heisinger, “CaDiCaL, Kissat, Paracooba, Plingeling and Treengeling entering the SAT Competition 2020,” in *Proc. of SAT Competition 2020 – Solver and Benchmark Descriptions*, ser. Department of Computer Science Report Series B, vol. B-2020-1. University of Helsinki, 2020, pp. 51–53.
- [9] P. Saikko, “Re-implementing and extending a hybrid sat-ip approach to maximum satisfiability,” Ph.D. dissertation, Master’s thesis, University of Helsinki, 2015.

¹<https://github.com/arminbiere/cadical>